

6 Rubber Avenue

NAUGATUCK, CONNECTICUT

Phase I Environmental Site Assessment

AKRF Project Number: 91065-0004



Prepared for:

Mayor Robert A. Mezzo
Borough of Naugatuck
229 Church Street
Naugatuck, Connecticut

Prepared by:



AKRF, Inc.
700 Main Street – Suite C
Willimantic, CT 06226
(860) 423-7127

AUGUST 2010

EXECUTIVE SUMMARY

AKRF, Inc. (AKRF) was retained by the Borough of Naugatuck to perform a Phase I Environmental Site Assessment (ESA) of the property located at 6 Rubber Avenue in Naugatuck, Connecticut (site). The approximate 11.7-acre property is currently owned and occupied by General DataComm, Inc. (GDC), a communications hardware manufacturer and distributor. It contains a four story, approximately 375,000-square foot warehouse, manufacturing and office building originally constructed in the 1950s as a rubber and canvas shoe/sneaker warehouse and retail sales storefront. The site includes a 20 by 20-foot, brick pump house building located in the northeastern portion of the property.

The objective of this ESA was to identify potential environmental concerns associated with the subject site resulting from past or current Site usage or the usage of neighboring properties. The scope of this Phase I ESA was limited to the site building and the associated subject site property consisting of Map 2, Lot 2W1 and Maps 2 and 3, Lot 23W2. The two lots consist of: the southern approximately 3.90-acre parcel occupied primarily by the warehouse, manufacturing and office building, located south of former Rubber Avenue, known as Parcel A; and the approximately 7.75-acre parking and driveway area (including a brick pump house) occupying the central and northern portions of the site (including former Rubber Avenue), known as Parcel B.

The Phase I ESA was performed in accordance with customary principles and practices in the environmental consulting industry, and in conformance with the scope and limitations of the American Society for Testing and Materials (ASTM) Standard E1527-05, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Practice*. This assessment revealed the following evidence of Recognized Environmental Conditions (RECs) in connection with the property:

- The subject site is located in a historically developed urban area, and has included industrial uses with various undocumented chemical waste handling practices dating back to the 1860s. Contaminated soil associated with fill materials and/or historic releases has been documented in previous site investigation reports. Recent and current site activities/conditions could also have contributed to contaminated media.
- The site has a significant industrial use history dating from the 1860s until circa 1985. Primarily, the site manufactured rubber goods including shoes, sneakers, and gloves. Several companies operated at the site including the Goodyear India Rubber Glove Manufacturing Company, Goodyear Metallic Rubber Shoe Company, United States Rubber, and Uniroyal, Inc. Goodyear/U.S. Rubber/Uniroyal facilities operated in several areas of Naugatuck, including those contiguous with the site to the west, and across Maple Street to the north. Numerous buildings, structures, drainage ways and utilities serve, or have served the various industrial activities at the site. Activities/locations on the site include, or have included, grinding, milling, vulcanizing, varnishing, an acid house, a paint shop, a lacquer house, benzene storage, naphtha storage, rail lines and spurs, canals, machine shops, a battery shop, a tin shop, laboratories, mechanical/electrical equipment, three boiler houses, and site maintenance facilities. Potential contamination of soil and groundwater could have resulted from spillage and/or disposal of contaminants at, or to, these use areas and locations.
- Properties located west of the site include several current and historic manufacturing facilities, a bulk fuel facility, and an auto repair and gasoline retail site. These off-site areas, in addition to the former rubber factory sites to the west and north (upgradient of the site), could represent potential sources of impact to site soil and/or groundwater quality.
- Long Meadow Brook is culverted beneath the large on-site building in the southern portion of the property. The brook flows in an easterly direction, parallel to, and south of, Rubber Avenue for a distance of approximately ½ mile before crossing the site. Listed hazardous waste sites are located

along the brook and several off-site chemical waste discharges to the watercourse have been documented. Site plans indicated that site building floor drains and other site discharge sources were directed to the brook, under the building. Brook sediments could contain chemical constituents from historic discharges and fill materials.

- Previous site environmental investigations included two Phase I ESAs, and three subsurface investigations conducted in 2001 and 2002. AKRF was provided copies of the subsurface investigation reports and a 2007 Phase I ESA prepared for GDC. Information contained in these reports indicated that soil and groundwater contamination exists on the property in association with historic fill and/or manufacturing activities. The 2007 Phase I ESA indicated that “minor staining” was observed on the ground surface beneath two plastic cube containers (apparently filled with a petroleum-based substance) stored in the northern parking area. This area of the site was being leased for storage at the time and was not investigated.
- The site reconnaissance revealed that all eight, hydraulic loading dock levelers, located on the southern side of the ground floor, were leaking. Oil and dark stained concrete were observed at the base of the levelers and on some surrounding floors and walls. The loading area is contained by a roof and garage doors, limiting the contact of these area to stormwater, although the potential exists for impacts below the floor in these areas. Four floor drains in the garage area were shown (on historic site plans) as discharging to the water course, beneath the building. Two additional loading docks and a floor drain, located east-adjacent to the eight docks and four drains indicated, were partitioned off by GDC as part of building retrofits. As such, they were obscured from view and their condition is unknown. A flood control device sump exhibited an oily odor, potentially emanating from the pumping of water beneath a leaking hydraulic elevator piston. Floor drains were located in several areas of the basement, including one in the boiler room, which was directed to a grease trap. According to historic site plans, all drains were ultimately directed to the brook beneath the building. Drains, sumps, traps and pipes are potential sources of site contamination.
- A former hazardous waste storage shed, located in the southwestern corner of the site, contained five-gallon containers of absorbent spill control materials. No staining or odors were noted in the shed. No documentation regarding RCRA closure of the hazardous waste management unit was found in the Connecticut Department of Environmental Protection (CTDEP) files for the site.
- GDC generated hazardous waste in the 1980s and 1990s and was subject of two CTDEP hazardous waste enforcement orders as a result of various hazardous waste handling violations. CTDEP inspection reports indicate oil/chemical storage activities in various parts of the site building and its exterior. Hazardous waste handling may have resulted in on-site spillage or disposal.
- Parcel B was approximately 90% occupied by various factory buildings until they were demolished in 1986. GDC was ordered to cease demolition of the former factory buildings on the site and adjacent properties due to asbestos and other waste handling violations associated with the demolition and backfilling activities. Various orders (Borough of Naugatuck, CTDEP, USEPA) were eventually resolved and lifted. Previous generations of factories/buildings also existed on the site. Contaminated building demolition debris could be present on the site as a result of demolition.
- One underground storage tank (UST) was identified and removed from the site. No other known USTs are present although it is possible that one or more undocumented tank could be encountered during site construction activities.

There are no outstanding regulatory agency Orders associated with the site. The site is listed as the subject of a Connecticut Transfer Act Form III filing from 1993. This filing stipulates that the site must be investigated and remediated in accordance with the CTDEP Remediation Standard Regulations

(RSRs). General DataComm is listed as the “Certifying Party” and is responsible for compliance with the Transfer Act. Based on hazardous waste generation records, the site qualifies as an “Establishment” as defined in the Transfer Act. The site is a listed Small Quantity Hazardous Waste Generator. A formerly utilized hazardous waste storage building will require proper “closure” in accordance state and federal regulations.

A detailed field investigation consisting of soil, groundwater and sediment collection and analysis is recommended to build upon the previous investigations and to target specific areas of the site. The investigation should be based, in part, on detailed historic site maps and compounds that could be present in the various, identified RECs. Five existing groundwater monitoring wells should be included in the investigation and approximately ten to twelve additional wells would need to be installed to further characterize groundwater on the site. Soils data generated during three site investigations in 2001 and 2002 do not indicate the presence of significant, widespread contamination and no “hot spot” contamination was identified. Given the relatively large and complex nature of the site and the various RECs identified, thorough coverage of the site using a grid, in addition to targeting specific REC locations would be a recommended approach.

TABLE OF CONTENTS

	Executive Summary	ES-1
1.0	Introduction.....	1
2.0	Physical Site Description	3
2.1	Site and Building Descriptions	3
2.2	Topography and Hydrogeology	6
2.3	Storage Tanks	6
2.3.1	Underground Storage Tanks (USTs).....	6
2.3.2	Aboveground Storage Tanks (ASTs)	7
2.4	Polychlorinated Biphenyls (PCBs)	7
2.5	Utilities	7
2.6	Waste Management and Chemical Handling	8
3.0	Adjacent Land Use.....	10
4.0	User Provided information.....	11
4.1	Title Records	11
4.2	Environmental Liens or Activity and Use Limitations	11
4.3	Valuation Reduction for Environmental Issues	11
4.4	Specialized Knowledge	11
4.5	Reason for Performing Phase I	11
5.0	Site History and Records Review	12
5.1	Prior Ownership and Usage.....	12
5.1.1	Historical Land Use Maps.....	12
5.1.2	Historical Aerial Photographs	15
5.1.3	Historic Site Maps.....	16
5.1.4	Recorded Land Title Records.....	16
5.1.5	USGS Topographic Maps	17
5.1.6	Site History Summary	17
6.0	Regulatory Review	18
6.1	Introduction and Summary	18
6.1.1	Federal.....	20
6.1.2	Connecticut Department of Environmental Protection	23
6.1.3	Municipal File Information	28
7.0	Interviews.....	31
7.1	Interview with Owner and Occupants	31
7.2	Interview with Local Government Officials.....	31
8.0	Preliminary Conceptual Site Model.....	32
9.0	Previous Reports	34
10.0	Limitations	37
11.0	Deviations	37
12.0	Data Gaps.....	37
13.0	Conclusions and Recommendations	38
14.0	Signature Page	41
15.0	Qualifications.....	42
16.0	References.....	44

FIGURES

Figure 1 – Project Site Location
Figure 2 – Site Plan
Figure 3 – Historical Structures Map

APPENDICES

Appendix A – Photographic Documentation
Appendix B – Sanborn Fire Insurance Maps
Appendix C – Aerial Photographs
Appendix D – Environmental Database
Appendix E – CTDEP File Documentation
Appendix F – Municipal File Documentation
Appendix G – Previous Environmental Reports

1.0 INTRODUCTION

AKRF, Inc. (AKRF) was retained by the Borough of Naugatuck, through a United States Environmental Protection Agency (USEPA) Region 1 Brownfields Assessment Grant, to perform a Phase I Environmental Site Assessment (ESA) of an approximately 11.7-acre parcel located at 6 Rubber Avenue in Naugatuck, Connecticut (site). The legal definition of the site is Map 2, Lot 2W1 and Maps 2 and 3, Lot 23W2. A Project Site Location map is provided as Figure 1. The two lots consist of: the southern approximately 3.9-acre parcel occupied primarily by the 375,000-square foot warehouse, manufacturing. And office building, located south of former Rubber Avenue, known as Parcel A; and the approximately 7.75-acre parking and driveway area (including a brick pump house) occupying the central and northern portions of the site (including former Rubber Avenue), known as Parcel B.

The site is located in a mixed residential, commercial and industrial area in downtown Naugatuck. An active Metro North Railroad right-of-way with several tracks abuts the eastern site boundary. The rail bed is situated on an elevated fill berm that serves as a levee between the site and the Naugatuck River, which flows southward, adjacent to the east of the tracks.

The southern site parcel (Parcel A) is bounded to the west by Elm Street and the northern parcel is bounded to the west by Old Firehouse Road, which extends from Maple Street (to the north) to Rubber Avenue. Commercial parking lots, commercial stores, and restaurants are located west of Old Firehouse Road, and primarily face Church Street, one block to the west. The Naugatuck Stair Company, Advantage Sheet Metal manufacturing and a former manufacturing facility utilized as an office and training center (ICES) are located southwest and west of Parcel A. Long Meadow Brook flows eastward, under Elm Street and the southern parcel, and discharges to the Naugatuck River east of the railroad. A recently constructed Advance Auto Parts store is located north of the brook, and at the southwest junction of Rubber Avenue and Elm Street. This property was utilized previously as an automobile service and gasoline station.

The site is bordered to the north by Maple Street and a cluster of commercial stores/restaurants on the northeast corner. A former Goodyear/Uniroyal property (formerly affiliated with the site) is located across Maple Street to the north. The property is the southern portion of "Parcel C", which is in the process of an in-situ soil remediation program.

The site is bounded to the south by Whiteley Trucking, which includes a truck service garage. Further to the south is a Connecticut Department of Transportation (CTDOT) lay down area to support the reconstruction of a bridge over the Naugatuck River, further to the south.

The objective of the ESA was to identify any potential environmental concerns associated with the site resulting from past or current site usage or the usage of neighboring properties.

The scope of services for this assessment included the following:

- Visual observations of the project site and surrounding property were made to identify potential sources or indications of chemical contamination. The potential sources of contamination included, but were not limited to, underground storage tanks (USTs), aboveground storage tanks (ASTs), objects that could contain polychlorinated biphenyls (PCBs), and areas where hazardous materials were used, stored, treated, generated and/or disposed. Indications of chemical contamination include stained surfaces and chemical odors. In addition, readily-observable portions of the properties immediately adjacent to the study site were viewed from public rights-of-way to identify or determine the likelihood of any of the aforementioned potential sources of contamination being present.
- Published geological and groundwater information was obtained from available sources to determine the possibility of contamination from off-site sources.

- Historical land use maps/aerial photographs/commercial directories for the site and adjacent properties were reviewed to evaluate previous land use.
- The following federal regulatory databases were reviewed to determine the regulatory status of the site, adjacent properties, and properties within a predetermined study area: National Priority List (NPL); Comprehensive Environmental Response, Compensation, and Liability Information System (CERCLIS); Emergency Response Notification System (ERNS); Resource Conservation and Recovery Act (RCRA) Treatment Storage and Disposal (TSD); RCRA Generators (GEN); RCRA Corrective Action (COR); Facility Index System (FINDS)/Facility Registry System (FRS); Toxic Release Inventory System (TRIS); Hazardous Materials Incident Response System (HMIRS); National Compliance Data Base System (NCDB); Database of PCB Handlers (PADS); and Permitted Nuclear Facilities.
- The following Connecticut Department of Environmental Protection (CTDEP) state regulatory databases and files were reviewed to determine the regulatory status of the site, adjacent properties, and properties within a predetermined study area: Bureau of Water and Waste Management; Hazardous Waste Sites; Spill reports; PCB files; Solid Waste files; Leachate and Wastewater Discharge Sources; P-5 Industrial Surveys; Hazardous Waste files for owner(s), past tenant(s) and general town files; UST Registration forms and Leaking UST (LUST) files.
- A review of available Naugatuck Building Department files, Assessors records, Land Records, Fire Marshals records, and the Naugatuck Valley Health District files was conducted to obtain any information pertinent to the assessment of the environmental condition of the subject property. Specifically, records regarding past and present on-site fuel tanks and historical uses were requested and reviewed.

2.0 PHYSICAL SITE DESCRIPTION

Visual inspection of the site and adjacent areas was performed on July 12, 2010 by Martin Brogie, LEP, of AKRF, and Paul Burgess, P.E., LEP, of Paul Burgess, LLC. The inspection team was accompanied by Robert W. Butler, Jr., Manager of Budgets, Contracts and Analysis for General DataComm, Inc. (GDC) and Steven Fuhrmann, Facilities Supervisor.

Visibility along the building exterior and parking areas was good and the majority of the property was accessible, with the exception of the pump house building. The site was inspected for the presence of stained surfaces and soils, storage tanks, drums, leaking pipes, transformers, and any other evidence of hazardous material usage and storage. Photographs documenting the site inspection are included in Appendix A. A Site Plan is provided as Figure 2.

2.1 Site and Building Descriptions

The subject site occupied approximately 11.7 acres of land located along the eastern side of Elm Street and Old Firehouse Road in downtown Naugatuck, Connecticut. The southern portion of the site, a separate 3.9-acre lot historically referred to as "Parcel A", was occupied by a four-story, 375,000 square foot warehouse, manufacturing and office building constructed in the 1950s. The northern parcel, a 7.75-acre lot historically referred to as "Parcel B", consisted of a paved parking and driveway area extending north to Maple Street, and included a 400-square foot, brick, pump house building.

The large GDC building on Parcel A was constructed with concrete and steel columns supporting concrete floors. The exterior walls were constructed of concrete blocks with an exterior brick veneer. The brick was largely covered by an exterior stucco surfacing material, likely added in the 1980s when the new GDC façade and logo were installed on the building. The structure was built over Long Meadow Brook, which flows from west to east and discharges to the Naugatuck River, located east of the adjacent railroad tracks. The top of the brook culvert extended through the approximate center of the basement of the building and was located directly underneath a portion of the first floor. North of the culvert, the building contained a full basement. The area south of the culvert was filled.

The top of the interior loading docks were at the first floor elevation. The loading dock entrances are via four, large overhead doors along the southern wall of the building. The loading area between the doors and docks can accommodate an 18-wheel truck and trailer inside the building. Eight loading docks with hydraulic levelers are located in the loading area. Two additional docks were obscured by building interior renovations, including the construction of a receiving inspection area in the southwestern corner of the building. The overhead door that served the two docks was covered by the exterior surfacing treatment.

Concrete stairs extended to the first floor lobby from the driveway (former Rubber Avenue) on the northern side of the building. Landscaped terraces were located on either side of the stairs. A concrete covered driveway entrance accessed the basement maintenance area on the northeastern side of the building. A paved ramp provided vehicular access to the sub-grade level, where an overhead door was located. Grass and landscaping extended from the northwestern corner of the building to Elm Street. A paved parking area was located along the western side of the building and extended to Elm Street. A paved entrance, with a sliding chain link fence gate, was located at the southwestern corner of the site, and provided access to the southern side of the GDC building. A paved driveway east of the building joined former Rubber Avenue, north of the building.

A series of conveyor belts located in the southeastern corner of the building provided for the movement of shipped goods from the loading dock up to the fourth floor. Sections of the conveyor system had been removed. Two freight elevators were located along the eastern wall and included a cable elevator, located in the southeastern portion of the building, serving all four floors and the basement, and a hydraulic lift elevator, located on the center of the eastern side of the building, which served the first through fourth floors and contained an elevator sump area, visible from the basement level. A hydraulic passenger elevator was located on the northern side of the building, adjacent to the lobby and main stairwell.

The basement area occupied approximately the northern half of the building's footprint and included: building maintenance supplies storage and workshop areas; a boiler room; a lobby area containing maps and other building documents; two elevator hydraulic rooms (one freight and one passenger); a garage area used for storage and building utilities; and a large storage area with extensive shelved parts storage and maintenance supplies. The maintenance work shop contained: a radial arm saw; a drill press; work benches with tools and supplies; and several metal cabinets containing spray paints, canned paints, spray lubricants, motor oil, herbicides, joint compound, and other routine building and site maintenance materials. The boiler room contained two, gas-fired York Shipley boilers that appeared to be original (circa 1955) to the building. Two, 200-amp, gas-fired generators were located along the eastern wall of the boiler room and a stainless steel slop sink was positioned along the northern wall. An office and an additional, smaller maintenance room containing a desk and electrical maintenance materials were also observed in the area of the boiler room and workshop. An attached room, west of the electrical maintenance room, contained a back-up compressor and a condensate tank and was known as the "condensate room". A small wooden enclosed room, located adjacent to the maintenance storage room, labeled "hazardous waste storage", contained fluorescent lighting tubes.

Further to the south, the basement contained of a wide hallway oriented east to west. A large overhead door, accessing the northeast covered ramp, was located on the eastern end of the hall. A series of pumps and tanks that served the exterior chilling tower for building air-conditioning were located on the west end of the hall. The site contact indicated that the equipment had not been used since 1999. Two vacuum pumps were in the central portion of the hall and formerly loaded various vacuum tubes that were utilized to shuttle paperwork and other items through the building efficiently. A maintenance storage area was located off the northern side of the garage and contained building supplies for restrooms, office supplies and lighting fixtures. A variety of paint cans, glazing, vacuum pump oil, lighting ballasts, and cleaner were noted.

The hydraulic freight elevator sump was observed along the eastern side of the basement area and was located adjacent to a small, built-out "old maintenance" storage area. The storage area primarily contained landscaping-related equipment. A metal storage cabinet containing gasoline cans, a bottle of insecticide and other related materials was observed. A flood control system sump and piping were located along the eastern wall of the basement. Two approximately, 12-inch diameter pipes entered a large plate-covered sump in the floor. The pipes extended up through the ceiling to the first floor. The sump contained approximately two feet of water and exhibited an oily odor. The site contact indicated that water from the hydraulic freight elevator sump was directed to this area, and that the elevator had leaked.

A large storage area (occupying approximately $\frac{2}{3}$ of the basement) extended from the southern wall of the garage/hallway area to the southern basement limits at the stream culvert. The area contained extensive shelving with various computer communications hardware components and other related materials.

A metal door, elevated approximately eight feet from the floor, and along the southern wall of the storage area, provided access to a vault located between the culvert and the southern basement wall. The accessed area had an irregular, elongated shape and contained part of a stone wall that likely served as part of the northern retaining wall for Long Meadow Brook. The remaining interior walls consisted of poured concrete, concrete block, and brick. An approximately two-foot by two-foot steel plate was bolted to a concrete slab located in a portion of the floor. The remainder of the floor consisted of soil and fill materials.

The first floor of the building contained offices and a former test laboratory area. The majority of the floor consisted of former manufacturing/assembly space, benches and storage. Overhead doors, sealed from the exterior, formerly received goods brought to the warehouse by rail along the western side of the building. A foam injection packing area was located in the southwestern portion of the first floor and included two guns that provided liquid foam to materials packed for shipment. The loading dock/receiving inspection area was located in the southern end of the first floor, adjacent to the loading dock platforms.

Two bathrooms were located off the main hallway near the northern side of the building, and two were located near the southeast freight elevator. The main electrical service room was located along the central portion of the eastern wall and contained two large dry-type transformers and many switches. A pump room was located along the eastern wall of the building, north of the electrical room, and contained two, gasoline-fired engines with pumps to serve the two flood control pipes entering the basement sump.

The second floor contained a cafeteria and kitchen in the northwest corner, which formerly served the rubber plant and former GDC employees. A full service kitchen was located in the rear of the cafeteria and contained three walk-in coolers and a full food service line. A former nurse's office, electrical room and mechanical chase access room were located along the main hallway leading back (south) to an engineering laboratory and assembly area. The southern end of the second floor included a maintenance room with a slop sink, two restrooms and an electrical room. The former wave solder area was located in the northwestern corner of the manufacturing area. Stained 12-inch floor tiles resulting from a "roof leak", as reported by the site contact, were noted just south of the former wave solder machine location.

The third floor of the building primarily consisted of an open warehouse area with "excess equipment" and some stored computer hardware in an area utilized by a lessee. The northern side of the third floor contained finished office and computer rooms that served the former GDC "service center/call center". The offices and call center were vacant.

The fourth floor consisted of unfinished storage areas. A pump room contained air handling equipment/air conditioning compressors and an area that previously contained vacuum pumps, similar to those located in the basement.

The cable room, located above the southeastern freight elevator, was accessed via a stairwell and also provided roof access. The cable room contained two electrically-operated cable wheels and various electrical switches. The roof consisted of a built-up roof with gravel ballast. Several air handling units were noted on the rooftop.

The pump house building in the northern parking area was constructed of brick and appeared to be approximately two-stories high. The area around the building was overgrown with vines and the building was inaccessible. The site contact indicated that the pump house served as a flood control device and was historically connected to the site canal system.

2.2 Topography and Hydrogeology

In general, the surface topography at the majority of the site was flat with a gentle slope to the south. The site is located in a historic flood plain of the Naugatuck River. The adjacent railroad bed to the east is built up approximately 15 feet above the elevation of the site. Based on a review of the United States Geological Survey (USGS) Naugatuck Quadrangle, the majority of the property is at an elevation of approximately 170 feet above the National Geodetic Vertical Datum of 1929 (an approximation of mean sea level).

Based on the Surficial Materials Map of Connecticut (Stone, et al, 1992), the site surficial geology consists of sand and gravel overlying sand. The map description indicates that this geologic unit is typically less than 20 feet thick, horizontally bedded, and overlies thicker, inclined layers of sand. Previous site field investigations, discussed in Section 9.0, indicated that surficial materials consisted of up to 15 feet of fill material/demolition debris overlying silty sand.

According to the Bedrock Geological Map of Connecticut (Rodgers, 1985), the underlying bedrock at the site consists of a grey to dark grey, fine to medium grained schist and gneiss (Waterbury Gneiss). Bedrock was reportedly encountered on the site at various depths during a 2001 GeoProbe® subsurface exploration (GCI 2001) and was described as micaceous schist. Subsequent investigations did not encounter bedrock on the site. GeoProbe® exploration often results in shallow refusal on boulders, cobbles or former building structures. Given the documented geologic conditions (bedrock at 39 feet) on Parcel C to the north of the site, and the findings of test pits and monitoring wells installed on the site, it is expected that little bedrock will be encountered at the site during future investigation and/or remediation activities. No direct bedrock observations on the site were made by AKRF personnel during the inspection. Bedrock outcroppings were noted along the Naugatuck River, north of the site.

Based on local topographic and hydrologic features, groundwater flow at the site is expected to be to the east towards the Naugatuck River. Groundwater monitoring data from reports prepared for the northerly adjacent property (known as "Parcel C"), indicates that groundwater flow is parallel to the river and toward the south. This condition is typical of a shallow sand and gravel aquifer in close communication with an adjacent river. This finding is consistent with the generally north-south oriented historic canals and streams that were present on the site.

A 2001 site field investigation indicated that groundwater flow was to the east and that groundwater was approximately 18 feet below ground surface; however, the groundwater investigation consisted of the collection of grab samples and no groundwater elevation survey was completed.

2.3 Storage Tanks

2.3.1 Underground Storage Tanks (USTs)

No evidence (e.g. fill pipes, vent pipes) of existing USTs was noted at the time of the site inspection. None of the site contacts had any knowledge of current USTs on the property. A UST was removed from the west side of Parcel B in 2007. Additional information regarding the tank removal is provided in the Section 6.1.2 of this report. Magnetic and ground penetrating radar surveys of the property (See Section 9.0) did not reveal UST signatures although the surveys were not conclusive or sitewide. It is possible that historic USTs are present on the site.

2.3.2 Aboveground Storage Tanks (ASTs)

No petroleum ASTs were noted during the site reconnaissance. Plastic ASTs were noted in association with building mechanical systems including two, approximate 50-gallon ASTs utilized for boiler treatment. The ASTs were located along the northern side of the boiler room and reportedly contained a corrosive boiler treatment chemical. An approximately 500-gallon plastic AST was located in the western side of the basement, in the area of the cooling tower equipment. The tank was labeled “ArctiChill” and was previously utilized for liquid coolant.

2.4 Polychlorinated Biphenyls (PCBs)

Prior to 1977, PCBs were widely used for their cooling properties in electrical equipment such as transformers, capacitors, switches and voltage regulators. They were also used in hydraulic systems due to their resistance to compression.

Numerous dry-type (non-PCB) electrical transformers were noted throughout the site building. A large exterior transformer was located in a fenced enclosure adjacent to the northwestern side of the building. The transformer contained a blue label, indicating that it contained less than two parts per million PCBs. The transformer appeared to be in good condition and exhibited no signs of leakage. Capacitors and other switches containing dielectric oil (potentially containing PCBs) may be present in the numerous electrical systems located throughout the building.

Two hydraulic lift elevators were located within the building and 10 hydraulic levelers were located along the loading dock in the southern end of the building. Each elevator system included a utility room containing the hydraulic equipment and fluid reservoir. The leveler reservoirs appeared to consist of the piston sumps. This equipment, in addition to fluorescent lighting ballasts and other electrical components that serve the building could, or could have, contained PCBs.

2.5 Utilities

The site was serviced by municipal water supply and sewer service. Sanborn Fire Insurance maps depicted underground water service pipes along Maple Street, Water Street and Rubber Avenue as early as 1887. Facility plans from 1950 depict “city mains” and hydrants along Maple Street, Water Street, Rubber Avenue and Elm Street. City water is currently supplied to the Parcel A building for sanitary and fire suppression uses. Water valves were noted along former Rubber Avenue, located north of the building. “Wells” are indicated on Parcel B on several historic facility plans. Shallow wells and direct withdrawal from canals likely provided industrial supply waters for historic industrial operations.

It is likely that much of the sanitary and industrial wastes from the site originally were discharged directly to site canals, Long Meadow Brook, and/or to piping that discharged to the Naugatuck River. A 1928 site plan on file at GDC, depicting only the northern end of the site, shows a 12-inch sanitary sewer on Maple Street and an 8-inch sanitary sewer along the northern end of Water Street. A 1975 map reviewed by AKRF depicted Parcel A and the southern portion of Parcel B, and is described as “Naugatuck Footware Plant Flood Control, Storm & Industrial Waste Warehouse BLDG. 52-53-54 Rubber Ave. and South”. The map was marked up in red pen, apparently the result of field verifying drain discharges. Black mark-ups on the map appeared to depict discharge names and numbers consistent with National Pollutant Discharge and Elimination System (NPDES) permitting. A discharge point labeled “001” was shown at a “sluice gate chamber” beneath the Parcel A building basement. The chamber is below the southern storage area and receives discharges from “C.B’s” in the basement floor (floor drains),

exterior yard drains north of the building, a “cistern” under the building, and sprinkler drains. The chamber discharge was shown as directed to the south into Long Meadow Brook. Two “oil skimmer” discharges (001A and 001B) were shown in former Building 45, in the southern end of Parcel B, just north of former Rubber Avenue. The discharges are directed to the west toward an “8” pump line”, west of the building, and south to the Long Meadow Brook culvert. Floor drains along the interior loading dock area, the trench drain along the loading dock entrance overhead doors, a catch basin south of the building, and a “railroad drain trench and sump” (located southwest of the building, across the former rail beds located west of the building) are all directed to a single pipe located west of the building, and discharging north to Long Meadow Brook, just before it passes beneath the building. The plan shows a 6-inch sanitary sewer line passing along the eastern side of the building, after picking up a lateral service from the building, and then directed west along former Rubber Avenue to the sanitary sewer system on Elm Street.

The site reconnaissance identified the following floor drains and sumps:

- Boiler Room floor drain – plans indicate drain discharges to a grease trap prior to entering the sluiceway to the brook;
- Basement chiller equipment area – floor drain receives condensate water discharges prior to discharge to sluiceway;
- Maintenance access overhead door at northeastern side of the building – trench drain directed to sump and then sluiceway;
- Loading dock – exterior door trench drain along all four overhead doors;
- Loading dock interior – four drains observed and one drain obscured by interior alterations/addition;
- Flood control sump – along eastern wall of basement; and
- Sump with plywood cover – basement “old maintenance room” containing landscaping equipment.

The Parcel A building is supplied with natural gas, which serves the two boilers in the boiler room. A gas meter was noted on the northeastern corner of the building, adjacent to the boiler room. Gas valves were noted in the paved parking area, north of the building, in the former Rubber Avenue right-of-way.

Storm drains were noted in several locations throughout the site including: one drain adjacent to the south of the building; four catch basins north of the building within the former Railroad Avenue right-of-way; two catch basins along the former Water Street right-of-way; and two catch basins in the northern end of the paved parking area (Parcel B). Site plans showed an extensive network of storm drains across the property directed to four outfalls along the Naugatuck River including two “culverts”, one 8-inch “tile”, and Long Meadow Brook. A storm drainage easement currently exists running from west to east across the central portion of Parcel B.

2.6 Waste Management and Chemical Handling

Current waste management and chemical handling activities are related to site maintenance and mechanical activities and systems, and offices. Some oil/chemical containers remain within the building from previous activities, which no longer occur. On-site manufacturing/assembly, shipping/receiving, packaging, and testing take place on the site, primarily on the first floor of the building. Some limited shipping/receiving is also conducted by a building lessee. The on-site

GDC assembly processes mainly consist of screwing or sliding together pre-manufactured boards and board systems into “kits”, which are then placed into custom-made boxes for shipping. GDC also conducts testing of completed units and conducts component repairs. In some cases, “sub-assemblies” are created, shipped out for additional components of manufacturing (soldering, cleaning, etc.), and then received for final assembly, testing and shipping. No chemical processes are conducted by GDC on-site in association with the manufacturing/testing processes. Such activities are outsourced to facilities in Shelton, Connecticut and Windsor, Connecticut.

Historically, GDC assembled printed circuit boards for communications systems. The process included cutting, soldering, and cleaning the boards. Manufacturing/assembly activities were conducted on the 2nd and 3rd floors and testing was completed on the 1st floor. The 4th floor was utilized for storage. These activities ceased circa 2000. CTDEP records indicate that these processes generated hazardous waste including flammables, corrosives, lead waste, mercury waste, and halogenated solvents. The source of these wastes included cleaning wipes, copier wastes, “Solutek”, “Uni-Flux”, “Proclean”, Connecticut-regulated waste oil, batch developer, etch solutions, trichloroethylene, iron chloride, isopropyl alcohol, hydrogen peroxide, and mercury bulbs.

A hazardous waste storage shed is located near the southwestern corner of the building, within the southern parking area. The shed is no longer used to store hazardous waste. It was constructed with wood framing and located upon a concrete foundation, with footing walls that served to berm the interior. No staining, odors, or other evidence of leakage or spillage was noted in or around the shed.

Maintenance-related materials observed during the site reconnaissance were primarily located on the basement level of the building and consisted of machine lubricants, hydraulic oil, cleaners, paints, caulking, tar, boiler treatment chemicals (Rachem 830), refrigeration liquids (*Chevron Zeron*), herbicides/pesticides (*Spectracide* and others), gasoline, fluorescent light tubes, potassium iodide, gallic acid (boiler test chemicals), and *Saponifier 2110* (diethylene glycol – flux residue remover), likely leftover from the GDC manufacturing activities. Several metal “flammables” cabinets were located in various basement areas.

Pans of compressor oil and hydraulic oil were observed adjacent and under various equipment in the building. Two open pans of reported vacuum pump oil (approximately two gallons each) were also observed in the maintenance/supply storage areas.

Stained flooring was noted in the building maintenance room, the boiler room, and around the floor drain near the chiller equipment on the basement level. Staining was also noted in the first floor pump room, under the gasoline powered pump engines.

Two trash collection dumpsters were observed along the western side of the paved parking area. One dumpster was used for general refuse and the other one was used for cardboard. Both dumpsters were maintained by the Naugatuck Waste Company.

One flush-mounted, two-inch diameter groundwater monitoring well was observed in the northern parking area. Four additional wells were reportedly installed in 2002, and were located by AKRF personnel during a subsequent site inspection.

3.0 ADJACENT LAND USE

The site is located in a mixed residential, commercial and industrial area in downtown Naugatuck. An active Metro North Railroad right-of-way with several tracks abuts the site to the east. The rail bed is situated on an elevated fill berm that serves as a levee between the site and the Naugatuck River, which flows southward, adjacent to the east of the tracks.

The southern site parcel (Parcel A) is bounded to the west by Elm Street and the northern parcel (Parcel B) is bounded to the west by Old Firehouse Road, which extends from Maple Street (to the north) to Rubber Avenue. Commercial parking lots, commercial stores, and restaurants are located west of Old Firehouse Road, and primarily face Church Street, located one block to the west. The Naugatuck Stair Company, Advantage Sheet Metal manufacturing, and a former manufacturing facility utilized as an office and training center (ICES) are located southwest and west of Parcel A. Long Meadow Brook flows eastward, under Elm Street and Parcel A, and discharges to the Naugatuck River east of the railroad. A recently constructed Advance Auto Parts store is located north of the brook, and at the southwest junction of Rubber Avenue and Elm Street. This property was utilized previously as an automobile service and gasoline station.

The site is bordered to the north by Maple Street and a cluster of commercial stores/restaurants on the northeast corner. A former Goodyear/Uniroyal property (formerly affiliated with the site) is located across Maple Street to the north. The property is the southern portion of "Parcel C", which is in the process of an in-situ soil remediation program.

The site is bounded to the south by Whiteley Trucking, which includes a truck service garage. Further to the south is a CTDOT lay down area to support the reconstruction of a bridge over the Naugatuck River, further to the south.

4.0 USER PROVIDED INFORMATION

As “User” of this report, the Borough of Naugatuck and the Naugatuck Community Development Corporation provided various historic maps and environmental reports associated with the subject site. GDC personnel also provided an environmental report, A-2 survey of the property, and access to various historical maps located in various cabinets in the basement of the building.

Wayne Zirrolli, Borough Engineer and primary project contact for the Borough of Naugatuck, completed a Phase I User Questionnaire in accordance with *All Appropriate Inquiry* protocols. The following is a summary of information provided in the questionnaire and the User’s responses.

4.1 Title Records

No title record information was provided to AKRF for review.

4.2 Environmental Liens or Activity and Use Limitations

No information concerning environmental liens or activity and use limitations was provided to AKRF for review. The user is not aware of any land use restrictions listed for the property. William Henry of GDC also indicated that he had no knowledge of environmental liens being placed on the property.

4.3 Valuation Reduction for Environmental Issues

No information regarding how the value of the property may be impacted by site environmental conditions was indicated.

4.4 Specialized Knowledge

The user was not aware of any other (beyond the known historic activities) commonly known or reasonably ascertainable information about the property that would help the environmental professional to identify conditions indicative of releases or threatened releases (e.g., site history, specific site chemical usages, the occurrence of site spills or releases, and/or environmental clean-ups).

4.5 Reason for Performing Phase I

The objective of the ESA was to identify any potential environmental concerns associated with the site resulting from past or current site usage or usage of neighboring properties.

5.0 SITE HISTORY AND RECORDS REVIEW

5.1 Prior Ownership and Usage

5.1.1 Historical Land Use Maps

Historic Atlases

An 1868 *Atlas of New Haven County Connecticut*, prepared by F.W. Beers, showed two structures on the southern end of Parcel B, north of what would be Rubber Avenue. A stream was shown diagonally across the site, north of the buildings, discharging to the Naugatuck River. An additional stream was shown flowing across Parcel A and oriented in a more southerly direction, discharging to the Naugatuck River. Long Meadow Brook was shown flowing west to east across Parcel A. The railroad bed was not shown east of the site. A north to south rail line was shown west of the site, and west of Church Street. The “Goodyear Rubber Shoe Factory” was shown on the southern side of Rubber Avenue, approximately ½-mile west of the site.

An 1868 *Plan of Naugatuck*, from the Petersen Collection showed approximately six, apparent residential structures on the site, and a rail line in the approximate location of Old Firehouse Road, oriented north to south along the western site boundary. A large structure, labeled Tuttle Manufacturing, was shown off-site, west of the rail line, to the northwest.

An 1877 *View of Naugatuck, Conn.*, published by O.H. Bailey & Co., showed the northern end of Parcel B (Goodyear Manufacturing facility) and Parcel A, including the southern end of Parcel B (Tuttle Manufacturing facility). The northern view showed a three-story brick factory building along Maple Street with an attached boiler house to the south. A canal was shown along the eastern side of the mill building, extending southward from Maple Street and bending eastward, under Water Street, to the east. A long, rectangular building (oriented north to south) was adjacent to the west of the mill and boiler house. A canal was shown along the western site boundary, just west of the rectangular building, and railroad tracks were adjacent to the west of the canal. Residences were shown adjacent to the northeast of the site, south of Maple Avenue, and east and west of Water Street along the eastern Parcel B boundary.

The southern view showed a brick factory complex along the northern side of Rubber Avenue, including a brick smokestack. The canal running along the western side of the site was directed under the mill complex and daylighted briefly, just south of Rubber Avenue, where it was then directed to the southeast, under Water Street. The canal was shown bending southward, joining Long Meadow Brook, prior to discharging to the Naugatuck River. A smaller canal was shown daylighting at the northeastern end of the complex (likely originating from the larger canal to the west) and was directed to the east, under Water Street, and then to the Naugatuck River.

An apparent residence and outbuilding were shown south of Rubber Avenue on Parcel A.

Sanborn Fire Insurance Maps

Historical insurance maps were reviewed for indications of industrial usage or other evidence suggesting the use or disposal of hazardous materials on or adjacent to the subject property. Specifically, Sanborn Fire Insurance Maps (Sanborns) from 1887,

1892, 1897, 1904, 1910, 1923, 1960, and 1968 were reviewed and are summarized as follows:

1887

The 1887 Sanborn map depicted two separate manufacturing facilities on Parcel B. The north facility, located along the southern side of Maple Street, was identified as *Goodyear India Rubber Glove Mfg. Co.* and the southern facility was identified as the *Goodyear Metallic Shoe Co.* The rubber glove mill site included a three-story “milling, making and drying building”, situated parallel to Maple Street. A boiler house, including three coal-fired boilers, an engine room, and a smokestack, were located adjacent to the south of the mill building; all as shown on the 1877 Bailey map. A steam vulcanizer was shown along the eastern side of the boiler house. A two-story machine shop, carpentry shop, and lumber shed were shown along the western side of the mill, in the elongated rectangular building. A second, long rectangular building was shown south of the two-story building and labeled as “Spreader Room”. The canal east of the mill complex was as shown on the 1877 Bailey map. The canal along the western site boundary was shown as filled in at a point approximately mid-way down the Parcel B property boundary, just north of new shoe manufacturing buildings.

The shoe manufacturing facility, in the southern portion of the site, included a large, two-story “packing and making” building along the western side of Water Street, which would later become known as “Building 44”. A two-story “storage” and “heater” building was shown, attached to the west, and a boiler house building and smokestack were located to the southwest and extended to the western boundary by the railroad tracks. The previous mill complex shown on the 1877 Bailey map was no longer shown.

Tenement houses, other residences, a saloon, and a small building were located on Parcel B, between the two factory facilities. Rubber Avenue was depicted and a pump house was shown south of Rubber Avenue on Parcel A.

A note on the map for the glove facility indicated that cement, varnish and benzene were removed from the buildings each night as a means of fire prevention.

1892

The 1892 Sanborn map depicted both previously-indicated facilities/buildings on the site. The western canal (along the western property boundary) was shown to be completely filled in. Curing and drying buildings were shown on the southern portion of the glove mill. A “Fire Department and Water Works” facility was located on the central portion of Parcel B. A five-story storage building was north of Building 44, along the western side of Water Street. A machine shop and varnish building were added to the eastern side of the adjacent storage and heater building. A coal house was attached to the boiler house and the southern factory building (north of Rubber Avenue) was labeled as “Grinding” on the basement and first floors, and “Cutting” on the 2nd, 3rd and 4th floors.

A hose house with two attached sheds and a store house were depicted on Parcel A, south of Rubber Avenue.

1897

An acid house was added to the southeastern portion of the glove mill. Commercial development extended down Water Street from Maple Street and included various retail/store businesses on the northeast portion of Parcel B. The shoe manufacturing

activities depicted in the southern facility buildings included gum and cloth shoemaking in Building 44. The southern factory building included grinding on the basement level, “recovered rubber” on the first floor, and cutting and making uppers, and linings on the remaining floors. Offices, a storage shed, and a shed labeled “benzene” were shown on Parcel A, south of Rubber Avenue.

1904

A cistern and an additional shed were added to Parcel A. No other changes were noted from the 1897 map.

1910

The 1910 Sanborn map depicted few changes to the site configuration and uses. The Naugatuck Fire Department was indicated in the collection of buildings in the central portion of Parcel B. A paint shop was shown in the southern portion of the glove mill. An addition was constructed onto the storage building, north of Building 44, which approximately doubled the size of the original building. Offices and two sheds were shown on Parcel A.

1923

The 1923 Sanborn map showed *The United States Rubber Company* as occupying the site, although the *Goodyear India Rubber Glove Company* and *Goodyear Metallic Rubber Shoe Company (GMRSC)* were depicted as lessees. The railroad bed adjacent to the east of the site was shown, resulting in the removal of buildings formerly east of Water Street. The building configurations were similar to the 1910 map, although building use details for the glove mill were not provided. GMRSC “Factory No. 2” was mapped south of Rubber Avenue and included offices and “naptha” tanks shown where the benzene tanks were previously indicated. A lamp black shed was depicted on the parcel and Long Meadow Brook crossed south of the offices and tank shed. A railroad water tank, tool house and pump house were shown just south of the brook. A freight house was depicted along the western side of the railroad tracks, south of Parcel A.

1960 and 1968

The 1960 and 1968 Sanborn maps showed the *United State Rubber Company* on the site. The canal along the eastern side of the former glove mill was no longer shown and the original mill building located along the southern side of Maple Street had been razed. Offices and a machine shop occupied much of the remainder of the former north/glove mill. The on-site northeast commercial buildings were razed and the current northeast property boundary was shown. A row of commercial buildings, similar to current conditions, was off-site to the northeast, along Maple Street. A paint shop remained in the southern portion of the glove mill area and the former spreader house included a battery shop, tin shop and pipe shop. The southern/shoe manufacturing buildings (labeled Naugatuck Footware Plant) included a vulcanizing building (former boiler house), a heater and varnish building, a grinding building, and a storage building.

The current Parcel A building was shown. A rail spur was positioned along the western side of the building, and another rail line appeared to enter the building, heading north, at the southwestern corner. A small commercial shop as adjacent to the north of the building, south of Rubber Avenue.

Copies of the Sanborn Fire Insurance Maps are provided as Appendix B. A Historical Structures Map, showing the locations of previous site buildings, is provided as Figure 3.

5.1.2 Historical Aerial Photographs

Historical aerial photographs were reviewed to assess prior land usage. Specifically, aerial photographs from 1934, 1965, 1970, 1980, 1986, and 1990 were reviewed.

1934

Multiple mill buildings were located throughout the northern parcel (Parcel B), including the main boot manufacturing building (Building 44) located in the southeastern corner of the parcel, a series of buildings west of Building 44, and assorted buildings occupying the northern half of the parcel and extending off-site into the current Old Firehouse Road right-of-way. An alley extended off of Rubber Avenue, in the location of the current Old Fire House Road.

The southern parcel (Parcel A) appeared to be occupied by various small structures and rail lines on the west side. A small portion of Long Meadow Brook daylighted between the rail tracks on the western side of the parcel, and the railroad right-of-way extending north to south, east of the site and west of the Naugatuck River. The Long Meadow Brook outfall at the river, and another riverside outfall, were located southeast of Building 44.

The nearby Fire House, Parcel C manufacturing buildings, and small commercial buildings northeast of the site were evident.

1951

The northern, original mill on Parcel B, along the south side of Maple Street had been removed. Commercial buildings along the western side of Water Street had also been removed. Parcel A was shown similar to the 1934 aerial photograph and 1923 Sanborn map.

1965, 1970, 1975 and 1980

The site was similar on the 1965, 1970, 1975 and 1980 aerial photographs as the 1960 Sanborn map. Rail spurs and the freight yard were shown adjacent to the south.

1986

The current Parcel A building was present. The commercial store on the northern side of the building had been razed. All of the buildings previously located on Parcel B had been razed and the ground surface appeared to consist of exposed soil. Buildings on the southern portion of Parcel C were present but buildings on the northern portion of the parcel had been removed.

1990

Parcel B had been improved with paved parking areas and landscaped islands. Approximately $\frac{2}{3}$ of the lot was occupied by cars. The hazardous waste storage shed was visible southwest of the current site building.

Copies of aerial photographs are included as Appendix C.

5.1.3 Historic Site Maps

A May 1956 map entitled *United States Rubber Company Naugatuck Footwear Plant – Naugatuck, Conn Plant Fire Protection Layout*, depicted the entire rubber manufacturing facility, including all of Parcel C (extending from Maple Street to Cedar Street), buildings and portions of buildings in the area of what is now Old Firehouse Road, and two lots between current Old Firehouse Road and Church Street. Eight-inch “city mains” were shown in the streets west, north and east of the site building. Five water connections extended from the site building to the water main east of the building, along former South Water Street.

A March 1959 Factory Mutual Engineering Division map of Uniroyal, Inc. Naugatuck, Conn. showed the current site warehouse building as constructed in 1955. The building use descriptions indicated that the majority of the building was used for “Rubber & Canvas Footware” storage. Shipping and receiving were shown on the majority of the first floor, with offices on the northern side of the first floor. A “hospital” and cafeteria were located on the northern end of the second floor. A switchgear room was shown to the rear of the offices and carton storage was located in the basement area. Salesrooms were labeled on the basement and main floor of the small commercial building north of the site building. A rail spur paralleled the western side of the building and an additional spur entered the southwestern corner of the building, from the south.

The southern portion of Parcel B (former Goodyear shoe facility buildings) consisted of Buildings 41 to 48. All of the buildings appeared to be utilized for shoe manufacturing, including chemical storage in the basement of Building 47 and the 4th floor of Building 42. Vulcanizing occurred on the first floor of Building 47 and generators and switchgear were located on the first floor of Building 46. Other activities included milling, grinding, packing, splaying, cutting, storage, and rubber manufacturing.

The northern portion of Parcel B included a machine shop and laboratory in Building 37, electric motor storage, snowplow/equipment storage, offices, and two pump houses. A 10,000-gallon water storage tank was affiliated with the southeastern pump house, currently on the site.

A previously related parcel (currently off-site), west of current Old Firehouse Road and east of Church Street, contained 10 underground petroleum and chemical storage tanks. A transformer yard, pump house, and paint shed were also located on this parcel. Railroad tracks extended north to south along the approximate location of current Old Firehouse Road.

5.1.4 Recorded Land Title Records

Land records at the Naugatuck Town Clerk’s office and Assessor’s office were reviewed during this ESA for the site and the surrounding properties. A cursory evaluation of site ownership was conducted based upon readily available land records. The historical ownership for the site is presented below:

- The Goodyear Metallic Rubber Shoe Company (prior to 1917);
- United States Rubber Company (1917 to 1961);
- Uniroyal, Inc. (1961 to 1983);
- Borough of Naugatuck (1983);

- Naugatuck Renewal Associates I (1983 to 1985);
- General Lord Realty Company (1985 to 1993); and
- GDC Naugatuck, Inc. (1993 to present).

5.1.5 USGS Topographic Maps

Historical topographic maps were reviewed for evidence of prior land usage. Specifically, maps from 1943, 1947, 1964, 1964 (photorevised 1972), and 1964 (photorevised 1984) were reviewed for the site and vicinity, as shown on the United States Geologic Survey Naugatuck Quadrangle maps.

The 1943 and 1947 maps depicted four mill buildings on the southern end of Parcel B. The general configuration was similar to buildings shown on Sanborn maps from 1923 and 1960. The 1964 map showed an agglomeration of buildings on Parcel B. A small structure, just south of Rubber Avenue, and a railroad spur were depicted on Parcel A.

The two photorevised (1972 and 1984) maps showed the current site building on Parcel A and a water tower on Parcel B. Parcel B was highlighted as an urban areas (i.e., building outlines are not depicted).

5.1.6 Site History Summary

Based on a review of historic maps, site plans, and other documents, it appears that the site was originally developed prior to the 1860s with residences and soon became the site of various manufacturing facilities. Goodyear, United States Rubber and Uniroyal owned and occupied the site for more than 100 years. All except one of the historic manufacturing buildings that occupied the site were demolished circa 1985 by the current owners.

The existing site building has been used as office space, electronic communications systems assembly testing, shipping and receiving.

6.0 REGULATORY REVIEW

6.1 Introduction and Summary

AKRF personnel conducted a review of town and property-specific file information at the CTDEP offices in Hartford, Connecticut on July 7, 2010. Environmental databases at the CTDEP were also reviewed to assess information for the subject property and nearby properties.

In addition, FirstSearch Technology Corporation (FirstSearch) of Norwood, Massachusetts was contracted to conduct an environmental database search to obtain information regarding the regulatory status of the site and the surrounding area. This information included records from databases maintained by the USEPA and CTDEP. AKRF reviewed these records to identify the use, generation, storage, treatment and/or disposal of hazardous materials and chemicals, or releases of such materials that may have affected the project site. A copy of the environmental database report is included as Appendix D. The following table summarizes the results of the database searches.

Database Search Results		
Database – Date	ASTM/Standard Search Radius	Number Of Sites Within Search Radius
NPL Sites – 02/23/10	1.0 mile	1
NPL Sites – Delisted – 02/23/10	0.5 mile	0
CERCLIS Sites – 04/29/10	0.5 mile	1
NFRAP – 04/29/10	0.5 mile	1
RCRA CORRACTS – 02/16/10	1.0 mile	1
RCRA TSD – 02/16/10	0.5 mile	1
RCRA GEN – 02/16/10	0.25 mile	6
Federal IC/EC – 03/12/10	0.5 mile	0
ERNS - 04/29/10	Site	0
Tribal Lands – 12/01/05	1.0 mile	1
State/Tribal Hazardous Waste Sites–04/23/10	1.0 mile	15
State Spills* - 04/21/10	Site	0
State/Tribal SWL facilities – 12/16/09	0.5 mile	0
State/Tribal Registered UST/AST – 02/03/10	Site and adjoining	4
State/Tribal LUSTs – 11/04/09	0.5 mile	19
State/Tribal EC – NA	0.5 mile	0
State/Tribal IC – 01/01/05	0.25 mile	0
State/Tribal VCP – 04/23/10	0.50 mile	1
State/Tribal Brownfields – 05/01/08	0.50 mile	0
FINDS – 05/29/09	0.25 mile	37
TRIS – 02/25/10	0.25 mile	4
HMIRS – 04/29/10	0.25 mile	1
NCDB – 01/21/10	0.25 mile	5
PADS – 02/01/10	0.25 mile	0
NUCLEAR Permits – 04/30/09	0.25 mile	0
Federal Other – 01/01/09	0.25 mile	0
State Other – 04/23/10	0.25 mile	7
* - Spills file information for individual years up to 1990 were requested from the CTDEP offices. Database spills are for 1990 to 04/21/10.		

In addition to the sites mapped by FirstSearch, 618 non-geocoded sites (electronic database listings without specific addresses/locations) were identified by the electronic database search. That list was reviewed to determine which listings, if any, could be associated with the site. One listing was identified for General DataComm, located at the site, in the Hazardous Waste Manifest database. No additional information was provided. Several listings were included for spills on Rubber Avenue with no associated address or site name. Some of these listings may be associated with the subject site.

6.1.1 Federal

Federal ASTM standard records reviewed included: National Priorities List (NPL); National Priorities List (NPL) – Delisted; Comprehensive Environmental Response Compensation and Liability Information System (CERCLIS); No Further Remediation Action Required (NFRAP); Resource Conservation and Recovery Act (RCRA) — Treatment, Storage, and Disposal (TSD), Generators (GEN) and Corrective Action (COR ACT), No Longer Regulated (NLR); and Emergency Response Notification System (ERNS).

Federal ASTM supplemental records reviewed included: FINDS (Facility Index System/Facility Identification Program Summary Report); HMIRS (Hazardous Materials Information Reporting System); NUCLEAR; PADS (PCB Activity Database System); TRIS (Toxics Release Inventory System); and NCDB (National Compliance Database) which includes TSCA (Toxic Substances Control Act) and FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) Tracking System.

National Priority List (NPL)

The National Priorities List (NPL) is the EPA database of hazardous waste Sites identified for remedial action under the Superfund Program.

No NPL properties were identified for the Site. One NPL listing was identified within one mile of the project site. The site, Laurel Park, Inc., is located on Hunter Mountain Road, approximately 0.87 miles southwest of the subject property. Based on its distance from, and topographic orientation with respect to the subject site, it is not expected to represent a potential off-site source of contamination.

Delisted NPL (National Priority List Deletions)

This database describes former NPL Sites that are removed from the NPL list by the US EPA. The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establish the criteria used by the EPA to delist Sites where no further federal response is needed.

No delisted NPL Sites were identified within a ½-mile radius of the study site.

Comprehensive Environmental Response, Compensation and Liability Information System (CERCLIS)

The Comprehensive Environmental Response Compensation and Liability Information System (CERCLA) is a compilation of Sites that EPA has investigated or is investigating

No CERCLIS listings were identified for the site and no CERCLIS sites were identified within a ½-mile radius of the project site.

Comprehensive Environmental Response, Compensation, and Liability Information System-No Further Remedial Action Planned (CERCLIS-NFRAP)

NFRAP are CERCLA Sites where no Further Remediation Action Required is required.

The site is not listed on the NFRAP inventory. One CERCLIS-NFRAP listing was identified within a ½-mile radius of the Site. The listed site, Uniroyal Chemical Company, Inc., is located at 280 Elm Street, approximately ½-mile southeast from the subject Site. Based on its distance from, and location with respect to, the subject property, it is not expected to represent a potential off-site source of contamination.

RCRA CORRACTS (Corrective Actions Report)

The CORRACTS database identifies hazardous waste handlers with RCRA corrective action activity.

No CORRACTS Sites were identified for the site. One CORRACTS site was identified within a ½-mile radius of the subject Site. The listed site, Chemtura Corp., is located at 280 Elm Street, approximately ½-mile southeast of the subject site. Based on its distance from, and location with respect to, the subject property, it is not expected to represent a potential off-site source of contamination.

RCRA TSD (Treatment, Storage and Disposal)

The Resource Conservation and Recovery Information System includes information on Sites that transport, store, treat and/or dispose of hazardous waste defined by RCRA.

No RCRA TSD listing was identified for the site. One RCRA TSD listing was identified within ¼-mile of the site. The listed site, Crompton Mfg. Co., Inc., is located at 280 Elm Street, approximately ½-mile southeast of the subject site. Based on its distance from, and location with respect to, the subject property, it is not expected to represent a potential off-site source of contamination.

RCRA GEN (Generators)

The Resource Conservation and Recovery Information System includes information on Sites that generate hazardous waste defined by RCRA.

The Site is listed as a RCRA GEN property. General DataComm Ind. Inc. is listed as a Small Quantity Generator (SQG). The SQG listing indicates that 100-1,000 kilograms of hazardous waste per month is generated at the site. One RCRA TSD listing was identified within a ½-mile radius of the study site. The site detail report for General DataComm included multiple violations and enforcement actions for the Site in 1996, 1997, and 1998. A note on the database listing indicated that spent halogens used in degreasing were generated at the facility and included perchloroethylene, trichloroethylene, methylene chloride, 1,1,1 trichloroethylene, carbon tetrachloride, and chlorofluorocarbons.

Five RCRA GEN properties were identified within a ¼-mile radius of the site. One of the RCRA GEN properties, Decarlo Automotive, is located at 5 Meadow Street, approximately 0.11 miles northwest of the site. The site detail report identifies the property as a gasoline station. Based on its location and orientation with respect to the subject site, it represents a potential off-site source of contamination.

The remaining RCRA GEN properties include: Guerrera R. J., Inc., located at 51 Elm Street, approximately 0.13 miles southwest of the site; Salem Chevrolet, located at 125 South Main Street, approximately 0.17-miles northeast of the site; and Fabricated Metal Products and Risdon Corp. Metal Cosmetics, both located at 1 Risdon Street, approximately 0.22 miles southwest of the site. Based upon the distance from, and topographic orientation with respect to, the subject property, these facilities are not expected to represent a potential off-site source of contamination.

Emergency Response Notification System (ERNS)

This federal database, compiled by the Emergency Response Notification System, records and stores information on reported releases of petroleum and other potentially hazardous substances.

The subject property was not listed as an ERNS site.

FINDS (Facility Index System/ Facility Identification Initiative Program Summary Report)

The FINDS databases in the First Search report included: PCS (Permit Compliance System); AIRS (Aerometric Information Retrieval System); DOCKET (Enforcement Docket used to manage and track information on civil judicial enforcement cases for all environmental statutes); FURS (Federal Underground Injection Control); C-Docket (Criminal Docket System used to track criminal enforcement actions for all environmental statutes); FFIS (Federal Facilities Information System); STATE (State Environmental Laws and Statutes); and PADS (PCB Activity Data System).

Three FINDS listings were identified for the site. Two listings were identified for General DataComm Ind. Inc. and one listing was identified for Naugatuck Manufacturing Facility. The General DataComm site is listed in the CTDEP Site Information Management Systems (SIMS), Facility Registration System (FRS), and AIRS programs. In addition, it is listed in the RCRAINFO program as a SQG. The Naugatuck Manufacturing Facility is listed in the SIMS and FRS programs. No additional information was included in the site detail reports.

Thirty-four other FINDS listings were identified within a ¼-mile radius of the site and may represent potential off-site sources of contamination.

Toxic Chemical Release Inventory System (TRIS)

The TRIS contains information reported to the USEPA and/or CTDEP by a variety of industries on their annual estimated releases of certain chemicals to the environment. The TRIS was mandated by Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986. Available information includes the maximum amount of chemicals stored on-Site; the estimated quantity emitted into the air, discharged into bodies of water, injected underground, or released to land; methods used in waste treatment and their efficiency; and data on the transfer of chemicals off-Site.

No TRIS listing was identified for the site. Four TRIS listings were identified within a ¼-mile radius of the site including: Rison-AMS (USA), Inc.; Risdon Corp.; and Fabricated Metal Products, Inc., all located at 1 Risdon Street, approximately 0.22 miles southwest of the site. Based upon the distance from, and topographic orientation with respect to, the subject property, they are not expected to represent a potential off-site source of contamination.

HMIRS (Hazardous Materials Information Reporting System)

The HMIRS database contains hazardous material spill incidents reported to the US Department of Transportation (DOT).

No HMIRS listing was identified for the site. One HMIR listing was identified for Mystic Tank Lines Corp., located at 240 South Main Street, approximately ¼-mile southeast of the site. Based upon the distance from, and topographic orientation with respect to, the subject property, it is not expected to represent a potential off-site source of contamination.

NUCLEAR

This database includes the Nuclear Regulatory Commission's database of facilities licensed to handle radioactive materials such as laboratories and nuclear generating stations.

No NUCLEAR listings were found for the subject site.

National Compliance Database (NCDB)

The NCDB is the EPA's national repository for FTTS INSP: FIFRA (Federal Insecticide, Fungicide, and Rodenticide Act) / TSCA (Toxic Substances Control Act) Tracking System.

The site is not listed on the NCDB.

6.1.2 Connecticut Department of Environmental Protection

The following report sections provide information regarding the CTDEP databases and file information obtained at the CTDEP file room in Hartford, Connecticut.

Bureau of Waste Management

The Bureau of Waste Management maintains site-specific file information for properties that generate, store or transport hazardous materials and/or have been inspected by CTDEP waste personnel. Records may include waste manifests, Notices of Violation (NOVs), inspection forms/reports, and/or compliance statements.

CTDEP Bureau of Waste Management file information was found for the site and primarily pertained to various past hazardous waste management inspections, violations and compliance issues regarding GDC. GDC was issued a Consent Order by CTDEP on August 18, 1997 regarding compliance with hazardous waste management regulations. This order required the removal and proper disposal of all hazardous, toxic, and industrial waste stored on the property. CTDEP issued a Consent Order Closure Letter on December 8, 1998 indicating the consent order was complied with.

The 1997 Consent Order indicated that GDC had failed to comply with a September 1988 CTDEP Hazardous Waste Order (HM-532), which primarily required that wastes generated on the site be properly characterized, packaged and disposed. Hazardous waste related training, communications and tracking protocols were also identified as lacking at the facility and needed to be properly implemented. The 1997 Consent Order described a CTDEP Waste Engineering and Enforcement Division inspection of the site on February 21, 1995, which enumerated 10 failures and inadequacies regarding hazardous materials handling, shipping, and related protocols. None of the items pointed to a particular area of the site.

Two 1988 CTDEP inspections (resulting from a complaint) of the GDC facility indicated a variety of conditions including: the storage of approximately 60 drums adjacent to the southeastern corner of the building containing Instapak (a liquid foam packing material); a reported “number of drums/containers” remaining from the former Uniroyal occupancy; three drums of Freon used to clean parts; 13 drums of leftover wastes in the basement level near a “truck loading ramp”; and an unlabelled 55-gallon drum near the northeastern exterior of the building. The complaint (May 1988) was regarding the storage of numerous drums in the rear of the building identified as isocyanate and an epoxy resin.

A June 1988 Hazardous Waste Inspection Checklist for GDC indicated that the facility employed 300 people and that on-site processes consisted of assembly, hand soldering, and cleaning, electrical testing, foam packaging, and foam gun cleaning.

CTDEP file information included inspections and memorandums relative to the demolition of the former Uniroyal factory buildings and structures located on Parcel B, Parcel C and the adjacent Uniroyal property between Old Firehouse Road and Church Street. File information included observations of the ten USTs located along Maple Street and significant correspondence regarding CTDEP Solid Waste Management Unit investigation and supervision of the removal of building demolition debris in former factory basement areas. The file information is summarized as follows:

- June 12, 1985 – A CTDEP inspection report noted remaining drums in the Uniroyal buildings and that one drum had leaked onto the floor.
- July 22, 1985 - A CTDEP internal memorandum on the building demolition activities indicated environmental concerns associated with asbestos, hydraulic oil contamination, USTs, and drums. Post demolition groundwater testing at the site was suggested.
- August 26, 1985 - A CTDEP inspection report of the “Old Uniroyal Plant” indicated that 80 drums of waste oils and possible paints were present in two small, partially demolished buildings. The drums were unlabelled and many were not properly covered or sealed. The CTDEP report indicated that the demolition contractor had collected samples from the drums and that disposal was pending.
- September 5, 1985 - CTDEP Solid Waste NOV regarding illegal filling of cellar holes with demolition debris.
- December 23, 1985 - CTDEP letter noting final inspection of the Old Uniroyal plant between Rubber Avenue and Maple Street (subject site).
- August 11, 1989 - CTDEP letter approving the solid waste cleanup on Parcel C.

Several hazardous waste manifest listings for the site were found in the CTDEP Hazardous Waste Manifest database. Forty-five manifests were located and were dated from 1988 to 2000. D-listed flammable liquids and lead, and F-listed chlorinated solvents were noted. All of the manifests were shipped out under the GDC EPA ID CTD981071822.

Remedial Action Reports were on file for the Parcel C property, north of the site, including an October 1998 Final Remedial Action Report (FRAP) for the northern portion of Parcel C and a Draft Remedial Action Plan (RAP) for “Parcel C-South”,

adjacent to the north of Maple Street. The FRAP indicated that an approximately 250 by 250-foot area was excavated to a depth of four feet and that an engineered control was installed as part of the remedial action. Groundwater monitoring was held in abeyance pending construction activities on the property.

The Draft RAP for Parcel C South indicated that contaminated fill was placed on the property after the building demolition occurred. Groundwater flow was documented to be in a general north to south direction. Soils at the site were contaminated with lead, arsenic and semi-volatile organic compounds (SVOCs) and groundwater was contaminated with chlorinated solvents. Vinyl chloride in groundwater exceeded the CTDEP Remediation Standard Regulation (RSR) volatilization criteria in the eastern portion of the property. Chemical oxidation was proposed to treat both soil and groundwater contamination, in addition to the removal of some shallow contaminated soil. The deepest soil boring completed on the property (39 feet below ground surface) did not encounter bedrock.

Solid Waste Landfills (SWL)

SWL records typically contain an inventory of solid waste disposal facilities or landfills in a particular state.

No SWL Sites were identified within a ½-mile radius of the study site.

Leaking Underground Storage Tanks (LUST)

LUST records contain an inventory of reported leaking underground storage tank incidents.

No LUST listings were found for the study site. The FirstSearch report listed 19 LUSTs within a ½-mile radius of the site. The two closest LUST sites are described in the following *Oil and Chemical Spills* section. The remaining listings were located 0.12 to 0.49 miles from the site and would not be expected to have affected the site, based on distance and topography.

Underground Storage Tanks (UST)

USTs are regulated under Subtitle I RCRA and must be registered with the state department responsible for administering the UST program. The site is a listed UST property and ten other UST sites are listed within ¼-mile radius of the site.

Although not included on the environmental database report, a tank registration form for the site was on file at CTDEP. The 2007 form indicated that a 10,000-gallon UST was removed from the site. Associated reports and documents describe the removal of the tank in July 2007. The tank was identified during a previous ground penetrating radar survey (see Section 9.0). Confirmation soil sample analysis from the tank grave indicated the presence of Extractable Total Petroleum Hydrocarbons (ETPH) in excess of RSR Residential Direct Exposure Criteria. A concentration of 1,161 parts per million (ppm) was noted in one sample. No additional excavation of contamination was conducted due to the presence of a sidewalk and the suggestion that the detected concentrations were consistent with other previous testing elsewhere on the site, likely attributable to contaminated fill materials, and not a tank release. The tank was located along the western Parcel B boundary, approximately half way between Maple Street and Rubber Avenue.

CTDEP UST registration information indicates the removal of ten USTs in 1989, west of the site. CTDEP file information confirms that ten tanks were removed from “Parcel 4”, formerly owned by GDC, located between Old Firehouse Road and Church Street. A map contained in the CTDEP records indicated that these tanks are the ones shown off-site to the west, as shown on the 1959 Uniroyal, Inc. map previously referenced. The tanks were removed under the supervision of Aaron Environmental Specialists, as documented in an August 1989 tank removal report. Tank registration information indicated that the tanks contained plasticizer, savasol, gasoline, alcohol, and processing oil.

A 1998 UST registration form was found for the “Former Uniroyal Parcel C”, located across Maple Street, north of the site. Two USTs were removed in June of 1998, including an 8,000-gallon heating oil tank and a 5,000-gallon methyl ethyl ketone tank. An attached map indicated that the tanks were located together, along the western side of Water Street, approximately 200 feet north of Maple Street. No closure documentation was found on file.

Oil & Chemical Spills

Oil and Chemical Spill reports include a list of releases reported to the CTDEP, including those attributed to tank test failures and tank failures. The tank test failures list only pertains to tanks that are below ground, while the tank failures list includes tanks that are either below or above ground. This database also lists spills that occur during the transportation of chemicals to or from unknown or miscellaneous sources. No environmental database spills were reported for the subject site.

A review of the CTDEP Spill Reports and Correspondence files from 1971 to 1990 indicated four spill reports from 1985 to 1987 for the site vicinity. A July 1985 report was for the release of ammonia gas from a cylinder, which was ruptured by a demolition contractor. The container was removed and the release dissipated. A May 1986 report described the release of methyl methacrylate at a waste drum storage area at “Uniroyal Chemical on Rubber Avenue”. Vapor was released and the spill was dissipated. A 600-gallon sulfuric acid release was documented in June of 1986. The majority of the spill was contained by sand but some was speculated to have seeped into the ground. The cause of the spill was an aboveground tank failure. A May 1987 release of hydrochloric acid was documented and no cleanup action was warranted. It is not clear where these releases occurred, and they could have taken place on one of the related parcels.

Several spill reports were found for the site vicinity dating back to 1982 including discharges to Long Meadow Brook and the Naugatuck River.

CTDEP Oil and Chemical Spills correspondence contained information regarding underground tank and contaminated soil removal at two properties adjacent to the west of the site. A June 2001 report indicated that a 1,000-gallon UST was removed from just west of Old Firehouse Road, north of the Naugatuck Savings Bank in the area of the former GDC parcel containing 10 USTs, which were removed in the late 1980s. According to the report, contaminated soil was removed from the tank grave and confirmation soil samples exhibited results below CTDEP criteria.

September 1989 correspondence was found for the former gasoline service station previously located west of Parcel A, on the southwestern corner of Elm Street and

Rubber Avenue (current Advance Auto Parts). According to the letter report, three gasoline USTs were removed from the property and contaminated soil stockpiled on the site contained concentrations of chlorinated solvents and volatile gasoline compounds. The report was addressed to CTDEP requesting permission to partially fill the excavation area with a portion of the stockpile that did not exhibit contamination. An attached map indicated that the tank grave excavation extended 20 feet below grade. No follow-up reply from the CTDEP was included in the file.

List of Contaminated or Potentially Contaminated Sites (LCPCS).

The LCPCS list includes a variety of state and federal database information for hazardous waste facilities maintained by the CTDEP and includes the following: Inventory of Hazardous Waste Disposal Sites (SHWS); Hazardous Waste Land Disposal Notifiers (HWLDN); CERCLIS; LUST; Pollution Abatement Orders (PAO); Property Transfer Program (PTP) listings; Voluntary Remediation Program (VRP) listings; and Environmental Land Use Restrictions (ELUR) which include a variety of Engineering Controls (EC) and Institutional Controls (IC) for inaccessible or environmentally isolated contaminated soils.

The site was listed on the (LCPCS) for a September 1993 Connecticut Property Transfer Act filing, and described below.

Bureau of Water Management

The Bureau of Water Management maintains site-specific industrial and remediation files, P-5 Industrial Wastewater Surveys, Discharge Monitoring Reports/Permits, Orders, Property Transfer information and other facility information found in the general town files.

Several P-5 inspection reports were found for the U.S Rubber facility (1961 and 1966) and other nearby industrial facilities. The inspection reports for U.S. Rubber did not describe the activities on individual parcels. Products listed for the facility included footwear (waterproof and canvas) and the date of establishment was listed as 1843. Wastes generated were listed as latex and algae control chemicals. Industrial wastes were noted to have discharged to a stream.

Inspection reports for nearby facilities note industrial discharges directly to Long Meadow Brook. A March 1968 CTDEP Interdepartmental Memo regarding the investigation of possible sources of pollution to Long Meadow Brook described a dumping area located to the rear of Parsons Screw Products Company, that reportedly contained oil, metal chips and fuller's earth (absorbent material) from the factory floor. The area was located adjacent to Long Meadow Brook, approximately 800 feet west of the site.

Bureau of Water Management complaints were on file regarding releases to Long Meadow Brook and the Naugatuck River dating from July and August of 1999, May of 2001, and December of 2004/January of 2005. The 1999 reports were for a filmy white color on Long Meadow Brook. The Naugatuck Recreation Department was found to be discharging paint wastewater to the brook. The 2001 complaint was for the discharge of sanitary sewer wastes to the river from a pipe at the Maple Street bridge, northeast of the site. An unpermitted, combined sanitary sewer pipe was sealed and two manholes were installed to correct the problem. The 2004/2005 complaint was for the presence of foam

in Long Meadow Brook at Rubber Avenue Extension. The foam appeared to be naturally occurring and no evidence of an illegal discharge was noted.

Connecticut Property (Property Transfer Filings)

The Connecticut Property Transfer Filings database lists sites that meet the definition of an “Establishment” including hazardous waste generators (above 100 kilograms in any one month), dry cleaners, furniture strippers, and vehicle body repair facilities. These Sites have been transferred to another owner and are subject to investigation and remediation.

The Site is listed on the CTDEP Property Transfer database for a Form III filing associated with a transfer that occurred in September 1993. A Form III pertains to a site with a chemical release where remediation has not been completed. The filing was made by GDC Naugatuck, Inc. regarding a September 29, 1993 property transfer from General Lord Realty Corp. to GDC Naugatuck, Inc. The party certifying responsibility for site remediation is GDC Naugatuck, Inc. No further file information regarding site investigation activities or development of a RAP was located in the CTDEP files regarding the Form III filing.

Connecticut Leachate and Wastewater Discharge Sites (LWDS)

The LWDS database included point locations digitized from Leachate and Wastewater Discharge Source maps compiled by the CTDEP. These maps locate surface and groundwater discharges that have received a wastewater discharge permit from the state, are historic and now defunct waste sites, or are locations of accidental spills, leaks, or discharges of a variety of liquid or solid wastes.

One LWDS was shown on the site. LWDS No. 6900067 was listed for Dooval Tool as an active surface discharge of cooling water. No other LWDS were shown on the site.

CTDEP file information is provided as Appendix E.

CTDEP Water Quality Classification Maps

The CTDEP Water Quality Classification map indicates that groundwater beneath the study site and surrounding area is classified GB. The GB classification indicates groundwater within a historically highly urbanized area or an area of intense industrial activity and where public water supply service is available. CTDEP presumes that such groundwater may not be suitable for human consumption without treatment due to waste discharges, spills, or leaks of chemicals or land use impacts.

The closest surface water body is Long Meadow Brook, which passes directly through Parcel A. According to the CTDEP Water Quality Classification map, the Naugatuck River is classified as a Class B surface water body. The Class B designation indicates that the water body is known or presumed to meet water quality criteria which support designated uses, which include: habitat for fish and other aquatic life and wildlife; recreation; navigation; and industrial and agricultural water supply.

6.1.3 Municipal File Information

Records maintained in the Naugatuck Building Department, Engineering Department, Naugatuck Valley Health District, Assessor’s Office, City Clerk, and Fire Marshal’s office were reviewed for information regarding current or former petroleum or hazardous materials usage or handling at the site. The municipal records typically include fuel oil,

gasoline and waste oil tank installation applications and permits, records of building permits, site plans, other prior use information and complaints. All available files pertaining to this property were requested and reviewed. AKRF personnel visited the aforementioned offices, or exchanged telephone communications on June 25 and July 12, 2010. A summary of the records reviewed is presented below.

Building Department

Naugatuck Building Department records (April 1985) indicated that a building permit was issued for the demolition of the Uniroyal plant, including buildings between Maple Street and Rubber Avenue. A stop work order was issued by the Building Department on November 24, 1985 ordering the removal of buried wood. The order was subsequently rescinded on May 16, 1986. An article in the Naugatuck Daily News dated November 25, 1986 reported that the CTDEP had concluded that too much wood had been buried on-site in association with the demolition activities. General DataComm had indicated that the contractor would correct the situation.

A permit to remove 10 USTs from the “CVS parking lot” dated August 21, 1989 was on file. The property owner was indicated as General Lord Realty Corporation and the property was described as between Church Street and Old Firehouse Road, off-site to the west.

A variety of building permits for interior alterations including plumbing, electrical, and partitioning wall construction dating primarily from the late 1980s to 1994 were on file. A 2001 permit was found for the installation of two, gas-fired heaters in the pump house. The permit was taken out by the Connecticut Water Company.

Fire Marshal

The Naugatuck Fire Marshal’s office contained a series of photographs and notes regarding the removal of the 10 USTs previously discussed.

An Oil Tank Removal report was on file for the removal of a 10,000-gallon oil tank. The report was dated July 2007 and is consistent with previous information provided regarding the removal of a UST from the site.

Naugatuck Fire Inspector William Scanlon was not aware of any additional information regarding chemical or petroleum storage on the site.

Assessor’s Office

AKRF reviewed current field cards on file at the Naugatuck Assessor’s office. The current owner of the property is listed as GDC Naugatuck, Inc. Cards from the 1950s indicate U.S. Rubber Co. as the property owner and provided a construction date of 1954 for the current site warehouse/office building.

Town Clerk

Records at the Town Clerk’s office were reviewed for site ownership history. A summary of ownership history for the properties is provided in Section 5.1.4.

Health Department

AKRF personnel spoke with Denise Rowell, Administrative Assistant with the Naugatuck Valley Health District. She indicated that there was no file information regarding septic systems or complaints for the site.

Engineering Department

Naugatuck Engineering Department personnel provided AKRF with various historic maps depicting utilities and buildings on the site.

Municipal documentation, including the maps, reports, and letters indicated in this section, are provided in Appendix F.

7.0 INTERVIEWS

7.1 Interview with Owner and Occupants

GDC representatives including Robert Butler, Treasurer, Steve Fuhrmann, Facilities Supervisor William Henry, Chief Financial Officer, and Ken Huff, Operations Manager, were interviewed regarding current and past manufacturing activities that occurred on the Site. The products and processes previously described in this report we indicated.

Mr. Butler summarized the following on-site processes:

On-site manufacturing/assembly, shipping/receiving, packaging, and testing take place on the site, primarily on the first floor of the building. Some limited shipping/receiving is also conducted by a building lessee. Building lessees include: Supply Chain Associates, a component vendor that leases approximately 900 square feet of warehouse space and two offices, and Silver Lining Partners, a consultant that leases 3 offices. Both companies have leased part of the building since 2005. Other companies lease portions of the parking areas and include: ICES (Human Resources Development), which leases the parking lot on the west side of the site building (since 2009); A Better Way Auto, which leases the middle section of the parking area on Parcel B (since July 2010); and the Borough of Naugatuck, which utilizes the northern section of the parking area on Parcel B (since circa 2000).

The on-site GDC assembly processes consist mainly of screwing or sliding together pre-manufactured boards and board systems into “kits” which are then placed into custom-made boxes for shipping. GDC also conducts testing of completed units and component repairs. In some cases “sub-assemblies” are created, shipped out for additional components of manufacturing (soldering, cleaning, etc.) and then received for final assembly, testing and shipping. No chemical processes are conducted by GDC on-site in association with the manufacturing/testing processes. Such activities are outsourced to facilities in Shelton and Windsor, Connecticut.

7.2 Interview with Local Government Officials

Interview information obtained from local government officials is provided in Section 6.1.3 of this report.

8.0 PRELIMINARY CONCEPTUAL SITE MODEL

Based on the completed site, historic and regulatory reviews, and an evaluation of previous, available reports, the following preliminary Conceptual Site Model (CSM) regarding the nature of known or potential releases at the site has been developed. The CSM is preliminary, since it is not based on a comprehensive site investigation, but rather Phase I level research and observations whereby Recognized Environmental Conditions/Areas of Environmental Concern have been identified. The CSM should be revised as additional data becomes available.

Recognized Environmental Condition	Potential Release Mechanism	Migration Pathways	Constituents of Concern	Potentially Affected Media
Former factory building demolition debris/fill	Demolition backfill placement	Soil infiltration	Metals, SVOCs, ETPH	Soil
Former canals	Direct discharges of industrial wastes	Along canal beds, through associated piping and breaches in the canal floors and walls	Metals, VOCs, SVOCs, PCBs, ETPH, Cyanide	Soil and groundwater
Former manufacturing-related activities and uses: machine shops, acid house, maintenance and utilities, paint house, boiler houses, vulcanizing areas, benzene/naphtha storage	Direct discharges to the ground surface, seepage through building floors, discharges to subsurface conveyance or leaching systems	Soil infiltration or along piping and subsurface trenches/pits, dry wells	Metals, VOCs, SVOCs, PCBs, ETPH, Herbicides/Pesticides, pH, Cyanide	Soil, groundwater, and sediment
Former railroad tracks	Leaching from creosote-soaked rail ties, releases from train mechanical systems and payloads	Soil infiltration	SVOCs, ETPH, Metals, PCBs	Soil and groundwater
GDC Building Drains and sumps – boiler room, hydraulic elevators, maintenance areas, loading dock	Seepage through system components, cracks and seals and direct discharge to brook.	Soil infiltration	VOCs, SVOCs, ETPH, Metals, Herbicide/Pesticides, PCBs, hydrogen ions	Soil, groundwater, and sediment

Recognized Environmental Condition	Potential Release Mechanism	Migration Pathways	Constituents of Concern	Potentially Affected Media
Loading dock levelers – hydraulic oil releases	Seepage through concrete or seams from leaking system	Soil infiltration	SVOCs, ETPH, PCBs	Soil and groundwater
Hazardous waste storage shed and other miscellaneous storage locations	Seepage through concrete or asphalt from incidental spillage	Soil infiltration	VOCs, SVOCs, Metals, ETPH Herbicides/Pesticides, PCBs	Soil, groundwater, and sediment
Offsite Sources – bulk petroleum storage, gasoline/service station, manufacturing facilities	Incidental spillage, direct disposal, leaking USTs, surface discharges directly to Long Meadow Brook	Soil infiltration	VOCs, SVOCs, Metals, ETPH Herbicides/Pesticides, PCBs	Soil, groundwater, and sediment
Northern end of site – former storage area with leaking containers	Container failure	Soil infiltration	VOCs, SVOCs, ETPH	Soil and groundwater

9.0 PREVIOUS REPORTS

Previous environmental reports pertaining to the site were provided by the Naugatuck Community Development Corporation and GDC and include the following:

- Phase II Subsurface Investigation, 6 Rubber Avenue, Naugatuck, Connecticut, prepared by General Consolidated Industries, Inc., dated July 12, 2001 (GCI 2001);
- Subsurface Explorations, 6 Rubber Avenue, Naugatuck, Connecticut, prepared by Advanced Environmental Redevelopment, LLC, dated September 2002 (AER 2002);
- Report on Subsurface Investigations at General DataComm, 6 Rubber Avenue, Naugatuck, Connecticut, prepared by HRP Associates, Inc., dated September 23, 2002 (HRP 2002); and
- Phase I Environmental Site Assessment ASTM E1527-05, 6 Rubber Avenue, Naugatuck, Connecticut, prepared by HRP Associates, Inc., dated June 2007 (HRP 2007).

A Phase I ESA was referenced in the GCI Phase II report, but it was not available for review.

GCI 2001

The Phase II Subsurface Investigation activities included:

- Dye test sinks, floor drains and trench drains in the remaining existing General DataComm building;
- Collect representative samples from on-site subsurface drainage structures;
- Inspect manhole covers and associated subsurface structures to determine use;
- Perform a geophysical investigation for possible undocumented USTs; and
- Install soil borings and groundwater monitoring wells to characterize on-site soil and groundwater.

The investigation report could not confirm the discharge location of floor drains/trench drains in the basement or loading dock area. The report noted that Steve Fuhrmann of GDC indicated that the basement floor drains discharged to the brook beneath the building. A ground penetrating radar survey identified 7 subsurface magnetic anomalies on the site, which were noted to be potential UST sites. No subsurface leaching structures were noted during an inspection of open-grate manhole covers.

Twelve direct-push soil borings were completed during the investigation. Encountered bedrock limited the collection of groundwater samples in all test locations. Four soil samples (collected from 0-4 feet below grade) were analyzed for volatile organic compounds (VOCs), SVOCs, total petroleum hydrocarbons (TPH), RCRA 8 metals, and PCBs. One sample contained mass arsenic above CTDEP RSR criteria. Three groundwater samples were analyzed for the same parameters as the soil; no compounds were detected above RSR criteria. No obvious signs of contamination were encountered during the investigation.

AER 2002

The September 2002 AER Subsurface Investigation report stated objectives were to excavate test pits in areas where former manufacturing operations took place. Some test pits were located in locations where the GCI geophysical investigation noted possible undocumented USTs.

Ten test pits were excavated to a depth of approximately 10 feet below grade and one soil sample was collected from each pit at a depth of approximately 4-5 feet below grade. The soil samples were analyzed

for ETPH and polyaromatic hydrocarbons (PAHs). RSR criteria were exceeded for PAHs in 6 out of the 10 locations. Two samples also exceeded the Residential Direct Exposure Criteria for ETPH.

Demolition debris was encountered in the northern portion of the site to the maximum depth explored. No bedrock or groundwater was encountered.

HRP 2002

The 2002 HRP field investigation included the installation and sampling of five, two-inch diameter groundwater monitoring wells and the advancement of twenty-one test borings. A ground penetrating radar survey of specific exterior portions of the property, previously identified as having magnetic anomalies, was also completed as part of the investigation. All of the monitoring wells were located on the site by AKRF personnel during recent site inspections and appear to be usable for future investigations.

Two groundwater monitoring wells were installed on Parcel A, including MW-1, located nearby to the east of the hazardous waste storage shed, and MW-2 located adjacent to the northeast of the GDC building. No borings were located on Parcel A. The report does not describe a rationale for the placement of MW-2 although it is near the historic location of benzene and naphthalene storage sheds on the site prior to the construction of the current GDC building. Monitoring wells MW-3, MW-4 and MW-5 were located on the northern half of Parcel B. Nine borings were advanced in the southern portion of Parcel B with five clustered in the southwestern corner in the area of a former boiler house and former hoe factory. Five borings were located in the north central portion of Parcel B and six were located in the northern end of Parcel B. Test Boring TB-6 was not depicted on the report mapping although the report contains a log for this boring.

The report indicates that the RECs that were the subject of the investigation included: the southern boiler house and coal bins; the acid house; one of the former paint sheds (circa 1910); a former machine shop located in the northwest corner of Parcel B; and a grinding shop located in the former mill building previously located along the southern side of Maple Street (northern Parcel B). Borings were also advanced in the general locations of the northern boiler house, larger northern machine shop (circa 1960), and a heating, varnishing, and machine shop building area in the central western portion of the site (TB-14).

Groundwater flow direction was determined to be in a southeasterly direction, based on surveyed well elevations and depths to water as measured in each well. Bailers were used to purge the monitoring wells and collect groundwater samples. This method of sample collection is not consistent with CTDEP or USEPA guidance/protocols. Groundwater samples were analyzed for VOCs, SVOCs, dissolved RCRA 8 metals, PCBs, and ETPH. Only VOCs were detected in four of the five groundwater monitoring wells. Monitoring well MW-4 contained 1,1-dichloroethylene at a concentration of 5 parts per billion (ppb), exceeding the Residential Volatilization Criteria (RVC) of 1 ppb. This detection was the only CTDEP regulatory exceedance in groundwater. The Industrial/Commercial Criteria (applicable after the implementation of a No Residential Use Environmental Land Use Restriction) is 6 ppb. Six additional chlorinated compounds were also detected in MW-4, at concentrations below applicable criteria. Concentrations of 1,1,1-trichloroethane were detected in MW-3, MW-4, and MW-5, and chloroform was noted in MW-1 and MW-3, all at concentrations below applicable criteria.

Soils encountered during the borings consisted of brown silty sand and gravel. "Abundant debris" was observed in encountered fill materials including brick, concrete, metal, and wire, and drilling conditions were described as "extremely difficult". Shallow auger or split spoon sampler refusals (failure to advance in depth) were numerous and often resulted in poor sample recovery (sample volume); however, groundwater monitoring wells were installed below 20 feet and no bedrock was encountered.

Soil samples were analyzed for the same parameters listed previously for the groundwater samples in addition to Synthetic Precipitation Leaching Procedure (SPLP) analysis of metals and SVOCs for selected samples to assess compliance with CTDEP Pollutant Mobility Criteria (PMC). Twenty-two soil samples were analyzed including two samples from TB-4, TB-9 and TB-16. No samples were collected from TB-8 or TB-20. All of the samples were collected from intervals ranging from 0 to 7 feet below grade, with the exception of one sample collected from 10 to 12 feet below grade. All of the samples were analyzed for ETPH and only three contained concentrations exceeding CTDEP RSR criteria. The highest concentration detected was 2,750 parts per million (ppm) in TB-2, collected from 2 to 4 feet below grade. All but one of the soil samples were analyzed for PCBs and VOCs. No PCBs or VOCs were detected. SVOCs were detected in all but three of the 21 soil samples analyzed, but only three samples contained concentrations in excess of CTDEP Residential Direct Exposure Criteria (RDEC). One sample contained one RCRA metal (lead) in excess of the RDEC. None of the SPLP-analyzed metals were detected above the PMC and no SPLP SVOCs were detected.

No UST signatures were detected using ground penetrating radar in the areas where GCI noted magnetic anomalies on the site; however, a UST signature was detected in an area where a tank was shown on a historic site plan. This tank was later removed in 2007 under HRP supervision, as previously indicated in this report.

The report concluded that detected chemical concentrations were sporadic with no “hot spot” areas of significant contamination. In general, the report summarized that detected ETPH and SVOC concentrations were more prevalent in the northern and central areas of Parcel B and in the general vicinity of the boiler house and coal storage areas. ETPH was also noted in the area of the former northern machine shops. The report results could not differentiate between historical site operations and fill with regard to the source of the detected contamination.

HRP 2007

The 2007 Phase I ESA report was provided without attachments or appendices. The report text described the former and current site operations, site description, site history, and regulatory reviews as similar to those outlined in the context of this report. The following CTDEP documents referred to in the report were not located during AKRF’s recent CTDEP file search:

- A 1997 letter from CTDEP to GDC indicated that if an Environmental Condition Assessment Form (ECAAF) was completed, the site “may be allowed to enter the LEP Verification Program”.
- A July 2002 memorandum indicated that confidential documentation including a Draft Consent Order, enforcement action summaries, and penalty calculations were not in the public record.
- Telephone records of conversations from May of 2005 between CTDEP and GDC consisted of discussions regarding the 1993 Transfer Act filing and requirements associated with any future transfer.
- A GDC hazardous waste summary report.

The Phase I report also summarized the field investigation completed by HRP in 2002, described previously. HRP indicated that “areas of the site” had been contaminated with ETPH, PAHs and lead in excess of RSR criteria. Groundwater results indicated “minimal impact”, although one well was reported to contain a chlorinated solvent above the RVC.

Copies of previous environmental reports are provided in Appendix G.

10.0 LIMITATIONS

This assessment met the requirements of the American Society for Testing and Materials (ASTM) as established by ASTM Standard E1527-05. ASTM E1527-05 includes compliance with the All Appropriate Inquiry (AAI). The following limitations should be noted:

- Results of this investigation are valid as of the dates on which the investigation was performed.
- No asbestos assessment or sampling of building materials was conducted during the assessment.
- The site owner representatives had limited knowledge regarding the site history, historic operations, or waste management practices.

11.0 DEVIATIONS

No deviations from the current ASTM Phase I ESA standard were noted.

12.0 DATA GAPS

Based on published materials including aerials photographs, mapping and municipal, state and federal file information a detailed site history was established during the course of this Phase I ESA. No specific information regarding the chemical or petroleum waste storage and handling procedures was available.

13.0 CONCLUSIONS AND RECOMMENDATIONS

The Phase I Environmental Site Assessment tasks were performed in accordance with customary principles and practices in the environmental consulting industry, and in conformance with the scope and limitations of American Society for Testing and Materials (ASTM) Standard E1527-05, Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Practice. Any exceptions to, or deletions from, this practice are described in Sections 10.0, 11.0, and 12.0 of this report.

This assessment revealed the following evidence of Recognized Environmental Conditions (RECs) in connection with the property:

- The subject site is located in a historically developed urban area, and has included industrial uses with various undocumented chemical waste handling practices dating back to the 1860s. Contaminated soil associated with fill materials and/or historic releases has been documented in previous site investigation reports. Recent and current site activities/conditions could also have contributed to contaminated media.
- The site has a significant industrial use history dating from the 1860s until circa 1985. Primarily, the site manufactured rubber goods including shoes, sneakers, and gloves. Several companies operated at the site including the Goodyear India Rubber Glove Manufacturing Company, Goodyear Metallic Rubber Shoe Company, United States Rubber, and Uniroyal, Inc. Goodyear/U.S. Rubber/Uniroyal facilities operated in several areas of Naugatuck, including those contiguous with the site to the west, and across Maple Street to the north. Numerous buildings, structures, drainage ways and utilities serve, or have served the various industrial activities at the site. Activities/locations on the site include, or have included, grinding, milling, vulcanizing, varnishing, an acid house, a paint shop, a lacquer house, benzene storage, naphtha storage, rail lines and spurs, canals, machine shops, a battery shop, a tin shop, laboratories, mechanical/electrical equipment, three boiler houses, and site maintenance facilities. Potential contamination of soil and groundwater could have resulted from spillage and/or disposal of contaminants at, or to, these use areas and locations.
- Properties located west of the site include several current and historic manufacturing facilities, a bulk fuel facility, and an auto repair and gasoline retail site. These off-site areas, in addition to the former rubber factory sites to the west and north (upgradient of the site), could represent potential sources of impact to site soil and/or groundwater quality.
- Long Meadow Brook is culverted beneath the large on-site building in the southern portion of the property. The brook flows in an easterly direction, parallel to, and south of, Rubber Avenue for a distance of approximately ½ mile before crossing the site. Listed hazardous waste sites are located along the brook and several off-site chemical waste discharges to the watercourse have been documented. Site plans indicated that site building floor drains and other site discharge sources were directed to the brook, under the building. Brook sediments could contain chemical constituents from historic discharges and fill materials.
- Previous site environmental investigations included two Phase I ESAs, and three subsurface investigations conducted in 2001 and 2002. AKRF was provided copies of the subsurface investigation reports and a 2007 Phase I ESA prepared for GDC. Information contained in these reports indicated that soil and groundwater contamination exists on the property in association with historic fill and/or manufacturing activities. The 2007 Phase I ESA indicated that “minor staining” was observed on the ground surface beneath two plastic cube containers (apparently filled with a petroleum-based substance) stored in the northern parking area. This area of the site was being leased for storage at the time and was not investigated.

- The site reconnaissance revealed that all eight, hydraulic loading dock levelers, located on the southern side of the ground floor, were leaking. Oil and dark stained concrete were observed at the base of the levelers and on some surrounding floors and walls. The loading area is contained by a roof and garage doors, limiting the contact of these area to stormwater, although the potential exists for impacts below the floor in these areas. Four floor drains in the garage area were shown (on historic site plans) as discharging to the water course, beneath the building. Two additional loading docks and a floor drain, located east-adjacent to the eight docks and four drains indicated, were partitioned off by GDC as part of building retrofits. As such, they were obscured from view and their condition is unknown. A flood control device sump exhibited an oily odor, potentially emanating from the pumping of water beneath a leaking hydraulic elevator piston. Floor drains were located in several areas of the basement, including one in the boiler room, which was directed to a grease trap. According to historic site plans, all drains were ultimately directed to the brook beneath the building. Drains, sumps, traps and pipes are potential sources of site contamination.
- A former hazardous waste storage shed, located in the southwestern corner of the site, contained five-gallon containers of absorbent spill control materials. No staining or odors were noted in the shed. No documentation regarding RCRA closure of the hazardous waste management unit was found in the Connecticut Department of Environmental Protection (CTDEP) files for the site.
- GDC generated hazardous waste in the 1980s and 1990s and was subject of two CTDEP hazardous waste enforcement orders as a result of various hazardous waste handling violations. CTDEP inspection reports indicate oil/chemical storage activities in various parts of the site building and its exterior. Hazardous waste handling may have resulted in on-site spillage or disposal.
- Parcel B was approximately 90% occupied by various factory buildings until they were demolished in 1986 and 1986. GDC was ordered to cease demolition of the former factory buildings on the site and adjacent properties due to asbestos and other waste handling violations associated with the demolition and backfilling activities. Various orders (Borough of Naugatuck, CTDEP, USEPA) were eventually resolved and lifted. Previous generations of factories/buildings also existed on the site. Contaminated building demolition debris could be present on the site as a result of demolition
- One underground storage tank (UST) was identified and removed from the site. No other known USTs are present although it is possible that one or more undocumented tank could be encountered during site construction activities.

There are no outstanding regulatory agency Orders associated with the site. The site is listed as the subject of a Connecticut Transfer Act Form III filing from 1993. This filing stipulates that the site must be investigated and remediated in accordance with the CTDEP Remediation Standard Regulations (RSRs). General DataComm is listed as the “Certifying Party” and is responsible for compliance with the Transfer Act. Based on hazardous waste generation records, the site qualifies as an “Establishment” as defined in the Transfer Act. The site is a listed Small Quantity Hazardous Waste Generator. A formerly utilized hazardous waste storage building will require proper “closure” in accordance state and federal regulations.

A detailed field investigation consisting of soil, groundwater and sediment collection and analysis is recommended to build upon the previous investigations and to target specific areas of the site. The investigation should be based, in part, on detailed historic site maps and compounds that could be present in the various, identified RECs. Five existing groundwater monitoring wells should be included in the investigation and approximately ten to twelve additional wells would need to be installed to further characterize groundwater on the site. Soils data generated during three site investigations in 2001 and 2002 do not indicate the presence of significant, widespread contamination and no “hot spot”

contamination was identified. Given the relatively large and complex nature of the site and the various RECs identified, thorough coverage of the site using a grid, in addition to targeting specific REC locations would be a recommended approach.

14.0 SIGNATURE PAGE

I declare that, to the best of my professional knowledge and belief, I meet the definition of Environmental Professional as defined in §312.10 of 40 CFR 312. I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject property. I have performed all the appropriate inquiries in conformance with standards and practices set forth in 40 CFR Part 312.

Martin Brogie, LEP
Vice President

15.0 QUALIFICATIONS

The purpose of this assessment was to convey a professional opinion about the potential presence or absence of contamination, or possible sources of contamination on the property, and to identify existing and/or potential environmental problems associated with the property.

The assessment was performed in accordance with customary principles and practices in the environmental consulting industry, and in accordance with ASTM Standard E1527-05, *Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Practice*. It is intended for use as a supplement to the property appraisal, and is only to be used as a guide in determining the possible presence or absence of hazardous materials on the subject property at the time of the inspection. This assessment is based upon the review of readily available records relating to previous use of both the project Site and the surrounding area, as well as a visual inspection of the current condition of the property. Environmental characteristics at this Site and surrounding Sites may be subject to change in the future.

This Phase I Assessment is not, and should not be construed as, a guarantee, warranty, or certification of the presence or absence of hazardous substances, which can be made only with testing, and contains no formal plans or recommendations to rectify or remediate the presence of any hazardous substances which may be subject to regulatory approval. This report is not a regulatory compliance audit.

This report is based on services performed by AKRF, Inc. professional staff and observation of the Site and its surrounding area. We represent that observations made in this assessment are accurate to the best of our knowledge, and that no findings or observations concerning the potential presence of hazardous substances have been withheld or amended. The research and inspections have been carried to a level that meets accepted industry and professional standards. Nevertheless, AKRF and the undersigned shall have no liability or obligation to any party other than the Borough of Naugatuck and its successors or assignees, and AKRF's obligations and liabilities to the above, their successors or assignees is limited to fraudulent statements made, or negligent or willful acts or omissions.

The findings set forth in this report are strictly limited in scope and time to the date of the evaluation described herein. The conclusions and recommendations presented in the report are based solely on the services and any limitations described in this report.

This report may contain conclusions that are based on the analysis of data collected at the time and locations noted in the report through intrusive or non-intrusive sampling. However, further investigation might reveal additional data or variations of the current data, which may differ from our understanding of the conditions presented in this report and require the enclosed recommendations to be reevaluated or modified.

Chemical analyses may have been performed for specific parameters during the course of this investigation, as summarized in the text and tables. It should be noted that additional chemical constituents, not searched for during this investigation, may be present at the Site. Due to the nature of the investigation and the limited data available, no warranty, expressed or implied, shall be construed with respect to undiscovered liabilities. The presence of biological hazards, radioactive materials, lead-based paint and asbestos-containing materials was not investigated, unless specified in the report.

Interpretations of the data, including comparison to regulatory standards, guidelines or background values, are not opinions that these comparisons are legally applicable. Furthermore, any conclusions or recommendations should not be construed as legal advice. For such advice, the client is recommended to seek appropriate legal counsel. Disturbance, handling, transportation, storage and disposal of known or

potentially contaminated materials is subject to all applicable laws, which may or may not be fully described as part of this report.

The analytical data, conclusions, and/or recommendations provided in this report should not be construed in any way as a classification of waste that may be generated during future disturbance of the project Site. Waste(s) generated at the Site including excess fill may be considered regulated solid waste and potentially hazardous waste. Requirements for intended disposal facilities should be determined beforehand as the data provided in this report may be insufficient and could vary following additional sampling.


This report may be based solely or partially on data collected, conducted, and provided by, AKRF and/or others. No warranty is expressed or implied by usage of such data. Such data may be included in other investigation reports or documentation. In addition, these reports may have been based upon available previous reports, historical records, and documentation from federal, state and local government agencies, personal interviews, and geological mapping. This report is subject, at a minimum, to the limitations of the previous reports, historical documents, availability and accuracy of collected documentation, and personal recollection of those persons interviewed. In certain instances, AKRF has been required to assume that the information provided is accurate with limited or no corroboratory evidence.

This report is intended for the use solely by the Borough of Naugatuck. Reliance by third parties on the information and opinions contained herein is strictly prohibited and requires the written consent of AKRF. AKRF accepts no responsibility for damages incurred by third parties for any decisions or actions taken based on this report. This report must be used, interpreted, and presented in its entirety.

16.0 REFERENCES

1. Advanced Environmental Redevelopment, LLC, Bridgeport, Connecticut, *Subsurface Explorations*, 6 Rubber Avenue, Naugatuck, Connecticut, Project #274, September 2002.
2. State of Connecticut Department of Environmental Protection, *Connecticut Geological and Natural History Survey, Bedrock Geological Map of Connecticut*, John Rodgers, 1985.
3. State of Connecticut Department of Environmental Protection, *Surficial Materials Map of Connecticut*, Janet Radway Stone, et al, 1992.
4. State of Connecticut Department of Environmental Protection; *Environmental Geographical Information Center; Water Quality, Leachate Waste Water and Discharge Sources and Community Water System Supply Map*, 2003.
5. FirstSearch Technology Corporation, Norwood, Massachusetts, *Environmental FirstSearch™ Report*, May 3, 2010.
6. General Consolidated Industries, Inc., Stamford, Connecticut *Phase II Subsurface Investigation*, 6 Rubber Avenue, Naugatuck, Connecticut 06770, July 12, 2001.
7. HRP Associates, Inc., Plainville, Connecticut, *Report on Subsurface Investigations at General DataComm*, 6 Rubber Avenue, Naugatuck, Connecticut, September 23, 2002.
8. HRP Associates, Inc., Farmington, Connecticut, *Phase I Environmental Site Assessment, ASTM E1527-05*, 6 Rubber Avenue, Naugatuck, Connecticut, June 29, 2007 (portions).

FIGURES



SOURCE
USGS 7.5 Minute Topographic Map
Naugatuck Quad 1985

0 0.25 0.5
Miles



6 RUBBER AVENUE
NAUGATUCK, CT

PROJECT SITE LOCATION




Environmental Consultants
700 Main Street Suite C, Willimantic, CT 06226

DATE
07.13.10

PROJECT No.
91065

FIGURE
1



C:\Projects\91065 - NAUGATUCK BROWNFIELD\91065 Phase I Fig 2 Site Plan.mxd



- Legend**
- Study Site Boundary GDC
 - Parcels

AKRF Environmental Consultants 700 Main Street Suite C, Willimantic, CT 06226	6 RUBBER AVENUE NAUGATUCK, CT		SITE PLAN
	DATE 7.30.10		PROJECT No. 91065
	FIGURE 2		

© 2009 AKRF, Inc. Environmental Consultants O:\Projects\91065 - NAUGATUCK BROWNFIELD\0 - Naugatuck Historic structures map.mxd



Legend

- Study Site Boundary GDC
- Historic Canals, Raceways, and Streams
- Historic Rail Lines
- Building Construction History 1887 - 2010



Environmental Consultants
700 Main Street Suite C, Willimantic, CT 06226

6 RUBBER AVENUE
NAUGATUCK, CT

HISTORICAL STRUCTURES MAP

DATE
7.19.10

PROJECT No.
91065

FIGURE
3

APPENDIX A
PHOTOGRAPHIC DOCUMENTATION



Photograph 1: View of GDC building looking south from parking area



Photograph 2: View of Parcel B – northern parking area looking north



Photograph 3: Basement maintenance shop



Photograph 4: Basement boiler room with two gas-fired boilers



Photograph 5: Vicinity of basement chiller equipment (floor drain in foreground)



Photograph 6: Basement metal storage cabinet contents



Photograph 7: Basement vacuum pumps and drip pans



Photograph 8: Basement maintenance storage area



Photograph 9: Basement condensate room and tank




Photograph 10: First floor computer system laboratory



Photograph 11: First floor flood control pump engine – original equipment.



Photograph 12: Hazardous waste storage shed



Photograph 13: Cable elevator loft



Photograph 14: Loading dock leveler





Photograph 15: Basement level vehicular access ramp



Photograph 16: East side of building showing top of basement ramp entrance and AC units along building

APPENDIX B
SANBORN FIRE INSURANCE MAPS





Environmental Consultants
700 Main Street Suite C, Willimantic, CT 06226



6 RUBBER AVENUE
NAUGATUCK, CT

1892 SANBORN MAP

DATE
7.19.10

PROJECT No.
91065

APPENDIX
B



Legend

 Study Site Boundary GDC





6 RUBBER AVENUE
NAUGATUCK, CT

1904 SANBORN MAP

AKRF

Environmental Consultants
700 Main Street Suite C, Willimantic, CT 06226

DATE	7.19.10
PROJECT No.	91065
Appendix	B



Legend
 Study Site Boundary GDC




Environmental Consultants
700 Main Street Suite C, Willimantic, CT 06226

6 RUBBER AVENUE
NAUGATUCK, CT

1910 SANBORN MAP

DATE	7.19.10
PROJECT No.	91065
Appendix	B

© 2009 AKRF, Inc. Environmental Consultants O:\Projects\91065 - NAUGATUCK BROWNFIELDS\1923 Sanborn Maps.mxd





Environmental Consultants
700 Main Street Suite C, Willimantic, CT 06226


6 RUBBER AVENUE
NAUGATUCK, CT

1923 SANBORN MAP

DATE	7.19.10
PROJECT No.	91065
Appendix	B

© 2009 AKRF, Inc. Environmental Consultants O:\Projects\91065 - NAUGATUCK BROWNFIELD\1960 Sanborn Maps.mxd




Legend
 Study Site Boundary GDC



 Environmental Consultants 700 Main Street Suite C, Willimantic, CT 06226	6 RUBBER AVENUE NAUGATUCK, CT
	1960 SANBORN MAP
	DATE 7.19.10
PROJECT No. 91065	
Appendix B	

© 2009 AKRF, Inc. Environmental Consultants O:\Projects\91065 - NAUGATUCK BROWNFIELD\1968 Sanborn Maps.mxd



Legend
 Study Site Boundary GDC

APPENDIX C
AERIAL PHOTOGRAPHS

**SITE
LOCATION**

LEGEND:

 **PROJECT SITE BOUNDARY**

6 Rubber Avenue
NAUGATUCK, CT

1934
AERIAL PHOTOGRAPH




Environmental Consultants
700 Main Street – Suite C, Willimantic, CT 06226

DATE
07.09.10

SCALE
NTS

PROJECT No.
91065

APPENDIX
C



**SITE
LOCATION**

LEGEND:

 PROJECT SITE BOUNDARY

6 Rubber Avenue
NAUGATUCK, CT

**1951
AERIAL PHOTOGRAPH**




Environmental Consultants
700 Main Street – Suite C, Willimantic, CT 06226

DATE
07.09.10

SCALE:
NTS

PROJECT No.
91065

APPENDIX
C



LEGEND:

 PROJECT SITE BOUNDARY

6 Rubber Avenue
NAUGATUCK, CT

1965
AERIAL PHOTOGRAPH




Environmental Consultants
700 Main Street – Suite C, Willimantic, CT 06226

DATE
07.09.10

SCALE
NTS

PROJECT No.
91065

APPENDIX
C



LEGEND:

 PROJECT SITE BOUNDARY

6 Rubber Avenue
NAUGATUCK, CT

1970
AERIAL PHOTOGRAPH




Environmental Consultants
700 Main Street – Suite C, Willimantic, CT 06226

DATE
07.09.10

SCALE
NTS

PROJECT No.
91065

APPENDIX
C



6 Rubber Avenue
NAUGATUCK, CT

1975
AERIAL PHOTOGRAPH




Environmental Consultants
700 Main Street – Suite C, Willimantic, CT 06226

DATE
07.09.10

SCALE
NTS

PROJECT No.
91065

APPENDIX
C



LEGEND:

 PROJECT SITE BOUNDARY

6 Rubber Avenue
NAUGATUCK, CT

1980
AERIAL PHOTOGRAPH




Environmental Consultants
700 Main Street – Suite C, Willimantic, CT 06226

DATE
07.09.10

SCALE
NTS

PROJECT No.
91065

APPENDIX
D



**SITE
LOCATION**

LEGEND:

 **PROJECT SITE BOUNDARY**

6 Rubber Avenue
NAUGATUCK, CT

**1986
AERIAL PHOTOGRAPH**




Environmental Consultants
700 Main Street – Suite C, Willimantic, CT 06226

DATE
07.09.10

SCALE
NTS

PROJECT No.
91065

APPENDIX
C



LEGEND:

 PROJECT SITE BOUNDARY

6 Rubber Avenue
NAUGATUCK, CT

1990
AERIAL PHOTOGRAPH



Environmental Consultants
700 Main Street – Suite C, Willimantic, CT 06226

DATE
07.09.10

SCALE
NTS

PROJECT No.
91065

APPENDIX
C

APPENDIX D
ENVIRONMENTAL DATABASE

FirstSearch Technology Corporation

Environmental FirstSearch™ Report

Target Property: 6 RUBBER AVENUE

**6 RUBBER AVE
NAUGATUCK CT 06770**

Job Number: 91065

PREPARED FOR:

AKRF, Inc.
700 Main Street, Suite C
Willimantic, CT 06226

05-03-10



Tel: (781) 551-0470

Fax: (781) 551-0471

Environmental FirstSearch Search Summary Report

Target Site: 6 RUBBER AVE
NAUGATUCK CT 06770

FirstSearch Summary

Database	Sel	Updated	Radius	Site	1/8	1/4	1/2	1/2>	ZIP	TOTALS
NPL	Y	02-23-10	1.00	0	0	0	0	1	0	1
NPL Delisted	Y	02-23-10	0.50	0	0	0	0	-	0	0
CERCLIS	Y	04-29-10	0.50	0	0	0	0	-	0	0
NFRAP	Y	04-29-10	0.50	0	0	0	1	-	0	1
RCRA COR ACT	Y	02-16-10	1.00	0	0	0	1	0	0	1
RCRA TSD	Y	02-16-10	0.50	0	0	0	1	-	0	1
RCRA GEN	Y	02-16-10	0.25	1	1	4	-	-	3	9
RCRA NLR	Y	02-16-10	0.25	0	3	6	-	-	1	10
Federal Brownfield	Y	04-19-10	0.50	0	0	1	0	-	1	2
ERNS	Y	04-29-10	0.12	0	1	-	-	-	8	9
Tribal Lands	Y	12-01-05	1.00	0	0	0	0	0	1	1
State/Tribal Sites	Y	04-23-10	1.00	0	4	3	4	3	1	15
State Spills 90	Y	04-21-10	0.12	0	51	-	-	-	453	504
State/Tribal SWL	Y	12-16-09	0.50	0	0	0	0	-	0	0
State/Tribal LUST	Y	11-04-09	0.50	0	2	5	12	-	10	29
State/Tribal UST/AST	Y	02-03-10	0.25	1	3	11	-	-	1	16
State/Tribal EC	Y	NA	0.50	0	0	0	0	-	0	0
State/Tribal IC	Y	01-01-05	0.25	0	0	0	-	-	0	0
State/Tribal VCP	Y	04-23-10	0.50	0	0	0	1	-	0	1
State/Tribal Brownfields	Y	05-01-08	0.50	0	0	0	0	-	0	0
Receptors	Y	01-01-05	0.50	0	0	0	0	-	0	0
NPDES	Y	01-07-10	0.25	0	0	1	-	-	14	15
FINDS	Y	05-29-09	0.25	3	12	22	-	-	57	94
TRIS	Y	02-25-10	0.25	0	0	4	-	-	0	4
HMIRS	Y	04-29-10	0.25	0	0	1	-	-	5	6
NCDB	Y	01-21-10	0.25	0	3	2	-	-	5	10
PADS	Y	02-01-10	0.25	0	0	0	-	-	0	0
Nuclear Permits	Y	04-30-99	0.50	0	0	0	0	-	0	0
Releases	Y	04-29-10	0.25	0	0	0	-	-	3	3

Notice of Disclaimer

Due to the limitations, constraints, inaccuracies and incompleteness of government information and computer mapping data currently available to FirstSearch Technology Corp., certain conventions have been utilized in preparing the locations of all federal, state and local agency sites residing in FirstSearch Technology Corp.'s databases. All EPA NPL and state landfill sites are depicted by a rectangle approximating their location and size. The boundaries of the rectangles represent the eastern and western most longitudes; the northern and southern most latitudes. As such, the mapped areas may exceed the actual areas and do not represent the actual boundaries of these properties. All other sites are depicted by a point representing their approximate address location and make no attempt to represent the actual areas of the associated property. Actual boundaries and locations of individual properties can be found in the files residing at the agency responsible for such information.

Waiver of Liability

Although FirstSearch Technology Corp. uses its best efforts to research the actual location of each site, FirstSearch Technology Corp. does not and can not warrant the accuracy of these sites with regard to exact location and size. All authorized users of FirstSearch Technology Corp.'s services proceeding are signifying an understanding of FirstSearch Technology Corp.'s searching and mapping conventions, and agree to waive any and all liability claims associated with search and map results showing incomplete and or inaccurate site locations.

- Continued on next page -

Environmental FirstSearch Search Summary Report

Target Site: 6 RUBBER AVE
NAUGATUCK CT 06770

FirstSearch Summary

Database	Sel	Updated	Radius	Site	1/8	1/4	1/2	1/2>	ZIP	TOTALS
Federal Other	Y	01-01-09	0.25	0	0	0	-	-	1	1
State Other	Y	04-23-10	0.25	0	2	5	-	-	17	24
Federal IC/EC	Y	03-12-10	0.50	0	0	0	0	-	0	0
HW Manifest	Y	01-01-08	0.25	0	0	0	-	-	37	37
- TOTALS -				5	82	65	20	4	618	794

Notice of Disclaimer

Due to the limitations, constraints, inaccuracies and incompleteness of government information and computer mapping data currently available to FirstSearch Technology Corp., certain conventions have been utilized in preparing the locations of all federal, state and local agency sites residing in FirstSearch Technology Corp.'s databases. All EPA NPL and state landfill sites are depicted by a rectangle approximating their location and size. The boundaries of the rectangles represent the eastern and western most longitudes; the northern and southern most latitudes. As such, the mapped areas may exceed the actual areas and do not represent the actual boundaries of these properties. All other sites are depicted by a point representing their approximate address location and make no attempt to represent the actual areas of the associated property. Actual boundaries and locations of individual properties can be found in the files residing at the agency responsible for such information.

Waiver of Liability

Although FirstSearch Technology Corp. uses its best efforts to research the actual location of each site, FirstSearch Technology Corp. does not and can not warrant the accuracy of these sites with regard to exact location and size. All authorized users of FirstSearch Technology Corp.'s services proceeding are signifying an understanding of FirstSearch Technology Corp.'s searching and mapping conventions, and agree to waive any and all liability claims associated with search and map results showing incomplete and or inaccurate site locations.

***Environmental FirstSearch
Site Information Report***

Request Date: 05-03-10
Requestor Name: Glen Stefaniak
Standard: AAI

Search Type: COORD
Job Number: 91065

Target Site: 6 RUBBER AVE
NAUGATUCK CT 06770

Demographics

Sites: 794	Non-Geocoded: 618	Population: NA
Radon: 0.2 - 5.3 PCI/L		

Site Location

	<u>Degrees (Decimal)</u>	<u>Degrees (Min/Sec)</u>		<u>UTMs</u>
Longitude:	-73.05553	-73:3:20	Easting:	662331.06
Latitude:	41.487215	41:29:14	Northing:	4594457.247
Elevation:	224		Zone:	18

Comment

Comment:

Additional Requests/Services

Adjacent ZIP Codes: 0 Mile(s)

Services:

ZIP		ST	Dist/Dir	Sel
Code	City Name			

	Requested?	Date
Fire Insurance Maps	No	
Aerial Photographs	No	
Historical Topos	No	
City Directories	No	
Title Search/Env Liens	No	
Municipal Reports	No	
Online Topos	No	

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
1	SPILLS	200703359/CLOSED	ELM ST and RUBBER AVE NAUGATUCK CT 06770	0.01 SW	- 13	1
2	RCRAGN	GENERAL DATACOMM IND INC CTD981071822/SGN	6 RUBBER AVE NAUGATUCK CT 06770	0.02 SW	- 22	3
2	OTHER	GENERAL DATACOMM, INC. 4550/PTP	6 RUBBER AVE NAUGATUCK CT 06770	0.02 SW	- 22	5
2	FINDS	GENERAL DATACOMM IND INC CTD981071822	6 RUBBER AVE NAUGATUCK CT 06770	0.02 SW	- 22	5
2	FINDS	GENERAL DATACOMM, INC. 110001967346/FRS	6 RUBBER AVE NAUGATUCK CT 06770	0.02 SW	- 22	7
2	STATE	GENERAL DATACOMM, INC. 4550/SUSPECTED	6 RUBBER AVE NAUGATUCK CT 06770	0.02 SW	- 22	9
2	FINDS	NAUGATUCK MANUFACTURING FACILI 110030316593/FRS	6 RUBBER AVE NAUGATUCK CT 06770	0.02 SW	- 22	10
2	UST	NAUGATUCK MANUFACTURING FACILI 08514/PERMANENTLY CLOSED	6 RUBBER AVE NAUGATUCK CT 06770	0.02 SW	- 22	12
3	SPILLS	UNIROYAL 952093/CLOSED	OLD FIRE HOUSE RD NAUGATUCK CT 06770	0.02 SW	- 14	14
3	SPILLS	SANTA FUEL COMPANY 200110163/CLOSED	RUBBER and ELM ST NAUGATUCK CT 06770	0.02 SW	- 14	15
4	UST	CHARLES F. CLARK (FORMER) 05407/PERMANENTLY CLOSED	32 RUBBER AVE NAUGATUCK CT 06770	0.03 SE	+ 1	17
4	SPILLS	9904836/CLOSED	32 RUBBER AVE NAUGATUCK CT 06770	0.03 SE	+ 1	18
4	LUST	TMC REALTY (FORMER CHARLIE CLA 28482/CLEANUP INITIATED	32 RUBBER AVE NAUGATUCK CT 06770	0.03 SE	+ 1	19
4	FINDS	CHARLES F. CLARK (FORMER) 110030410829/FRS	32 RUBBER AVE NAUGATUCK CT 06770	0.03 SE	+ 1	20
4	FINDS	PARTS AMERICA 110001734918/FRS	32 RUBBER AVE NAUGATUCK CT 06770	0.03 SE	+ 1	22
5	SPILLS	931735/CLOSED	CHURCH ST NAUGATUCK CT 06770	0.04 SW	- 26	24
6	SPILLS	9804028/CLOSED	RUBBER AND CHURCH AVE NAUGATUCK CT 06770	0.05 SW	- 27	25
6	SPILLS	NORTHEAST UTILITIES 945012/CLOSED	CHURCH ST NAUGATUCK CT 06770	0.05 SW	- 27	27
6	SPILLS	934953/CLOSED	CHURCH ST NAUGATUCK CT 06770	0.05 SW	- 27	29
6	SPILLS	947308/CLOSED	CHURCH ST NAUGATUCK CT 06770	0.05 SW	- 27	31
6	SPILLS	NORTHEAST UTILITIES 923587/CLOSED	CHURCH ST NAUGATUCK CT 06770	0.05 SW	- 27	33

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
6	SPILLS	942551/CLOSED	CHURCH ST NAUGATUCK CT 06770	0.05 SW	- 27	35
6	SPILLS	9702687/CLOSED	CHURCH ST NAUGATUCK CT 06770	0.05 SW	- 27	36
7	SPILLS	200201710/CLOSED	28 CHURCH ST NAUGATUCK CT 06770	0.05 NW	- 10	37
8	FINDS	NAPA AUTO PARTS 110001734936/FRS	62 CHURCH ST NAUGATUCK CT 06770	0.06 NW	- 20	39
9	STATE	LEWIS ENGINEERING CO. 1596/SUSPECTED	52 RUBBER AVE NAUGATUCK CT 06770	0.06 SW	- 30	41
10	SPILLS	FIRST OIL CO/YE OLDE WINE SHOP 947580/CLOSED	72 CHURCH ST NAUGATUCK CT 06770	0.06 NW	- 23	43
11	FINDS	BUTTERFIELD TF INC 110003010544/FRS	56 RUBBER AVE NAUGATUCK CT 06770	0.07 SW	- 26	44
11	RCRANLR	BUTTERFIELD TF INC CTD002592517/NLR	56 RUBBER AVE NAUGATUCK CT 06770	0.07 SW	- 26	45
11	FINDS	RITE AID 1375 110030400527/FRS	56 RUBBER AVE NAUGATUCK CT 06770	0.07 SW	- 26	46
11	STATE	T.F. BUTTERFIELD INC. 769/SUSPECTED	56 RUBBER AVE NAUGATUCK CT 06770	0.07 SW	- 26	48
11	FINDS	BUTTERFIELD TF INC CTD002592517	56 RUBBER AVE NAUGATUCK CT 06770	0.07 SW	- 26	49
11	OTHER	T F BUTTERFIELD INC 769	56 AND 32 RUBBER AVE NAUGATUCK CT 06770	0.07 SW	- 26	50
11	SPILLS	MVA 200006875/CLOSED	56 RUBBER AVE NAUGATUCK CT 06770	0.07 SW	- 26	51
12	ERNS	NRC-525448/RAILROAD NON-RELEASE	NAUGATUCK STATION NAUGATUCK CT 06770	0.07 SE	- 21	53
13	FINDS	DOOVAL TOOL and MFG CTD001186733	35 ELM ST NAUGATUCK CT 06770	0.08 SW	- 20	55
13	FINDS	DOOVAL TOOL and MFG 110003009841/FRS	35 ELM ST NAUGATUCK CT 06770	0.08 SW	- 20	56
13	STATE	DOOVAL TOOL and MFG., INC 1943/SUSPECTED	35 ELM ST NAUGATUCK CT 06770	0.08 SW	- 20	57
13	SPILLS	9703776/CLOSED	35 ELM ST NAUGATUCK CT 06770	0.08 SW	- 20	58
13	SPILLS	TOWN OF NAUGATUCK 951067/CLOSED	35 ELM ST NAUGATUCK CT 06770	0.08 SW	- 20	60
13	RCRANLR	DOOVAL TOOL and MFG CTD001186733/NLR	35 ELM ST NAUGATUCK CT 06770	0.08 SW	- 20	61

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
14	NCDB	BEACON FALLS TOY DIST. CO. NCDB-0801-000861/TSCA	78 CHURCH ST NAUGATUCK CT 06770	0.08 NW	- 20	63
14	FINDS	BEACON FALLS TOY DIST. CO. 110011440271/FRS	78 CHURCH ST NAUGATUCK CT 06770	0.08 NW	- 20	65
14	NCDB	BEACON FALLS TOY DIST. CO. NCDB-0801-000862/TSCA	78 CHURCH ST NAUGATUCK CT 06770	0.08 NW	- 20	67
14	NCDB	BEACON FALLS TOY DIST. CO. NCDB-0801-000989/TSCA	78 CHURCH ST NAUGATUCK CT 06770	0.08 NW	- 20	69
14	FINDS	BEACON FALLS TOY DISTRIBUTING CTD983884487	78 CHURCH ST NAUGATUCK CT 06770	0.08 NW	- 20	70
15	SPILLS	CUSTOMER/CUMBERLAND FARMS 200500375/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	72
15	SPILLS	200401201/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	73
15	UST	CUMBERLAND FARMS 05387/CURRENTLY IN USE	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	74
15	SPILLS	200300711/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	75
15	SPILLS	200201296/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	76
15	SPILLS	200403481/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	77
15	SPILLS	9800694/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	78
15	SPILLS	CUMBERLAND FARMS 946138/CLOSED	69 RUBBER NAUGATUCK CT 06770	0.08 SW	- 19	80
15	SPILLS	CUMBERLAND FARMS 200304705/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	81
15	SPILLS	946970/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	83
15	SPILLS	CUMBERLAND FARMS 200206806/CLOSED	69 WEBER ST NAUGATUCK CT 06770	0.08 SW	- 19	84
15	SPILLS	200401564/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	85
15	SPILLS	CUSTOMER , CARL BRESCHER 200109150/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	86
15	SPILLS	200403313/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	87
15	SPILLS	SAA 200109158/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	88

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
15	SPILLS	UNKNOWN 201001751/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	89
15	SPILLS	UNKNOWN 201001587/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	90
15	SPILLS	CUMBERLAND FARMS 9701389/CLOSED	RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	91
15	SPILLS	SAA 200300719/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	92
15	SPILLS	200508024/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	93
15	SPILLS	201001596/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	94
15	SPILLS	200901206/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	95
15	SPILLS	200900215/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	96
15	SPILLS	200508510/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	97
15	SPILLS	UNKNOWN 200102520/CLOSED	69 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 19	98
16	SPILLS	UNKNOWN 200206570/CLOSED	67 RUBBER AVE NAUGATUCK CT 06770	0.08 SW	- 13	99
17	SPILLS	200101625/CLOSED	87 CHURCH ST NAUGATUCK CT 06770	0.09 NE	+ 16	100
17	SPILLS	NAUGATUCK SAVINGS BANK 9905737/CLOSED	87 CHURCH ST NAUGATUCK CT 06770	0.09 NE	+ 16	101
18	SPILLS	9804474/CLOSED	78 RUBBER AVE NAUGATUCK CT 06770	0.09 SW	- 12	102
19	UST	DECARLO AUTOMOTIVE 05333/PERMANENTLY CLOSED	1069 MEADOW ST NAUGATUCK CT 06770	0.11 NW	- 1	104
19	RCRAGN	DECARLO AUTOMOTIVE CTD000840413/VGN	5 MEADOW ST NAUGATUCK CT 06770	0.11 NW	- 1	105
19	RCRANLR	DECARLO AUTOMOTIVE CTD000840413/NLR	5 MEADOW ST NAUGATUCK CT 06770	0.11 NW	- 1	106
19	FINDS	SUNOCO SVC STATION CTD000840413	1069 MEADOW ST NAUGATUCK CT 06770	0.11 NW	- 1	107
19	FINDS	DECARLO AUTOMOTIVE 110003006461/FRS	5 MEADOW ST NAUGATUCK CT 06770	0.11 NW	- 1	109
20	SPILLS	MVA 200102841/CLOSED	INT RUBBER AND MEADOW AVE NAUGATUCK CT 06770	0.11 SW	- 8	110

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
20	SPILLS	200005375/CLOSED	RUBBER AVENUE/MEADOW ST NAUGATUCK CT 06770	0.11 SW	- 8	111
20	SPILLS	9904711/CLOSED	RUBBER AND MEADOW ST NAUGATUCK CT 06770	0.11 SW	- 8	112
21	LUST	NAUGATUCK SAVINGS BANK - BRIAN 200408099/CLOSED	38 CHERRY ST NAUGATUCK CT 06770	0.12 SW	- 5	113
21	SPILLS	9701296/CLOSED	38 CHERRY ST NAUGATUCK CT 06770	0.12 SW	- 5	114
21	SPILLS	NAUGATUCK SAVINGS BANK - BRIAN 200408099/CLOSED	38 CHERRY ST NAUGATUCK CT 06770	0.12 SW	- 5	115
22	SPILLS	9702626/CLOSED	BARNUM COURT AND MEADOW ST NAUGATUCK CT 06770	0.12 NW	- 5	116
23	NCDB	R.J. GUERRERRA INC. NCDB-0801-001500/TSCA	51 ELM ST NAUGATUCK CT 06770	0.13 SW	- 21	118
23	FINDS	R.J. GUERRERA, INC. 110030382075/FRS	51 ELM ST NAUGATUCK CT 06770	0.13 SW	- 21	119
23	FINDS	GUERRERA R J INC 110003017716/FRS	51 ELM ST NAUGATUCK CT 06770	0.13 SW	- 21	121
23	OTHER	R J GUERRERA INC CTOT-07-4-178	51 ELM ST NAUGATUCK CT 06770	0.13 SW	- 21	122
23	LUST	RJ GUARRA 200104200/CLOSED	51 ELM ST NAUGATUCK CT 06770	0.13 SW	- 21	123
23	FINDS	GUERRERRA R J INC CTD983885690	51 ELM ST NAUGATUCK CT 06770	0.13 SW	- 21	124
23	RCRAGN	GUERRERA R J INC CTD067080648/TRANSPORTER	51 ELM ST NAUGATUCK CT 06770	0.13 SW	- 21	126
23	UST	R.J. GUERRERA, INC. 05362/PERMANENTLY CLOSED	51 ELM ST NAUGATUCK CT 06770	0.13 SW	- 21	127
23	NCDB	R J GUERRERA NCDB-0801-001621/TSCA	51 ELM ST NAUGATUCK CT 06770	0.13 SW	- 21	129
23	RCRANLR	GUERRERA R J INC CTD067080648/NLR	51 ELM ST NAUGATUCK CT 06770	0.13 SW	- 21	130
24	FINDS	WASOKA CHARLES 110003009850/FRS	26 HOTCHKISS ST NAUGATUCK CT 06770	0.13 NE	- 21	131
24	RCRANLR	WASOKA CHARLES CTD001186774/NLR	26 HOTCHKISS ST NAUGATUCK CT 06770	0.13 NE	- 21	132
24	FINDS	WASOKA CHARLES CTD001186774	26 HOTCHKISS ST NAUGATUCK CT 06770	0.13 NE	- 21	133
24	FINDS	HOTCHKISS HOLDING INC 110038323203/FRS	26 HOTCHKISS ST NAUGATUCK CT 06770	0.13 NE	- 21	134

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
24	STATE	WASOKA, CHARLES AND MARY 4555/SUSPECTED	26 HOTCHKISS ST NAUGATUCK CT 06770	0.13 NE	- 21	136
24	UST	HOTCHKISS HOLDING INC 12944/PERMANENTLY CLOSED	26 HOTCHKISS ST NAUGATUCK CT 06770	0.13 NE	- 21	137
24	OTHER	WASOKA, CHARLES and MARY 4555/PTP	26 HOTCHKISS ST NAUGATUCK CT 06770	0.13 NE	- 21	138
25	FINDS	CAROLINA FURNITURE OUTLET CTD983887258	24 HOTCHKISS ST NAUGATUCK CT 06770	0.14 NE	- 20	139
26	LUST	PAUL FITZPATRICK 200002991/CLOSED	18 PARK PL NAUGATUCK CT 06770	0.15 NW	- 6	140
27	FINDS	HERITAGE BANK (SALEM THEATRE) 110030382388/FRS	173 CHURCH ST NAUGATUCK CT 06770	0.16 NE	- 29	141
27	UST	HERITAGE BANK (SALEM THEATRE) 11107/PERMANENTLY CLOSED	173 CHURCH ST NAUGATUCK CT 06770	0.16 NE	- 29	142
28	RCRAGN	SALEM CHEVROLET CTD018725440/SGN	125 S MAIN ST NAUGATUCK CT 06770	0.17 NE	- 2	144
28	FINDS	SALEM CHEVROLET 110003012463/FRS	125 SOUTH MAIN ST NAUGATUCK CT 06770	0.17 NE	- 2	147
28	FINDS	SALEM CHEVROLET CTD018725440	125 S MAIN ST NAUGATUCK CT 06770	0.17 NE	- 2	148
28	RCRANLR	SALEM CHEVROLET CTD018725440/NLR	125 S MAIN ST NAUGATUCK CT 06770	0.17 NE	- 2	149
28	UST	SALEM CHEVROLET 05398/PERMANENTLY CLOSED	125 S MAIN ST NAUGATUCK CT 06770	0.17 NE	- 2	150
29	UST	HOBSON BUILDING 11266/PERMANENTLY CLOSED	CHURCH ST NAUGATUCK CT 06770	0.17 NW	+ 1	150
30	FINDS	CHARLIE S SERVICE STATION 110030410491/FRS	109 S MAIN ST NAUGATUCK CT 06770	0.18 NE	+ 4	151
30	UST	CHARLIE S SERVICE STATION 05383/CURRENTLY IN USE	109 S MAIN ST NAUGATUCK CT 06770	0.18 NE	+ 4	152
31	UST	BILL SCHEITHE SERVICE STATION 05385/PERMANENTLY CLOSED	27 MAIN SOUTH ST NAUGATUCK CT 06770	0.20 NE	0	153
31	LUST	RICK S AUTO SERVICE 35611/CLEANUP INITIATED	27 S MAIN ST NAUGATUCK CT 06770	0.20 NE	0	154
31	FINDS	BILL SCHEITHE SERVICE STATION 110030410516/FRS	27 S MAIN ST NAUGATUCK CT 06770	0.20 NE	0	155
31	STATE	RICH S AUTO WORKS 2690/SUSPECTED	27 MAIN SOUTH ST NAUGATUCK CT 06770	0.20 NE	0	156
32	LUST	SAINT MICHAELS CHURCH 200404341/CLOSED	210 CHURCH ST NAUGATUCK CT 06770	0.20 NW	+ 18	157

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
33	UST	FORMER UNIROYAL PARCEL C 11760/PERMANENTLY CLOSED	WATER ST NAUGATUCK CT 06770	0.21 NE	- 26	158
33	FEDBF	PARCEL C BUIDING 25 69599399-92762/EPA BROWNFIELD	58 MAPLE ST NAUGATUCK CT 06770	0.21 NE	- 26	159
33	FINDS	FORMER UNIROYAL CONSUMER DIV P 110010761791/FRS	MAPLE ST NAUGATUCK CT 06770	0.21 NE	- 26	160
33	FINDS	FORMER UNIROYAL CONSUMER DIV P CTD981071012	MAPLE ST NAUGATUCK CT 06770	0.21 NE	- 26	161
33	FINDS	PARCEL C BUIDING 25 110038212403/FRS	58 MAPLE ST NAUGATUCK CT 06770	0.21 NE	- 26	162
33	FINDS	UNIROYAL INC FOOTWEAR PLT CTD000856682	58 MAPLE ST NAUGATUCK CT 06770	0.21 NE	- 26	162
34	OTHER	RISDON CORP. 3375/PTP	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	164
34	OTHER	FABRICATED METAL PRODUCTS CTOT-07-4-173/PTP	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	166
34	RCRAGN	FABRICATED METAL PRODUCTS INC CTD983870924/VGN	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	168
34	RCRAGN	RISDON CORP METAL COSMETICS DI CTD001166479/VGN	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	171
34	RCRANLR	FABRICATED METAL PRODUCTS INC CTD983870924/NLR	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	174
34	RCRANLR	RISDON CORP METAL COSMETICS DI CTD001166479/NLR	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	176
34	FINDS	FABRICATED METAL PRODUCTS CTD983870924	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	177
34	FINDS	FABRICATED METAL PRODUCTS, INC 110000317336/FRS	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	179
34	FINDS	RISDON CORP CTD001166479	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	181
34	TRIS	RISDON-AMS (USA) INC. CTD983870924/OPEN	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	182
34	TRIS	RISDON-AMS (USA) INC. 06770RSDNC1RISD/OPEN	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	184
34	UST	FABRICATED METAL PRODUCTS, INC 05355/PERMANENTLY CLOSED	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	186
34	STATE	RISDON CORP. 3375/SUSPECTED	1 RISDON RD NAUGATUCK CT 06770	0.22 SW	- 18	188
34	OTHER	FABRICATED METAL PRODUCTS, INC CTOT-07-4-174	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	190

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
34	TRIS	RISDON CORP. CTD001166479/OPENED	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	190
34	TRIS	FABRICATED METAL PRODS. INC. 06770FBRCT1RISD/CLOSED	1 RISDON ST NAUGATUCK CT 06770	0.22 SW	- 18	192
35	NPDES	CTP000264/MINOR	NAUGATUCK CT 06770	0.23 SW	- 17	194
36	UST	TOWN HALL - BOROUGH OF NAUGATU 05393/CURRENTLY IN USE	229 CHURCH ST NAUGATUCK CT 06770	0.24 NE	- 27	195
36	FINDS	TOWN HALL - BOROUGH OF NAUGATU 110030410598/FRS	229 CHURCH ST NAUGATUCK CT 06770	0.24 NE	- 27	196
36	FINDS	NAUGATUCK BOROUGH - ADMINISTRA 110020783785/FRS	229 CHURCH ST NAUGATUCK CT 06770	0.24 NE	- 27	197
37	FINDS	AVENUE CLEANERS 110002497904/FRS	160 RUBBER AVE NAUGATUCK CT 06770	0.25 SW	- 8	198
37	RCRANLR	AVENUE CLEANERS CTR000010793/NLR	160 RUBBER AVE NAUGATUCK CT 06770	0.25 SW	- 8	199
38	UST	NAUGATUCK MOBIL 05391/CURRENTLY IN USE	240 S MAIN ST NAUGATUCK CT 06770	0.25 SE	+ 19	201
38	LUST	WESSON TEXACO STATION 30713/CLEANUP INITIATED	240 S MAIN ST NAUGATUCK CT 06770	0.25 SE	+ 19	202
38	HMIRS	MYSTIC TANK LINES CORP 2004041378/4	240 S MAIN ST NAUGATUCK CT 06770	0.25 SE	+ 19	204
39	LUST	CONNECTICUT WATER COMPANY 31203/CLEANUP INITIATED	250 MEADOW ST NAUGATUCK CT 06770	0.27 NE	+ 14	206
39	LUST	CONNECTICUT WATER COMPANY 9702902/CLOSED	250 MEADOW ST NAUGATUCK CT 06770	0.27 NE	+ 14	207
40	LUST	ANTHONY COSTA 9805627/CLOSED	167 MAPLE ST NAUGATUCK CT 06770	0.28 NE	+ 3	208
41	STATE	NAUGATUCK BOROUGH PARCEL C 2995/SUSPECTED	MAPLE, WATER AND CEDAR NAUGATUCK CT 06770	0.30 NE	- 33	210
41	VCP	NAUGATUCK BOROUGH PARCEL C 2995/VRP-133XSITES	NAUGATUCK CT 06770	0.30 NE	- 33	212
42	LUST	BRIAN DONNELLY 200703706/CLOSED	18 HILLSIDE AVE NAUGATUCK CT 06770	0.32 NW	+ 15	213
43	LUST	FRANCIS FADENZA 200405443/CLOSED	126 FAIRVIEW AVE NAUGATUCK CT 06770	0.32 NW	+ 88	214
44	LUST	RISDON MFG FABRICATED METAL P 1668-1669/YES	1 ANDREW ST NAUGATUCK CT 06770	0.36 SW	- 3	215
44	LUST	RISDON MFG. FABRICATED METAL P 28485/LUST COMPLETED (PROG	1 ANDREW ST NAUGATUCK CT 06770	0.36 SW	- 3	216

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
45	LUST	YMCA 1667/YES	284 CHURCH ST NAUGATUCK CT 06770	0.36 NE	- 4	217
45	LUST	YMCA 28484/LUST COMPLETED (PROG	284 CHURCH ST NAUGATUCK CT 06770	0.36 NE	- 4	218
46	STATE	LEWIS ENGINEERING CO. 1597/SUSPECTED	238 WATER ST NAUGATUCK CT 06770	0.41 NE	+ 3	220
47	STATE	SNET 4554/SUSPECTED	295 CHURCH ST NAUGATUCK CT 06770	0.41 NE	- 22	222
48	LUST	ROGERS 9604898/CLOSED	100 HILL REPORTED BY MAIL R NAUGATUCK CT 06770	0.41 NE	+ 115	223
49	LUST	UNIACHD RES. 200202652/CLOSED	99 HOLMSTEAD AVE NAUGATUCK CT 06770	0.45 SE	+ 111	224
50	LUST	UNIROYAL CHEMICAL CO. 31749/CLEANUP INITIATED	ELM ST NAUGATUCK CT 06770	0.49 SE	- 26	225
50	RCRATSD	CROMPTON MFG CO INC CTD001449826/TSD	280 ELM ST NAUGATUCK CT 06770	0.49 SE	- 26	227
50	STATE	UNIROYAL CHEMICAL CO. INC. 252/INVENTORY	280 ELM ST NAUGATUCK CT 06770	0.49 SE	- 26	230
50	RCRACOR	CHEMTURA CORP CTD001449826/CA	280 ELM ST NAUGATUCK CT 06770	0.49 SE	- 26	232
50	NFRAP	UNIROYAL CHEMICAL COMPANY, INC CTD001449826/NFRAP-N	280 ELM ST NAUGATUCK CT 06770	0.49 SE	- 26	234
51	STATE	NAUGATUCK GLASS CO. 2774/SUSPECTED	BRIDGE ST and CHURCH ST NAUGATUCK CT 06770	0.82 NE	- 2	236
52	NPL	LAUREL PARK, INC. CTD980521165/FINAL	HUNTERS MTN ROAD NAUGATUCK CT 06770	0.87 SW	N/A	238
53	STATE	EASTERN COMPANY 4548/SUSPECTED	85 BRIDGE ST NAUGATUCK CT 06770	0.96 NE	- 17	241
54	STATE	HOP BROOK SCHOOL 1399/SUSPECTED	75 CROWN ST NAUGATUCK CT 06770	0.97 NE	- 17	242

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	TOWN OF NAUGATUCK 200103326/CLOSED	CHURCH ST./OLD FIREHOUSE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TOWN OF NAUGATUCK 933855/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TOWN OF NAUGATUCK 954866/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TOWN OF NAUGATUCK 955417/CLOSED	MAIN NORTH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	THOMAS MURGHA 200703270/CLOSED	51 BIEGHAN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TOWN OF NAUGATUCK 9801312/CLOSED	SALEM RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TOWN OF NAUGATUCK 925174/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TOWN OF NAUGATUCK 200903131/CLOSED	423 UNION CITY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TOWN OF NAUGATUCK 200306780/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TOWN D.P.W. 200000555/CLOSED	MEADOW ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TOWN SCHOOL BUS 200301628/CLOSED	HAZEL AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TOWN OF NAUGATUCK 200801592/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	TRANSPORTATION 9606694/CLOSED	RTE 68 ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNIROYAL CHEMICAL 9904981/CLOSED	280 YOUNG ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNK 9800722/CLOSED	RTE 8 SB X 25-27 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNK 9900723/CLOSED	STATE RT 8 S/B X 28-29 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNK 200407646/CLOSED	RTE 8 S EXIT 28 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNK 200707926/CLOSED	RTE 83 EXIT 27 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SCHOOL DEPT. 200203549/CLOSED	S MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200802798/CLOSED	CROSS ST NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	SAA 200405941/CLOSED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200804952/CLOSED	STATE HIGHWAY 8 S PRIOR 24 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200807457/CLOSED	HOADLEY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200901439/CLOSED	CROSS ST and COTTON HOLLOW NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 201002035/CLOSED	NORTH CHURCH ST and PORTER NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNK 200801200/CLOSED	NOVEL AVE and TERRACE AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	QUALEX, INC. 9703716/CLOSED	ELM AND OLD FIRE HOUSE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	MVA 200401353/CLOSED	RTE 8 N BETWEEN 28 and 29 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	MVA 200503888/CLOSED	SCOTT ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	MVA 200508615/CLOSED	FIELD ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	N.U. 200602993/CLOSED	SCOTT ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	NORTHEAST UTILITIES 924164/CLOSED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	NORTHEAST UTILITIES 93345/CLOSED	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	NORTHEAST UTILITIES 926687/CLOSED	ANDREW AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	NORTHEAST UTILITIES 932361/CLOSED	1000 CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	NORTHEAST UTILITIES 947627/CLOSED	QUINN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	NORTHEAST UTILITIES 951687/CLOSED	N END RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	NORTHEAST UTILITIES 943188/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	OandG CONTRUCTION 9904525/CLOSED	N LINDEN PARK, MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SAA 200506556/CLOSED	137 IUELI DR NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	PRIVATE VEHICLE 9605370/CLOSED	1182 WASHINGTON RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SANITATION SERVICES INC. 9606155/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	RAYMOND MIKOLINSKI 956127/CLOSED	SCHOOL EXT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	RESIDENT 952231/CLOSED	MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SAA 9900971/CLOSED	MAPLE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SAA 9908555/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200002243/CLOSED	MEADOW RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SAA 200703740/CLOSED	NAUGATUCK COMMUNITY COLLEGE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 201001166/CLOSED	MAPLE ST and WATER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SAME 200302915/CLOSED	CROMPTON CORP/ELM ST/BUILDING NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SAME 200403756/CLOSED	400 ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SAME 200304706/CLOSED	CUMBERLAND FARMS RUBBER ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SAME 9603498/CLOSED	RTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	SAME 9801426/CLOSED	NORTH MAIN AT CITY HILL NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	PRIVATE AUTO 912430/CLOSED	MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200805122/CLOSED	WATER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 9704305/CLOSED	LONG MEADOW POND BROOK NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 9703490/CLOSED	BEACON VALLEY BRIDGE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 9703846/CLOSED	BEACON VALLEY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 9703908/CLOSED	COMMUTER LOT - BEACON VALLEY NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	UNKNOWN 200907277/CLOSED	NORTH HOADLEY AND CHESTNUT NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	UNKNOWN MOTORIST 200101118/CLOSED	CROSS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN VANDELS 200106200/CLOSED	OLD HIGHWAY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN VEHICLE 200107166/CLOSED	MAPLE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200707684/CLOSED	198 MELLVILLE AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200803083/CLOSED	RT-63 and OSBORNE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200803320/CLOSED	PROSPECT ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200807972/CLOSED	GUNTOWN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200805120/CLOSED	WATER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 9905944/CLOSED	LONG MEADOW BROOK - VISIBLE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200805121/CLOSED	WATER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200805036/CLOSED	STATE HIGHWAY 8 S EXIT-28 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200805001/CLOSED	STATE HIGHWAY 8 N and EXIT- NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200804581/CLOSED	CROFOT RD and STONE FENCE R NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200804475/CLOSED	49 HILLS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200804067/CLOSED	STATE HIGHWAY 8 S EXIT-28 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200803945/CLOSED	S MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200900917/CLOSED	UNION CITY RD and WATERBURY NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200900877/CLOSED	4 DARCHANGELO DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	BETHANY SCHOOL 110026581820/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	MVA 200308423/CLOSED	NEW HAVEN RD and WEED DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200803802/CLOSED	ROUTE 68 and BRIDGE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200402342/CLOSED	N MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 201000592/CLOSED	STATE HIGHWAY 8 N EXIT 28 a NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 201000549/CLOSED	MILLVALE AVE and CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200905021/CLOSED	OLD FIREHOUSE RD NEAR MAPLE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200903968/CLOSED	174 OSBORNE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200902565/CLOSED	69 RIVER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200901465/CLOSED	69 RIVER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200000974/CLOSED	RTE 63 and HOP BROOK PARK E NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200105275/CLOSED	ROUTE 63 NEAR HOP BROOK NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200106430/CLOSED	GUNNTOWN - CONSTRUCTION SIT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200706845/CLOSED	NAUGATUCK NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200506747/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 9804663/CLOSED	HUNTERS MOUNTAIN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200406031/CLOSED	COTTON HOLLOW RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 9905117/CLOSED	NAUGATUCK RIVER AT ELM AND NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200308334/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200308064/CLOSED	UNION CITY TO GREAT HILL RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200205835/CLOSED	VAGNINI DR./LAUREL PARK LAN NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	UNKNOWN 200002868/CLOSED	PORTER TO N.CHURCH TO O MID NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200001913/CLOSED	MUNICIPAL LOT CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200001667/CLOSED	1 GORMAN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200003235/CLOSED	OLD WATERBURY TPKE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200905842/CLOSED	RT 68 AND UNION ST NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200906854/CLOSED	FIELD AND HICKORY LANE NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	UNKNOWN 201000065/CLOSED	563 NORTH MAIN ST NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200907500/CLOSED	LOCUST AND WOOSTER ST NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	UNKNOWN 201000981/CLOSED	NEW HAVEN RD and CANDY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	UNKNOWN 200407808/CLOSED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CTU005023	OSBORN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	HEAD START 110025730500/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	HIGH TEC. SINTERED METALS 110038324364/FRS	33 SHERIDAN DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	HILLSIDE SCHOOL 110027037418/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	IDLEVIEW MOBILE HOME PARK 110013187988/FRS	SHADDUCK (OFF ROUTE 188) RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	IDLEVIEW PUMPHOUSE 110016556412/FRS	ADDRESS NOT IN SDWIS NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	INTERNATIONAL AUTOMOTIVE LTD 110001734927/FRS	2746 MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	ERNS	353972/FIXED FACILITY	NEAR STATE HIGHWAY 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CROMPTON MANUFACTURING CORP . CTP000065/MINOR	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	PETER PAUL-HERSHEY CHOCOLATE, CTP001484/MINOR	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	NPDES	CTR100070/MINOR	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CTU005112	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CVS PHARMACY NO.0124 110038325595/FRS	115 BRIDGE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CTR050556	178 GENERAL PULASKI WAY NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	DONHAM CRAFT 110029086904/FRS	E WATERBURY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CTU005024	OSBORN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CTR101411	OSBORN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CTU005022	STATE HIGHWAY 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CTU005120	178 GENERAL PULASKI WAY NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CTU005108	JONES RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CADBURY USA 110028984302/FRS	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CENTRAL AVE SCHOOL 110025491028/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CHURCH ST MUNICIPAL PARKING LO 110038214973/FRS	CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CITY HILL MIDDLE 110011763216/FRS	CITY HILL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CITY HILL MIDDLE SCHOOL 110025587336/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CROSS STREET CT0002027431	CROSS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CTU005097	FAWN MEADOW DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	A G T VALVE 24 110004788640/FRS	GUNTOWN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	RCRAGN	A G T VALVE 24 CTR000005363/SGN	GUNTOWN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	RCRAGN	A G T VALVE 25 CTR000005439/SGN	336 OLD WATERBURY RD NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	RCRAGN	WALMART 2284 CTR000500879/SGN	1100 NEW HAVEN ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	RCRANLR	NAUGATUCK PARKS and RECREATION CTR000005280/NLR	CROSS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	ERNS	BOSSE BROS. OIL CO. 167961/FIXED FACILITY	MURPHY TRANSPORTATION NAUGA NAUGATUCK CT 06770	NON GC	N/A	N/A
	ERNS	NAUGATUCK NRC-901161/FIXED	NAUGATUCK NAUGATUCK CT 06770	NON GC	N/A	N/A
	ERNS	ON THE WATERBURY BRANCH (MP WA NRC-838656/RAILROAD NON-RELEASE	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	ERNS	UNIROYAL CHEMICAL CO 616157/FIXED FACILITY	NEXT DOOR MUNICIPAL TREATME NAUGATUCK CT 06770	NON GC	N/A	N/A
	ERNS	UNKNOWN 539021/UNKNOWN	ANDREW AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	ERNS	 P40421/FIX FAC	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	ERNS	 NRC-759473/MOBILE	TOLL 1427 MILL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	FAWN MEADOW 110033199474/FRS	FAWN MEADOW DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	 CTP000084/MINOR	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	ERT 110033199615/FRS	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	A G T VALVE 25 110002496139/FRS	336 OLD WATERBURY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	AEDAN S PLACE 110033199571/FRS	JONES RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	ALGONQUIN GAS and TRANSMISSION CTD983903121	GUN TOWN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	AMITY JUNIOR HIGH SCHOOL 110025522236/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	ANDREW AVENUE SCHOOL 110026192377/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	ANNA L LOPRESTI SCHOOL 110025522343/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	APPLE HILL ESTATE 110030482172/FRS	OSBORN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	 200900480/CLOSED	100 NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	FINDS	BOROUGH OF NAUGATUCK 110017372314/FRS	ADDRESS NOT IN PCS NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200900546/CLOSED	64 CAROL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	DEARCANGELO ESTATES 110030482190/FRS	OSBORN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CROSS STREET SCHOOL 110025587577/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	NPDES	CTP002357/MINOR	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	FLORIST DELIVERY SERVICE 95162/CLOSED	OLD FIREHOUSE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CROSS STREET INTERMEDIATE SCHO 110036493960/FRS	CROSS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	ALICE FISHER 201000333/CLOSED	803 FIELD ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	BOB LAMBALOT 200501034/CLOSED	WATER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	BUCK MILLER 201001480/CLOSED	56 TERRACE AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	BUILDING CONTRACTOR 200007122/CLOSED	WESTOVER HILLS/FARMSTEAD LA NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	C LandP 915238/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	C LandP 912074/CLOSED	ECHO LAKE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	CLandP 200601594/CLOSED	MAY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	CLandP 200902932/CLOSED	59 LONGWOOD DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	COCA-COLA ENTERPRISES (ROBT RO 200607824/CLOSED	S MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	CT ARMY NATIONAL GUARD 953026/CLOSED	OLD FIREHOUSE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	WESTERN SCHOOL 110025637185/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	ED SANSONE 200904181/CLOSED	200 CRESTWOOD DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	WATERBURY HIGH SCHOOL 110025607190/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	FREDRICK VALENTE 200309176/CLOSED	172 LAURENN DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	HITCHCODK BROS 935112/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	JOHN CHABOT 931998/CLOSED	TUDOR LN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	LISA LEIR 200206841/CLOSED	54 IDLEVIEW RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	M.V.A 200001038/CLOSED	MILLVILLE AND MEADOW ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	M.V.A. 9804741/CLOSED	ROUTE 8 NORTHBOUND BETWEE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	MOBILE EXXON 200905243/CLOSED	469 RIVER AVE NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	MV ACCIDENT 9808367/CLOSED	OLD WATERBURY TURNPIKE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	MVA 9705544/CLOSED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	MVA 9704007/CLOSED	RUBBER EXT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	MVA 9800453/CLOSED	WEBER EXTENTION AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	MVA 9803002/CLOSED	N MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	CUMBERLAND FARMS 201000495/CLOSED	502 N MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	OXFORD CENTER SCHOOL 110025752683/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	MVA 9803242/CLOSED	S RTE 8 BEFORE EXIT NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CTWC - NAUGATUCK REGION-CENTRA 110013187979/FRS	ADDRESS NOT IN SDWIS NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CUMBERLAND FARMS 110001748002/FRS	69 RUBBER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	J FRANKLIN O BRIEN LEARNING CE 110025851031/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	LAUREL LEDGE SCHOOL 110025964151/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	MAPLE HILL PUMP STATION 110015733321/FRS	MAPLE HILL RD NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	FINDS	MAPLE HILL SCHOOL 110025960850/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	MARKS BROOK TREATMENT STATION 110016556350/FRS	S MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	NAUGATUCK CHEMICAL 110028882154/FRS	ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	NAUGATUCK HIGH SCHOOL 110025997401/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	NAUGATUCK PARKS and RECREATION 110008309044/FRS	CROSS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	STATE	ANDREWS MOUNTAIN 811/SUSPECTED	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	NORTHEAST UTILITIES HILLSIDE S 110022152631/FRS	HILLSIDE AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	CROSS STREET SCHOOL 110021588806/FRS	CROSS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	PAUL CHATFIELD SCHOOL 110026163648/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	PETER PAUL HAERSHEY 110028840093/FRS	RT 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	RISDON-AMS (USA), INC 110014400255/FRS	1 RISDON WAY NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	RONALD PHILLIPS CAROLINA FURNI 110011781312/FRS	HOTCHKISS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	RUNGAY SCHOOL 110025559875/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	SAINT FRANCIS SCHOOL 110025841775/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	SALEM SCHOOL 110026189005/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	SCHOOL READINESS PROGRAM 110036039872/FRS	170 COEN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	SEYMOUR HIGH SCHOOL AND ANNEX 110027110472/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	SEYMOUR MIDDLE SCHOOL 110027044721/FRS	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	TRUCK WEIGHING STATION 110020884523/FRS	ROUTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	FINDS	UNIROYAL CHEMICAL 110029006260/FRS	ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	FINDS	NAUGATUCK SAVINGS BANK 110030482163/FRS	ROUTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200404089/CLOSED	MAPLE HILL and MULLBERRY NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200408502/CLOSED	MULBERRY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200500458/CLOSED	N MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200500558/CLOSED	RTE 8 S EXIT 27 TO EXIT 28 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200307864/CLOSED	FIELD and ALLTRON ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200401584/CLOSED	MEADOW ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200401701/CLOSED	RTE 8 S NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200403225/CLOSED	28 IDLEWOOD RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200403442/CLOSED	RTE 68 and UNION ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200403528/CLOSED	CITY HILL and JOHN BST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200405523/CLOSED	RTE 8 EXIT 28 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200403708/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200702051/CLOSED	MAPLE RD and MAY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200101643/CLOSED	ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200101808/CLOSED	ROUTE 68 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200101913/CLOSED	RTE 68 and BRIDGE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200101978/CLOSED	PROSPECT ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200102583/CLOSED	933 RUBBER EXT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200102818/CLOSED	STONES and FIELD RD NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	200905792/CLOSED	44 PROSPECT ST NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200905661/CLOSED	NAUG. VALLEY COMMUN. COLLEG NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200905673/CLOSED	527 NORTH MAIN ST NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200905955/CLOSED	NEW HAVEN AND SCHMIDT ROAD NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200403687/CLOSED	RUBBER AVE EXT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200607405/CLOSED	RTE 68 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200900855/CLOSED	FIELD ST and MILL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200405622/CLOSED	RTE 63 and RTE 68 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200501291/CLOSED	LORRAINE DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200502083/CLOSED	6 OINE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200502651/CLOSED	RTE and PLATTS MILL RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200503121/CLOSED	MILL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200503290/CLOSED	BEACON LANTERN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200503680/CLOSED	N CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200503901/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200504191/CLOSED	1052 RIVER EXT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200704067/CLOSED	MILLVILLE AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200600922/CLOSED	RUBBER EXT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200702942/CLOSED	N MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200607452/CLOSED	WORCESTER ST NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	200700333/CLOSED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200700464/CLOSED	23 COLD SPRINGS RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200700712/CLOSED	42 CARROL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200700702/CLOSED	BRIDGE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200700750/CLOSED	N MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200700980/CLOSED	RTE 8 NORTH NEAR EXIT 28 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200700993/CLOSED	HIGH and NAUGATUCK NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200701916/CLOSED	MEADOW ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200907355/CLOSED	NEW HAVEN AND HORDAN HILL R NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200508584/CLOSED	ANDREW MOUNTAIN DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200303774/CLOSED	OLIVE (FORMER MURTHA TRUCKI NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200906081/CLOSED	SOUTH MAIN AND HIGH ST NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200202008/CLOSED	CITY HILL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200202420/CLOSED	BEACON VALLEY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200203455/CLOSED	MAPLE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	956412/CLOSED	FOREST ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	956997/CLOSED	NAUGATUCK RIVER NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	957032/CLOSED	RTE 63/ELLINGTON RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	957171/CLOSED	GOLDEN HILL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	957177/CLOSED	HILLSIDE/PARK AVE NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	200106996/CLOSED	PROSPECT BRIDGE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200201388/CLOSED	S MAIN FROM EXIT 29 TO WATE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200109956/CLOSED	ROUTE 68 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200004370/CLOSED	RTE 8 NB NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200303843/CLOSED	S RT 8 , EXIT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200304016/CLOSED	CROSS JAMES CEMETRY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200304253/CLOSED	OSBORNE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200304647/CLOSED	MAIN AND MAPLE HILL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200306128/CLOSED	N CHURCH AND SALEM NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200306811/CLOSED	NAUGATUCK NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200404099/CLOSED	CROSS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200404644/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200404729/CLOSED	RTE 8 N BEFORE EXIT 29 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200405227/CLOSED	MILLVILLE AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200109954/CLOSED	440 CITY AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	911355/CLOSED	RTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200303760/CLOSED	ON RADO TO GREAT HILL TO RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200907379/CLOSED	592 PROSPECT ST NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	92129/CLOSED	JOHNSON ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	922814/CLOSED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	936587/CLOSED	MAIN SOUTH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	936295/CLOSED	WATER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9444/CLOSED	RTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	942390/CLOSED	GREAT HILL RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	942771/CLOSED	RTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	944088/CLOSED	MILVILLE AVE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200201446/CLOSED	N MAIN STRRET NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	911450/CLOSED	RTE 67 ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200906195/CLOSED	NORTH ORCHARD AND MAIN ST NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	FABRICATED METAL PRODUCTS INC. CTOT-0509-24/PTP	1 RISDON ST NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	DEXMET CORPORATION (NKA DEMC C CTOT-0509-2132/PTP	7 GREAT HILL ROAD NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	DAYTON ROGERS CORP. (SEE COMME CTOT-0509-819/PTP	22 GREAT HILL ROAD NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	CHEMTURA USA CORPORATION CTOT-0509-1044/PTP	280 ELM ST NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	BOSCO DODGE CTOT-0509-2208/PTP	756 NEW HAVEN ROAD NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	BEANY S CLEANERS CTOT-0509-1516/PTP	428 RUBBER AVE NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	AVENUE AUTOBODY (AUTOHAUS) CTOT-0410-10/PTP	393 and 395 RUBBER AVE NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200000426/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200000330/CLOSED	RTE 63 / HOT BROOK DAM NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200004184/CLOSED	INTERSECTION-RUBBER and META NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	944221/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	HWMANIFEST	LEWIS ENGINEERING CO CTD001449453	238 WATER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HMIRS	FREEHOLD CARTAGE INC 2001061734/HIGHWAY (FOR HIRE)	ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HMIRS	CHEMICAL LEAMAN TANK LINES INC 1993100893/HIGHWAY (FOR HIRE)	S CUSTOMER PREMISES NAUGATUCK CT 06770	NON GC	N/A	N/A
	RELEASE	616157.00/F	NEXT DOOR MUNICIPAL TREATME NAUGATUCK CT 06770	NON GC	N/A	N/A
	RELEASE	UNKNOWN 539021/OFFSHORE - SPILL OFF	LONG MEADOW BROOK NEAR ANDR NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	NAUGATUCK GLASS CO CTD001186451	CHURCH and BRIDGE STS NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	NAUGATUCK ENV TECHNOLOGY LLC CTD010144749	500 CHERRY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	MULTI METALS MFG CO INC CTR000503441	550 SPRING ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	MOUNTVIEW LAUNDROMAT DRY CLEAN CTD981214174	727 RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	MODERN METAL FINISHING CO CTR000003483	352 ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200405518/CLOSED	HILLSIDE AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	MAHO MACHINE TOOL CORP CTD983876012	300 GREAT HILL INDL PARK RO NAUGATUCK CT 06770	NON GC	N/A	N/A
	HMIRS	QUALITY CARRIERS INC 2000061545/HIGHWAY (FOR HIRE)	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	LEWIS ENGINEERING CO CTD000791145	450 RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	KARO MANUFACTURING INC CTD982756314	285 GREAT HILL ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	HOME DEPOT USA HD 4878 CT5000001511	104 DANBURY ROAD NEW MILFORD CT 06770	NON GC	N/A	N/A
	HWMANIFEST	CHEMTURA CORP CTD001449826	280 ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	BOSCO DODGE AKA BACNTRIN CTD983871872	756 NEW HAVEN ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	AVENUE CLEANERS CTD018725143	428 RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	AVENUE AUTO BODY CTD982715294	395 RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	HWMANIFEST	AMBION CORP CTD980510291	37 NAUGATUCK DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	A G T VALVE 25 CTR000005439	336 OLD WATERBURY ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	A G T VALVE 24 CTR000005363	GUNTOWN ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	MIRACLE IND INC CTD983866575	259 GREAT HILL ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	DONHAM CRAFT INC CTD001450006	15 EAST WATERBURY ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	SPERRY AUTOMATICS CO INC CTD002592418	1372 NEW HAVEN ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	SALEM CHEVROLET CTD018725440	125 SOUTH MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	RISDON CORP METAL COSMETICS DI CTD001166479	1 RISDON ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	RAM WELDING INC CTD001186444	151 ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	PETER PAUL HERSHEY CHOC CTD983875527	889 NEW HAVEN ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	PALCO CONNECTOR INC CTD153615232	22 GREAT HILL ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	OSRAM SYLVANIA INC CTD010144715	178 BRIDGE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	GUERRERA R J INC CTD067080648	51 ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	GENERAL DATACOMM IND INC CTD981071822	6 RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	G and R MANUFACTURING CO CTD983895574	190 SHERIDAN DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	HMIRS	JEVIC TRANSPORTATION INC 2005010308/4	RTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	EASTERN CO THE ALLOY CTD001165679	112 BRIDGE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HMIRS	QUALITY CARRIERS INC 1999070042/HIGHWAY (FOR HIRE)	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	DEXMET CORPORATION CTD983871955	7 GREAT HILL ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	DECARLO AUTOMOTIVE CTD000840413	5 MEADOW ST NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	HWMANIFEST	CT MIL DEPT FIELD MAINT SHOP 5 CTD983869702	619 RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	CONTINENTAL LEISURE PRODUCTS I CTD118371178	99 GREAT HILL ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	COLE SCREW MACHINE PRODUCTS IN CTR000506295	88 GREAT HILL ROAD NAUGATUCK CT 06770	NON GC	N/A	N/A
	NCDB	RONALD PHILLIPS NCDB-0801-001702/TSCA	HOTCHKISS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	NCDB	NAUGAKUCH GLASS CO NCDB-0801-003751/TSCA	CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	NCDB	CROSS STREET NCDB-0801-005285/TSCA	CROSS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	NCDB	ALGONQUIN GAS and TRANSMISSION NCDB-0801-000882/TSCA	GUN TOWN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	FEDOTHER	CROMPTON MFG COMPANY, INC. 007874CT001	ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	FABRICATED METAL PRODUCTS INC CTD983870924	1 RISDON ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200208258/CLOSED	LOUNSBURY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	FEDBF	CHURCH ST MUNICIPAL PARKING LO 69597838-86381/EPA BROWNFIELD	CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200001745/CLOSED	RTE 8 N NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200009116/CLOSED	PORTER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200009125/CLOSED	MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200009291/CLOSED	RTE 8 BETWEEN EXITS 28+29 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200100426/CLOSED	S RT 8 EXIT 27/28 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200100558/CLOSED	FIELD RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200100860/CLOSED	ROUTE 8 S/B EXIT 29-28 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200100947/CLOSED	RTE 68 E NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200101349/CLOSED	NEWMAN ST NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	200002809/CLOSED	RUBBER EXT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200200136/CLOSED	ELM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	OTHER	KARO MANUFACTURING INC. CTOT-0509-1061/PTP	285 GREAT HILL ROAD NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200208539/CLOSED	SHERADON RD and OLD WATERBU NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200208551/CLOSED	RUBBER EXT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200302248/CLOSED	RTE 8 NB NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200302526/CLOSED	152 MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200302956/CLOSED	UNION CITY MAIN POLE 1407 S NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200303296/CLOSED	WATER and HANOVER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200303498/CLOSED	N RT 8 AT EXIT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200308272/CLOSED	PROSPECT BRIDGE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200309220/CLOSED	LOCUS ST and PROSPECT ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200400670/CLOSED	CHURCH ST and MEADOW ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200110481/CLOSED	RTE 8 N NAUGATUCK CT 06770	NON GC	N/A	N/A
	LUST	BOSCO DODGE 29227/CLEANUP INITIATED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200602703/CLOSED	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	NCDB	RONALD PHILLIPS CAROLINA FURN NCDB-0801-001696/TSCA	HOTCHKISS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	RELEASE	UNKNOWN 188916	A MELBOURNE POND ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	LUST	WESSON TEXACO STATION 1652/NO	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	LUST	WESSON OIL 30710/INVESTIGATION	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	LUST	WESSON OIL 1686/NO	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	LUST	UNKNOWN 200106430/CLOSED	GUNNTOWN - CONSTRUCTION SIT NAUGATUCK CT 06770	NON GC	N/A	N/A
	LUST	TOWN OF NAUGATUCK 200103326/CLOSED	CHURCH ST./OLD FIREHOUSE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	LUST	TOWN OF NAUGATUCK 200306780/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	LUST	THOMAS MURGHA 200703270/CLOSED	51 BIEGHAN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200001215/CLOSED	N SPRING ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	LUST	CHARLIE CLARK S SERVICE STATIO 1653-1661/NO	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	TRIBALLAND	BUREAU OF INDIAN AFFAIRS CONTA BIA-06770	UNKNOWN CT 06770	NON GC	N/A	N/A
	UST	HIGH TEC. SINTERED METALS 13004/PERMANENTLY CLOSED	33 SHERIDEN DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	OTHER	UNIROYAL, INC. CTOT-0509-2531/PTP	280 ELM ST NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	TPW HOLDINGS, LLC CTOT-0509-381/PTP	141 SHERIDAN DR NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	THE LEWIS ENGINEERING COMPANY CTOT-0509-1881/PTP	550 SPRING ST NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	T.F. BUTTERFIELD INC. CTOT-0509-1892/PTP	56 and 32 RUBBER AVE NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	R. J. GUERRERA INC. CTOT-0509-1806/PTP	51 ELM and 80-82 CHERRY ST NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	NAUGATUCK GLASS COMPANY CTOT-0509-2515/PTP	451 CHURCH and BRIDGE ST NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	MIRACLE INDUSTRIES, INC. CTOT-0509-148/PTP	11 WILLIAM C. RADO SR. DR NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	LEWIS ELECTRONIC INST. (COLT) CTOT-0509-809/PTP	218 WATER ST NAUGATUCK CT	NON GC	N/A	N/A
	OTHER	LEWIS ELECTRONIC INST. (COLT) CTOT-0509-1565/PTP	450 RUBBER AVE NAUGATUCK CT	NON GC	N/A	N/A
	LUST	LISA LEIR 200206841/CLOSED	54 IDLEVIEW RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	933361/CLOSED	MILLVILLE AVE NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	951921/CLOSED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	952667/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	953042/CLOSED	PROSPECT ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	954241/CLOSED	RADO DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	954460/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	954603/CLOSED	MEADOW AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	954743/CLOSED	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	923207/CLOSED	101 RODEO DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	932348/CLOSED	RTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200405267/CLOSED	CANDY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	933304/CLOSED	SPRING ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9706171/CLOSED	ANDREW MOUNTAIN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	933702/CLOSED	MALL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	933729/CLOSED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	934891/CLOSED	GREAT HILL RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	935298/CLOSED	OLD FIREHOUSE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200906652/CLOSED	67 VALLEY DR NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200906276/CLOSED	19 COACH CIRC NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200906199/CLOSED	223 UNION CITY ROAD NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200905984/CLOSED	444 RUBBER AVE NAUGATUCK CT	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	200905545/CLOSED	73 CHERRY ST NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200905297/CLOSED	820 NEW HAVEN ROAD NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	932375/CLOSED	MAIN SOUTH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9900403/CLOSED	MAIN ST- (SPANS) HILLCREST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9903616/CLOSED	WATER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9903720/CLOSED	NAUGATUCK RIVER BY BRIDGE S NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9904313/CLOSED	RUBBER EXTENTION NEAR BRIDG NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9906442/CLOSED	5207 N MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9907761/CLOSED	KAYTKWICH RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9701193/CLOSED	S RT 8 BOUND BETWEEN EXITS NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9702331/CLOSED	GUNN TOWN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9702169/CLOSED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9701800/CLOSED	EXIT 22 RT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9901599/CLOSED	766 ANDREW NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	951732/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9901259/CLOSED	CANDY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	95928/CLOSED	100 MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9703111/CLOSED	NAUGATUCK RIVER BY BREENSFI NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	912679/CLOSED	S OFF RT 8 X37 SIDE BRIDGE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9574/CLOSED	MAIN SOUTH ST NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	945489/CLOSED	MAIN NORTH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	912813/CLOSED	HIGHRIDGE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	925830/CLOSED	CITY HILL RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9705816/CLOSED	RTE 8 NEAR EXIT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9705864/CLOSED	S RT 8 BETWEEN 26 AND NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9705996/CLOSED	GUN TOWN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200708121/CLOSED	N MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9901080/CLOSED	S FIREHOUSE TO MAIN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200904965/CLOSED	WATER ST MANHOLE 218 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200905295/CLOSED	69 RUBBER AVE NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200903945/CLOSED	HIGH ST and MAY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200904018/CLOSED	STATE HIGHWAY 63 and HOPBRO NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200904021/CLOSED	12 FAIRVIEW AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200904264/CLOSED	PORTER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	201001201/CLOSED	HORTON HILL NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	201001661/CLOSED	10 MAY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	201002038/CLOSED	NOBLE AVE and NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	201001906/OPEN	172 MALBOURNE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	201002224/OPEN	41 IDLEVIEW DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200903643/CLOSED	113 S MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	200904891/CLOSED	TERRACE AVE and N HOADLEY NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200903152/CLOSED	HOPKINS HILL RD and MULBERR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200904959/CLOSED	STATE HIGHWAY 8 N EXIT 27 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200905202/CLOSED	19 RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	201000565/CLOSED	N MAIN ST and UNION ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	201000582/CLOSED	RUBBER AVE and FIELD ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	201000808/CLOSED	CANDY RD and KINGSWOOD ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	201000753/CLOSED	MAPLE HILL RD and PROSPECT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200807311/CLOSED	BRIDGE ST and N CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200807650/CLOSED	RUBBER AVE and AETNA STREET NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200900181/CLOSED	PROSPECT RD and CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200900367/CLOSED	STATE HIGHWAY 8 N BETWEEN E NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200904609/CLOSED	GUN TOWN RD BY CEMETARY NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200807117/CLOSED	STATE HIGHWAY 8 S BETWEEN E NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9808675/CLOSED	S MAIN SEWER PLANT ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200801300/CLOSED	WATER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200801756/CLOSED	100 PROSPECT AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200802366/CLOSED	INWOOD AVE and MAPLE HILL NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200803241/CLOSED	PROSPECT and UNION CITY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200803680/CLOSED	RTE-8 NORTHBOUND EXIT-28 NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	200805209/CLOSED	RUBBER AVE and HOADLEY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200805473/CLOSED	E WATERBURY RD GREAT HILL R NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200806009/CLOSED	MULBERRY ST and SIMSBURY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200806200/CLOSED	589 N.CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200903642/CLOSED	STATE HIGHWAY 8 S EXIT 26 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200806645/CLOSED	UNION CITY RD and GREAT HIL NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200800703/CLOSED	STATE HIGHWAY 8 S NEAR EXIT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200807253/CLOSED	CHURCH ST MANHOLE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200901466/CLOSED	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200901555/CLOSED	N CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200901536/CLOSED	STATE HIGHWAY 8 S EXIT 25 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200902763/CLOSED	STATE HIGHWAY 8 N EXIT 27 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200902779/CLOSED	WATER ST, THREE MANHOLES 21 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200902868/CLOSED	BECAN NANOR CIR and BECAN M NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200902862/CLOSED	S MAIN ST and HIGH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200902943/CLOSED	547 RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200903092/CLOSED	STATE HIGHWAY 8 N BETWEEN E NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200806637/CLOSED	MILLVILLE AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	924210/CLOSED	GREAT HILL RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200907108/CLOSED	SOUTH RT 8 EXIT 25-26 NAUGATUCK CT	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	200204541/CLOSED	820 RIVER RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200205283/CLOSED	CITY HILL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200206440/CLOSED	WINDTHUP POLE 13785 AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200207171/CLOSED	CROSS ST/COTTON HOLLOW BRID NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200207278/CLOSED	37 PLEASANT ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200207356/CLOSED	MULBERRY AND HOPKINS HILL R NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200207776/CLOSED	NEW ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200008019/CLOSED	S RT 8 OF EXIT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200008206/CLOSED	PROSPECT ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200110468/CLOSED	MAY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200906356/CLOSED	209 GREAT HILL ROAD NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	200408349/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	925871/CLOSED	GUNDEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	926662/CLOSED	PROSPECT AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	93521/CLOSED	ANDREW MOUNTAIN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	93852/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	931044/CLOSED	UNION ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	931123/CLOSED	RTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	931854/CLOSED	MAPLE HILL RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200906522/CLOSED	69 RUBBER - CUMBERLAND FARM NAUGATUCK CT	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	200906687/CLOSED	MAPLE HILL AND FARM HILL RO NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	9903473/CLOSED	N RT 8 BETWEEN EXIT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200008768/CLOSED	S CHERRY -- MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200704265/CLOSED	STATE HIGHWAY 8 N NEAR EXIT NAUGATUCK CT 06770	NON GC	N/A	N/A
	HWMANIFEST	THRIFTY CLEANERS CTD056747181	535 SOUTH MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200505031/CLOSED	RTE 282 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200505698/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200505913/CLOSED	HOADLEY ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200505951/CLOSED	55 ANDREA AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200506013/CLOSED	NEW HAVEN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200506190/CLOSED	SALEM ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200506260/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200507409/CLOSED	FROM KING TO FIELD (APPROX. NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200507489/CLOSED	S MAPLE TERRACE, MAIN AND F NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200203789/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200604600/CLOSED	UNION CITY NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	945708/CLOSED	RTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200704409/CLOSED	GREAT HILL RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200705248/CLOSED	143 MANOR AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200706025/CLOSED	N CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	200706937/CLOSED	8 CITY BROOK PL NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200707609/CLOSED	STATE HIGHWAY 8 N BEFORE EX NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200405731/CLOSED	N MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200406158/CLOSED	FIRE HOUSE RD and MAPLE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200407318/CLOSED	RTE 68 and UNION CITY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200407585/CLOSED	RTE 8 EXIT 26 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200407862/CLOSED	KRODELL RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200603705/CLOSED	BEACON VALLEY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9803421/CLOSED	N MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200906745/CLOSED	GUN TOWN ROAD NAUGATUCK CT	NON GC	N/A	N/A
	SPILLS	9706920/CLOSED	S MAIN AND RT. NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9800515/CLOSED	N RT 8 BETWEEN EXIT 28-29 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9800734/CLOSED	100 BROCKWATER ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9801069/CLOSED	PROSPECT ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200005546/CLOSED	S RT 8 NB OF NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200005376/CLOSED	RTE 8 SOUTHBOUND BETWEEN EE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9701497/CLOSED	LEWIS RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9703431/CLOSED	HUNTERS MOUNTAIN RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9702812/CLOSED	OLD FIRE HOUSE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	953611/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	9802668/CLOSED	S RT 8 EXIT 25-26 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9705021/CLOSED	ANDREW AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9803728/CLOSED	LINDON PARK/PARKING LOT NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9803740/CLOSED	CANDY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9706939/CLOSED	S RT 8 EXIT 26+25 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9805347/CLOSED	OLD FIRE HOUSE BY THE RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9806483/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9806575/CLOSED	WATER STREET/NAUGATUCK RIVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9807406/CLOSED	RTE 8 SB EXIT 27and28 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9808256/CLOSED	MAPLE HILL RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9808488/CLOSED	181 TAUNBRUCH RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200602116/CLOSED	RTE 63 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9702567/CLOSED	CHURCH ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9604741/CLOSED	ROUTE 8 S NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	953566/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	945434/CLOSED	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	945502/CLOSED	BEACON VALLEY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	946352/CLOSED	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	947266/CLOSED	479 CHASE RIVER RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	911545/CLOSED	RTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A

Environmental FirstSearch

Sites Summary Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TOTAL: 794 **GEOCODED:** 176 **NON GEOCODED:** 618 **SELECTED:** 0

Map ID	DB Type	Site Name/ID/Status	Address	Dist/Dir	ElevDiff	Page No.
	SPILLS	912575/CLOSED	HOPBROOK NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	914713/CLOSED	RTE 8 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	95666/CLOSED	EDWARDS ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	954882/CLOSED	RTE 63 RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9706334/CLOSED	RTE 8 N BETWEEN EXIT 26 - 2 NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9605635/CLOSED	UNKNOWN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9903460/CLOSED	SIMSBURY / AT PATH NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9603938/CLOSED	RUEIDA DR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9605792/CLOSED	MAPLE HILL ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9605456/CLOSED	RTE 63 BY GOLF COURSE NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9703552/CLOSED	155 LOVER LN NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9703745/CLOSED	SHERADON RD, INDUSTRIAL PAR NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9705298/CLOSED	OAK AND APPLE ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	200000806/CLOSED	UNION CITY RD NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	911642/CLOSED	GENERA DATACOM COMPANY NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9707433/CLOSED	S MAIN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9705647/CLOSED	COEN ST NAUGATUCK CT 06770	NON GC	N/A	N/A
	SPILLS	9604283/CLOSED	RUBBER AVE NAUGATUCK CT 06770	NON GC	N/A	N/A

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 103	DIST/DIR: 0.01 SW	ELEVATION: 211	MAP ID: 1
-----------------------	--------------------------	-----------------------	------------------

NAME: ADDRESS: ELM ST and RUBBER AVE NAUGATUCK CT NEW HAVEN CONTACT: NO RESPONSE SOURCE: CT DEP	REV: 4/21/10 ID1: 200703359 ID2: STATUS: CLOSED PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SITE INFORMATION

DATE OF RELEASE: 5/29/2007
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 5/29/2007 10:12:28 PM
REPORTED BY: FD
REPORTER S PHONE: 7292233

MATERIAL RELEASED: DIESEL FUEL
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 7 **DIST/DIR:** 0.02 SW **ELEVATION:** 202 **MAP ID:** 2

NAME: GENERAL DATACOMM IND INC
ADDRESS: 6 RUBBER AVE
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: EPA

REV: 2/16/10
ID1: CTD981071822
ID2:
STATUS: SGN
PHONE:

SITE INFORMATION

UNIVERSE INFORMATION:

GOVERNMENT PERFORMANCE AND RESULTS ACT (GPRA)

GPRA PERMIT: N - NO
GPRA POST CLOSURE: N - NO
GPRA CA: N - NO

GOVERNMENT PERFORMANCE AND RESULTS ACT (GPRA)

GPRA PERMIT: N - NO
GPRA POST CLOSURE: N - NO
GPRA CA: N - NO
GPRA COMPLIANCE MONITORING and ENFORCEMENT: N - NO

SUBJECT TO CORRECTIVE ACTION (SUBJCA)

SUBJCA: N - NO
SUBJCA TSD 3004: N - NO
SUBJCA NON TSD: N - NO

SIGNIFICANT NON-COMPLIANCE(SNC): N - NO
BEGINNING OF THE YEAR SNC: N - NO

PERMIT WORKLOAD: ----

CLOSURE WORKLOAD: ----

POST CLOSURE WORKLOAD: ----

PERMITTING /CLOSURE/POST-CLOSURE PROGRESS: ----

CORRECTIVE ACTION WORKLOAD: N - NO

GENERATOR STATUS: SQG - SMALL QUANTITY GENERATOR: GENERATES 100 - 1000
KG/MONTH OF HAZARDOUS WASTE

NAIC INFORMATION

ENFORCEMENT INFORMATION:

AGENCY: S - STATE **DATE:** 9/13/1988
TYPE: 210 - INITIAL 3008(A) COMPLIANCE ORDER

AGENCY: S - STATE **DATE:** 5/25/1995
TYPE: 120 - WRITTEN INFORMAL

AGENCY: S - STATE **DATE:** 8/18/1997
TYPE: 310 - FINAL 3008(A) COMPLIANCE ORDER

VIOLATION INFORMATION:

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 7 **DIST/DIR:** 0.02 SW **ELEVATION:** 202 **MAP ID:** 2

NAME: GENERAL DATACOMM IND INC ADDRESS: 6 RUBBER AVE NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 2/16/10 ID1: CTD981071822 ID2: STATUS: SGN PHONE:
---------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

VIOLATION NUMBER:	0001	RESPONSIBLE:	S - STATE
DETERMINED:	2/21/1995	DETERMINED BY:	S - STATE
CITATION:	22a-449(c)-102(a)	RESOLVED:	12/9/1998
TYPE:	HAZARDOUS WASTE DETERMINATIONS		
VIOLATION NUMBER:	0002	RESPONSIBLE:	S - STATE
DETERMINED:	2/21/1995	DETERMINED BY:	S - STATE
CITATION:	22a-449(c)-105(a) and 102(b)(3)	RESOLVED:	10/10/1996
TYPE:	GENERATOR-MANIFEST REQUIREMENTS		
VIOLATION NUMBER:	0003	RESPONSIBLE:	S - STATE
DETERMINED:	2/21/1995	DETERMINED BY:	S - STATE
CITATION:	22a-449(c)-108	RESOLVED:	10/10/1996
TYPE:	GENERATOR-LAND BAN REQUIREMENTS		
VIOLATION NUMBER:	0004	RESPONSIBLE:	S - STATE
DETERMINED:	2/21/1995	DETERMINED BY:	S - STATE
CITATION:	22a-449(c)-105(a) and 102(b)(2)	RESOLVED:	8/18/1997
TYPE:	GENERATOR INSPECTION SCHEDULE and LOG		
VIOLATION NUMBER:	0005	RESPONSIBLE:	S - STATE
DETERMINED:	2/21/1995	DETERMINED BY:	S - STATE
CITATION:	22a-449(c)-105(a)(1)(D)	RESOLVED:	10/10/1996
TYPE:	PERSONNEL TRAINING RECORDS		
VIOLATION NUMBER:	0006	RESPONSIBLE:	S - STATE
DETERMINED:	2/21/1995	DETERMINED BY:	S - STATE
CITATION:	22a-449(c)-105(a)-102(a) and (c)	RESOLVED:	8/18/1997
TYPE:	YCONTINGENCY PLAN		
VIOLATION NUMBER:	0007	RESPONSIBLE:	S - STATE
DETERMINED:	2/21/1995	DETERMINED BY:	S - STATE
CITATION:	22a-449(c)-105(a) and 102(a)	RESOLVED:	10/10/1996
TYPE:	PREPARDNESS AND PREVENTION		
VIOLATION NUMBER:	0008	RESPONSIBLE:	S - STATE
DETERMINED:	2/21/1995	DETERMINED BY:	S - STATE
CITATION:	22a-449(c)-105(a),(b) and 102(a)	RESOLVED:	10/10/1996
TYPE:	CONTAINER MGT=SAT LITE ACCUMS/CONTAINER		
VIOLATION NUMBER:	0009	RESPONSIBLE:	S - STATE
DETERMINED:	2/21/1995	DETERMINED BY:	S - STATE
CITATION:	22a-449(c)-102(a)(1)	RESOLVED:	10/10/1996
TYPE:	GENERATOR-OTHER REQUIREMENTS		
VIOLATION NUMBER:	0010	RESPONSIBLE:	S - STATE
DETERMINED:	2/21/1995	DETERMINED BY:	S - STATE
CITATION:	22a-449(c)-11 and 103	RESOLVED:	10/10/1996
TYPE:	TRANSPORTER-OTHER REQUIREMENTS		
VIOLATION NUMBER:	0011	RESPONSIBLE:	S - STATE
DETERMINED:	6/2/1988	DETERMINED BY:	S - STATE

- Continued on next page -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 7 **DIST/DIR:** 0.02 SW **ELEVATION:** 202 **MAP ID:** 2

NAME: GENERAL DATACOMM IND INC
ADDRESS: 6 RUBBER AVE
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: EPA

REV: 2/16/10
ID1: CTD981071822
ID2:
STATUS: SGN
PHONE:

CITATION: 22a-449(c)--102(a) **RESOLVED:** 8/18/1997
TYPE: HAZARDOUS WASTE DETERMINATIONS

VIOLATION NUMBER: 0012 **RESPONSIBLE:** S - STATE
DETERMINED: 6/2/1988 **DETERMINED BY:** S - STATE
CITATION: 22a-449(c)-105(a),(b) and 102(a) **RESOLVED:** 10/10/1996
TYPE: CONTAINER MGT=SAT LITE ACCUMS/CONTAINER

VIOLATION NUMBER: 0013 **RESPONSIBLE:** S - STATE
DETERMINED: 6/2/1988 **DETERMINED BY:** S - STATE
CITATION: 22a-449(c)-102(c) **RESOLVED:** 8/18/1997
TYPE: GENRATOR-SQG REQUIREMENTS

VIOLATION NUMBER: 0014 **RESPONSIBLE:** S - STATE
DETERMINED: 6/2/1988 **DETERMINED BY:** S - STATE
CITATION: 22a-449(c)-105(a) **RESOLVED:** 10/10/1996
TYPE: WASTE TANKS - TANK MANAGEMENT

HAZARDOUS WASTE INFORMATION:

Ignitable waste

The following spent halogenated solvents used in degreasing: Tetrachloroethylene, trichlorethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride and chlorinated fluorocarbons; all spent solvent mixtures/blends used in degreasing contain

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

OTHER

SEARCH ID: 130 **DIST/DIR:** 0.02 SW **ELEVATION:** 202 **MAP ID:** 2

NAME: GENERAL DATACOMM, INC. ADDRESS: 6 RUBBER AVE NAUGATUCK CT NEW HAVEN CONTACT: SOURCE: CT DEP	REV: 4/23/10 ID1: 4550 ID2: STATUS: PTP PHONE:
----------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------

SITE INFORMATION

SITE TYPE: PROPERTY TRANSFER FORM III
INVESTIGATION START DATE:
REMEDIAATION START DATE:
REMEDIAATION COMPLETED DATE:
ENVIRO
COMMENTS: PROJECTS

FINDS

SEARCH ID: 38 **DIST/DIR:** 0.02 SW **ELEVATION:** 202 **MAP ID:** 2

NAME: GENERAL DATACOMM IND INC ADDRESS: 6 RUBBER AVE NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE:	REV: ID1: CTD981071822 ID2: STATUS: PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------

RCRIS : CTD981071822
PCS :
AFS/AIRS : 0900908601
SSTS :
CERCLIS :
NCDB :
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB :
UNKNOWN :

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 39 **DIST/DIR:** 0.02 SW **ELEVATION:** 202 **MAP ID:** 2

NAME: GENERAL DATACOMM, INC. ADDRESS: 6 RUBBER AVE NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110001967346 ID2: CTD981071822 STATUS: FRS PHONE:
-------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: SIMS PROVIDED BY: STATE AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: STATE MASTER -	PROGRAM ID: 1531251 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: CONNECTICUT DEP LAST EXTRACTED: 5/24/2007 12:04:15 PM
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: AIRS/AFS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 7/17/1998 ENFORCEMENT ACT: REG PROGRAM: AIR MINOR - A FACILITY IS CLASSIFIED AS A CLEAN AIR ACT STATIONARY SOURCE MINOR DISCHARGER OF AIR POLLUTANTS IF: (A) POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR; OR (B) MAJOR SOURCE THRESHOLDS ARE NOT DEFINED, OR CLASSIFICATION IS UNKNOWN.	PROGRAM ID: 0900908601 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: AIRS/AFS LAST EXTRACTED:
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110001967346 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: RCRAINFO PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 5/10/1990 ENFORCEMENT ACT: REG PROGRAM: SQG - HAZARDOUS WASTE SMALL QUANTITY GENERATORS GENERATE: (A) MORE THAN 100 AND LESS THAN 1000 KILOGRAMS OF HAZARDOUS WASTE DURING ANY CALENDAR MONTH AND ACCUMULATE LESS THAN 6000 KG OF HAZARDOUS WASTE AT ANY TIME; OR (B) 100 KG OR LESS OF HAZARDOUS WASTE DURING ANY CALENDAR MONTH, AND ACCUMULATE MORE THAN 1000 KG OF HAZARDOUS WASTE AT ANY TIME.	PROGRAM ID: CTD981071822 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NOTIFICATION (RCRA) LAST EXTRACTED:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: SIMS PROVIDED BY: STATE AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: STATE MASTER -	PROGRAM ID: 1510381 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: CONNECTICUT DEP LAST EXTRACTED: 5/24/2007 11:20:30 AM
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 39	DIST/DIR: 0.02 SW	ELEVATION: 202	MAP ID: 2
----------------------	--------------------------	-----------------------	------------------

NAME: GENERAL DATACOMM, INC. ADDRESS: 6 RUBBER AVE NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110001967346 ID2: CTD981071822 STATUS: FRS PHONE:
-------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

SITE TYPE:	STATIONARY
INTEREST STATUS:	ACTIVE
DATA QUALITY:	V
LOCATION DESC:	
ADDRESS TYPE:	REGULAR URBAN
LAST REPORTED:	
POSTED TO DATABASE:	3/1/2000
DATA UPDATED:	5/24/2007 12:04:15 PM
ENTERED PERSON/METHOD:	REFRESH
PARENT REG ID:	
CONFIDENCE IN ADDR:	MEDIUM
ENFORCEMENT SENSITIVE:	N
REQ MANUAL REVIEW:	
REASON MAN REVIEW:	
SMALL BUS POLICY:	
ENFORCEMENT ACTION:	
DATA PUB ACCESS:	YES
INTERNAL SYS ID:	

FEDERAL FACILITY:	NO
FEDERAL AGENCY:	
TRIBAL LAND:	NO
TRIBAL LAND NAME:	
CONGRESSIONAL DIST:	05
LEGISLATIVE DIST:	15
HYDROLOGICAL UNTIS:	01100005
EPA REGION:	01
AIRSHED:	
CENSUS BLOCK:	

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 65 **DIST/DIR:** 0.02 SW **ELEVATION:** 202 **MAP ID:** 2

NAME: GENERAL DATACOMM, INC.
ADDRESS: 6 RUBBER AVE
NAUGATUCK CT
NEW HAVEN
CONTACT:
SOURCE: CT DEP

REV: 4/23/10
ID1: 4550
ID2:
STATUS: SUSPECTED
PHONE:

SITE INFORMATION

WASTE TYPE1:
WASTE TYPE2:
WASTE TYPE3:

DISPOSAL METHOD:

SAMPLE AVAILABLE: NO
LOCATION METHOD:
OTHER DEP:
UPDATED BY:
UPDATED PROGRAM:
UPDATED:
SW CLASSIFICATION:
GW CLASSIFICATION:

COMMENTS:

SITE NAMES

COMMENTS:

INFORMATION

ESTABLISHMENT: GENERAL DATACOMM, INC.
SELLER: GENERAL-LORD REALTY CORP.
BUYER: GDC NAUGATUCK, INC.

FORM: FORM III **RECEIVED:** 9/30/1993
ACKNOWLEDGED: 11/6/1993 **RETURNED:**
CERTIFIED: **REVISED:**
ECAF RECEIVED: **ECAF REVIEWED:**

STATUS: N

STAFF: HAMEL, M.

CERTIFIER: ,

FIRST PAYMENT: \$2000 **SECOND PAYMENT:** \$

COMMENTS:

REFERRAL INFORMATION

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 65	DIST/DIR: 0.02 SW	ELEVATION: 202	MAP ID: 2
----------------------	--------------------------	-----------------------	------------------

NAME: GENERAL DATACOMM, INC.
ADDRESS: 6 RUBBER AVE
NAUGATUCK CT
NEW HAVEN

REV: 4/23/10
ID1: 4550
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SOURCE:	PTP - PROPERTY TRANSFER PROGRAM
RECEIVED:	9/30/1993
STAFF:	HAMEL, M.
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM
ASSIGNED:	
COMPLETED:	9/30/1993
OUTCOME:	PTP

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 46 **DIST/DIR:** 0.02 SW **ELEVATION:** 202 **MAP ID:** 2

NAME: NAUGATUCK MANUFACTURING FACILITY ADDRESS: 6 RUBBER AVE NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110030316593 ID2: STATUS: FRS PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 5/24/2007 11:09:27 AM ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110030316593 AGENCY INTERESTED: 5/24/2007 11:09:27 AM INTEREST ENDED: SOURCE OF DATA: SIMS LAST EXTRACTED:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: SIMS PROVIDED BY: STATE AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: STATE MASTER -	PROGRAM ID: 1528131 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: CONNECTICUT DEP LAST EXTRACTED: 5/24/2007 11:09:27 AM
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 5/24/2007 11:09:27 AM
DATA UPDATED:
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR:
ENFORCEMENT SENSITIVE:
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 145 **DIST/DIR:** 0.02 SW **ELEVATION:** 202 **MAP ID:** 2

NAME: NAUGATUCK MANUFACTURING FACILITY ADDRESS: 6 RUBBER AVE NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: CT DEP	REV: 2/3/10 ID1: 08514 ID2: 88-8514 STATUS: PERMANENTLY CLOSED PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------

TOTAL NUMBER OF TANKS: 10

TANK ID: 8514-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950 SUBSTANCE STORED: GASOLINE TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3) PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: 8/1/1989 CAPACITY (GALS): 3000 TANK PROTECTION: PIPE PROTECTION:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

TANK ID: 8514-10
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950 SUBSTANCE STORED: GASOLINE TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3) PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: 8/1/1989 CAPACITY (GALS): 6000 TANK PROTECTION: PIPE PROTECTION:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

TANK ID: 8514-2
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950 SUBSTANCE STORED: HAZARDOUS SUBSTANCE (SPECIFY) TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3) PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: 8/1/1989 CAPACITY (GALS): 3000 TANK PROTECTION: PIPE PROTECTION:
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

TANK ID: 8514-3
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950 SUBSTANCE STORED: HAZARDOUS SUBSTANCE (SPECIFY) TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3) PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: 8/1/1989 CAPACITY (GALS): 3000 TANK PROTECTION: PIPE PROTECTION:
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

TANK ID: 8514-4
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950 SUBSTANCE STORED: HAZARDOUS SUBSTANCE (SPECIFY) TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3) PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: 8/1/1989 CAPACITY (GALS): 3000 TANK PROTECTION: PIPE PROTECTION:
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

TANK ID: 8514-5
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950 SUBSTANCE STORED: HAZARDOUS SUBSTANCE (SPECIFY)	DATE LAST USED: 8/1/1989 CAPACITY (GALS): 3000
-------------------------------------------------------------------------------------------	-----------------------------------------------------------------

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 145 **DIST/DIR:** 0.02 SW **ELEVATION:** 202 **MAP ID:** 2

NAME: NAUGATUCK MANUFACTURING FACILITY ADDRESS: 6 RUBBER AVE NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: CT DEP	REV: 2/3/10 ID1: 08514 ID2: 88-8514 STATUS: PERMANENTLY CLOSED PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------

TANK MATERIAL:	COATED and CATHODICALLY PROTECTED STEEL (STI-P3)	TANK PROTECTION:
PIPE MATERIAL:	BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 8514-6
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 8/1/1989	
SUBSTANCE STORED: HAZARDOUS SUBSTANCE (SPECIFY)	CAPACITY (GALS): 2000	
TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3)	TANK PROTECTION:	
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:	

TANK ID: 8514-7
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 8/1/1989	
SUBSTANCE STORED: HAZARDOUS SUBSTANCE (SPECIFY)	CAPACITY (GALS): 2000	
TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3)	TANK PROTECTION:	
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:	

TANK ID: 8514-8
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 8/1/1989	
SUBSTANCE STORED: HAZARDOUS SUBSTANCE (SPECIFY)	CAPACITY (GALS): 550	
TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3)	TANK PROTECTION:	
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:	

TANK ID: 8514-9
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 8/1/1989	
SUBSTANCE STORED: HAZARDOUS SUBSTANCE (SPECIFY)	CAPACITY (GALS): 550	
TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3)	TANK PROTECTION:	
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:	

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 94 **DIST/DIR:** 0.02 SW **ELEVATION:** 210 **MAP ID:** 3

NAME: UNIROYAL ADDRESS: OLD FIRE HOUSE RD NAUGATUCK CT 06770	REV: 3/13/01 ID1: 952093 ID2: STATUS: CLOSED PHONE:
CONTACT: UNIROYAL SOURCE: CT DEP	

SITE INFORMATION

INSPECTOR S BADGE NUMBER: NR REPORT DATE: 04/24/95 ACTUAL TIME: 37 REPORTER: LENNY PATTERSON NAUGATUCK 41 MAPLE ST NAUGATUCK CT 6770 WORK PHONE: 203 729 2234 HOME PHONE: POLE NUMBER: INCIDENT TYPE: PETROLEUM GALLONS: 75 POUNDS: DRUMS: CERCLA: EMERGENCY CLEANUP: TOTAL POUNDS:	REPORT TIME: 13 DISCHARGED: DIESEL FUEL YARDS: CON: FEDRAL: ACROSS PROPERTY LINES: REP QUAN:
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

DESCRIPTION:

DATE: 04/24/95 CONTINUOUS SPILL: RELEASE TERMINATED: Y UNKNOWN:	DATE UNKNOWN: SPILL TIME: 120 ONGOING RELEASE: CONTAINED: Y
------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

ADDITIONAL INFORMATION: T/T SADDLE TANK LEAKED OVER 1 MILE TOWN SANDED

WATERBODY: LIS: CATCH BASIN: AIR: GROUND WATER: INSIDE BUILDING: TOTAL IN WATER: TOTAL RECOVERED: 75 RESPONSIBLE PARTY: UNIROYAL FIRE HOUSE RD NAUGATUCK CT 6770	RIVER: TRIBUTARY: POND: SURFACE WATER: GROUND SURFACE: Y OTHER AREA: TOTAL RECOVERED FROM WATER:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------

PHONE: POLLUTER UNKNOWN: CLEANUP ACTION TAKEN: SANDED DUN BRAD: NOTIFIED COAST GAURD: NOTIFIED LOCAL FIRE DEPT: NOTIFIED ATTORNEY GENERAL: NOTIFIED STATE DOHS: NOTIFIED STATE AIR BUREAU: NOTIFIED WEED HAZ WASTE:	ACCEPT RESPONSIBILITY: Y NOTIFIED FEDERAL GOVERNMENT: NOTIFIED FIRE MARSHALL: NOTIFIED POLICE: NOTIFIED AQUACULTURE: NOTIFIED STATE WATER BUREAU: NOTIFIED STATE WASTE BUREAU: NOTIFIED WEED SOLID WASTE:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 94 **DIST/DIR:** 0.02 SW **ELEVATION:** 210 **MAP ID:** 3

NAME: UNIROYAL
ADDRESS: OLD FIRE HOUSE RD
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 952093
ID2:
STATUS: CLOSED
PHONE:

CONTACT: UNIROYAL
SOURCE: CT DEP

PERMITTING NOTIFIED:
NOTIFIED SOLID WASTE RECOVERY:
NOTIFIED P-F:
NOTIFIED OPS:
NOTIFIED STATE AGENCIES:
NOTIFICATION TIME:
DISCHARGE CLASS:

TRANSPORTATION

CAUSE: SADDLE TANK FAILURE

CORRECTIVE ACTION TAKEN: SANDED

CONTRACTOR:
DID DEP HIRE CONT:
WHEN CONT REQUESTED:
ARRIVED:
RECEIVED BY: ALEXANDER
ASSIGNED DATE:
NOT 911 EMERGENCY:
CT EMERGENCY SPILLFUND USED:
CASE NUMBER 2:
PIN:
INC CODE:
OTHER OWNER:
PROP NAME:

NOTIFIED UST UNIT:
NOTIFIED ENVIRONMENTAL CONSERVATION:
NOTIFIED F-W:
NOTIFIED OTHER:
NOTIFICATION DATE:

CONT NAME:
HIRE DATE:
SECOND REQUEST:
ARRIVED SECOND TIME:
BADGE NUMBER:
ASSIGNED TIME:
NOTIFICATION STATUS:
CASE NUMBER:
FED GOV PAID:
COST RECOVERY EXPENDITURE:
PROPERTY OWNER:

WAS POLLUTER A TRUCK:
OWNER OF TRUCK/TRAILER:
OPERATORS NAME:
VEHICLE MODEL:
TRAILER REGISTRATION:
DATE UPDATED:
QUAN FET:

WAS POLLUTER A TRAILER:
OWNERS NAME:
MAKE OF VEHICLE:
TRUCK REGISTRATION:
UPDATED WITH INSPECTORS REPORT:
COPY: W

MISCELLANEOUS INFORMATION:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 92 **DIST/DIR:** 0.02 SW **ELEVATION:** 210 **MAP ID:** 3

NAME: SANTA FUEL COMPANY
ADDRESS: RUBBER and ELM ST
NAUGATUCK CT

REV: 4/21/10
ID1: 200110163
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 11/29/2001
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER: SANTA FUEL COMPANY
154 ADMIRAL STREET
BRIDGEPORT CT 06602

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 11/29/2001 2:19:25 PM
REPORTED BY: CAPTAIN TRZASK
REPORTER S PHONE: 7292232

MATERIAL RELEASED: 2 FUEL OIL
QUANTITY SPILLED: 10 GAL

CAUSE OF INCIDENT: SEEPAGE

EMERGENCY MEASURES: REPORTED 10 GALLON DISCHARGE OVER 2 - MILE AREA - SANDED BY NAUGATUCK DEPARTMENT
OF PUBLIC WORKS

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 136 **DIST/DIR:** 0.03 SE **ELEVATION:** 225 **MAP ID:** 4

NAME: CHARLES F. CLARK (FORMER)
ADDRESS: 32 RUBBER AVE
NAUGATUCK CT 06770

REV: 2/3/10
ID1: 05407
ID2: 88-5407
STATUS: PERMANENTLY CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

TOTAL NUMBER OF TANKS: 9

TANK ID: 5407-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 8/1/1989
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 100
TANK MATERIAL:	TANK PROTECTION:
PIPE MATERIAL:	PIPE PROTECTION:

TANK ID: 5407-2
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1970	DATE LAST USED: 8/1/1989
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 10000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 5407-3
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 8/1/1989
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 100
TANK MATERIAL:	TANK PROTECTION:
PIPE MATERIAL:	PIPE PROTECTION:

TANK ID: 5407-4
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1970	DATE LAST USED: 8/1/1989
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 10000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 5407-5
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 8/1/1989
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 100
TANK MATERIAL:	TANK PROTECTION:
PIPE MATERIAL:	PIPE PROTECTION:

TANK ID: 5407-6
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1975	DATE LAST USED: 8/1/1989
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 3000

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 136	DIST/DIR: 0.03 SE	ELEVATION: 225	MAP ID: 4
-----------------------	--------------------------	-----------------------	------------------

NAME: CHARLES F. CLARK (FORMER)
ADDRESS: 32 RUBBER AVE
NAUGATUCK CT 06770

REV: 2/3/10
ID1: 05407
ID2: 88-5407
STATUS: PERMANENTLY CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

TANK MATERIAL: ASPHALT COATED OR BARE STEEL
PIPE MATERIAL: BARE OR GALVONIZED STEEL

TANK PROTECTION:
PIPE PROTECTION:

TANK ID: 5407-7
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950
SUBSTANCE STORED: GASOLINE
TANK MATERIAL:
PIPE MATERIAL:

DATE LAST USED: 8/1/1989
CAPACITY (GALS): 100
TANK PROTECTION:
PIPE PROTECTION:

TANK ID: 5407-8
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950
SUBSTANCE STORED: GASOLINE
TANK MATERIAL:
PIPE MATERIAL:

DATE LAST USED: 8/1/1989
CAPACITY (GALS): 100
TANK PROTECTION:
PIPE PROTECTION:

TANK ID: 5407-9
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950
SUBSTANCE STORED: GASOLINE
TANK MATERIAL: ASPHALT COATED OR BARE STEEL
PIPE MATERIAL: OTHER (SPECIFY)

DATE LAST USED: 8/1/1989
CAPACITY (GALS): 550
TANK PROTECTION:
PIPE PROTECTION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 102	DIST/DIR: 0.03 SE	ELEVATION: 225	MAP ID: 4
-----------------------	--------------------------	-----------------------	------------------

NAME: ADDRESS: 32 RUBBER AVE NAUGATUCK CT	REV: 4/21/10 ID1: 9904836 ID2: STATUS: CLOSED PHONE:
CONTACT: NO RESPONSE SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 7/22/1999
TIME OF RELEASE: 7:42:00 PM
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 7:53:00 PM
REPORTED BY: DISP 1
REPORTER S PHONE: 7292233

MATERIAL RELEASED: ANTIFREEZE
QUANTITY SPILLED: 2 GAL

CAUSE OF INCIDENT: OTHER

EMERGENCY MEASURES: SPILL FOUND IN PKNG LOT / AND ENTERING A STORM DRAIN

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 163	DIST/DIR: 0.03 SE	ELEVATION: 225	MAP ID: 4
-----------------------	--------------------------	-----------------------	------------------

NAME: TMC REALTY (FORMER CHARLIE CLARK S SERVICE STATION) ADDRESS: 32 RUBBER AVE NAUGATUCK CT 06770 CONTACT: SOURCE: CT DEP	REV: 7/18/06 ID1: 28482 ID2: 456 STATUS: CLEANUP INITIATED PHONE:
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------

SITE INFORMATION

INCIDENT DATE: 8/1/1989
SPILL CASE ID:
SITS CASE ID:
UST SITE ID:

MATERIAL:

MOTOR FUEL:	-1
DIESEL:	0
GASOLINE:	-1
OTHER	0

CAUSE

LEAK	0
TANK:	0
PIPING:	0
OVERFILL	0
REMOVAL:	0

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 29 **DIST/DIR:** 0.03 SE **ELEVATION:** 225 **MAP ID:** 4

NAME: CHARLES F. CLARK (FORMER) ADDRESS: 32 RUBBER AVE NAUGATUCK CT 06770 CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110030410829 ID2: STATUS: FRS PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 5/24/2007 12:16:12 PM ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110030410829 AGENCY INTERESTED: 5/24/2007 12:16:11 PM INTEREST ENDED: SOURCE OF DATA: SIMS LAST EXTRACTED:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: SIMS PROVIDED BY: STATE AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: STATE MASTER -	PROGRAM ID: 1524830 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: CONNECTICUT DEP LAST EXTRACTED: 5/24/2007 12:16:12 PM
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 5/24/2007 12:16:11 PM
DATA UPDATED:
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR:
ENFORCEMENT SENSITIVE:
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 48 **DIST/DIR:** 0.03 SE **ELEVATION:** 225 **MAP ID:** 4

NAME: PARTS AMERICA ADDRESS: 32 RUBBER AVE NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110001734918 ID2: 09009CFC06 STATUS: FRS PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: AIRS/AFS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 9/22/1999 ENFORCEMENT ACT: REG PROGRAM: AIR MINOR - A FACILITY IS CLASSIFIED AS A CLEAN AIR ACT STATIONARY SOURCE MINOR DISCHARGER OF AIR POLLUTANTS IF: (A) POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR; OR (B) MAJOR SOURCE THRESHOLDS ARE NOT DEFINED, OR CLASSIFICATION IS UNKNOWN.	PROGRAM ID: 09009CFC06 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: AIRS/AFS LAST EXTRACTED:	
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------	--

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110001734918 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:	
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------	--

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000
DATA UPDATED: 1/4/2007 4:41:50 PM
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR: MEDIUM
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY: NO
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST: 05
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS: 01100005
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 48	DIST/DIR: 0.03 SE	ELEVATION: 225	MAP ID: 4
----------------------	--------------------------	-----------------------	------------------

NAME: PARTS AMERICA
ADDRESS: 32 RUBBER AVE
NAUGATUCK CT 06770
NEW HAVEN

REV: 5/22/09
ID1: 110001734918
ID2: 09009CFC06
STATUS: FRS
PHONE:

CONTACT:
SOURCE: EPA

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 105 **DIST/DIR:** 0.04 SW **ELEVATION:** 198 **MAP ID:** 5

NAME: ADDRESS: CHURCH ST NAUGATUCK CT 06770	REV: 3/13/01 ID1: 931735 ID2: STATUS: CLOSED PHONE:
CONTACT: SOURCE: CT DEP	

SITE INFORMATION

INSPECTOR S BADGE NUMBER: NR REPORT DATE: 04/13/93 ACTUAL TIME: 0 REPORTER: BILL PASSECK NAUGATUCK F D	REPORT TIME: 14
------------------------------------------------------------------------------------------------------------------------------------------------	------------------------

WORK PHONE: 203 729 2233 HOME PHONE: POLE NUMBER: INCIDENT TYPE: PETROLEUM GALLONS: 1 POUNDS: DRUMS: CERCLA: EMERGENCY CLEANUP: TOTAL POUNDS:	DISCHARGED: GASOLINE YARDS: CON: FEDRAL: ACROSS PROPERTY LINES: REP QUAN:
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------

DESCRIPTION:

DATE: 04/13/93 CONTINUOUS SPILL: RELEASE TERMINATED: Y UNKNOWN:	DATE UNKNOWN: SPILL TIME: 1355 ONGOING RELEASE: CONTAINED: Y
------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------

ADDITIONAL INFORMATION: OVERFILLED GASOLINE TANK SPILLED WHILE DRIVING

WATERBODY: LIS: CATCH BASIN: AIR: GROUND WATER: INSIDE BUILDING: TOTAL IN WATER: TOTAL RECOVERED: RESPONSIBLE PARTY:	RIVER: TRIBUTARY: POND: SURFACE WATER: GROUND SURFACE: Y OTHER AREA: TOTAL RECOVERED FROM WATER:
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------

PHONE: POLLUTER UNKNOWN: CLEANUP ACTION TAKEN: SANDED DUN BRAD: NOTIFIED COAST GAURD: NOTIFIED LOCAL FIRE DEPT: NOTIFIED ATTORNEY GENERAL: NOTIFIED STATE DOHS: NOTIFIED STATE AIR BUREAU: NOTIFIED WEED HAZ WASTE:	ACCEPT RESPONSIBILITY: NOTIFIED FEDERAL GOVERNMENT: NOTIFIED FIRE MARSHALL: NOTIFIED POLICE: NOTIFIED AQUACULTURE: NOTIFIED STATE WATER BUREAU: NOTIFIED STATE WASTE BUREAU: NOTIFIED WEED SOLID WASTE:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 105 **DIST/DIR:** 0.04 SW **ELEVATION:** 198 **MAP ID:** 5

NAME:
ADDRESS: CHURCH ST
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 931735
ID2:
STATUS: CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

PERMITTING NOTIFIED:
NOTIFIED SOLID WASTE RECOVERY:
NOTIFIED P-F:
NOTIFIED OPS:
NOTIFIED STATE AGENCIES:
NOTIFICATION TIME:
DISCHARGE CLASS:

PRIVATE

CAUSE: OVERFILL

CORRECTIVE ACTION TAKEN: CONTAINED/REMOVED

CONTRACTOR:
DID DEP HIRE CONT:
WHEN CONT REQUESTED:
ARRIVED:
RECEIVED BY: TORRES
ASSIGNED DATE:
NOT 911 EMERGENCY:
CT EMERGENCY SPILLFUND USED:
CASE NUMBER 2:
PIN:
INC CODE:
OTHER OWNER:
PROP NAME:

NOTIFIED UST UNIT:
NOTIFIED ENVIRONMENTAL CONSERVATION:
NOTIFIED F-W:
NOTIFIED OTHER:
NOTIFICATION DATE:

CONT NAME:
HIRE DATE:
SECOND REQUEST:
ARRIVED SECOND TIME:
BADGE NUMBER:
ASSIGNED TIME:
NOTIFICATION STATUS:
CASE NUMBER:
FED GOV PAID:
COST RECOVERY EXPENDITURE:
PROPERTY OWNER:

WAS POLLUTER A TRUCK:
OWNER OF TRUCK/TRAILER:
OPERATORS NAME:
VEHICLE MODEL:
TRAILER REGISTRATION:
DATE UPDATED:
QUAN FET:

WAS POLLUTER A TRAILER:
OWNERS NAME:
MAKE OF VEHICLE:
TRUCK REGISTRATION:
UPDATED WITH INSPECTORS REPORT:
COPY: W

MISCELLANEOUS INFORMATION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 107 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME:
ADDRESS: RUBBER AND CHURCH AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 9804028
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 6/24/1998
TIME OF RELEASE:
ACTION: REMOVED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

SITE INFORMATION

DATE OF RELEASE: 6/24/1998
TIME OF RELEASE:
ACTION: CLEANED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 6/24/1998 3:47:04 PM
REPORTED BY: DISP 3
REPORTER S PHONE: 7242234

MATERIAL RELEASED: ANTIFREEZE
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES: CLEANED AND REMOVED

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 89 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME: NORTHEAST UTILITIES ADDRESS: CHURCH ST NAUGATUCK CT 06770 CONTACT: NORTHEAST UTILITIES SOURCE: CT DEP	REV: 3/13/01 ID1: 945012 ID2: STATUS: CLOSED PHONE:
---------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------

SITE INFORMATION

INSPECTOR S BADGE NUMBER: NR
REPORT DATE: 08/27/94
ACTUAL TIME: 35
REPORTER: ROBERT BATSON
C LandP

REPORT TIME: 2

WORK PHONE: 203 597 4214

HOME PHONE:

POLE NUMBER:

INCIDENT TYPE: DIELECT

GALLONS: 10

POUNDS:

DRUMS:

CERCLA:

EMERGENCY CLEANUP:

TOTAL POUNDS:

DISCHARGED: TRANSFORMER OIL NON PCB

YARDS:

CON:

FEDRAL:

ACROSS PROPERTY LINES:

REP QUAN:

DESCRIPTION:

DATE: 08/27/94

CONTINUOUS SPILL:

RELEASE TERMINATED: Y

UNKNOWN:

DATE UNKNOWN:

SPILL TIME: 215

ONGOING RELEASE:

CONTAINED: Y

ADDITIONAL INFORMATION:

WATERBODY:

LIS:

CATCH BASIN:

AIR:

GROUND WATER:

INSIDE BUILDING:

TOTAL IN WATER:

TOTAL RECOVERED:

RESPONSIBLE PARTY: NORTHEAST UTILITIES

RIVER:

TRIBUTARY:

POND:

SURFACE WATER:

GROUND SURFACE: Y

OTHER AREA:

TOTAL RECOVERED FROM WATER:

PHONE:

POLLUTER UNKNOWN:

CLEANUP ACTION TAKEN: CONTAINED/REMOVED

DUN BRAD:

NOTIFIED COAST GAURD:

NOTIFIED LOCAL FIRE DEPT:

NOTIFIED ATTORNEY GENERAL:

NOTIFIED STATE DOHS:

NOTIFIED STATE AIR BUREAU:

NOTIFIED WEED HAZ WASTE:

ACCEPT RESPONSIBILITY: Y

NOTIFIED FEDERAL GOVERNMENT:

NOTIFIED FIRE MARSHALL:

NOTIFIED POLICE:

NOTIFIED AQUACULTURE:

NOTIFIED STATE WATER BUREAU:

NOTIFIED STATE WASTE BUREAU:

NOTIFIED WEED SOLID WASTE:

- Continued on next page -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 89 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME: NORTHEAST UTILITIES
ADDRESS: CHURCH ST
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 945012
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NORTHEAST UTILITIES
SOURCE: CT DEP

PERMITTING NOTIFIED:
NOTIFIED SOLID WASTE RECOVERY:
NOTIFIED P-F:
NOTIFIED OPS:
NOTIFIED STATE AGENCIES:
NOTIFICATION TIME:
DISCHARGE CLASS:

UTILITY

CAUSE: TRANS/CAPACITOR

CORRECTIVE ACTION TAKEN: CONTAINED/REMOVED

CONTRACTOR:
DID DEP HIRE CONT:
WHEN CONT REQUESTED:
ARRIVED:
RECEIVED BY:
ASSIGNED DATE:
NOT 911 EMERGENCY:
CT EMERGENCY SPILLFUND USED:
CASE NUMBER 2:
PIN:
INC CODE:
OTHER OWNER:
PROP NAME:

NOTIFIED UST UNIT:
NOTIFIED ENVIRONMENTAL CONSERVATION:
NOTIFIED F-W:
NOTIFIED OTHER:
NOTIFICATION DATE:

CONT NAME:
HIRE DATE:
SECOND REQUEST:
ARRIVED SECOND TIME:
BADGE NUMBER:
ASSIGNED TIME:
NOTIFICATION STATUS:
CASE NUMBER:
FED GOV PAID:
COST RECOVERY EXPENDITURE:
PROPERTY OWNER:

WAS POLLUTER A TRUCK:
OWNER OF TRUCK/TRAILER:
OPERATORS NAME:
VEHICLE MODEL:
TRAILER REGISTRATION:
DATE UPDATED:
QUAN FET:

WAS POLLUTER A TRAILER:
OWNERS NAME:
MAKE OF VEHICLE:
TRUCK REGISTRATION:
UPDATED WITH INSPECTORS REPORT:
COPY: W

MISCELLANEOUS INFORMATION:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 111 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME: ADDRESS: CHURCH ST NAUGATUCK CT 06770	REV: 3/13/01 ID1: 934953 ID2: STATUS: CLOSED PHONE:
CONTACT: SOURCE: CT DEP	

SITE INFORMATION

INSPECTOR S BADGE NUMBER: NR REPORT DATE: 09/03/93 ACTUAL TIME: 22 REPORTER: DISPATCHER 1012 FIRE DEPT	REPORT TIME: 19
WORK PHONE: 203 729 2233 HOME PHONE: POLE NUMBER: INCIDENT TYPE: CHEMICAL GALLONS: 2 POUNDS: DRUMS: CERCLA: EMERGENCY CLEANUP: TOTAL POUNDS:	DISCHARGED: ANTIFREEZE YARDS: CON: FEDRAL: ACROSS PROPERTY LINES: REP QUAN:

DESCRIPTION:

DATE: 09/03/93 CONTINUOUS SPILL: RELEASE TERMINATED: Y UNKNOWN:	DATE UNKNOWN: SPILL TIME: 1913 ONGOING RELEASE: CONTAINED: Y
------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------

ADDITIONAL INFORMATION:

WATERBODY: LIS: CATCH BASIN: AIR: GROUND WATER: INSIDE BUILDING: TOTAL IN WATER: TOTAL RECOVERED: 2 RESPONSIBLE PARTY:	RIVER: TRIBUTARY: POND: SURFACE WATER: GROUND SURFACE: Y OTHER AREA: TOTAL RECOVERED FROM WATER:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------

PHONE: POLLUTER UNKNOWN: CLEANUP ACTION TAKEN: SANDED DUN BRAD: NOTIFIED COAST GAURD: NOTIFIED LOCAL FIRE DEPT: NOTIFIED ATTORNEY GENERAL: NOTIFIED STATE DOHS: NOTIFIED STATE AIR BUREAU: NOTIFIED WEED HAZ WASTE:	ACCEPT RESPONSIBILITY: NOTIFIED FEDERAL GOVERNMENT: NOTIFIED FIRE MARSHALL: NOTIFIED POLICE: NOTIFIED AQUACULTURE: NOTIFIED STATE WATER BUREAU: NOTIFIED STATE WASTE BUREAU: NOTIFIED WEED SOLID WASTE:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 111 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME:
ADDRESS: CHURCH ST
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 934953
ID2:
STATUS: CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

PERMITTING NOTIFIED:
NOTIFIED SOLID WASTE RECOVERY:
NOTIFIED P-F:
NOTIFIED OPS:
NOTIFIED STATE AGENCIES:
NOTIFICATION TIME:
DISCHARGE CLASS: PRIVATE

NOTIFIED UST UNIT:
NOTIFIED ENVIRONMENTAL CONSERVATION:
NOTIFIED F-W:
NOTIFIED OTHER:
NOTIFICATION DATE:

CAUSE: MOTOR VEHICLE ACCIDENT

CORRECTIVE ACTION TAKEN: SANDED

CONTRACTOR:
DID DEP HIRE CONT:
WHEN CONT REQUESTED:
ARRIVED:
RECEIVED BY:
ASSIGNED DATE:
NOT 911 EMERGENCY:
CT EMERGENCY SPILLFUND USED:
CASE NUMBER 2:
PIN:
INC CODE:
OTHER OWNER:
PROP NAME:

CONT NAME:
HIRE DATE:
SECOND REQUEST:
ARRIVED SECOND TIME:
BADGE NUMBER:
ASSIGNED TIME:
NOTIFICATION STATUS:
CASE NUMBER:
FED GOV PAID:
COST RECOVERY EXPENDITURE:
PROPERTY OWNER:

WAS POLLUTER A TRUCK:
OWNER OF TRUCK/TRAILER:
OPERATORS NAME:
VEHICLE MODEL:
TRAILER REGISTRATION:
DATE UPDATED:
QUAN FET:

WAS POLLUTER A TRAILER:
OWNERS NAME:
MAKE OF VEHICLE:
TRUCK REGISTRATION:
UPDATED WITH INSPECTORS REPORT:
COPY: W

MISCELLANEOUS INFORMATION:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 110 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME: ADDRESS: CHURCH ST NAUGATUCK CT 06770	REV: 3/13/01 ID1: 947308 ID2: STATUS: CLOSED PHONE:
CONTACT: SOURCE: CT DEP	

SITE INFORMATION

INSPECTOR S BADGE NUMBER: NR REPORT DATE: 12/10/94 ACTUAL TIME: 47 REPORTER: LENNY PATTERSON FIRE DEPT	REPORT TIME: 7
WORK PHONE: 203 729 1315 HOME PHONE: POLE NUMBER: INCIDENT TYPE: PETROLEUM GALLONS: POUNDS: DRUMS: CERCLA: EMERGENCY CLEANUP: TOTAL POUNDS:	DISCHARGED: MOTOR OIL 1 MILE STRETCH YARDS: CON: FEDRAL: ACROSS PROPERTY LINES: REP QUAN:

DESCRIPTION:

DATE: 12/10/94 CONTINUOUS SPILL: RELEASE TERMINATED: Y UNKNOWN:	DATE UNKNOWN: SPILL TIME: 741 ONGOING RELEASE: CONTAINED: Y
------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

ADDITIONAL INFORMATION:

WATERBODY: LIS: CATCH BASIN: AIR: GROUND WATER: INSIDE BUILDING: TOTAL IN WATER: TOTAL RECOVERED: RESPONSIBLE PARTY:	RIVER: TRIBUTARY: POND: SURFACE WATER: GROUND SURFACE: Y OTHER AREA: TOTAL RECOVERED FROM WATER:
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------

PHONE: POLLUTER UNKNOWN: CLEANUP ACTION TAKEN: SANDED DUN BRAD: NOTIFIED COAST GAURD: NOTIFIED LOCAL FIRE DEPT: NOTIFIED ATTORNEY GENERAL: NOTIFIED STATE DOHS: NOTIFIED STATE AIR BUREAU: NOTIFIED WEED HAZ WASTE:	ACCEPT RESPONSIBILITY: NOTIFIED FEDERAL GOVERNMENT: NOTIFIED FIRE MARSHALL: NOTIFIED POLICE: NOTIFIED AQUACULTURE: NOTIFIED STATE WATER BUREAU: NOTIFIED STATE WASTE BUREAU: NOTIFIED WEED SOLID WASTE:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 110 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME:
ADDRESS: CHURCH ST
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 947308
ID2:
STATUS: CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

PERMITTING NOTIFIED:
NOTIFIED SOLID WASTE RECOVERY:
NOTIFIED P-F:
NOTIFIED OPS:
NOTIFIED STATE AGENCIES:
NOTIFICATION TIME:
DISCHARGE CLASS:

TRANSPORTATION

CAUSE: CONTAINER FAILURE

CORRECTIVE ACTION TAKEN: SANDED

CONTRACTOR:
DID DEP HIRE CONT:
WHEN CONT REQUESTED:
ARRIVED:
RECEIVED BY:
ASSIGNED DATE:
NOT 911 EMERGENCY:
CT EMERGENCY SPILLFUND USED:
CASE NUMBER 2:
PIN:
INC CODE:
OTHER OWNER:
PROP NAME:

NOTIFIED UST UNIT:
NOTIFIED ENVIRONMENTAL CONSERVATION:
NOTIFIED F-W:
NOTIFIED OTHER:
NOTIFICATION DATE:

CONT NAME:
HIRE DATE:
SECOND REQUEST:
ARRIVED SECOND TIME:
BADGE NUMBER:
ASSIGNED TIME:
NOTIFICATION STATUS:
CASE NUMBER:
FED GOV PAID:
COST RECOVERY EXPENDITURE:
PROPERTY OWNER:

WAS POLLUTER A TRUCK:
OWNER OF TRUCK/TRAILER:
OPERATORS NAME:
VEHICLE MODEL:
TRAILER REGISTRATION:
DATE UPDATED:
QUAN FET:

WAS POLLUTER A TRAILER:
OWNERS NAME:
MAKE OF VEHICLE:
TRUCK REGISTRATION:
UPDATED WITH INSPECTORS REPORT:
COPY: W

MISCELLANEOUS INFORMATION:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 88 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME: NORTHEAST UTILITIES ADDRESS: CHURCH ST NAUGATUCK CT 06770 CONTACT: NORTHEAST UTILITIES SOURCE: CT DEP	REV: 3/13/01 ID1: 923587 ID2: STATUS: CLOSED PHONE:
---------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------

SITE INFORMATION

INSPECTOR S BADGE NUMBER: NR REPORT DATE: 07/17/92 ACTUAL TIME: 5 REPORTER: WILLIAM PHILLIPS C LandP WORK PHONE: 203 575 2 HOME PHONE: POLE NUMBER: 229 INCIDENT TYPE: PETROLEUM GALLONS: 30 POUNDS: DRUMS: CERCLA: EMERGENCY CLEANUP: TOTAL POUNDS:	REPORT TIME: 8 DISCHARGED: HYDRAULIC OIL YARDS: CON: FEDRAL: ACROSS PROPERTY LINES: REP QUAN:
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

DESCRIPTION:

DATE: 07/17/92 CONTINUOUS SPILL: RELEASE TERMINATED: Y UNKNOWN:	DATE UNKNOWN: SPILL TIME: 1630 ONGOING RELEASE: CONTAINED: Y
------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------

ADDITIONAL INFORMATION: TRUCK BLEW HOSE - LEAKED INTO A TRUCK IN HOUSE CLEANUP

WATERBODY: LIS: CATCH BASIN: AIR: GROUND WATER: INSIDE BUILDING: TOTAL IN WATER: TOTAL RECOVERED: RESPONSIBLE PARTY: NORTHEAST UTILITIES	RIVER: TRIBUTARY: POND: SURFACE WATER: GROUND SURFACE: Y OTHER AREA: TOTAL RECOVERED FROM WATER:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------

PHONE: POLLUTER UNKNOWN: CLEANUP ACTION TAKEN: DUN BRAD: NOTIFIED COAST GAURD: NOTIFIED LOCAL FIRE DEPT: NOTIFIED ATTORNEY GENERAL: NOTIFIED STATE DOHS: NOTIFIED STATE AIR BUREAU: NOTIFIED WEED HAZ WASTE:	ACCEPT RESPONSIBILITY: Y NOTIFIED FEDERAL GOVERNMENT: NOTIFIED FIRE MARSHALL: NOTIFIED POLICE: NOTIFIED AQUACULTURE: NOTIFIED STATE WATER BUREAU: NOTIFIED STATE WASTE BUREAU: NOTIFIED WEED SOLID WASTE:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 88 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME: NORTHEAST UTILITIES
ADDRESS: CHURCH ST
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 923587
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NORTHEAST UTILITIES
SOURCE: CT DEP

PERMITTING NOTIFIED:
NOTIFIED SOLID WASTE RECOVERY:
NOTIFIED P-F:
NOTIFIED OPS:
NOTIFIED STATE AGENCIES:
NOTIFICATION TIME:
DISCHARGE CLASS: UTILITY

NOTIFIED UST UNIT:
NOTIFIED ENVIRONMENTAL CONSERVATION:
NOTIFIED F-W:
NOTIFIED OTHER:
NOTIFICATION DATE:

CAUSE: OTHER

CORRECTIVE ACTION TAKEN: CLEANED

CONTRACTOR:
DID DEP HIRE CONT:
WHEN CONT REQUESTED:
ARRIVED:
RECEIVED BY: GOTHBERG
ASSIGNED DATE:
NOT 911 EMERGENCY:
CT EMERGENCY SPILLFUND USED:
CASE NUMBER 2:
PIN:
INC CODE:
OTHER OWNER:
PROP NAME:

CONT NAME:
HIRE DATE:
SECOND REQUEST:
ARRIVED SECOND TIME:
BADGE NUMBER:
ASSIGNED TIME:
NOTIFICATION STATUS:
CASE NUMBER:
FED GOV PAID:
COST RECOVERY EXPENDITURE:
PROPERTY OWNER:

WAS POLLUTER A TRUCK:
OWNER OF TRUCK/TRAILER:
OPERATORS NAME:
VEHICLE MODEL:
TRAILER REGISTRATION:
DATE UPDATED:
QUAN FET:

WAS POLLUTER A TRAILER:
OWNERS NAME:
MAKE OF VEHICLE:
TRUCK REGISTRATION:
UPDATED WITH INSPECTORS REPORT:
COPY: W

MISCELLANEOUS INFORMATION:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 108 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME: ADDRESS: CHURCH ST NAUGATUCK CT 06770	REV: 3/13/01 ID1: 942551 ID2: STATUS: CLOSED PHONE:
CONTACT: SOURCE: CT DEP	

SITE INFORMATION

INSPECTOR S BADGE NUMBER: NR REPORT DATE: 05/06/94 ACTUAL TIME: 56 REPORTER: 1018 FIRE DEPT	REPORT TIME: 7
WORK PHONE: 203 729 1315 HOME PHONE: POLE NUMBER: INCIDENT TYPE: PETROLEUM GALLONS: POUNDS: DRUMS: CERCLA: EMERGENCY CLEANUP: TOTAL POUNDS:	DISCHARGED: GASOLINE YARDS: CON: FEDRAL: ACROSS PROPERTY LINES: REP QUAN:

DESCRIPTION:

DATE: 05/06/94 CONTINUOUS SPILL: RELEASE TERMINATED: Y UNKNOWN:	DATE UNKNOWN: SPILL TIME: 741 ONGOING RELEASE: CONTAINED: Y
------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

ADDITIONAL INFORMATION:

WATERBODY: LIS: CATCH BASIN: AIR: GROUND WATER: INSIDE BUILDING: TOTAL IN WATER: TOTAL RECOVERED: RESPONSIBLE PARTY:	RIVER: TRIBUTARY: POND: SURFACE WATER: GROUND SURFACE: Y OTHER AREA: TOTAL RECOVERED FROM WATER:
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------

PHONE: POLLUTER UNKNOWN: CLEANUP ACTION TAKEN: SANDED DUN BRAD: NOTIFIED COAST GAURD: NOTIFIED LOCAL FIRE DEPT: NOTIFIED ATTORNEY GENERAL: NOTIFIED STATE DOHS: NOTIFIED STATE AIR BUREAU: NOTIFIED WEED HAZ WASTE:	ACCEPT RESPONSIBILITY: NOTIFIED FEDERAL GOVERNMENT: NOTIFIED FIRE MARSHALL: NOTIFIED POLICE: NOTIFIED AQUACULTURE: NOTIFIED STATE WATER BUREAU: NOTIFIED STATE WASTE BUREAU: NOTIFIED WEED SOLID WASTE:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 108 **DIST/DIR:** 0.05 SW **ELEVATION:** 197 **MAP ID:** 6

NAME:
ADDRESS: CHURCH ST
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 942551
ID2:
STATUS: CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

PERMITTING NOTIFIED:
NOTIFIED SOLID WASTE RECOVERY:
NOTIFIED P-F:
NOTIFIED OPS:
NOTIFIED STATE AGENCIES:
NOTIFICATION TIME:
DISCHARGE CLASS: PRIVATE

NOTIFIED UST UNIT:
NOTIFIED ENVIRONMENTAL CONSERVATION:
NOTIFIED F-W:
NOTIFIED OTHER:
NOTIFICATION DATE:

CAUSE: FUEL TANK FAILURE

CORRECTIVE ACTION TAKEN: SANDED

CONTRACTOR:
DID DEP HIRE CONT:
WHEN CONT REQUESTED:
ARRIVED:
RECEIVED BY:
ASSIGNED DATE:
NOT 911 EMERGENCY:
CT EMERGENCY SPILLFUND USED:
CASE NUMBER 2:
PIN:
INC CODE:
OTHER OWNER:
PROP NAME:

CONT NAME:
HIRE DATE:
SECOND REQUEST:
ARRIVED SECOND TIME:
BADGE NUMBER:
ASSIGNED TIME:
NOTIFICATION STATUS:
CASE NUMBER:
FED GOV PAID:
COST RECOVERY EXPENDITURE:
PROPERTY OWNER:

WAS POLLUTER A TRUCK:
OWNER OF TRUCK/TRAILER:
OPERATORS NAME:
VEHICLE MODEL:
TRAILER REGISTRATION:
DATE UPDATED:
QUAN FET:

WAS POLLUTER A TRAILER:
OWNERS NAME:
MAKE OF VEHICLE:
TRUCK REGISTRATION:
UPDATED WITH INSPECTORS REPORT:
COPY: W

MISCELLANEOUS INFORMATION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 109	DIST/DIR: 0.05 SW	ELEVATION: 197	MAP ID: 6
-----------------------	--------------------------	-----------------------	------------------

NAME: ADDRESS: CHURCH ST NAUGATUCK CT CONTACT: NO RESPONSE SOURCE: CT DEP	REV: 4/21/10 ID1: 9702687 ID2: STATUS: CLOSED PHONE:
-----------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------

SITE INFORMATION

DATE OF RELEASE: 5/27/1997
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 5/27/1997 1:19:13 PM
REPORTED BY: DISP 1
REPORTER S PHONE: 7292234

MATERIAL RELEASED: TRANSMISSION OIL
QUANTITY SPILLED: 3 GAL

CAUSE OF INCIDENT: TRANSFER LINE FAILURE

EMERGENCY MEASURES: SANDED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 106 **DIST/DIR:** 0.05 NW **ELEVATION:** 214 **MAP ID:** 7

NAME: ADDRESS: 28 CHURCH ST NAUGATUCK CT	REV: 4/21/10 ID1: 200201710 ID2: STATUS: CLOSED PHONE:
CONTACT: NO RESPONSE SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 3/19/2002
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 3/19/2002 6:41:15 PM
REPORTED BY: FD
REPORTER S PHONE: 7292233

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES: SANDED

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 44 **DIST/DIR:** 0.06 NW **ELEVATION:** 204 **MAP ID:** 8

NAME: NAPA AUTO PARTS ADDRESS: 62 CHURCH ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110001734936 ID2: 09009CFC08 STATUS: FRS PHONE:
------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110001734936 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: AIRS/AFS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 9/22/1999 ENFORCEMENT ACT: REG PROGRAM: AIR MINOR - A FACILITY IS CLASSIFIED AS A CLEAN AIR ACT STATIONARY SOURCE MINOR DISCHARGER OF AIR POLLUTANTS IF: (A) POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR; OR (B) MAJOR SOURCE THRESHOLDS ARE NOT DEFINED, OR CLASSIFICATION IS UNKNOWN.	PROGRAM ID: 09009CFC08 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: AIRS/AFS LAST EXTRACTED:
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000
DATA UPDATED: 1/4/2007 4:41:52 PM
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR: MEDIUM
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY: NO
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST: 05
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS: 01100005
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 44	DIST/DIR: 0.06 NW	ELEVATION: 204	MAP ID: 8
----------------------	--------------------------	-----------------------	------------------

NAME: NAPA AUTO PARTS
ADDRESS: 62 CHURCH ST
NAUGATUCK CT 06770
NEW HAVEN

REV: 5/22/09
ID1: 110001734936
ID2: 09009CFC08
STATUS: FRS
PHONE:

CONTACT:
SOURCE: EPA

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 67 **DIST/DIR:** 0.06 SW **ELEVATION:** 194 **MAP ID:** 9

NAME: LEWIS ENGINEERING CO.
ADDRESS: 52 RUBBER AVE
NAUGATUCK CT

REV: 4/23/10
ID1: 1596
ID2: CTD000791145
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1: CYANIDE
WASTE TYPE2: METALS
WASTE TYPE3: ACID/BASE

DISPOSAL METHOD: WATER BODY SPILL/DUMP

SAMPLE AVAILABLE: NO
LOCATION METHOD:
OTHER DEP:

UPDATED BY: MCDANIEL, M.
UPDATED PROGRAM: DandA
UPDATED: 12/20/1993
SW CLASSIFICATION:
GW CLASSIFICATION:

COMMENTS: ADDRESS ALSO GIVEN AS 52 RUBBER AVENUE. 52 RUBBER AVENUE

SITE NAMES

COLT INDUSTRIES, INC.
LEWIS ELECTRONIC INST.
LEWIS ELECTRONIC INST.
COLT INDUSTRIES, INC.

COMMENTS: 52 RUBBER AVENUE

INFORMATION

ESTABLISHMENT: LEWIS ELECTRONIC INST. (COLT)
SELLER: COLT INDUSTRIES, INC.
BUYER: COLT HOLDINGS

FORM: FORM I **RECEIVED:** 6/10/1988
ACKNOWLEDGED: 8/5/1988 **RETURNED:**
CERTIFIED: **REVISED:**
ECAF RECEIVED: **ECAF REVIEWED:**

STATUS:

STAFF:

CERTIFIER: ,

FIRST PAYMENT: \$ **SECOND PAYMENT:** \$

COMMENTS:

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 67	DIST/DIR: 0.06 SW	ELEVATION: 194	MAP ID: 9
----------------------	--------------------------	-----------------------	------------------

NAME: LEWIS ENGINEERING CO.
ADDRESS: 52 RUBBER AVE
NAUGATUCK CT

REV: 4/23/10
ID1: 1596
ID2: CTD000791145
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

REFERRAL INFORMATION

SOURCE:	SUPERFUND - DEP WASTE BUREAU - SUPERFUND SITE DISCOVERY
RECEIVED:	12/17/1993
STAFF:	
PROGRAM:	
ASSIGNED:	
COMPLETED:	
OUTCOME:	

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 83 **DIST/DIR:** 0.06 NW **ELEVATION:** 201 **MAP ID:** 10

NAME: FIRST OIL CO/YE OLDE WINE SHOPPE
ADDRESS: 72 CHURCH ST
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 947580
ID2:
STATUS: CLOSED
PHONE:

CONTACT: FIRST OIL CO/YE OLDE WINE SHOPPE
SOURCE: CT DEP

SITE INFORMATION

INSPECTOR S BADGE NUMBER: 912
REPORT DATE: 12/14/94
ACTUAL TIME: 55
REPORTER: LEROY SMITH
FIRE DEPT

REPORT TIME: 17

WORK PHONE: 203 729 2234
HOME PHONE:
POLE NUMBER:
INCIDENT TYPE: PETROLEUM
GALLONS: 20
POUNDS:
DRUMS:
CERCLA:
EMERGENCY CLEANUP:
TOTAL POUNDS:

DISCHARGED: 2 FUEL OIL
YARDS:
CON:
FEDRAL:
ACROSS PROPERTY LINES:
REP QUAN:

DESCRIPTION:

DATE: 12/14/94
CONTINUOUS SPILL:
RELEASE TERMINATED: Y
UNKNOWN:

DATE UNKNOWN:
SPILL TIME:
ONGOING RELEASE:
CONTAINED: Y

ADDITIONAL INFORMATION:

WATERBODY:
LIS:
CATCH BASIN:
AIR:
GROUND WATER:
INSIDE BUILDING: Y
TOTAL IN WATER:
TOTAL RECOVERED: 20
RESPONSIBLE PARTY: FIRST OIL CO/YE OLDE WINE SHOPPE
67 HALLSEY LANE/72 CHURCH ST
WOODBIDGE/NAUGATUCK CT

RIVER:
TRIBUTARY:
POND:
SURFACE WATER:
GROUND SURFACE:
OTHER AREA:
TOTAL RECOVERED FROM WATER:

PHONE:
POLLUTER UNKNOWN:
CLEANUP ACTION TAKEN: SPEEDI DRI/PADDED
DUN BRAD:
NOTIFIED COAST GAURD:
NOTIFIED LOCAL FIRE DEPT:
NOTIFIED ATTORNEY GENERAL:
NOTIFIED STATE DOHS:
NOTIFIED STATE AIR BUREAU:
NOTIFIED WEED HAZ WASTE:

ACCEPT RESPONSIBILITY: Y

NOTIFIED FEDERAL GOVERNMENT:
NOTIFIED FIRE MARSHALL:
NOTIFIED POLICE:
NOTIFIED AQUACULTURE:
NOTIFIED STATE WATER BUREAU:
NOTIFIED STATE WASTE BUREAU:
NOTIFIED WEED SOLID WASTE:

- Continued on next page -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 83 **DIST/DIR:** 0.06 NW **ELEVATION:** 201 **MAP ID:** 10

NAME: FIRST OIL CO/YE OLDE WINE SHOPPE
ADDRESS: 72 CHURCH ST
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 947580
ID2:
STATUS: CLOSED
PHONE:

CONTACT: FIRST OIL CO/YE OLDE WINE SHOPPE
SOURCE: CT DEP

PERMITTING NOTIFIED:
NOTIFIED SOLID WASTE RECOVERY:
NOTIFIED P-F:
NOTIFIED OPS:
NOTIFIED STATE AGENCIES:
NOTIFICATION TIME:
DISCHARGE CLASS:

COMMERCIAL

CAUSE: ABOVE GROUND FAILURE

CORRECTIVE ACTION TAKEN: CONTAINED/REMOVED CONTRACTED

CONTRACTOR: Y
DID DEP HIRE CONT: N
WHEN CONT REQUESTED:
ARRIVED:
RECEIVED BY:
ASSIGNED DATE: 12/14/94
NOT 911 EMERGENCY:
CT EMERGENCY SPILLFUND USED:
CASE NUMBER 2:
PIN:
INC CODE:
OTHER OWNER:
PROP NAME:

NOTIFIED UST UNIT:
NOTIFIED ENVIRONMENTAL CONSERVATION:
NOTIFIED F-W:
NOTIFIED OTHER:
NOTIFICATION DATE:

CONT NAME: E W R
HIRE DATE:
SECOND REQUEST:
ARRIVED SECOND TIME:
BADGE NUMBER: 912
ASSIGNED TIME: 17 57
NOTIFICATION STATUS:
CASE NUMBER:
FED GOV PAID:
COST RECOVERY EXPENDITURE:
PROPERTY OWNER:

WAS POLLUTER A TRUCK:
OWNER OF TRUCK/TRAILER:
OPERATORS NAME:
VEHICLE MODEL:
TRAILER REGISTRATION:
DATE UPDATED: 12/14/94
QUAN FET:

WAS POLLUTER A TRAILER:
OWNERS NAME:
MAKE OF VEHICLE:
TRUCK REGISTRATION:
UPDATED WITH INSPECTORS REPORT: Y
COPY: 2

MISCELLANEOUS INFORMATION: SEE REPORT

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 27 **DIST/DIR:** 0.07 SW **ELEVATION:** 198 **MAP ID:** 11

NAME: BUTTERFIELD TF INC ADDRESS: 56 RUBBER AVE NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110003010544 ID2: CTD002592517 STATUS: FRS PHONE:
----------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110003010544 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: RCRAINFO PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 8/5/1980 ENFORCEMENT ACT: REG PROGRAM: NOT IN A UNIVERSE - THE HANDLER IS NOT CURRENTLY IN ANY HAZARDOUS WASTE UNIVERSE.	PROGRAM ID: CTD002592517 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NOTIFICATION LAST EXTRACTED: 5/18/2003 1:38:07 AM
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000
DATA UPDATED: 1/6/2006 9:28:56 AM
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR: MEDIUM
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY: NO
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST: 05
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS: 01100005
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 12	DIST/DIR: 0.07 SW	ELEVATION: 198	MAP ID: 11
----------------------	--------------------------	-----------------------	-------------------

NAME: BUTTERFIELD TF INC
ADDRESS: 56 RUBBER AVE
NAUGATUCK CT 06770

REV: 1/13/10
ID1: CTD002592517
ID2:
STATUS: NLR
PHONE:

CONTACT:
SOURCE: EPA

SITE INFORMATION

UNIVERSE INFORMATION:

NAIC INFORMATION

ENFORCEMENT INFORMATION:

VIOLATION INFORMATION:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 51 **DIST/DIR:** 0.07 SW **ELEVATION:** 198 **MAP ID:** 11

NAME: RITE AID 1375
ADDRESS: 56 RUBBER AVE
NAUGATUCK CT 06770

REV: 5/22/09
ID1: 110030400527
ID2:
STATUS: FRS
PHONE:

CONTACT:
SOURCE: EPA

FACILITY REGISTRATION INFORMATION:

PROGRAM: SIMS
PROVIDED BY: STATE AGENCY
AGENCY INT QUAL:
INT END QUAL:
LAST REPORTED:
ENFORCEMENT ACT:
REG PROGRAM: STATE MASTER -

PROGRAM ID: 1534097
AGENCY INTERESTED:
INTEREST ENDED:
SOURCE OF DATA: CONNECTICUT DEP
LAST EXTRACTED: 5/24/2007 12:11:01 PM

PROGRAM: FRS
PROVIDED BY: FEDERAL AGENCY
AGENCY INT QUAL:
INT END QUAL:
LAST REPORTED: 5/24/2007 12:11:01 PM
ENFORCEMENT ACT:
REG PROGRAM: FACILITY -

PROGRAM ID: 110030400527
AGENCY INTERESTED: 5/24/2007 12:11:01 PM
INTEREST ENDED:
SOURCE OF DATA: SIMS
LAST EXTRACTED:

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 5/24/2007 12:11:01 PM
DATA UPDATED:
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR:
ENFORCEMENT SENSITIVE:
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 74 **DIST/DIR:** 0.07 SW **ELEVATION:** 198 **MAP ID:** 11

NAME: T.F. BUTTERFIELD INC.
ADDRESS: 56 RUBBER AVE
NAUGATUCK CT

REV: 4/23/10
ID1: 769
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1:
WASTE TYPE2:
WASTE TYPE3:

DISPOSAL METHOD:

SAMPLE AVAILABLE: NO
LOCATION METHOD:
OTHER DEP:
UPDATED BY:
UPDATED PROGRAM:
UPDATED:
SW CLASSIFICATION:
GW CLASSIFICATION:

COMMENTS:

SITE NAMES

COMMENTS:

INFORMATION

ESTABLISHMENT: T.F. BUTTERFIELD INC.
SELLER: T.F. BUTTERFIELD, INC.
BUYER: TMC REALTY CORP.

FORM: FORM III **RECEIVED:** 6/15/1987
ACKNOWLEDGED: **RETURNED:** 7/31/1987
CERTIFIED: **REVISED:**
ECAF RECEIVED: **ECAF REVIEWED:**

STATUS: C

STAFF: TATARTIS, S.

CERTIFIER: ,

FIRST PAYMENT: \$ **SECOND PAYMENT:** \$

COMMENTS: PAY 1 - NOT DUE

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 74 **DIST/DIR:** 0.07 SW **ELEVATION:** 198 **MAP ID:** 11

NAME: T.F. BUTTERFIELD INC.
ADDRESS: 56 RUBBER AVE
NAUGATUCK CT

REV: 4/23/10
ID1: 769
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

REMEDIAL INFORMATION

TYPE:	III	
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM	
ENTERED:		
STAFF:	TATARTIS, S.	COMPLETE:
ASSIGNED:		PHASE: C
ORDER ISSUED:	NO	ORDER NUMBER:
ORDER DATE:		INVESTIGATION START:
COMPLETED:		DESIGN START:
DESIGN DONE:		ACTION START:
ACTION DONE:		OPERATION START:
GW MONITORING:	NO	

REFERRAL INFORMATION

SOURCE:	PTP - PROPERTY TRANSFER PROGRAM
RECEIVED:	7/1/1987
STAFF:	
PROGRAM:	
ASSIGNED:	
COMPLETED:	
OUTCOME:	

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 26	DIST/DIR: 0.07 SW	ELEVATION: 198	MAP ID: 11
----------------------	--------------------------	-----------------------	-------------------

NAME: BUTTERFIELD TF INC
ADDRESS: 56 RUBBER AVE
NAUGATUCK CT 06770

REV:
ID1: CTD002592517
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS : CTD002592517
PCS : CT0021962
AFS/AIRS :
SSTS :
CERCLIS :
NCDB :
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB :
UNKNOWN :

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

OTHER

SEARCH ID: 133	DIST/DIR: 0.07 SW	ELEVATION: 198	MAP ID: 11
-----------------------	--------------------------	-----------------------	-------------------

NAME: T F BUTTERFIELD INC
ADDRESS: 56 AND 32 RUBBER AVE
NAUGATUCK CT 06770

REV: 2/1/04
ID1: 769
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

SITE TYPE:	PROPERTY TRANSFER FORM III
INVESTIGATION START DATE:	
REMEDATION START DATE:	
REMEDATION COMPLETED DATE:	
ENVIRO	
COMMENTS:	PROJECTS

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 84 **DIST/DIR:** 0.07 SW **ELEVATION:** 198 **MAP ID:** 11

NAME: MVA
ADDRESS: 56 RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200006875
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 9/13/2000
TIME OF RELEASE: 3:21:00 PM
ACTION: SANDED

DISCHARGER: MVA
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 9/13/2000 3:36:04 PM
REPORTED BY: DISP 3
REPORTER S PHONE: 7292233

MATERIAL RELEASED: MOTOR VEHICLE FLUIDS
QUANTITY SPILLED: 0.5 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES: MVA. SANDED.

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

ERNS

SEARCH ID: 20 **DIST/DIR:** 0.07 SE **ELEVATION:** 203 **MAP ID:** 12

NAME: ADDRESS: NAUGATUCK STATION NAUGATUCK CT 06770 FAIRFIELD CONTACT: EDWARD URBANOWSKI SOURCE: NRC	REV: 12/31/00 ID1: NRC-525448 ID2: STATUS: RAILROAD NON-RELEASE PHONE: 2123402050
-------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------

SITE INFORMATION

THIS INFORMATION WAS OBTAINED FROM THE NATIONAL RESPONSE CENTER

DATE RECEIVED:	08-APR-00	DATE COMPLETE:	08-APR-00
CALL TAKER:	BWC7361	CALL TYPE:	INC

RESPONSIBLE PARTY: EDWARD URBANOWSKI
PHONE 1: 2123402050 PRIMARY
PHONE 2:
PHONE 3:

RESPONSIBLE COMPANY: METRO NORTH RR
ORGANIZATION TYPE: PRIVATE ENTERPRISE

ADDRESS: 347 MADISON AVE
NEW YORK NY 10017

INITIALLY REPORTED BY:
PHONE:

INIT REPORTED COMPANY:
ON BEHALF OF: Y
SOURCE: UNAVAILABLE

INCIDENT INFORMATION

INCIDENT DESCRIPTION: THERE WAS AN ELECTRICAL FIRE ONBOARD A TRAIN IN THE ENGINE/ TRAIN WAS STOPPED AND NOT MOVING

INCIDENT TYPE:	RAILROAD NON-RELEASE	INCIDENT CAUSE: OTHER
INCIDENT DATE:	08-APR-00	INCIDENT DATE DESC: OCCURRED
DISTANCE FROM CITY:		DISTANCE UNITS:
DIRECTION FROM CITY:		LOCATION SECTION:
LOCATION TOWNSHIP:		LOCATION RANGE:
WMD CHEM FLAG:	F	RAD FLAG: F
BIO FLAG:	F	OIL FLAG:
POTENTIAL_FLAG:		AMT MATERIAL FLAG:
MILITARY ORG FLAG:	N	LNG FLAG:

AIRCRAFT TYPE: AIRCRAFT ID: AIRCRAFT FUEL CAPACITY UNITS: AIRCRAFT FUEL ON BOARD UNITS: AIRCRAFT HANGER: ROAD MILE MARKER: TYPE OF FIXED OBJECT: GENERATING CAPACITY: NPDES:	AIRCRAFT MODEL: AIRCRAFT FUEL CAPACITY: AIRCRAFT FUEL ON BOARD: AIRCRAFT SPOT NUMBER: AIRCRAFT RUNWAY NUM: BUILDING ID: POWER GEN FACILITY: TYPE OF FUEL: NPDES COMPLIANCE:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

ERNS

SEARCH ID: 20 **DIST/DIR:** 0.07 SE **ELEVATION:** 203 **MAP ID:** 12

NAME: ADDRESS: NAUGATUCK STATION NAUGATUCK CT 06770 FAIRFIELD CONTACT: EDWARD URBANOWSKI SOURCE: NRC	REV: 12/31/00 ID1: NRC-525448 ID2: STATUS: RAILROAD NON-RELEASE PHONE: 2123402050
-------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------

PIPELINE TYPE: PIPELINE ABOVE GROUND: PIPELINE COVERED: GRADE CROSSING: RAILROAD MILEPOST: CROSSING DEVICE TYPE:	DOT REGULATED: EXPOSED UNDERWATER: RAILROAD HOTLINE: LOCATION SUBDIVISION: TYPE VEHICLE INVOLVED: DEVICE OPERATIONAL:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

DOT CROSSING NUMBER: TANK ABOVE GROUND: TANK REGULATED: TANK ID: CAPACITY OF TANK UNITS: ACTUAL AMOUNT UNITS: PLATFORM LETTER: LOCATION BLOCK ID:	BRAKE FAILURE: TRANSPORTABLE CONTAINER: TANK REGULATED BY: CAPACITY OF TANK: ACTUAL AMOUNT: PLATFORM RIG NAME: LOCATION AREA ID:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

DESCRIPTION OF TANK:

OCSG NUMBER: STATE LEASE NUMBER: BERTH SLIP NUMBER: INITIAL CONT RELEASE NUM: ALLISION: STRUCTURE NAME: AIRBAG DEPLOYED: SERVICE DISRUPT TIME: TRANSIT BUS FLAG: CR END DATE:	OCSF NUMBER: PIER DOCK NUMBER: CONTIN RELEASE TYPE: CONT RELEASE PERMIT: TYPE OF STRUCTURE: STRUCT OPERATIONAL: DATE NORMAL SERVICE: SERVICE DISRUPT UNITS: CR BEGIN DATE: CR CHANGE DATE:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

FIRE INVOLVED: Y ANY EVACUATIONS: N WHO EVACUATED: ANY INJURIES: Y NUMBER HOSPITALIZED: 2 NUMBER FATALITIES: DAMAGE AMOUNT: AIR CORRIDOR DESC: WATERWAY CLOSED: N WATERWAY CLOSURE TIME: ROAD DESC: CLOSURE DIRECTION:	FIRE EXTINGUISHED: Y NUMBER EVACUATED: RADIUS OF EVACUATION: NUMBER INJURED: 2 ANY FATALITIES: N ANY DAMAGES: N AIR CORRIDOR CLOSED: N AIR CLOSURE TIME: WATERWAY DESC: ROAD CLOSED: N ROAD CLOSURE TIME: MAJOR ARTERY: N
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

TRACK CLOSED: N TRACK CLOSURE TIME: MEDIUM DESC: OTHER BODY OF WATER: NEAREST RIVER MILE MARK: EST DUR OF RELEASE: TRACK CLOSE DIR: ST AGENCY RPT NUM: WEATHER CONDITIONS: WIND SPEED: WATER SUPPLY CONTAM: U	TRACK DESC: MEDIA INTEREST: NONE ADDTL MEDIUM INFO: TRIBUTARY OF: RELEASE SECURED: U RELEASE RATE: ST AGENCY ON SCENE: FIRE DEPT OTHER AGENCY NOTIFIED: AIR TEMPERATURE: WIND DIRECTION: SHEEN SIZE:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

ERNS

SEARCH ID: 20 **DIST/DIR:** 0.07 SE **ELEVATION:** 203 **MAP ID:** 12

NAME: ADDRESS: NAUGATUCK STATION NAUGATUCK CT 06770 FAIRFIELD CONTACT: EDWARD URBANOWSKI SOURCE: NRC	REV: 12/31/00 ID1: NRC-525448 ID2: STATUS: RAILROAD NON-RELEASE PHONE: 2123402050
-------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------

SHEEN COLOR: SHEEN ODOR DESCRIPTION: CURRENT SPEED: WATER TEMPERATURE:	DIR OF SHEEN TRAVEL: WAVE CONDITION: CURRENT DIRECTION:
-------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------

DESC OF REMEDIAL ACTION: FIRE DEPT RESPONDED

EMPL FATALITY: COMMUNITY IMPACT: N EMPLOYEE INJURIES: OCCUPANT FATALITY: ROAD CLOSURE UNITS: SHEEN SIZE UNITS: FED AGENCY NOTIFIED: TYPE OF STRUCTURE: STRUCTURE OPERATIONAL: SHEEN SIZE LENGTH: SHEEN SIZE WIDTH: OFFSHORE: N RELEASE RATE UNIT:	PASS FATALITY: WIND SPEED UNITS: PASSENGER INJURIES: CURRENT SPEED UNITS: M TRACK CLOSURE UNITS: STATE AGENCY NOTIFIED: STRUCTURE NAME: ALLISION: NEAREST RIVER MILE MARK: SHEEN SIZE LENGTH UNITS: SHEEN SIZE WIDTH UNITS: DURATION UNIT: RELEASE RATE RATE:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

ADDITIONAL INFO: CONDUCTOR AND ENGINEER WERE INJURED AND TAKEN TO HOSPITAL FOR INJURIES
SUSTAINED FIGHTING FIRE/ INJURIES WERE: BURNS TO HAND AND ARMS AND POSSIBLE BROKEN HAND/ BUS SERVICE WAS
PROVIDED TO CUSTOMERS

MATERIAL INFORMATION

OTHER MATERIAL INFORMATION

MOBILE DETAILS INFORMATION

TRAIN INFORMATION

TRAIN NAME/NUMBER: 6926 TRAIN TYPE: PASSENGER TRAIN SPEED: NUMBER OF LOCOMOTIVES: 1 NUMBER DERAILED:	RAILROAD NAME: METRO NORTH RR TRACK SPEED: TRAIN DIRECTION: NUMBER OF CARS: 2 NON COMPLIANCE WITH HAZMAT: N
-----------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------

VESSEL INFORMATION

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 32	DIST/DIR: 0.08 SW	ELEVATION: 204	MAP ID: 13
----------------------	--------------------------	-----------------------	-------------------

NAME: DOOVAL TOOL and MFG
ADDRESS: 35 ELM ST
NAUGATUCK CT 06770

REV:
ID1: CTD001186733
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS : CTD001186733
PCS : CT0001597
AFS/AIRS :
SSTS :
CERCLIS :
NCDB :
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB :
UNKNOWN :

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 33 **DIST/DIR:** 0.08 SW **ELEVATION:** 204 **MAP ID:** 13

NAME: DOOVAL TOOL and MFG ADDRESS: 35 ELM ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110003009841 ID2: CTD001186733 STATUS: FRS PHONE:
-------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: RCRAINFO PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 8/18/1980 ENFORCEMENT ACT: REG PROGRAM: NOT IN A UNIVERSE - THE HANDLER IS NOT CURRENTLY IN ANY HAZARDOUS WASTE UNIVERSE.	PROGRAM ID: CTD001186733 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NOTIFICATION LAST EXTRACTED: 5/18/2003 1:38:08 AM
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110003009841 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000
DATA UPDATED: 1/6/2006 9:24:39 AM
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR: MEDIUM
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY: NO
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST: 05
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS: 01100005
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 63 **DIST/DIR:** 0.08 SW **ELEVATION:** 204 **MAP ID:** 13

NAME: DOOVAL TOOL and MFG., INC
ADDRESS: 35 ELM ST
NAUGATUCK CT

REV: 4/23/10
ID1: 1943
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1: METALS
WASTE TYPE2: NCHLR VOC - NON CHLORINATED VOLATILE ORGANIC COMPOUNDS
WASTE TYPE3:

DISPOSAL METHOD:

SAMPLE AVAILABLE: NO
LOCATION METHOD:
OTHER DEP:
UPDATED BY: POST, M.
UPDATED PROGRAM: CORE
UPDATED: 8/17/1994
SW CLASSIFICATION:
GW CLASSIFICATION:

COMMENTS: ENVIRONMENTAL SITE ASSESSMENT PHASE II 5/4/88 (8/94)

SITE NAMES

COMMENTS:

REFERRAL INFORMATION

SOURCE: REMEDIAL - DEP WATER BUREAU - REMEDIATION SECTION
RECEIVED: 8/17/1994
STAFF:
PROGRAM:
ASSIGNED:
COMPLETED:
OUTCOME:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 104	DIST/DIR: 0.08 SW	ELEVATION: 204	MAP ID: 13
-----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: 35 ELM ST NAUGATUCK CT CONTACT: WOFFORD, RON SOURCE: CT DEP	REV: 4/21/10 ID1: 9703776 ID2: STATUS: CLOSED PHONE:
------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------

SITE INFORMATION

DATE OF RELEASE: 7/15/1997
TIME OF RELEASE:
ACTION: REFERRED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 5:40:00 PM
REPORTED BY: RACHEAL PRINGLE
REPORTER S PHONE: 5750205

MATERIAL RELEASED: UNKNOWN
EMERGENCY MEASURES: NONE

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 93 **DIST/DIR:** 0.08 SW **ELEVATION:** 204 **MAP ID:** 13

NAME: TOWN OF NAUGATUCK ADDRESS: 35 ELM ST NAUGATUCK CT 06770 CONTACT: TOWN OF NAUGATUCK SOURCE: CT DEP	REV: 3/13/01 ID1: 951067 ID2: STATUS: CLOSED PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------

SITE INFORMATION

INSPECTOR S BADGE NUMBER: 912 REPORT DATE: 02/20/95 ACTUAL TIME: 30 REPORTER: ANONYMOUS	REPORT TIME: 9
------------------------------------------------------------------------------------------------------------------------------	-----------------------

WORK PHONE: HOME PHONE: POLE NUMBER: INCIDENT TYPE: SEWAGE RELATED GALLONS: POUNDS: DRUMS: CERCLA: EMERGENCY CLEANUP: TOTAL POUNDS:	DISCHARGED: RAW SEWAGE 30-40 GPM YARDS: CON: FEDRAL: ACROSS PROPERTY LINES: REP QUAN:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

DESCRIPTION:

DATE: 02/20/95 CONTINUOUS SPILL: RELEASE TERMINATED: UNKNOWN:	DATE UNKNOWN: SPILL TIME: 930 ONGOING RELEASE: CONTAINED:
----------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------

ADDITIONAL INFORMATION:

WATERBODY: LONG MEADOW BROOK/NAUGATUCK LIS: CATCH BASIN: AIR: GROUND WATER: INSIDE BUILDING: Y TOTAL IN WATER: TOTAL RECOVERED: RESPONSIBLE PARTY: TOWN OF NAUGATUCK	RIVER: Y TRIBUTARY: Y POND: SURFACE WATER: Y GROUND SURFACE: OTHER AREA: TOTAL RECOVERED FROM WATER:
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PHONE: POLLUTER UNKNOWN: CLEANUP ACTION TAKEN: DUN BRAD: NOTIFIED COAST GAURD: NOTIFIED LOCAL FIRE DEPT: NOTIFIED ATTORNEY GENERAL: NOTIFIED STATE DOHS: NOTIFIED STATE AIR BUREAU: NOTIFIED WEED HAZ WASTE:	ACCEPT RESPONSIBILITY: Y NOTIFIED FEDERAL GOVERNMENT: NOTIFIED FIRE MARSHALL: NOTIFIED POLICE: NOTIFIED AQUACULTURE: NOTIFIED STATE WATER BUREAU: NOTIFIED STATE WASTE BUREAU: NOTIFIED WEED SOLID WASTE:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 93 **DIST/DIR:** 0.08 SW **ELEVATION:** 204 **MAP ID:** 13

NAME: TOWN OF NAUGATUCK ADDRESS: 35 ELM ST NAUGATUCK CT 06770 CONTACT: TOWN OF NAUGATUCK SOURCE: CT DEP	REV: 3/13/01 ID1: 951067 ID2: STATUS: CLOSED PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------

PERMITTING NOTIFIED: NOTIFIED SOLID WASTE RECOVERY: NOTIFIED P-F: NOTIFIED OPS: NOTIFIED STATE AGENCIES: NOTIFICATION TIME: DISCHARGE CLASS: GOVERNMENTAL	NOTIFIED UST UNIT: NOTIFIED ENVIRONMENTAL CONSERVATION: NOTIFIED F-W: NOTIFIED OTHER: NOTIFICATION DATE:
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------

CAUSE: OTHER SEWAGE BREAK

CORRECTIVE ACTION TAKEN: REFERRED

CONTRACTOR: DID DEP HIRE CONT: WHEN CONT REQUESTED: ARRIVED: RECEIVED BY: ASSIGNED DATE: NOT 911 EMERGENCY: CT EMERGENCY SPILLFUND USED: CASE NUMBER 2: PIN: INC CODE: OTHER OWNER: PROP NAME:	CONT NAME: HIRE DATE: SECOND REQUEST: ARRIVED SECOND TIME: BADGE NUMBER: 912 ASSIGNED TIME: NOTIFICATION STATUS: CASE NUMBER: FED GOV PAID: COST RECOVERY EXPENDITURE: PROPERTY OWNER:
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

WAS POLLUTER A TRUCK: OWNER OF TRUCK/TRAILER: OPERATORS NAME: VEHICLE MODEL: TRAILER REGISTRATION: DATE UPDATED: 02/20/95 QUAN FET:	WAS POLLUTER A TRAILER: OWNERS NAME: MAKE OF VEHICLE: TRUCK REGISTRATION: UPDATED WITH INSPECTORS REPORT: Y COPY: 2
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

MISCELLANEOUS INFORMATION: BOB SMITH WATER MNGMNT and LOCAL HEALTH DEPTNOTIFIED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 14	DIST/DIR: 0.08 SW	ELEVATION: 204	MAP ID: 13
----------------------	--------------------------	-----------------------	-------------------

NAME: DOOVAL TOOL and MFG ADDRESS: 35 ELM ST NAUGATUCK CT 06770 NEW CONTACT: SOURCE: EPA	REV: 1/13/10 ID1: CTD001186733 ID2: STATUS: NLR PHONE:
-------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SITE INFORMATION

CONTACT INFORMATION: VINCENT VALVO
PO BOX 309
NAUGATUCK CT 06770

PHONE: 2037295211

UNIVERSE INFORMATION:

NAIC INFORMATION

332111 - IRON AND STEEL FORGING

ENFORCEMENT INFORMATION:

VIOLATION INFORMATION:

VIOLATION NUMBER:	0001	RESPONSIBLE:	S - STATE
DETERMINED:	4/7/1998	DETERMINED BY:	S - STATE
CITATION:	262.34		
RESOLVED:	4/8/1998		
TYPE:	CONTAINER MGT=SAT LITE ACCUMS/CONTAINER		

HAZARDOUS WASTE INFORMATION:

The following spent halogenated solvents used in degreasing: Tetrachloroethylene, trichlorethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride and chlorinated fluorocarbons; all spent solvent mixtures/blends used in degreasing contain

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NCDB

SEARCH ID: 170 **DIST/DIR:** 0.08 NW **ELEVATION:** 204 **MAP ID:** 14

NAME: BEACON FALLS TOY DIST. CO. ADDRESS: 78 CHURCH ST NAUGATUCK CT 00000 NEW HAVEN CONTACT: SOURCE: EPA	REV: 1/21/10 ID1: NCDB-0801-000861 ID2: 19881114CT011 1 STATUS: TSCA PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------

SITE INFORMATION

EPA REGION:	01	INSPECTION REG OR ST:	CT
INSPECTOR ID:	CT011	INSPECTION DATE:	11/14/88
INSPECTOR NAME:	LAURICELLA	NUMBER OF SAMPLES:	0
NUMBER OF AUDITS:	0	DUNN and BRAD NUMBER:	
FEDERAL FACILITY:	N	LEGISLATION CODE:	T
NUMBER OF SCHOOLS:	0	SCHOOL TYPE:	
EPA PESTICIDE ID:		EPA FIFRA REG ID:	
 FACILITY FUNCTION: US - USER			
INVESTIGATION TYPE: 6PS - SECTION 6 PCB STATE CONDUCTED - STORAGE; VIOLS OTHER THAN COMM ST APPROV			
REASON: FCF - FOR CAUSE, FOLLOW-UP			
REFERRAL TYPE :			
 PRINT INFO: BEACON FALLS TOY DIST. CO. 78 CHURCH ST. NAUGATUCK CT 00000-			

SIC INFORMATION:

SIC 1:
SIC 2:
SIC 3:
SIC 4:
SIC 5:
SIC 6:

SAMPLE INFORMATION

CASE REVIEW INFORMATION:

SAMPLE NUMBER:	0	ACTION WARRANTED:	N
DOCKET NUMBER:		CASE NUMBER:	
START DATE:	3/30/89	COMPLETION DATE:	3/30/89

IMPORT INFORMATION

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NCDB

SEARCH ID: 170	DIST/DIR: 0.08 NW	ELEVATION: 204	MAP ID: 14
-----------------------	--------------------------	-----------------------	-------------------

NAME: BEACON FALLS TOY DIST. CO.
ADDRESS: 78 CHURCH ST
NAUGATUCK CT 00000
NEW HAVEN

REV: 1/21/10
ID1: NCDB-0801-000861
ID2: 19881114CT011 1
STATUS: TSCA
PHONE:

CONTACT:
SOURCE: EPA

REFERRAL INFORMATION:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 23 **DIST/DIR:** 0.08 NW **ELEVATION:** 204 **MAP ID:** 14

NAME: BEACON FALLS TOY DIST. CO. ADDRESS: 78 CHURCH ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110011440271 ID2: 19881114CT011 1 STATUS: FRS PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: NCDB PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: COMPLIANCE ACTIVITY - A COMPLIANCE MONITORING OR ENFORCEMENT ACTIVITY, FROM THE TIME AN INSPECTOR CONDUCTS AN INSPECTION UNTIL THE TIME THE INSPECTOR CLOSES OR THE CASE SETTLES THE ENFORCEMENT ACTION.	PROGRAM ID: I01 19881114CT011 1 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NCDB LAST EXTRACTED:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: NCDB PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: COMPLIANCE ACTIVITY - A COMPLIANCE MONITORING OR ENFORCEMENT ACTIVITY, FROM THE TIME AN INSPECTOR CONDUCTS AN INSPECTION UNTIL THE TIME THE INSPECTOR CLOSES OR THE CASE SETTLES THE ENFORCEMENT ACTION.	PROGRAM ID: I01 19881122CT011 1 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NCDB LAST EXTRACTED:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: NCDB PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: COMPLIANCE ACTIVITY - A COMPLIANCE MONITORING OR ENFORCEMENT ACTIVITY, FROM THE TIME AN INSPECTOR CONDUCTS AN INSPECTION UNTIL THE TIME THE INSPECTOR CLOSES OR THE CASE SETTLES THE ENFORCEMENT ACTION.	PROGRAM ID: I01 19881110CT011 2 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NCDB LAST EXTRACTED:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110011440271 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 23	DIST/DIR: 0.08 NW	ELEVATION: 204	MAP ID: 14
----------------------	--------------------------	-----------------------	-------------------

NAME: BEACON FALLS TOY DIST. CO.
ADDRESS: 78 CHURCH ST
NAUGATUCK CT 06770
NEW HAVEN

REV: 5/22/09
ID1: 110011440271
ID2: 19881114CT011 1
STATUS: FRS
PHONE:

CONTACT:
SOURCE: EPA

DATA UPDATED: 8/8/2002 3:14:44 PM
ENTERED PERSON/METHOD: KKB
PARENT REG ID:
CONFIDENCE IN ADDR: MEDIUM
ENFORCEMENT SENSITIVE:
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NCDB

SEARCH ID: 171 **DIST/DIR:** 0.08 NW **ELEVATION:** 204 **MAP ID:** 14

NAME: BEACON FALLS TOY DIST. CO. ADDRESS: 78 CHURCH ST NAUGATUCK CT 00000 NEW HAVEN CONTACT: SOURCE: EPA	REV: 1/21/10 ID1: NCDB-0801-000862 ID2: 19881110CT011 2 STATUS: TSCA PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------

SITE INFORMATION

EPA REGION:	01	INSPECTION REG OR ST:	CT
INSPECTOR ID:	CT011	INSPECTION DATE:	11/10/1988
INSPECTOR NAME:	LAURICELLA	NUMBER OF SAMPLES:	2
NUMBER OF AUDITS:	0	DUNN and BRAD NUMBER:	
FEDERAL FACILITY:	N	LEGISLATION CODE:	T
NUMBER OF SCHOOLS:	0	SCHOOL TYPE:	
EPA PESTICIDE ID:		EPA FIFRA REG ID:	
 FACILITY FUNCTION: US			
INVESTIGATION TYPE: 6PS - SECTION 6 PCB STATE CONDUCTED - STORAGE; VIOLS OTHER THAN COMM ST APPROV			
REASON: FCG - FOR CAUSE, GOVERNMENT			
REFERRAL TYPE :			
 PRINT INFO: BEACON FALLS TOY DIST. CO. 78 CHURCH ST. NAUGATUCK CT 00000-			

SIC INFORMATION:

SIC 1:
SIC 2:
SIC 3:
SIC 4:
SIC 5:
SIC 6:

SAMPLE INFORMATION

SAMPLE NUMBER:	1	DATE SAMPLE SENT:	11/11/1988
SAMPLE MEDIUM:		OILSAMPLE VIOLATIVE:	
 SAMPLE NUMBER: 2			
SAMPLE MEDIUM:		DATE SAMPLE SENT:	
		SEDSAMPLE VIOLATIVE:	

IMPORT INFORMATION

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NCDB

SEARCH ID: 171	DIST/DIR: 0.08 NW	ELEVATION: 204	MAP ID: 14
-----------------------	--------------------------	-----------------------	-------------------

NAME: BEACON FALLS TOY DIST. CO.
ADDRESS: 78 CHURCH ST
NAUGATUCK CT 00000
NEW HAVEN

REV: 1/21/10
ID1: NCDB-0801-000862
ID2: 19881110CT011 2
STATUS: TSCA
PHONE:

CONTACT:
SOURCE: EPA

REFERRAL INFORMATION

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NCDB

SEARCH ID: 172 **DIST/DIR:** 0.08 NW **ELEVATION:** 204 **MAP ID:** 14

NAME: BEACON FALLS TOY DIST. CO. ADDRESS: 78 CHURCH ST NAUGATUCK CT 00000 NEW HAVEN CONTACT: SOURCE: EPA	REV: 1/21/10 ID1: NCDB-0801-000989 ID2: 19881122CT011 1 STATUS: TSCA PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------

SITE INFORMATION

EPA REGION:	01	INSPECTION REG OR ST:	CT
INSPECTOR ID:	CT011	INSPECTION DATE:	11/22/88
INSPECTOR NAME:	LAURICELLA	NUMBER OF SAMPLES:	0
NUMBER OF AUDITS:	0	DUNN and BRAD NUMBER:	
FEDERAL FACILITY:	N	LEGISLATION CODE:	T
NUMBER OF SCHOOLS:	0	SCHOOL TYPE:	
EPA PESTICIDE ID:		EPA FIFRA REG ID:	
FACILITY FUNCTION:	US - USER		
INVESTIGATION TYPE:	6PS - SECTION 6 PCB STATE CONDUCTED - STORAGE; VIOLS OTHER THAN COMM ST APPROV		
REASON:	FCG - FOR CAUSE, GOVERNMENT		
REFERRAL TYPE :			
PRINT INFO:	BEACON FALLS TOY DIST. CO. 78 CHURCH ST. NAUGATUCK CT 00000-		

SIC INFORMATION:

SIC 1:
SIC 2:
SIC 3:
SIC 4:
SIC 5:
SIC 6:

SAMPLE INFORMATION

CASE REVIEW INFORMATION:

SAMPLE NUMBER:	0	ACTION WARRANTED:	N
DOCKET NUMBER:		CASE NUMBER:	
START DATE:	3/30/89	COMPLETION DATE:	3/30/89

IMPORT INFORMATION

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NCDB

SEARCH ID: 172	DIST/DIR: 0.08 NW	ELEVATION: 204	MAP ID: 14
-----------------------	--------------------------	-----------------------	-------------------

NAME: BEACON FALLS TOY DIST. CO.
ADDRESS: 78 CHURCH ST
NAUGATUCK CT 00000
NEW HAVEN

REV: 1/21/10
ID1: NCDB-0801-000989
ID2: 19881122CT011 1
STATUS: TSCA
PHONE:

CONTACT:
SOURCE: EPA

REFERRAL INFORMATION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 24	DIST/DIR: 0.08 NW	ELEVATION: 204	MAP ID: 14
----------------------	--------------------------	-----------------------	-------------------

NAME: BEACON FALLS TOY DISTRIBUTING CO
ADDRESS: 78 CHURCH ST
NAUGATUCK CT 06770

REV:
ID1: CTD983884487
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS :
PCS :
AFS/AIRS :
SSTS :
CERCLIS :
NCDB : I01 19881110CT011 2, I01 19881122CT011 1, I01 19881114CT011 1
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB :
UNKNOWN :

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 82 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: CUSTOMER/CUMBERLAND FARMS
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200500375
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 1/19/2005
TIME OF RELEASE:
ACTION: CLEANED

DISCHARGER: CUSTOMER/CUMBERLAND FARMS
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: NO

SITE INFORMATION

DATE OF RELEASE: 1/19/2005
TIME OF RELEASE:
ACTION: CONTAINED

DISCHARGER: CUSTOMER/CUMBERLAND FARMS
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: NO

SITE INFORMATION

DATE OF RELEASE: 1/19/2005
TIME OF RELEASE:
ACTION: EVAPORATED

DISCHARGER: CUSTOMER/CUMBERLAND FARMS
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: NO

REPORT TIME: 1/19/2005 11:11:33 AM
REPORTED BY: GENE 1
REPORTER S PHONE: 7292233

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 2 GAL

CAUSE OF INCIDENT: OVERFILL

CAUSE OF INCIDENT: OTHER

EMERGENCY MEASURES: FD USED SPEEDI-DRI

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 82	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
----------------------	--------------------------	-----------------------	-------------------

NAME: CUSTOMER/CUMBERLAND FARMS
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200500375
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 119	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
-----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: 69 RUBBER AVE NAUGATUCK CT	REV: 4/21/10 ID1: 200401201 ID2: STATUS: CLOSED PHONE:
CONTACT: NO RESPONSE SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 2/26/2004
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 2/26/2004 8:15:07 PM
REPORTED BY: NAUGATUCK FIRE
REPORTER S PHONE: 7207083

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 3 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: SPEEDY DRY, UPDATED BY DAVE FROM CUMBERLAND FARMS 401-439-6989, 15 GALLONS. 2130

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 138	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
-----------------------	--------------------------	-----------------------	-------------------

NAME: CUMBERLAND FARMS
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT 06770

REV: 2/3/10
ID1: 05387
ID2: 88-5387
STATUS: CURRENTLY IN USE
PHONE:

CONTACT:
SOURCE: CT DEP

TOTAL NUMBER OF TANKS: 3

TANK ID: 5387-1
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED: 9/30/1983
SUBSTANCE STORED: GASOLINE
TANK MATERIAL: FIBERGLASS REINFORCED PLASTIC
PIPE MATERIAL: FLEXIBLE PLASTIC

DATE LAST USED:
CAPACITY (GALS): 8000
TANK PROTECTION:
PIPE PROTECTION: DOUBLE-WALLED

TANK ID: 5387-2
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED: 9/30/1983
SUBSTANCE STORED: GASOLINE
TANK MATERIAL: FIBERGLASS REINFORCED PLASTIC
PIPE MATERIAL: FLEXIBLE PLASTIC

DATE LAST USED:
CAPACITY (GALS): 8000
TANK PROTECTION:
PIPE PROTECTION: DOUBLE-WALLED

TANK ID: 5387-3
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED: 9/30/1983
SUBSTANCE STORED: GASOLINE
TANK MATERIAL: FIBERGLASS REINFORCED PLASTIC
PIPE MATERIAL: FLEXIBLE PLASTIC

DATE LAST USED:
CAPACITY (GALS): 8000
TANK PROTECTION:
PIPE PROTECTION: DOUBLE-WALLED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 120	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
-----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: 69 RUBBER AVE NAUGATUCK CT CONTACT: NO RESPONSE SOURCE: CT DEP	REV: 4/21/10 ID1: 200300711 ID2: STATUS: CLOSED PHONE:
---------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SITE INFORMATION

DATE OF RELEASE: 2/5/2003
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 2/5/2003 11:57:08 PM
REPORTED BY: DISP 1
REPORTER S PHONE: 7292233

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 2 GAL

CAUSE OF INCIDENT: OTHER

EMERGENCY MEASURES: SPILL AT CUMBERLAND FARMS, NO WATER, SPEEDY DRIED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 121 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: ADDRESS: 69 RUBBER AVE NAUGATUCK CT	REV: 4/21/10 ID1: 200201296 ID2: STATUS: CLOSED PHONE:
CONTACT: NO RESPONSE SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 3/2/2002
TIME OF RELEASE: 12:21:00 AM
ACTION: OTHER

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 12:21:00 AM
REPORTED BY: DISPATCHER
REPORTER S PHONE: 7292234

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 2 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: SPEEDY DRYED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 116 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME:
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200403481
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 5/28/2004
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 5/28/2004 12:11:11 AM
REPORTED BY: NAUGATUCK FIRE
REPORTER S PHONE: 7292234

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 3 GAL

CAUSE OF INCIDENT: OTHER

EMERGENCY MEASURES: SPEEDY DRY

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 122	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
-----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: 69 RUBBER AVE NAUGATUCK CT CONTACT: NO RESPONSE SOURCE: CT DEP	REV: 4/21/10 ID1: 9800694 ID2: STATUS: CLOSED PHONE:
---------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------

SITE INFORMATION

DATE OF RELEASE: 2/6/1998
TIME OF RELEASE: 6:30:00 AM
ACTION: OTHER

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 6:30:00 AM
REPORTED BY: DISPATCHER 03
REPORTER S PHONE: 7292234

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: SPEEDY DRYED

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 77 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: CUMBERLAND FARMS
ADDRESS: 69 RUBBER
NAUGATUCK CT 06770
CONTACT: CUMBERLAND FARMS
SOURCE: CT DEP

REV: 3/13/01
ID1: 946138
ID2:
STATUS: CLOSED
PHONE:

SITE INFORMATION

INSPECTOR S BADGE NUMBER: NR
REPORT DATE: 10/24/94
ACTUAL TIME: 20
REPORTER: JANICE GREGORY
CUMBERLAND FARMS
777 DEDHAM ST
CANTON MA

REPORT TIME: 9

WORK PHONE: 800 225 9702

HOME PHONE:

POLE NUMBER:

INCIDENT TYPE:

PETROLEUM

DISCHARGED: GASOLINE

GALLONS:

1

YARDS:

POUNDS:

CON:

DRUMS:

FEDRAL:

CERCLA:

ACROSS PROPERTY LINES:

EMERGENCY CLEANUP:

REP QUAN:

TOTAL POUNDS:

DESCRIPTION:

DATE: 10/23/94

DATE UNKNOWN:

CONTINUOUS SPILL:

SPILL TIME: 230

RELEASE TERMINATED:

Y

ONGOING RELEASE:

UNKNOWN:

CONTAINED: Y

ADDITIONAL INFORMATION:

WATERBODY:

RIVER:

LIS:

TRIBUTARY:

CATCH BASIN:

POND:

AIR:

SURFACE WATER:

GROUND WATER:

GROUND SURFACE: Y

INSIDE BUILDING:

OTHER AREA:

TOTAL IN WATER:

TOTAL RECOVERED FROM WATER:

TOTAL RECOVERED:

1

RESPONSIBLE PARTY:

CUMBERLAND FARMS
777 DEDHAM ST
CANTON MA

PHONE:

ACCEPT RESPONSIBILITY: Y

POLLUTER UNKNOWN:

CLEANUP ACTION TAKEN:

SPEEDI DRI/REMOVED

DUN BRAD:

NOTIFIED FEDERAL GOVERNMENT:

NOTIFIED COAST GAURD:

NOTIFIED FIRE MARSHALL:

NOTIFIED LOCAL FIRE DEPT:

NOTIFIED POLICE:

NOTIFIED ATTORNEY GENERAL:

NOTIFIED AQUACULTURE:

NOTIFIED STATE DOHS:

NOTIFIED STATE WATER BUREAU:

NOTIFIED STATE AIR BUREAU:

NOTIFIED STATE WASTE BUREAU:

NOTIFIED WEED HAZ WASTE:

NOTIFIED WEED SOLID WASTE:

- Continued on next page -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 77 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: CUMBERLAND FARMS
ADDRESS: 69 RUBBER
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 946138
ID2:
STATUS: CLOSED
PHONE:

CONTACT: CUMBERLAND FARMS
SOURCE: CT DEP

PERMITTING NOTIFIED:
NOTIFIED SOLID WASTE RECOVERY:
NOTIFIED P-F:
NOTIFIED OPS:
NOTIFIED STATE AGENCIES:
NOTIFICATION TIME:
DISCHARGE CLASS:

COMMERCIAL

CAUSE: OVERFILL

CORRECTIVE ACTION TAKEN: CONTAINED/REMOVED

CONTRACTOR:
DID DEP HIRE CONT:
WHEN CONT REQUESTED:
ARRIVED:
RECEIVED BY: EMANUELSON
ASSIGNED DATE:
NOT 911 EMERGENCY:
CT EMERGENCY SPILLFUND USED:
CASE NUMBER 2:
PIN:
INC CODE:
OTHER OWNER:
PROP NAME:

NOTIFIED UST UNIT:
NOTIFIED ENVIRONMENTAL CONSERVATION:
NOTIFIED F-W:
NOTIFIED OTHER:
NOTIFICATION DATE:

CONT NAME:
HIRE DATE:
SECOND REQUEST:
ARRIVED SECOND TIME:
BADGE NUMBER:
ASSIGNED TIME:
NOTIFICATION STATUS:
CASE NUMBER:
FED GOV PAID:
COST RECOVERY EXPENDITURE:
PROPERTY OWNER:

WAS POLLUTER A TRUCK:
OWNER OF TRUCK/TRAILER:
OPERATORS NAME:
VEHICLE MODEL:
TRAILER REGISTRATION:
DATE UPDATED:
QUAN FET:

WAS POLLUTER A TRAILER:
OWNERS NAME:
MAKE OF VEHICLE:
TRUCK REGISTRATION:
UPDATED WITH INSPECTORS REPORT:
COPY: W

MISCELLANEOUS INFORMATION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 78 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: CUMBERLAND FARMS
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200304705
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 6/24/2003
TIME OF RELEASE:
ACTION: OTHER

DISCHARGER: CUMBERLAND FARMS
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 6/24/2003 9:41:00 AM
REPORTED BY: MELISSA
REPORTER S PHONE: 7292960

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: CONTAINER FAILURE

EMERGENCY MEASURES: SPEEDI DRI

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 123 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: ADDRESS: 69 RUBBER AVE NAUGATUCK CT 06770 CONTACT: SOURCE: CT DEP	REV: 3/13/01 ID1: 946970 ID2: STATUS: CLOSED PHONE:
---------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------

SITE INFORMATION

INSPECTOR S BADGE NUMBER: NR REPORT DATE: 11/10/94 ACTUAL TIME: 1 REPORTER: PAUL RUSSELL FIRE DEPT WORK PHONE: 203 729 2234 HOME PHONE: POLE NUMBER: INCIDENT TYPE: PETROLEUM GALLONS: 1 POUNDS: DRUMS: CERCLA: EMERGENCY CLEANUP: TOTAL POUNDS:	REPORT TIME: 17 DISCHARGED: GASOLINE YARDS: CON: FEDRAL: ACROSS PROPERTY LINES: REP QUAN:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------

DESCRIPTION:

DATE: 11/10/94 CONTINUOUS SPILL: RELEASE TERMINATED: Y UNKNOWN:	DATE UNKNOWN: SPILL TIME: 1656 ONGOING RELEASE: CONTAINED: Y
------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------

ADDITIONAL INFORMATION:

WATERBODY: LIS: CATCH BASIN: AIR: GROUND WATER: INSIDE BUILDING: TOTAL IN WATER: TOTAL RECOVERED: 1 RESPONSIBLE PARTY:	RIVER: TRIBUTARY: POND: SURFACE WATER: GROUND SURFACE: Y OTHER AREA: TOTAL RECOVERED FROM WATER:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------

PHONE: POLLUTER UNKNOWN: CLEANUP ACTION TAKEN: SANDED DUN BRAD: NOTIFIED COAST GAURD: NOTIFIED LOCAL FIRE DEPT: NOTIFIED ATTORNEY GENERAL: NOTIFIED STATE DOHS: NOTIFIED STATE AIR BUREAU: NOTIFIED WEED HAZ WASTE:	ACCEPT RESPONSIBILITY: NOTIFIED FEDERAL GOVERNMENT: NOTIFIED FIRE MARSHALL: NOTIFIED POLICE: NOTIFIED AQUACULTURE: NOTIFIED STATE WATER BUREAU: NOTIFIED STATE WASTE BUREAU: NOTIFIED WEED SOLID WASTE:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 123 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME:
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT 06770

REV: 3/13/01
ID1: 946970
ID2:
STATUS: CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

PERMITTING NOTIFIED:
NOTIFIED SOLID WASTE RECOVERY:
NOTIFIED P-F:
NOTIFIED OPS:
NOTIFIED STATE AGENCIES:
NOTIFICATION TIME:
DISCHARGE CLASS: PRIVATE

NOTIFIED UST UNIT:
NOTIFIED ENVIRONMENTAL CONSERVATION:
NOTIFIED F-W:
NOTIFIED OTHER:
NOTIFICATION DATE:

CAUSE: OVERFILL

CORRECTIVE ACTION TAKEN: SANDED

CONTRACTOR:
DID DEP HIRE CONT:
WHEN CONT REQUESTED:
ARRIVED:
RECEIVED BY:
ASSIGNED DATE:
NOT 911 EMERGENCY:
CT EMERGENCY SPILLFUND USED:
CASE NUMBER 2:
PIN:
INC CODE:
OTHER OWNER:
PROP NAME:

CONT NAME:
HIRE DATE:
SECOND REQUEST:
ARRIVED SECOND TIME:
BADGE NUMBER:
ASSIGNED TIME:
NOTIFICATION STATUS:
CASE NUMBER:
FED GOV PAID:
COST RECOVERY EXPENDITURE:
PROPERTY OWNER:

WAS POLLUTER A TRUCK:
OWNER OF TRUCK/TRAILER:
OPERATORS NAME:
VEHICLE MODEL:
TRAILER REGISTRATION:
DATE UPDATED:
QUAN FET:

WAS POLLUTER A TRAILER:
OWNERS NAME:
MAKE OF VEHICLE:
TRUCK REGISTRATION:
UPDATED WITH INSPECTORS REPORT:
COPY: W

MISCELLANEOUS INFORMATION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 79	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
----------------------	--------------------------	-----------------------	-------------------

NAME: CUMBERLAND FARMS
ADDRESS: 69 WEBER ST
NAUGATUCK CT

REV: 4/21/10
ID1: 200206806
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 9/26/2002
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER: CUMBERLAND FARMS
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 9/26/2002 2:01:47 PM
REPORTED BY: DISP.
REPORTER S PHONE: 7207083

MATERIAL RELEASED: PETROLEUM
CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 118 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME:
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT
CONTACT: NO RESPONSE
SOURCE: CT DEP

REV: 4/21/10
ID1: 200401564
ID2:
STATUS: CLOSED
PHONE:

SITE INFORMATION

DATE OF RELEASE: 3/12/2004
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

SITE INFORMATION

DATE OF RELEASE: 3/12/2004
TIME OF RELEASE:
ACTION: CLEANED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 3/12/2004 10:10:45 PM
REPORTED BY: RON
REPORTER S PHONE: 4809064

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 5 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: CUSTOMER OVERFILL, 4-5 GALLONS, FD ON SCENE, SPEEDY DRIED, SWEEPED BAGGED AND REMOVED,
NO WATER

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 81	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
----------------------	--------------------------	-----------------------	-------------------

NAME: CUSTERMER , CARL BRESCHER
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200109150
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 11/2/2001
TIME OF RELEASE:
ACTION: CLEANED

DISCHARGER: CUSTERMER , CARL BRESCHER
13 rockwell ave
NAUGATUCK CT 06770

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 11/2/2001 11:29:06 AM
REPORTED BY: DAWN HARLON
REPORTER S PHONE: 2259702

MATERIAL RELEASED: GASOLINE
EMERGENCY MEASURES: CUMBERLAND FARMS

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 117 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME:
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT

CONTACT: NO RESPONSE
SOURCE: CT DEP

REV: 4/21/10
ID1: 200403313
ID2:
STATUS: CLOSED
PHONE:

SITE INFORMATION

DATE OF RELEASE: 5/21/2004
TIME OF RELEASE: 7:05:00 PM
ACTION: OTHER

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

SITE INFORMATION

DATE OF RELEASE: 5/21/2004
TIME OF RELEASE: 7:05:00 PM
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 5/21/2004 7:05:34 PM
REPORTED BY: DISP 4
REPORTER S PHONE: 7292234

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 2 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: FUEL SPILL/ SPEEDY DRY

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 91 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: SAA
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200109158
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 11/2/2001
TIME OF RELEASE:
ACTION: REMOVED

DISCHARGER: SAA
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

SITE INFORMATION

DATE OF RELEASE: 11/2/2001
TIME OF RELEASE:
ACTION: CLEANED

DISCHARGER: SAA
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 11/2/2001 12:43:43 PM
REPORTED BY: DISP 1
REPORTER S PHONE: 7292233

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 2 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: SANDED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 96	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
----------------------	--------------------------	-----------------------	-------------------

NAME: UNKNOWN	REV: 4/21/10
ADDRESS: 69 RUBBER AVE	ID1: 201001751
NAUGATUCK CT	ID2:
NEW HAVEN	STATUS: CLOSED
CONTACT: NO RESPONSE	PHONE:
SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 3/25/2010
TIME OF RELEASE:
ACTION: OTHER

DISCHARGER: UNKNOWN
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 3/25/2010 7:33:02 AM
REPORTED BY: DISPATCH
REPORTER S PHONE: 7292233

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 0.25 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 97	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
----------------------	--------------------------	-----------------------	-------------------

NAME: UNKNOWN	REV: 4/21/10
ADDRESS: 69 RUBBER AVE	ID1: 201001587
NAUGATUCK CT	ID2:
NEW HAVEN	STATUS: CLOSED
CONTACT: NO RESPONSE	PHONE:
SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 3/18/2010
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER: UNKNOWN
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 3/18/2010 12:43:50 PM
REPORTED BY: DISPATCH
REPORTER S PHONE: 7292233

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 80 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: CUMBERLAND FARMS
ADDRESS: RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 9701389
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 3/21/1997
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER: CUMBERLAND FARMS
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 3/21/1997 10:44:50 AM
REPORTED BY: F.D.
REPORTER S PHONE: 7292234

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: SANDED

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 90 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: SAA
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200300719
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 2/6/2003
TIME OF RELEASE:
ACTION: CONTAINED

DISCHARGER: SAA
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

SITE INFORMATION

DATE OF RELEASE: 2/6/2003
TIME OF RELEASE:
ACTION: REMOVED

DISCHARGER: SAA
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 2/6/2003 9:56:26 AM
REPORTED BY: DEBBIE
REPORTER S PHONE: 5759536

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 2 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: CUSTOMER ERROR, SPEEDI DRI APPLIED AND REMOVED FOR DISPOSAL

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 115 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME:
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200508024
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 11/23/2005
TIME OF RELEASE:
ACTION: OTHER

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 11/24/2005 12:54:59 AM
REPORTED BY: NAUGATUCK FIRE
REPORTER S PHONE: 7207083

MATERIAL RELEASED: ANTIFREEZE
QUANTITY SPILLED: 2 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 100 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: ADDRESS: 69 RUBBER AVE NAUGATUCK CT NEW HAVEN CONTACT: NO RESPONSE SOURCE: CT DEP	REV: 4/21/10 ID1: 201001596 ID2: STATUS: CLOSED PHONE:
------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SITE INFORMATION

DATE OF RELEASE: 3/18/2010
TIME OF RELEASE:
ACTION: CONTAINED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

SITE INFORMATION

DATE OF RELEASE: 3/18/2010
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 4:06:00 PM
REPORTED BY: ART SANTOS
REPORTER S PHONE: 2704449

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: OVERFILL ON CONCRETE PAD.

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 112	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
-----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: 69 RUBBER AVE NAUGATUCK CT NEW HAVEN CONTACT: NO RESPONSE SOURCE: CT DEP	REV: 4/21/10 ID1: 200901206 ID2: STATUS: CLOSED PHONE:
------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SITE INFORMATION

DATE OF RELEASE: 3/13/2009
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 3/13/2009 9:43:27 AM
REPORTED BY: DISPATCHER 1
REPORTER S PHONE: 7292233

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 113	DIST/DIR: 0.08 SW	ELEVATION: 205	MAP ID: 15
-----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: 69 RUBBER AVE NAUGATUCK CT NEW HAVEN CONTACT: NO RESPONSE SOURCE: CT DEP	REV: 4/21/10 ID1: 200900215 ID2: STATUS: CLOSED PHONE:
------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SITE INFORMATION

DATE OF RELEASE: 1/15/2009
TIME OF RELEASE:
ACTION: CLEANED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 1/15/2009 7:10:09 PM
REPORTED BY: JULIE, EXT-3851
REPORTER S PHONE: 2259702

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: PUMP FAILURE

EMERGENCY MEASURES: NO SPILL USED, AND PUMP TAKEN OFF LINE.

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 114 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: ADDRESS: 69 RUBBER AVE NAUGATUCK CT	REV: 4/21/10 ID1: 200508510 ID2: STATUS: CLOSED PHONE:
CONTACT: NO RESPONSE SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 12/17/2005
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 12/17/2005 4:39:48 PM
REPORTED BY: FD
REPORTER S PHONE: 7292233

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 2 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: SANDED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 98 **DIST/DIR:** 0.08 SW **ELEVATION:** 205 **MAP ID:** 15

NAME: UNKNOWN
ADDRESS: 69 RUBBER AVE
NAUGATUCK CT

CONTACT: NO RESPONSE
SOURCE: CT DEP

REV: 4/21/10
ID1: 200102520
ID2:
STATUS: CLOSED
PHONE:

SITE INFORMATION

DATE OF RELEASE: 4/19/2001
TIME OF RELEASE:
ACTION: CLEANED

DISCHARGER: UNKNOWN
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

SITE INFORMATION

DATE OF RELEASE: 4/19/2001
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER: UNKNOWN
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 4/19/2001 1:46:49 PM
REPORTED BY: DISPATCHER 3
REPORTER S PHONE: 7292234

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 2 GAL

CAUSE OF INCIDENT: OVERFILL

EMERGENCY MEASURES: OVERFILL AT CUMBERLAND FARMS GAS PUMPS, SPEEDI-DRY APPLIED BY FD, NO DRAINS AFFECTED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 95	DIST/DIR: 0.08 SW	ELEVATION: 211	MAP ID: 16
----------------------	--------------------------	-----------------------	-------------------

NAME: UNKNOWN
ADDRESS: 67 RUBBER AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200206570
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 9/17/2002
TIME OF RELEASE:
ACTION: SANDED

DISCHARGER: UNKNOWN
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 9/17/2002 2:03:27 PM
REPORTED BY: NAUGATUCK FD
REPORTER S PHONE: 7207083

MATERIAL RELEASED: ANTIFREEZE
QUANTITY SPILLED: 3 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES: SANDED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 101	DIST/DIR: 0.09 NE	ELEVATION: 240	MAP ID: 17
-----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: 87 CHURCH ST NAUGATUCK CT CONTACT: NO RESPONSE SOURCE: CT DEP	REV: 4/21/10 ID1: 200101625 ID2: STATUS: CLOSED PHONE:
--------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SITE INFORMATION

DATE OF RELEASE: 3/16/2001
TIME OF RELEASE: 4:48:00 PM
ACTION: CONTRACTED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 3/16/2001 4:48:01 PM
REPORTED BY: DISPATCHER 3
REPORTER S PHONE: 7292234

MATERIAL RELEASED: MOTOR VEHICLE FLUIDS
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: CONTAINER FAILURE

EMERGENCY MEASURES:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 86 **DIST/DIR:** 0.09 NE **ELEVATION:** 240 **MAP ID:** 17

NAME: NAUGATUCK SAVINGS BANK
ADDRESS: 87 CHURCH ST
NAUGATUCK CT

REV: 4/21/10
ID1: 9905737
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 8/26/1999
TIME OF RELEASE: 10:29:00 AM
ACTION: PUMPED OUT

DISCHARGER: NAUGATUCK SAVINGS BANK
s.a.a.
NAUGATUCK CT 06770

DISCHARGER S PHONE: 0000000
ACCEPTS RESPONSIBILITY: YES

SITE INFORMATION

DATE OF RELEASE: 8/26/1999
TIME OF RELEASE: 10:29:00 AM
ACTION: CONTAINED

DISCHARGER: NAUGATUCK SAVINGS BANK
s.a.a.
NAUGATUCK CT 06770

DISCHARGER S PHONE: 0000000
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 11:55:00 AM
REPORTED BY: DISP. 2
REPORTER S PHONE: 7292234

MATERIAL RELEASED: RAW SEWAGE
QUANTITY SPILLED: 1000 GAL

CAUSE OF INCIDENT: OTHER

EMERGENCY MEASURES: PUMPED OUT

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 124	DIST/DIR: 0.09 SW	ELEVATION: 212	MAP ID: 18
-----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: 78 RUBBER AVE NAUGATUCK CT	REV: 4/21/10 ID1: 9804474 ID2: STATUS: CLOSED PHONE:
CONTACT: NO RESPONSE SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 7/12/1998
TIME OF RELEASE: 5:24:00 PM
ACTION: NONE REQUIRED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 5:24:00 PM
REPORTED BY: DISPATCHER 3
REPORTER S PHONE: 7292234

MATERIAL RELEASED: 2 FUEL OIL
CAUSE OF INCIDENT: FIRE

EMERGENCY MEASURES: REFERRED TO 902

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 139 **DIST/DIR:** 0.11 NW **ELEVATION:** 223 **MAP ID:** 19

NAME: DECARLO AUTOMOTIVE ADDRESS: 1069 MEADOW ST NAUGATUCK CT 06770	REV: 2/3/10 ID1: 05333 ID2: 88-5333 STATUS: PERMANENTLY CLOSED PHONE:
CONTACT:	
SOURCE: CT DEP	

TOTAL NUMBER OF TANKS: 8

TANK ID: 5333-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1963	DATE LAST USED: 5/1/1989
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 4000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 5333-2
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1963	DATE LAST USED: 5/1/1989
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 4000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 5333-3
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1963	DATE LAST USED: 5/1/1989
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 4000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 5333-4
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1963	DATE LAST USED: 5/1/1989
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 4000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 5333-5
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1963	DATE LAST USED: 5/1/1989
SUBSTANCE STORED: HEATING OIL	CAPACITY (GALS): 275
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 5333-6
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1963	DATE LAST USED: 5/1/1989
SUBSTANCE STORED: USED OIL	CAPACITY (GALS): 550

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 139	DIST/DIR: 0.11 NW	ELEVATION: 223	MAP ID: 19
-----------------------	--------------------------	-----------------------	-------------------

NAME: DECARLO AUTOMOTIVE
ADDRESS: 1069 MEADOW ST
NAUGATUCK CT 06770

REV: 2/3/10
ID1: 05333
ID2: 88-5333
STATUS: PERMANENTLY CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: OTHER (SPECIFY)	PIPE PROTECTION:

TANK ID: 5333-7
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 6/1/1989	DATE LAST USED: 6/1/2003
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 8000
TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3)	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 5333-8
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 6/1/1989	DATE LAST USED: 6/1/2003
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 8000
TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3)	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 5	DIST/DIR: 0.11 NW	ELEVATION: 223	MAP ID: 19
---------------------	--------------------------	-----------------------	-------------------

NAME: DECARLO AUTOMOTIVE
ADDRESS: 5 MEADOW ST
NAUGATUCK CT 06770

REV: 9/22/05
ID1: CTD000840413
ID2:
STATUS: VGN
PHONE: 2035551212

CONTACT: MICHAEL DECARLO
SOURCE: EPA

CT MANIFEST INFORMATION

<u>MANIFEST ID</u>	<u>SHIPPED</u>	<u>TSD ID</u>	<u>TRANS ID</u>	<u>QTY</u>	<u>MATERIAL</u>
CTF0877738	09/10/1999	CTD021816889	CTD021816889	0275 G	COMBUSTIBLE LIQUID N.O.S.(NA)
CTF1079247	05/23/2002	CTD021816889	CTD021816889	0009 G	PETROLEUM DISTILLATES NOS
CTF1087333	08/13/2002	CTD021816889	CTD021816889	0009 G	PETROLEUM DISTILLATES NOS

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 13 **DIST/DIR:** 0.11 NW **ELEVATION:** 223 **MAP ID:** 19

NAME: DECARLO AUTOMOTIVE
ADDRESS: 5 MEADOW ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: EPA

REV: 1/13/10
ID1: CTD000840413
ID2:
STATUS: NLR
PHONE:

SITE INFORMATION

CONTACT INFORMATION: MICHAEL DECARLO
5 MEADOW ST
NAUGATUCK CT 06770

PHONE: 2035551212

UNIVERSE INFORMATION:

NAIC INFORMATION

4471 - GASOLINE STATIONS

ENFORCEMENT INFORMATION:

AGENCY: S - STATE **DATE:** 5/11/2000
TYPE: 120 - WRITTEN INFORMAL

AGENCY: S - STATE **DATE:** 5/11/2000
TYPE: 120 - WRITTEN INFORMAL

VIOLATION INFORMATION:

VIOLATION NUMBER: 0001 **RESPONSIBLE:** S - STATE
DETERMINED: 2/29/2000 **DETERMINED BY:** S - STATE
CITATION: 22A-449(c)-102(a)
RESOLVED:
TYPE: HAZARDOUS WASTE DETERMINATIONS

HAZARDOUS WASTE INFORMATION:

Ignitable waste
D000

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 54	DIST/DIR: 0.11 NW	ELEVATION: 223	MAP ID: 19
----------------------	--------------------------	-----------------------	-------------------

NAME: SUNOCO SVC STATION
ADDRESS: 1069 MEADOW ST
NAUGATUCK CT 06770

REV:
ID1: CTD000840413
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS : CTD000840413
PCS :
AFS/AIRS :
SSTS :
CERCLIS :
NCDB :
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB : 080839459
UNKNOWN :

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 31 **DIST/DIR:** 0.11 NW **ELEVATION:** 223 **MAP ID:** 19

NAME: DECARLO AUTOMOTIVE ADDRESS: 5 MEADOW ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110003006461 ID2: CTD000840413 STATUS: FRS PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: SIMS PROVIDED BY: STATE AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM:	PROGRAM ID: 1524752 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: CONNECTICUT DEP LAST EXTRACTED: 5/24/2007 11:54:30 AM	
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM:	PROGRAM ID: 110003006461 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:	
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------	--

PROGRAM: RCRAINFO PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 9/23/2005 ENFORCEMENT ACT: REG PROGRAM:	PROGRAM ID: CTD000840413 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: RCRAINFO LAST EXTRACTED: 10/27/2005 1:50:21 PM	
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--

REG PROGRAM: NOT IN A UNIVERSE - THE HANDLER IS NOT CURRENTLY IN ANY HAZARDOUS WASTE UNIVERSE.

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000
DATA UPDATED: 5/24/2007 11:54:30 AM
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR:
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY: NO
FEDERAL AGENCY:
TRIBAL LAND: NO

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 31	DIST/DIR: 0.11 NW	ELEVATION: 223	MAP ID: 19
----------------------	--------------------------	-----------------------	-------------------

NAME: DECARLO AUTOMOTIVE
ADDRESS: 5 MEADOW ST
NAUGATUCK CT 06770
NEW HAVEN

REV: 5/22/09
ID1: 110003006461
ID2: CTD000840413
STATUS: FRS
PHONE:

CONTACT:
SOURCE: EPA

TRIBAL LAND NAME:
CONGRESSIONAL DIST: 05
LEGISLATIVE DIST: 15
HYDROLOGICAL UNTIS: 01100005
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 85	DIST/DIR: 0.11 SW	ELEVATION: 216	MAP ID: 20
----------------------	--------------------------	-----------------------	-------------------

NAME: MVA
ADDRESS: INT RUBBER AND MEADOW AVE
NAUGATUCK CT

REV: 4/21/10
ID1: 200102841
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 4/30/2001
TIME OF RELEASE: 2:50:00 PM
ACTION: SANDED

DISCHARGER: MVA
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: NO

REPORT TIME: 4/30/2001 2:50:57 PM
REPORTED BY: DISP 5
REPORTER S PHONE: 7292233

MATERIAL RELEASED: MOTOR VEHICLE FLUIDS
QUANTITY SPILLED: 5 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES: MVA SANDED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 126	DIST/DIR: 0.11 SW	ELEVATION: 216	MAP ID: 20
-----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: RUBBER AVENUE/MEADOW ST NAUGATUCK CT	REV: 4/21/10 ID1: 200005375 ID2: STATUS: CLOSED PHONE:
CONTACT: NO RESPONSE SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 7/22/2000
TIME OF RELEASE: 7:42:00 PM
ACTION: OTHER

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 7:42:00 PM
REPORTED BY: DISPATCHER-1
REPORTER S PHONE: 7292233

MATERIAL RELEASED: ANTIFREEZE
QUANTITY SPILLED: 4 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES: SPEEDY DRYED

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 125 **DIST/DIR:** 0.11 SW **ELEVATION:** 216 **MAP ID:** 20

NAME: ADDRESS: RUBBER AND MEADOW ST NAUGATUCK CT	REV: 4/21/10 ID1: 9904711 ID2: STATUS: CLOSED PHONE:
CONTACT: NO RESPONSE SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 7/18/1999
TIME OF RELEASE: 1:08:00 PM
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

SITE INFORMATION

DATE OF RELEASE: 7/18/1999
TIME OF RELEASE: 1:08:00 PM
ACTION: CLEANED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 1:08:00 PM
REPORTED BY: DISP 4
REPORTER S PHONE: 7292234

MATERIAL RELEASED: ANTIFREEZE
QUANTITY SPILLED: 3 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES: SPEEDY DRY

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 155 **DIST/DIR:** 0.12 SW **ELEVATION:** 219 **MAP ID:** 21

NAME: NAUGATUCK SAVINGS BANK - BRIAN DEVITO
ADDRESS: 38 CHERRY ST
NAUGATUCK CT 06770

REV: 11/4/09
ID1: 200408099
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 11/23/2004
TIME OF RELEASE:

DISHCHARGER: NAUGATUCK SAVINGS BANK - BRIAN DEVITO
87 CHURCH ST
CT

DISCHARGER S PHONE: 203 7204122
ACCEPTS RESPONSIBILITY: YES

MATERIAL RELEASED (GAL): GASOLINE 1

CAUSE OF INCIDENT: 3 - INGROUND TANK FAILURE
OTHER:

CAUSE OF INCIDENT: 26 - OTHER
OTHER: POSSIBLE?

REPORT TIME: 11/23/2004 12:10:40 PM
REPORTED BY: BILL COWLES
REPORTER S PHONE: 7585550

AGENCY NOTIFIED: 8 - DEP DISPATCH
OTHER:
DEP BUREAU:
DEP DIVISIPN:

ACTION TAKEN: 20 - OTHER
OTHER: RP NEEDS DEP ADVICE

EMERGENCY MEASURES: CONTRACTOR WAS INVESTIGATING POSSIBLE FUEL OIL TANK RELEASE (IMPROPERLY
ABANDONED INSIDE BLDG), BORINGS REVEAL BTEX IN SOILS AND GW

RELEASE CLASS: 6 - PRIVATE

MEDIA AFFECTED: 3 - GROUND WATER

MEDIA AFFECTED: 6 - OTHER

WATERBODY AFFECTED: 4 - GROUNDWATER

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 127	DIST/DIR: 0.12 SW	ELEVATION: 219	MAP ID: 21
-----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: 38 CHERRY ST NAUGATUCK CT CONTACT: NO RESPONSE SOURCE: CT DEP	REV: 4/21/10 ID1: 9701296 ID2: STATUS: CLOSED PHONE:
--------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------

SITE INFORMATION

DATE OF RELEASE: 3/15/1997
TIME OF RELEASE: 4:32:00 PM
ACTION: SANDED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 4:38:00 PM
REPORTED BY: 1020
REPORTER S PHONE: 7291315

MATERIAL RELEASED: ANTIFREEZE
QUANTITY SPILLED: 5 GAL

CAUSE OF INCIDENT: MV ACCIDENT

EMERGENCY MEASURES: SAND

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 87	DIST/DIR: 0.12 SW	ELEVATION: 219	MAP ID: 21
----------------------	--------------------------	-----------------------	-------------------

NAME: NAUGATUCK SAVINGS BANK - BRIAN DEVITO
ADDRESS: 38 CHERRY ST
NAUGATUCK CT

REV: 4/21/10
ID1: 200408099
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 11/23/2004
TIME OF RELEASE:
ACTION: OTHER

DISCHARGER: NAUGATUCK SAVINGS BANK - BRIAN DEVITO
87 CHURCH ST
CT

DISCHARGER S PHONE: 7204122
ACCEPTS RESPONSIBILITY: YES

REPORT TIME: 11/23/2004 12:10:40 PM
REPORTED BY: BILL COWLES
REPORTER S PHONE: 7585550

MATERIAL RELEASED: GASOLINE
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: INGROUND TANK FAILURE

CAUSE OF INCIDENT: OTHER

EMERGENCY MEASURES: CONTRACTOR WAS INVESTIGATING POSSIBLE FUEL OIL TANK RELEASE (IMPROPERLY ABANDONED INSIDE BLDG), BORINGS REVEAL BTEX IN SOILS AND GW

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

SPILLS

SEARCH ID: 99	DIST/DIR: 0.12 NW	ELEVATION: 219	MAP ID: 22
----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: BARNUM COURT AND MEADOW ST NAUGATUCK CT	REV: 4/21/10 ID1: 9702626 ID2: STATUS: CLOSED PHONE:
CONTACT: NO RESPONSE SOURCE: CT DEP	

SITE INFORMATION

DATE OF RELEASE: 5/22/1997
TIME OF RELEASE: 7:33:00 PM
ACTION: CLEANED

DISCHARGER:

CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

REPORT TIME: 8:07:00 PM
REPORTED BY: 3
REPORTER S PHONE: 7292234

MATERIAL RELEASED: RUN OFF FROM FIRE / OLD PAINT CANS
QUANTITY SPILLED: 1 GAL

CAUSE OF INCIDENT: FIRE

EMERGENCY MEASURES: SPEEDY DRY

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NCDB

SEARCH ID: 174 **DIST/DIR:** 0.13 SW **ELEVATION:** 203 **MAP ID:** 23

NAME: R.J. GUERRERRA INC.
ADDRESS: 51 ELM ST
NAUGATUCK CT 06770

REV: 1/21/10
ID1: NCDB-0801-001500
ID2: 19891101CT011 1
STATUS: TSCA
PHONE:

CONTACT:
SOURCE: EPA

SITE INFORMATION

EPA REGION:	01	INSPECTION REG OR ST:	CT
INSPECTOR ID:	CT011	INSPECTION DATE:	11/1/89
INSPECTOR NAME:	LAURICELLA	NUMBER OF SAMPLES:	0
NUMBER OF AUDITS:	0	DUNN and BRAD NUMBER:	
FEDERAL FACILITY:	N	LEGISLATION CODE:	T
NUMBER OF SCHOOLS:	0	SCHOOL TYPE:	
EPA PESTICIDE ID:		EPA FIFRA REG ID:	

FACILITY FUNCTION: CV - CONVEYOR

INVESTIGATION TYPE: 6PS - SECTION 6 PCB STATE CONDUCTED - STORAGE; VIOLS OTHER THAN COMM ST APPROV

REASON: FCG - FOR CAUSE, GOVERNMENT

REFERRAL TYPE : RR - REGION TO REGION REFERRAL

PRINT INFO: R.J. GUERRERRA INC.
51 ELM ST.
NAUGATUCK CT 06770-

SIC INFORMATION:

SIC 1:

SIC 2:

SIC 3:

SIC 4:

SIC 5:

SIC 6:

SAMPLE INFORMATION

CASE REVIEW INFORMATION:

SAMPLE NUMBER:	0	ACTION WARRANTED:	N
DOCKET NUMBER:		CASE NUMBER:	
START DATE:	4/20/90	COMPLETION DATE:	4/20/90

IMPORT INFORMATION

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NCDB

SEARCH ID: 174	DIST/DIR: 0.13 SW	ELEVATION: 203	MAP ID: 23
-----------------------	--------------------------	-----------------------	-------------------

NAME: R.J. GUERRERRA INC.
ADDRESS: 51 ELM ST
NAUGATUCK CT 06770

REV: 1/21/10
ID1: NCDB-0801-001500
ID2: 19891101CT011 1
STATUS: TSCA
PHONE:

CONTACT:
SOURCE: EPA

REFERRAL INFORMATION:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 49 **DIST/DIR:** 0.13 SW **ELEVATION:** 203 **MAP ID:** 23

NAME: R.J. GUERRERA, INC. ADDRESS: 51 ELM ST NAUGATUCK CT 06770 CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110030382075 ID2: STATUS: FRS PHONE:
----------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: SIMS PROVIDED BY: STATE AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: STATE MASTER -	PROGRAM ID: 1532335 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: CONNECTICUT DEP LAST EXTRACTED: 5/24/2007 12:01:26 PM
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 5/24/2007 12:01:26 PM ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110030382075 AGENCY INTERESTED: 5/24/2007 12:01:26 PM INTEREST ENDED: SOURCE OF DATA: SIMS LAST EXTRACTED:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 5/24/2007 12:01:26 PM
DATA UPDATED:
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR:
ENFORCEMENT SENSITIVE:
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 40 **DIST/DIR:** 0.13 SW **ELEVATION:** 203 **MAP ID:** 23

NAME: GUERRERA R J INC ADDRESS: 51 ELM ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110003017716 ID2: CTD067080648 STATUS: FRS PHONE:
----------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: NCDB PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: COMPLIANCE ACTIVITY - A COMPLIANCE MONITORING OR ENFORCEMENT ACTIVITY, FROM THE TIME AN INSPECTOR CONDUCTS AN INSPECTION UNTIL THE TIME THE INSPECTOR CLOSES OR THE CASE SETTLES THE ENFORCEMENT ACTION.	PROGRAM ID: I01 19900312CT011 1 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NCDB LAST EXTRACTED:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: RCRAINFO PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 3/6/2002 ENFORCEMENT ACT: REG PROGRAM: NOT IN A UNIVERSE - THE HANDLER IS NOT CURRENTLY IN ANY HAZARDOUS WASTE UNIVERSE.	PROGRAM ID: CTD067080648 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NOTIFICATION LAST EXTRACTED: 5/18/2003 1:38:02 AM
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: NCDB PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: COMPLIANCE ACTIVITY - A COMPLIANCE MONITORING OR ENFORCEMENT ACTIVITY, FROM THE TIME AN INSPECTOR CONDUCTS AN INSPECTION UNTIL THE TIME THE INSPECTOR CLOSES OR THE CASE SETTLES THE ENFORCEMENT ACTION.	PROGRAM ID: I01 19891101CT011 1 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NCDB LAST EXTRACTED:
---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110003017716 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000
DATA UPDATED: 5/16/2001 3:56:31 AM
ENTERED PERSON/METHOD: FRS

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 40	DIST/DIR: 0.13 SW	ELEVATION: 203	MAP ID: 23
----------------------	--------------------------	-----------------------	-------------------

NAME: GUERRERA R J INC
ADDRESS: 51 ELM ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: EPA

REV: 5/22/09
ID1: 110003017716
ID2: CTD067080648
STATUS: FRS
PHONE:

PARENT REG ID:
CONFIDENCE IN ADDR: MEDIUM
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY: NO
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST: 05
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS: 01100005
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

OTHER

SEARCH ID: 131	DIST/DIR: 0.13 SW	ELEVATION: 203	MAP ID: 23
-----------------------	--------------------------	-----------------------	-------------------

NAME: R J GUERRERA INC
ADDRESS: 51 ELM ST
NAUGATUCK CT 06770

REV: 2/1/04
ID1: CTOT-07-4-178
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

SITE TYPE:	PROPERTY TRANSFER FORM IV
INVESTIGATION START DATE:	4/22/2002
REMEDATION START DATE:	
REMEDATION COMPLETED DATE:	

COMMENTS:	PROJECTS
------------------	----------

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 160 **DIST/DIR:** 0.13 SW **ELEVATION:** 203 **MAP ID:** 23

NAME: RJ GUARRA
ADDRESS: 51 ELM ST
NAUGATUCK CT 06770

REV: 11/4/09
ID1: 200104200
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 6/12/2001
TIME OF RELEASE:

DISCHARGER: RJ GUARRA
SAA
CT

DISCHARGER S PHONE: 203 7237471
ACCEPTS RESPONSIBILITY: YES

MATERIAL RELEASED (GAL): 2 FUEL OIL 0

CAUSE OF INCIDENT: 3 - INGROUND TANK FAILURE
OTHER:

REPORT TIME: 6/12/2001 4:00:04 PM
REPORTED BY: BOB
REPORTER S PHONE: 7557400

AGENCY NOTIFIED: 9 - DEP
OTHER:

DEP BUREAU: BUREAU OF WASTE MANAGEMENT
DEP DIVISPN: OIL AND CHEMICAL SPILL RESPONSE

ACTION TAKEN: 17 - REMOVED TANK
OTHER:

EMERGENCY MEASURES: 550 LUST, NO FREE PRODUCT, GROUND WATER NOT ENCOUNTERED, CITY WATER

RELEASE CLASS: 8 - COMMERCIAL

MEDIA AFFECTED: 4 - GROUND SURFACE

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 41	DIST/DIR: 0.13 SW	ELEVATION: 203	MAP ID: 23
----------------------	--------------------------	-----------------------	-------------------

NAME: GUERRERRA R J INC
ADDRESS: 51 ELM ST
NAUGATUCK CT 06770

REV:
ID1: CTD983885690
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS : CTD067080648
PCS :
AFS/AIRS :
SSTS :
CERCLIS :
NCDB : I01 19900312CT011 1, I01 19891101CT011 1
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB : 067080648
UNKNOWN :

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 8 **DIST/DIR:** 0.13 SW **ELEVATION:** 203 **MAP ID:** 23

NAME: GUERRERA R J INC
ADDRESS: 51 ELM ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: EPA

REV: 2/16/10
ID1: CTD067080648
ID2:
STATUS: TRANSPORTER
PHONE:

SITE INFORMATION

UNIVERSE INFORMATION:

GOVERNMENT PERFORMANCE AND RESULTS ACT (GPRA)

GPRA PERMIT: N - NO
GPRA POST CLOSURE: N - NO
GPRA CA: N - NO
GOVERNMENT PERFORMANCE AND RESULTS ACT (GPRA)

GPRA PERMIT: N - NO
GPRA POST CLOSURE: N - NO
GPRA CA: N - NO
GPRA COMPLIANCE MONITORING and ENFORCEMENT: N - NO

SUBJECT TO CORRECTIVE ACTION (SUBJCA)

SUBJCA: N - NO
SUBJCA TSD 3004: N - NO
SUBJCA NON TSD: N - NO

SIGNIFICANT NON-COMPLIANCE(SNC): N - NO
BEGINNING OF THE YEAR SNC: N - NO
PERMIT WORKLOAD: ----
CLOSURE WORKLOAD: ----
POST CLOSURE WORKLOAD: ----
PERMITTING /CLOSURE/POST-CLOSURE PROGRESS: ----
CORRECTIVE ACTION WORKLOAD: N - NO
GENERATOR STATUS: N

NAIC INFORMATION

ENFORCEMENT INFORMATION:

AGENCY:	S - STATE	DATE:	9/22/2000
TYPE:	120 - WRITTEN INFORMAL		
AGENCY:	S - STATE	DATE:	11/24/2000
TYPE:	120 - WRITTEN INFORMAL		
AGENCY:	S - STATE	DATE:	2/6/2001
TYPE:	120 - WRITTEN INFORMAL		
AGENCY:	S - STATE	DATE:	2/26/2004
TYPE:	120 - WRITTEN INFORMAL		

- Continued on next page -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 8 **DIST/DIR:** 0.13 SW **ELEVATION:** 203 **MAP ID:** 23

NAME: GUERRERA R J INC ADDRESS: 51 ELM ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 2/16/10 ID1: CTD067080648 ID2: STATUS: TRANSPORTER PHONE:
----------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------

AGENCY:	S - STATE	DATE:	2/22/2005
TYPE:	120 - WRITTEN INFORMAL		

VIOLATION INFORMATION:

VIOLATION NUMBER:	0001	RESPONSIBLE:	S - STATE
DETERMINED:	8/22/2000	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	9/19/2000
TYPE:	TRANSPORTER ROAD INSPECTION		

VIOLATION NUMBER:	0001	RESPONSIBLE:	S - STATE
DETERMINED:	9/25/2000	DETERMINED BY:	S - STATE
CITATION:	22a-454	RESOLVED:	12/12/2000
TYPE:	TRANSPORTER-OTHER REQUIREMENTS		

VIOLATION NUMBER:	0001	RESPONSIBLE:	S - STATE
DETERMINED:	2/1/2004	DETERMINED BY:	S - STATE
CITATION:	407(1)	RESOLVED:	
TYPE:	TRANSPORTER-OTHER REQUIREMENTS		

VIOLATION NUMBER:	0002	RESPONSIBLE:	S - STATE
DETERMINED:	9/25/2000	DETERMINED BY:	S - STATE
CITATION:	22a-454	RESOLVED:	12/12/2000
TYPE:	TRANSPORTER-OTHER REQUIREMENTS		

VIOLATION NUMBER:	0003	RESPONSIBLE:	S - STATE
DETERMINED:	1/31/2001	DETERMINED BY:	S - STATE
CITATION:	22a-454	RESOLVED:	2/28/2001
TYPE:	TRANSPORTER-OTHER REQUIREMENTS		

VIOLATION NUMBER:	0004	RESPONSIBLE:	S - STATE
DETERMINED:	1/3/2005	DETERMINED BY:	S - STATE
CITATION:	262.11	RESOLVED:	5/2/2005
TYPE:	HAZARDOUS WASTE DETERMINATIONS		

HAZARDOUS WASTE INFORMATION:

Corrosive waste
D000

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 147	DIST/DIR: 0.13 SW	ELEVATION: 203	MAP ID: 23
-----------------------	--------------------------	-----------------------	-------------------

NAME: R.J. GUERRERA, INC.
ADDRESS: 51 ELM ST
NAUGATUCK CT 06770

REV: 2/3/10
ID1: 05362
ID2: 88-5362
STATUS: PERMANENTLY CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

TOTAL NUMBER OF TANKS: 1

TANK ID: 5362-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 9/1/1984	DATE LAST USED: 12/1/1998
SUBSTANCE STORED: DIESEL	CAPACITY (GALS): 10000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NCDB

SEARCH ID: 173 **DIST/DIR:** 0.13 SW **ELEVATION:** 203 **MAP ID:** 23

NAME: R J GUERRERA
ADDRESS: 51 ELM ST
NAUGATUCK CT 06770

REV: 1/21/10
ID1: NCDB-0801-001621
ID2: 19900312CT011 1
STATUS: TSCA
PHONE:

CONTACT:
SOURCE: EPA

SITE INFORMATION

EPA REGION:	01	INSPECTION REG OR ST:	CT
INSPECTOR ID:	CT011	INSPECTION DATE:	3/12/90
INSPECTOR NAME:	LAURICELLA	NUMBER OF SAMPLES:	0
NUMBER OF AUDITS:	0	DUNN and BRAD NUMBER:	
FEDERAL FACILITY:	N	LEGISLATION CODE:	T
NUMBER OF SCHOOLS:	0	SCHOOL TYPE:	
EPA PESTICIDE ID:		EPA FIFRA REG ID:	
FACILITY FUNCTION:	US - USER		
INVESTIGATION TYPE:	6PS - SECTION 6 PCB STATE CONDUCTED - STORAGE; VIOLS OTHER THAN COMM ST APPROV		
REASON:	FCF - FOR CAUSE, FOLLOW-UP		
REFERRAL TYPE :			
PRINT INFO:	R J GUERRERA 51 ELM STREET NAUGATUCK CT 06770-		

SIC INFORMATION:

SIC 1:
SIC 2:
SIC 3:
SIC 4:
SIC 5:
SIC 6:

SAMPLE INFORMATION

CASE REVIEW INFORMATION:

SAMPLE NUMBER:	0	ACTION WARRANTED:	N
DOCKET NUMBER:		CASE NUMBER:	
START DATE:	11/26/90	COMPLETION DATE:	11/26/90

IMPORT INFORMATION

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NCDB

SEARCH ID: 173	DIST/DIR: 0.13 SW	ELEVATION: 203	MAP ID: 23
-----------------------	--------------------------	-----------------------	-------------------

NAME: R J GUERRERA
ADDRESS: 51 ELM ST
NAUGATUCK CT 06770

REV: 1/21/10
ID1: NCDB-0801-001621
ID2: 19900312CT011 1
STATUS: TSCA
PHONE:

CONTACT:
SOURCE: EPA

REFERRAL INFORMATION:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 16 **DIST/DIR:** 0.13 SW **ELEVATION:** 203 **MAP ID:** 23

NAME: GUERRERA R J INC ADDRESS: 51 ELM ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: KEN FLISHER SOURCE: EPA	REV: 7/3/08 ID1: CTD067080648 ID2: STATUS: NLR PHONE: 2037237471
----------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------

CONTACT INFORMATION:
KEN FLISHER
2037237471

UNIVERSE INFORMATION:

GOVERNMENT PERFORMANCE AND RESULTS ACT (GPRA)

GPRA CA BASELINE UNIVERSE: NO
GPRA CA 2008: NO

SUBJECT TO CORRECTIVE ACTION (SUBJCA)

SUBJCA: NO
SUBJCA TSD 3004: NO
SUBJCA NON TSD: NO
SUBJCA TSD DISCRETION: NO

PERMIT WORKLOAD: ----
CLOSURE WORKLOAD: ----
POST CLOSURE WORKLOAD: ----

PERMITTING /CLOSURE/POST-CLOSURE PROGRESS: ----
CORRECTIVE ACTION WORKLOAD: NO
GENERATOR STATUS: NO
TRANSPORTER: NO
UNIVERSAL WASTE: NO
RECYCLER: NO
USED OIL: NO
IMPORTER: UNKNOWN
MIXED WASTE GENERATOR: U
ONSITE BURNER EXEMPT: UNKNOWN
FURNACE EXEMPTION: UNKNOWN
UNDERGROUND INJECTION: NO

NAIC 1:
NAIC 2:
NAIC 3:
NAIC 4:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 58	DIST/DIR: 0.13 NE	ELEVATION: 203	MAP ID: 24
----------------------	--------------------------	-----------------------	-------------------

NAME: WASOKA CHARLES ADDRESS: 26 HOTCHKISS ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110003009850 ID2: CTD001186774 STATUS: FRS PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: RCRAINFO PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 7/14/1980 ENFORCEMENT ACT: REG PROGRAM: NOT IN A UNIVERSE - THE HANDLER IS NOT CURRENTLY IN ANY HAZARDOUS WASTE UNIVERSE.	PROGRAM ID: CTD001186774 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NOTIFICATION LAST EXTRACTED: 5/18/2003 1:38:08 AM
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110003009850 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000
DATA UPDATED: 1/6/2006 9:24:39 AM
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR: MEDIUM
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY: NO
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST: 05
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS: 01100005
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 19	DIST/DIR: 0.13 NE	ELEVATION: 203	MAP ID: 24
----------------------	--------------------------	-----------------------	-------------------

NAME: WASOKA CHARLES
ADDRESS: 26 HOTCHKISS ST
NAUGATUCK CT 06770

REV: 1/13/10
ID1: CTD001186774
ID2:
STATUS: NLR
PHONE:

CONTACT:
SOURCE: EPA

SITE INFORMATION

UNIVERSE INFORMATION:

NAIC INFORMATION

ENFORCEMENT INFORMATION:

VIOLATION INFORMATION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 57	DIST/DIR: 0.13 NE	ELEVATION: 203	MAP ID: 24
----------------------	--------------------------	-----------------------	-------------------

NAME: WASOKA CHARLES
ADDRESS: 26 HOTCHKISS ST
NAUGATUCK CT 06770

REV:
ID1: CTD001186774
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS : CTD001186774
PCS :
AFS/AIRS :
SSTS :
CERCLIS :
NCDB :
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB :
UNKNOWN :

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 43	DIST/DIR: 0.13 NE	ELEVATION: 203	MAP ID: 24
----------------------	--------------------------	-----------------------	-------------------

NAME: HOTCHKISS HOLDING INC ADDRESS: 26 HOTCHKISS ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110038323203 ID2: STATUS: FRS PHONE:
---------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM:	SIMS	PROGRAM ID:	1538072
SUP INTEREST TYPE:	UNDERGROUND STORAGE TANK PROGRAM	FEDERAL FACILITY:	
TRIBAL LAND:			

NIAC INFORMATION

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 76 **DIST/DIR:** 0.13 NE **ELEVATION:** 203 **MAP ID:** 24

NAME: WASOKA, CHARLES AND MARY
ADDRESS: 26 HOTCHKISS ST
NAUGATUCK CT

REV: 4/23/10
ID1: 4555
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1:
WASTE TYPE2:
WASTE TYPE3:

DISPOSAL METHOD:

SAMPLE AVAILABLE: NO
LOCATION METHOD:
OTHER DEP:
UPDATED BY:
UPDATED PROGRAM:
UPDATED:
SW CLASSIFICATION:
GW CLASSIFICATION:

COMMENTS:

SITE NAMES

COMMENTS:

INFORMATION

ESTABLISHMENT: WASOKA, CHARLES AND MARY
SELLER: CHARLES and MARY WASOKA
BUYER: RONALD PHILLIPS

FORM: FORM I **RECEIVED:** 6/25/1986
ACKNOWLEDGED: **RETURNED:**
CERTIFIED: **REVISED:**
ECAF RECEIVED: **ECAF REVIEWED:**

STATUS:

STAFF: BURCROFF, A.

CERTIFIER: ,

FIRST PAYMENT: \$ **SECOND PAYMENT:** \$

COMMENTS:

REFERRAL INFORMATION

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 76	DIST/DIR: 0.13 NE	ELEVATION: 203	MAP ID: 24
----------------------	--------------------------	-----------------------	-------------------

NAME: WASOKA, CHARLES AND MARY
ADDRESS: 26 HOTCHKISS ST
NAUGATUCK CT

REV: 4/23/10
ID1: 4555
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SOURCE:	PTP - PROPERTY TRANSFER PROGRAM
RECEIVED:	6/25/1986
STAFF:	BURCROFF, A.
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM
ASSIGNED:	
COMPLETED:	6/25/1986
OUTCOME:	PTP

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 144	DIST/DIR: 0.13 NE	ELEVATION: 203	MAP ID: 24
-----------------------	--------------------------	-----------------------	-------------------

NAME: HOTCHKISS HOLDING INC ADDRESS: 26 HOTCHKISS ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: CT DEP	REV: 2/3/10 ID1: 12944 ID2: 88-12944 STATUS: PERMANENTLY CLOSED PHONE:
------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

TOTAL NUMBER OF TANKS: 1

TANK ID: 12944-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1955 SUBSTANCE STORED: OTHER PETROLEUM (SPECIFY) TANK MATERIAL: ASPHALT COATED OR BARE STEEL PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: CAPACITY (GALS): 3000 TANK PROTECTION: PIPE PROTECTION:
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

OTHER

SEARCH ID: 134	DIST/DIR: 0.13 NE	ELEVATION: 203	MAP ID: 24
-----------------------	--------------------------	-----------------------	-------------------

NAME: WASOKA, CHARLES and MARY ADDRESS: 26 HOTCHKISS ST NAUGATUCK CT CONTACT: SOURCE: CT DEP	REV: 4/23/10 ID1: 4555 ID2: STATUS: PTP PHONE:
------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------

INFORMATION

ESTABLISHMENT:	WASOKA, CHARLES AND MARY
SELLER:	CHARLES and MARY WASOKA
BUYER:	RONALD PHILLIPS

FORM:	FORM I	RECEIVED: 6/25/1986
ACKNOWLEDGED:		RETURNED:
CERTIFIED:		REVISED:
ECAF RECEIVED:		ECAF REVIEWED:

STATUS:

STAFF:	BURCROFF, A.
---------------	--------------

CERTIFIER:

FIRST PAYMENT:	\$	SECOND PAYMENT:	\$
-----------------------	----	------------------------	----

COMMENTS:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 28	DIST/DIR: 0.14 NE	ELEVATION: 204	MAP ID: 25
----------------------	--------------------------	-----------------------	-------------------

NAME: CAROLINA FURNITURE OUTLET
ADDRESS: 24 HOTCHKISS ST
NAUGATUCK CT 06770

REV:
ID1: CTD983887258
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS :
PCS :
AFS/AIRS :
SSTS :
CERCLIS :
NCDB : I01 19900430CT020 1, I01 19900504CT020 1
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB :
UNKNOWN :

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 156 **DIST/DIR:** 0.15 NW **ELEVATION:** 218 **MAP ID:** 26

NAME: PAUL FITZPATRICK
ADDRESS: 18 PARK PL
NAUGATUCK CT 06770

REV: 11/4/09
ID1: 200002991
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 5/5/2000
TIME OF RELEASE:

DISCHARGER: PAUL FITZPATRICK
CT

DISCHARGER S PHONE: 203 7236648
ACCEPTS RESPONSIBILITY: YES

MATERIAL RELEASED (GAL): 2 FUEL OIL 0

CAUSE OF INCIDENT: 3 - INGROUND TANK FAILURE
OTHER:

REPORT TIME: 5/5/2000 10:30:16 AM
REPORTED BY: RAY ZABBIT
REPORTER S PHONE: 7207650

AGENCY NOTIFIED: 3 - LOCAL FIRE MARSHAL
OTHER:
DEP BUREAU:
DEP DIVISIPN:

AGENCY NOTIFIED: 9 - DEP
OTHER:
DEP BUREAU: BUREAU OF WASTE MANAGEMENT
DEP DIVISIPN: OIL AND CHEMICAL SPILL RESPONSE

ACTION TAKEN: 17 - REMOVED TANK
OTHER:

EMERGENCY MEASURES: 2 FUEL OIL/REMOVAL OF 2 1-THOUSAND GALLON UST'S/CITY WATER ONSITE/SAMPLE
RESULTS PENDING

RELEASE CLASS: 6 - PRIVATE

MEDIA AFFECTED: 6 - OTHER

WATERBODY AFFECTED: 9 - OTHER

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 42 **DIST/DIR:** 0.16 NE **ELEVATION:** 195 **MAP ID:** 27

NAME: HERITAGE BANK (SALEM THEATRE)
ADDRESS: 173 CHURCH ST
NAUGATUCK CT 06770

REV: 5/22/09
ID1: 110030382388
ID2:
STATUS: FRS
PHONE:

CONTACT:
SOURCE: EPA

FACILITY REGISTRATION INFORMATION:

PROGRAM: FRS
PROVIDED BY: FEDERAL AGENCY
AGENCY INT QUAL:
INT END QUAL:
LAST REPORTED: 5/24/2007 12:01:36 PM
ENFORCEMENT ACT:
REG PROGRAM: FACILITY -

PROGRAM ID: 110030382388
AGENCY INTERESTED: 5/24/2007 12:01:35 PM
INTEREST ENDED:
SOURCE OF DATA: SIMS
LAST EXTRACTED:

PROGRAM: SIMS
PROVIDED BY: STATE AGENCY
AGENCY INT QUAL:
INT END QUAL:
LAST REPORTED:
ENFORCEMENT ACT:
REG PROGRAM: STATE MASTER -

PROGRAM ID: 1518723
AGENCY INTERESTED:
INTEREST ENDED:
SOURCE OF DATA: CONNECTICUT DEP
LAST EXTRACTED: 5/24/2007 12:01:36 PM

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 5/24/2007 12:01:36 PM
DATA UPDATED:
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR:
ENFORCEMENT SENSITIVE:
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 142	DIST/DIR: 0.16 NE	ELEVATION: 195	MAP ID: 27
-----------------------	--------------------------	-----------------------	-------------------

NAME: HERITAGE BANK (SALEM THEATRE)
ADDRESS: 173 CHURCH ST
NAUGATUCK CT 06770

REV: 2/3/10
ID1: 11107
ID2: 88-11107
STATUS: PERMANENTLY CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

TOTAL NUMBER OF TANKS: 1

TANK ID: 11107-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 7/1/1994
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 5000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 10 **DIST/DIR:** 0.17 NE **ELEVATION:** 222 **MAP ID:** 28

NAME: SALEM CHEVROLET
ADDRESS: 125 S MAIN ST
NAUGATUCK CT 06770

CONTACT: KATHLEEN HILL
SOURCE: EPA

REV: 9/22/05
ID1: CTD018725440
ID2:
STATUS: SGN
PHONE: 2037298222

CT MANIFEST INFORMATION

<u>MANIFEST ID</u>	<u>SHIPPED</u>	<u>TSD ID</u>	<u>TRANS ID</u>	<u>QTY</u>	<u>MATERIAL</u>
CTF0098876	01/21/1991	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA
CTF0098876	01/21/1991	CTD980667927	ILD051060408	0172 P	WASTE PETROLEUM NAPHTHA
CTF0024788	02/13/1991	CTD980667927	ILD051060408	0172 P	WASTE PETROLEUM NAPHTHA LIQUID
CTF0024788	02/13/1991	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA LIQUID
CTF0027766	03/04/1991	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA
CTF0027766	03/04/1991	CTD980667927	ILD051060408	0172 P	WASTE PETROLEUM NAPHTHA
CTF0003175	03/28/1991	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA LIQUID
CTF0003175	03/28/1991	CTD980667927	ILD051060408	0172 P	WASTE PETROLEUM NAPHTHA LIQUID
CTF0076315	04/15/1991	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA LIQUID
CTF0076315	04/15/1991	CTD980667927	ILD051060408	0182 P	WASTE PETROLEUM NAPHTHA LIQUID
CTF0066727	05/09/1991	CTD980667927	ILD051060408	0027 P	WASTE PETRO NAPHTHA LIQ
CTF0066727	05/09/1991	CTD980667927	ILD051060408	0172 P	WASTE PETRO NAPHTHA LIQ
CTF0057112	05/29/1991	CTD980667927	ILD051060408	0027 P	WASTE PETRO NAPHTHA LIQ
CTF0057112	05/29/1991	CTD980667927	ILD051060408	0131 P	WASTE PETRO NAPHTHA LIQ
CTF0042733	06/17/1991	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA
CTF0042733	06/17/1991	CTD980667927	ILD051060408	0131 P	WASTE PETROLEUM NAPHTHA
CTF0042870	06/28/1991	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA LIQUID
CTF0042870	06/28/1991	CTD980667927	ILD051060408	0131 P	WASTE PETROLEUM NAPHTHA LIQUID
MAF257503	07/30/1991	CTD980667927	ILD051060408	0131 P	WASTE PETROLEUM NAPHTHA
MAF273680	08/23/1991	CTD980667927	ILD051060408	0131 P	WASTEB PETROLEUM NAPHTHA
MAF273680	08/23/1991	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA
MAF612411	10/16/1991	CTD072138969	ILD051060408	0700 P	HAZ WASTE LIQ NOS
CTF0158526	03/11/1992	CTD980667927	ILD051060408	0131 P	WASTE PETROLEUM NAPHTHA

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 10 **DIST/DIR:** 0.17 NE **ELEVATION:** 222 **MAP ID:** 28

NAME: SALEM CHEVROLET
ADDRESS: 125 S MAIN ST
NAUGATUCK CT 06770

REV: 9/22/05
ID1: CTD018725440
ID2:
STATUS: SGN
PHONE: 2037298222

CONTACT: KATHLEEN HILL
SOURCE: EPA

CTF0158526	03/11/1992	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA
CTF0197022	04/20/1992	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA
CTF0197022	04/20/1992	CTD980667927	ILD051060408	0131 P	WASTE PETROLEUM NAPHTHA
CTF0161961	04/21/1992	CTD072138969	ILD051060408	0150 G	HAZARDOUS WASTE LIQUID
CTF0192429	06/01/1992	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHGA
CTF0192429	06/01/1992	CTD980667927	ILD051060408	0131 P	WASTE PETROLEUM NAPHTHA
CTF0193010	07/15/1992	CTD980667927	ILD051060408	0027 P	WASTE PETROLEUM NAPHTHA
CTF0193010	07/15/1992	CTD980667927	ILD051060408	0131 P	WASTE PETROLEUM NAPHTHA
CTF0139058	08/26/1992	CTD980667927	ILD051060408	0027 P	WASTE LIQUID NOS, MINERAL SPIRITS
CTF0139058	08/26/1992	CTD980667927	ILD051060408	0131 P	WASTE LIQUID NOS, MINERAL SPIRTIS
CTF0139261	10/07/1992	CTD980667927	ILD051060408	0027 P	WASTE COMBUSTIBLE LIQUID
CTF0139261	10/07/1992	CTD980667927	ILD051060408	0131 P	WASTE COMBUSTIBLE LIQUID
CTF0114818	11/18/1992	CTD980667927	ILD051060408	0027 P	WASTE COMBUSTIBLE LIQUID, NOS
CTF0114818	11/18/1992	CTD980667927	ILD051060408	0131 P	WASTE COMBUSTIBLE LIQUID, NOS
CTF0140486	01/11/1993	CTD980667927	ILD051060408	0086 P	WASTE COMBUSTIBLE LIQUID, NOS
CTF0140486	01/11/1993	CTD980667927	ILD051060408	0027 P	WASTE COMBUSTIBLE LIQUID, NOS
CTF0893124	12/17/1999	CTD021816889	CTD021816889	0002 G	GASAHOL, GASOLINE
CTF0896953	01/04/2000	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF0894251	02/15/2000	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF0923197	03/29/2000	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF0935468	05/09/2000	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF0924952	06/02/2000	CTD002593887	CTD021816889	0300 G	ENV. HAZARDOUS SUBSTANCE LIQUID NOS
CTF0938817	06/19/2000	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF0927052	08/03/2000	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF0946382	09/12/2000	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF0945467	10/27/2000	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 10 **DIST/DIR:** 0.17 NE **ELEVATION:** 222 **MAP ID:** 28

NAME: SALEM CHEVROLET
ADDRESS: 125 S MAIN ST
NAUGATUCK CT 06770

REV: 9/22/05
ID1: CTD018725440
ID2:
STATUS: SGN
PHONE: 2037298222

CONTACT: KATHLEEN HILL
SOURCE: EPA

CTF0961490	12/05/2000	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF0960269	01/16/2001	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1000923	03/01/2001	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF0961061	04/16/2001	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1010312	06/04/2001	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1011263	07/13/2001	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF0991623	08/23/2001	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1023656	10/08/2001	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1024675	11/15/2001	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1028860	01/03/2002	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1033392	02/06/2002	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1071052	03/21/2002	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1070475	04/30/2002	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1071751	06/07/2002	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1077483	07/15/2002	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1093169	08/28/2002	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1093169	08/28/2002	CTD021816889	CTD021816889	0030 G	GASAHOL, GASOLINE
CTF1084668	10/09/2002	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1036191	11/22/2002	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1143281	02/14/2003	CTD021816889	CTD021816889	0016 G	PETROLEUM DISTILLATES NOS
CTF1142546	05/09/2003	CTD021816889	CTD021816889	0030 G	PETROLEUM DISTILLATES NOS

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 53 **DIST/DIR:** 0.17 NE **ELEVATION:** 222 **MAP ID:** 28

NAME: SALEM CHEVROLET ADDRESS: 125 SOUTH MAIN ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110003012463 ID2: CTD018725440 STATUS: FRS PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110003012463 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
PROGRAM: RCRAINFO PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 9/23/2005 ENFORCEMENT ACT: REG PROGRAM: NOT IN A UNIVERSE - THE HANDLER IS NOT CURRENTLY IN ANY HAZARDOUS WASTE UNIVERSE.	PROGRAM ID: CTD018725440 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: RCRAINFO LAST EXTRACTED: 10/27/2005 1:50:21 PM
PROGRAM: SIMS PROVIDED BY: STATE AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: STATE MASTER -	PROGRAM ID: 1530713 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: CONNECTICUT DEP LAST EXTRACTED: 5/24/2007 12:04:24 PM
SITE TYPE: STATIONARY INTEREST STATUS: ACTIVE DATA QUALITY: V LOCATION DESC: ADDRESS TYPE: REGULAR URBAN LAST REPORTED: POSTED TO DATABASE: 3/1/2000 DATA UPDATED: 5/24/2007 12:04:24 PM ENTERED PERSON/METHOD: REFRESH PARENT REG ID: CONFIDENCE IN ADDR: ENFORCEMENT SENSITIVE: N REQ MANUAL REVIEW: REASON MAN REVIEW: SMALL BUS POLICY: ENFORCEMENT ACTION: DATA PUB ACCESS: YES INTERNAL SYS ID:	
FEDERAL FACILITY: NO FEDERAL AGENCY: TRIBAL LAND: NO	

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 53	DIST/DIR: 0.17 NE	ELEVATION: 222	MAP ID: 28
----------------------	--------------------------	-----------------------	-------------------

NAME: SALEM CHEVROLET
ADDRESS: 125 SOUTH MAIN ST
NAUGATUCK CT 06770
NEW HAVEN

REV: 5/22/09
ID1: 110003012463
ID2: CTD018725440
STATUS: FRS
PHONE:

CONTACT:
SOURCE: EPA

TRIBAL LAND NAME:
CONGRESSIONAL DIST: 05
LEGISLATIVE DIST: 17
HYDROLOGICAL UNTIS: 01100005
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 52	DIST/DIR: 0.17 NE	ELEVATION: 222	MAP ID: 28
----------------------	--------------------------	-----------------------	-------------------

NAME: SALEM CHEVROLET
ADDRESS: 125 S MAIN ST
NAUGATUCK CT 06770

REV:
ID1: CTD018725440
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS : CTD018725440
PCS :
AFS/AIRS :
SSTS :
CERCLIS :
NCDB :
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB :
UNKNOWN :

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 18	DIST/DIR: 0.17 NE	ELEVATION: 222	MAP ID: 28
----------------------	--------------------------	-----------------------	-------------------

NAME: SALEM CHEVROLET
ADDRESS: 125 S MAIN ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: EPA

REV: 1/13/10
ID1: CTD018725440
ID2:
STATUS: NLR
PHONE:

SITE INFORMATION

CONTACT INFORMATION: KATHLEEN HILL
125 S MAIN ST
NAUGATUCK CT 06770

PHONE: 2037298222

UNIVERSE INFORMATION:

NAIC INFORMATION

ENFORCEMENT INFORMATION:

VIOLATION INFORMATION:

HAZARDOUS WASTE INFORMATION:

D000
Ignitable waste

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 148 **DIST/DIR:** 0.17 NE **ELEVATION:** 222 **MAP ID:** 28

NAME: SALEM CHEVROLET
ADDRESS: 125 S MAIN ST
NAUGATUCK CT 06770

REV: 2/3/10
ID1: 05398
ID2: 88-5398
STATUS: PERMANENTLY CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

TOTAL NUMBER OF TANKS: 1

TANK ID: 5398-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 11/1/1982	DATE LAST USED: 2/1/1999
SUBSTANCE STORED: USED OIL	CAPACITY (GALS): 550
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

UST

SEARCH ID: 143 **DIST/DIR:** 0.17 NW **ELEVATION:** 225 **MAP ID:** 29

NAME: HOBSON BUILDING
ADDRESS: CHURCH ST
NAUGATUCK CT 06770
NEW HAVEN

REV: 2/3/10
ID1: 11266
ID2: 88-11266
STATUS: PERMANENTLY CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

TOTAL NUMBER OF TANKS: 1

TANK ID: 11266-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 1/1/1950
SUBSTANCE STORED: HEATING OIL	CAPACITY (GALS): 5000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL:	PIPE PROTECTION:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 30 **DIST/DIR:** 0.18 NE **ELEVATION:** 228 **MAP ID:** 30

NAME: CHARLIE S SERVICE STATION ADDRESS: 109 S MAIN ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110030410491 ID2: STATUS: FRS PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 5/24/2007 12:16:02 PM ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110030410491 AGENCY INTERESTED: 5/24/2007 12:16:02 PM INTEREST ENDED: SOURCE OF DATA: SIMS LAST EXTRACTED:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: SIMS PROVIDED BY: STATE AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: STATE MASTER -	PROGRAM ID: 1524805 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: CONNECTICUT DEP LAST EXTRACTED: 5/24/2007 12:16:02 PM
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 5/24/2007 12:16:02 PM
DATA UPDATED:
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR:
ENFORCEMENT SENSITIVE:
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 137 **DIST/DIR:** 0.18 NE **ELEVATION:** 228 **MAP ID:** 30

NAME: CHARLIE S SERVICE STATION ADDRESS: 109 S MAIN ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: CT DEP	REV: 2/3/10 ID1: 05383 ID2: 88-5383 STATUS: CURRENTLY IN USE PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

TOTAL NUMBER OF TANKS: 5

TANK ID: 5383-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 6/1/1972 SUBSTANCE STORED: GASOLINE TANK MATERIAL: ASPHALT COATED OR BARE STEEL PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: 6/1/1990 CAPACITY (GALS): 2000 TANK PROTECTION: PIPE PROTECTION:
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

TANK ID: 5383-2
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED: 6/1/1990 SUBSTANCE STORED: GASOLINE TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3) PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: CAPACITY (GALS): 5000 TANK PROTECTION: PIPE PROTECTION:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------

TANK ID: 5383-3
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 6/1/1972 SUBSTANCE STORED: GASOLINE TANK MATERIAL: ASPHALT COATED OR BARE STEEL PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: 6/1/1990 CAPACITY (GALS): 2000 TANK PROTECTION: PIPE PROTECTION:
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

TANK ID: 5383-4
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED: 6/1/1990 SUBSTANCE STORED: GASOLINE TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3) PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: CAPACITY (GALS): 5000 TANK PROTECTION: PIPE PROTECTION:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------

TANK ID: 5383-5
TANK STATUS: PERMANENTLY CLOSED-TANK FILLED WITH INERT MATERIAL

DATE INSTALLED: 1/1/1950 SUBSTANCE STORED: USED OIL TANK MATERIAL: ASPHALT COATED OR BARE STEEL PIPE MATERIAL:	DATE LAST USED: 7/1/1989 CAPACITY (GALS): 275 TANK PROTECTION: PIPE PROTECTION:
-----------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 135	DIST/DIR: 0.20 NE	ELEVATION: 224	MAP ID: 31
-----------------------	--------------------------	-----------------------	-------------------

NAME: BILL SCHEITHE SERVICE STATION
ADDRESS: 27 MAIN SOUTH ST
NAUGATUCK CT 06770

REV: 2/3/10
ID1: 05385
ID2: 88-5385
STATUS: PERMANENTLY CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

TOTAL NUMBER OF TANKS: 3

TANK ID: 5385-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 10/1/1982	DATE LAST USED: 9/1/1995
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 3000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL:	PIPE PROTECTION:

TANK ID: 5385-2
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 10/1/1982	DATE LAST USED: 9/1/1995
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 4000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL:	PIPE PROTECTION:

TANK ID: 5385-3
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 10/1/1982	DATE LAST USED: 9/1/1995
SUBSTANCE STORED: GASOLINE	CAPACITY (GALS): 4000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL:	PIPE PROTECTION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 157	DIST/DIR: 0.20 NE	ELEVATION: 224	MAP ID: 31
-----------------------	--------------------------	-----------------------	-------------------

NAME: RICK S AUTO SERVICE
ADDRESS: 27 S MAIN ST
NAUGATUCK CT 06770

REV: 7/18/06
ID1: 35611
ID2: 7560
STATUS: CLEANUP INITIATED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

INCIDENT DATE: 9/19/1995
SPILL CASE ID:
SITS CASE ID:
UST SITE ID:

MATERIAL:

MOTOR FUEL:	0
DIESEL:	0
GASOLINE:	0
OTHER	0

CAUSE

LEAK	0
TANK:	0
PIPING:	0
OVERFILL	0
REMOVAL:	0

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 25 **DIST/DIR:** 0.20 NE **ELEVATION:** 224 **MAP ID:** 31

NAME: BILL SCHEITHE SERVICE STATION
ADDRESS: 27 S MAIN ST
NAUGATUCK CT 06770

REV: 5/22/09
ID1: 110030410516
ID2:
STATUS: FRS
PHONE:

CONTACT:
SOURCE: EPA

FACILITY REGISTRATION INFORMATION:

PROGRAM: SIMS
PROVIDED BY: STATE AGENCY
AGENCY INT QUAL:
INT END QUAL:
LAST REPORTED:
ENFORCEMENT ACT:
REG PROGRAM: STATE MASTER -

PROGRAM ID: 1524807
AGENCY INTERESTED:
INTEREST ENDED:
SOURCE OF DATA: CONNECTICUT DEP
LAST EXTRACTED: 5/24/2007 12:16:03 PM

PROGRAM: FRS
PROVIDED BY: FEDERAL AGENCY
AGENCY INT QUAL:
INT END QUAL:
LAST REPORTED: 5/24/2007 12:16:03 PM
ENFORCEMENT ACT:
REG PROGRAM: FACILITY -

PROGRAM ID: 110030410516
AGENCY INTERESTED: 5/24/2007 12:16:02 PM
INTEREST ENDED:
SOURCE OF DATA: SIMS
LAST EXTRACTED:

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 5/24/2007 12:16:03 PM
DATA UPDATED:
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR:
ENFORCEMENT SENSITIVE:
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 71 **DIST/DIR:** 0.20 NE **ELEVATION:** 224 **MAP ID:** 31

NAME: RICH S AUTO WORKS
ADDRESS: 27 MAIN SOUTH ST
NAUGATUCK CT

REV: 4/23/10
ID1: 2690
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1: HYDRO/OIL - HYDROCARBONS AND/OR FUEL OIL
WASTE TYPE2:
WASTE TYPE3:

DISPOSAL METHOD: UST

SAMPLE AVAILABLE: NO

LOCATION METHOD:

OTHER DEP: SPILLS

UPDATED BY: DORAN, E.

UPDATED PROGRAM: CORE

UPDATED: 11/24/1995

SW CLASSIFICATION:

GW CLASSIFICATION:

COMMENTS: SPILLS REC D REPORT OF SOIL CONTAMINATION FOUND DURING REMOVAL OF TWO 4K
AND ONE 3K GASOLINE UST ON 9/19/95. (11/95)

SITE NAMES

COMMENTS:

REFERRAL INFORMATION

SOURCE: SPILLS
RECEIVED: 9/29/1995
STAFF:
PROGRAM:
ASSIGNED:
COMPLETED:
OUTCOME:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 162 **DIST/DIR:** 0.20 NW **ELEVATION:** 242 **MAP ID:** 32

NAME: SAINT MICHAELS CHURCH
ADDRESS: 210 CHURCH ST
NAUGATUCK CT 06770

REV: 11/4/09
ID1: 200404341
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 6/29/2004
TIME OF RELEASE:

DISCHARGER: SAINT MICHAELS CHURCH
CT

DISCHARGER S PHONE: 203 7298249
ACCEPTS RESPONSIBILITY: YES

MATERIAL RELEASED (GAL): 2 FUEL OIL 0

CAUSE OF INCIDENT: 3 - INGROUND TANK FAILURE
OTHER:

REPORT TIME: 6/29/2004 12:40:34 PM
REPORTED BY: RAY ZABBIT
REPORTER S PHONE: 2633636

AGENCY NOTIFIED: 3 - LOCAL FIRE MARSHAL
OTHER:
DEP BUREAU:
DEP DIVISIPN:

AGENCY NOTIFIED: 9 - DEP
OTHER:
DEP BUREAU: BUREAU OF WASTE MANAGEMENT
DEP DIVISIPN: OIL AND CHEMICAL SPILL RESPONSE

ACTION TAKEN: 17 - REMOVED TANK
OTHER:

ACTION TAKEN: 18 - SOIL REMOVED
OTHER:

EMERGENCY MEASURES: IK LUST

RELEASE CLASS: 6 - PRIVATE

MEDIA AFFECTED: 6 - OTHER

WATERBODY AFFECTED: 9 - OTHER

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 141	DIST/DIR: 0.21 NE	ELEVATION: 198	MAP ID: 33
-----------------------	--------------------------	-----------------------	-------------------

NAME: FORMER UNIROYAL PARCEL C
ADDRESS: WATER ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: CT DEP

REV: 2/3/10
ID1: 11760
ID2: 88-11760
STATUS: PERMANENTLY CLOSED
PHONE:

TOTAL NUMBER OF TANKS: 2

TANK ID: 11760-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 6/1/1998
SUBSTANCE STORED: HEATING OIL	CAPACITY (GALS): 8000
TANK MATERIAL:	TANK PROTECTION:
PIPE MATERIAL: OTHER (SPECIFY)	PIPE PROTECTION:

TANK ID: 11760-2
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 6/1/1998
SUBSTANCE STORED: HAZARDOUS SUBSTANCE (SPECIFY)	CAPACITY (GALS): 5000
TANK MATERIAL:	TANK PROTECTION:
PIPE MATERIAL: OTHER (SPECIFY)	PIPE PROTECTION:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FEDBF

SEARCH ID: 175	DIST/DIR: 0.21 NE	ELEVATION: 198	MAP ID: 33
-----------------------	--------------------------	-----------------------	-------------------

NAME: PARCEL C BUIDING 25 ADDRESS: 58 MAPLE ST BOROUGH OF NAUGUTUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/5/09 ID1: 69599399-92762 ID2: 92762 STATUS: EPA BROWNFIELD PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------

SITE INFORMATION:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 37 **DIST/DIR:** 0.21 NE **ELEVATION:** 198 **MAP ID:** 33

NAME: FORMER UNIROYAL CONSUMER DIV P ADDRESS: MAPLE ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110010761791 ID2: STATUS: FRS PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: ICIS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: COMPLAINT FILED WITH COURT INT END QUAL: LAST REPORTED: 3/12/1991 12:01:00 AM ENFORCEMENT ACT: REG PROGRAM: FORMAL ENFORCEMENT ACTION - A CIVIL JUDICIAL OR ADMINISTRATIVE ENFORCEMENT CASE UNDER AN ENVIRONMENTAL STATUTE.	PROGRAM ID: 36838 AGENCY INTERESTED: 6/27/1986 INTEREST ENDED: SOURCE OF DATA: ICIS LAST EXTRACTED: 2/6/2003 12:32:55 PM
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110010761791 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: IRREGULAR
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000
DATA UPDATED: 6/6/2007 4:05:00 AM
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR: MEDIUM
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 36	DIST/DIR: 0.21 NE	ELEVATION: 198	MAP ID: 33
----------------------	--------------------------	-----------------------	-------------------

NAME: FORMER UNIROYAL CONSUMER DIV P
ADDRESS: MAPLE ST
NAUGATUCK CT 06770
NEW HAVEN

REV:
ID1: CTD981071012
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS :
PCS :
AFS/AIRS :
SSTS :
CERCLIS :
NCDB :
ENF DOCKET : 01-85-0015
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB :
UNKNOWN :

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 47 **DIST/DIR:** 0.21 NE **ELEVATION:** 198 **MAP ID:** 33

NAME: PARCEL C BUIDING 25
ADDRESS: 58 MAPLE ST
BOROUGH OF NAUGUTUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: EPA

REV: 5/22/09
ID1: 110038212403
ID2:
STATUS: FRS
PHONE:

FACILITY REGISTRATION INFORMATION:

NIAC INFORMATION

FINDS

SEARCH ID: 56 **DIST/DIR:** 0.21 NE **ELEVATION:** 198 **MAP ID:** 33

NAME: UNIROYAL INC FOOTWEAR PLT
ADDRESS: 58 MAPLE ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE:

REV:
ID1: CTD000856682
ID2:
STATUS:
PHONE:

RCRIS :
PCS : CT0001309
AFS/AIRS :
SSTS :
CERCLIS :
NCDB :
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS :
DandB :
UNKNOWN :

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

OTHER

SEARCH ID: 132 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON CORP. ADDRESS: 1 RISDON ST NAUGATUCK CT	REV: 4/23/10 ID1: 3375 ID2: STATUS: PTP PHONE:
CONTACT: SOURCE: CT DEP	

SITE INFORMATION

WASTE TYPE1:
WASTE TYPE2:
WASTE TYPE3:

DISPOSAL METHOD:

SAMPLE AVAILABLE: LOCATION METHOD: OTHER DEP: UPDATED BY: UPDATED PROGRAM: UPDATED: SW CLASSIFICATION: GW CLASSIFICATION:	NO HAMEL, M. PTP - PROPERTY TRANSFER PROGRAM 4/30/1999
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------

COMMENTS: FORM II FILED 3/31/89, 4/24/89. ELUR SITE (4/99)

SITE NAMES

RISDON CORP. METAL COSMETICS DIVISION
FABRICATED METAL PRODUCTS
RISDON CORP. METAL COSMETICS DIVISION
FABRICATED METAL PRODUCTS

COMMENTS:

INFORMATION

ESTABLISHMENT: SELLER: BUYER:	FABRICATED METAL PRODUCTS RISDON CORP. FIRST HARTFORD CAPITAL
----------------------------------------------------------	---------------------------------------------------------------------

FORM: ACKNOWLEDGED: CERTIFIED: ECAF RECEIVED:	FORM III 12/19/1989	RECEIVED: 9/21/1989 RETURNED: REVISED: ECAF REVIEWED:
------------------------------------------------------------------------------------	------------------------	--------------------------------------------------------------------------------------------

STATUS: R

STAFF:

CERTIFIER: ,

FIRST PAYMENT: \$ **SECOND PAYMENT:** \$

COMMENTS:

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

OTHER

SEARCH ID: 132 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON CORP. ADDRESS: 1 RISDON ST NAUGATUCK CT CONTACT: SOURCE: CT DEP	REV: 4/23/10 ID1: 3375 ID2: STATUS: PTP PHONE:
--------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------

INFORMATION

ESTABLISHMENT:	RISDON CORP.	
SELLER:	RISDON CORP.	
BUYER:	CMB HOLDINGS (USA) INC.	
FORM:	FORM III	RECEIVED: 4/24/1989
ACKNOWLEDGED:	5/22/1989	RETURNED:
CERTIFIED:		REVISED:
ECAF RECEIVED:		ECAF REVIEWED:

STATUS: R

STAFF:

CERTIFIER: ,

FIRST PAYMENT: \$ **SECOND PAYMENT:** \$

COMMENTS:

INFORMATION

ESTABLISHMENT:	RISDON CORP.	
SELLER:	RISDON CORP.	
BUYER:	FABRICATED METAL PROD.	
FORM:	FORM III	RECEIVED: 3/31/1989
ACKNOWLEDGED:	5/12/1989	RETURNED:
CERTIFIED:		REVISED:
ECAF RECEIVED:		ECAF REVIEWED:

STATUS: A

STAFF: HAMEL, M.

CERTIFIER: ,

FIRST PAYMENT: \$ **SECOND PAYMENT:** \$

COMMENTS:

REMEDIAL INFORMATION

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

OTHER

SEARCH ID: 132	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
-----------------------	--------------------------	-----------------------	-------------------

NAME: RISDON CORP. ADDRESS: 1 RISDON ST NAUGATUCK CT	REV: 4/23/10 ID1: 3375 ID2: STATUS: PTP PHONE:
CONTACT: SOURCE: CT DEP	

TYPE:	III	
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM	
ENTERED:		
STAFF:	HAMEL, M.	COMPLETE:
ASSIGNED:		PHASE: A
ORDER ISSUED:	NO	ORDER NUMBER:
ORDER DATE:		INVESTIGATION START:
COMPLETED:		DESIGN START:
DESIGN DONE:		ACTION START:
ACTION DONE:		OPERATION START:
GW MONITORING:	NO	

REFERRAL INFORMATION

SOURCE:	PTP - PROPERTY TRANSFER PROGRAM
RECEIVED:	4/24/1989
STAFF:	HAMEL, M.
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM
ASSIGNED:	
COMPLETED:	4/30/1999
OUTCOME:	PTP

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

OTHER

SEARCH ID: 128	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
-----------------------	--------------------------	-----------------------	-------------------

NAME: FABRICATED METAL PRODUCTS
ADDRESS: 1 RISDON ST
NAUGATUCK CT

REV: 4/23/10
ID1: CTOT-07-4-173
ID2:
STATUS: PTP
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

SITE TYPE:	PROPERTY TRANSFER FORM III
INVESTIGATION START DATE:	
REMEDATION START DATE:	
REMEDATION COMPLETED DATE:	
ENVIRO	
COMMENTS:	PROJECTS

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 6 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: FABRICATED METAL PRODUCTS INC
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

CONTACT: LARS JOHNSON
SOURCE: EPA

REV: 6/8/02
ID1: CTD983870924
ID2:
STATUS: VGN
PHONE: 2037298231

CT MANIFEST INFORMATION

<u>MANIFEST ID</u>	<u>SHIPPED</u>	<u>TSD ID</u>	<u>TRANS ID</u>	<u>QTY</u>	<u>MATERIAL</u>
CTC0286904	01/08/1990	MAD019371079	CTD055310759	0330 G	WASTE 111 TRICHLOROETHANE
CTC0286905	01/22/1990	MAD019371079	CTD055310759	0220 G	WASTE 111 TRICHLOROETHANE
CTC0286906	01/30/1990	CTD072138969	CTD072138969	0220 G	WASTE 111 TRICHLOROETHANE
CTC0286906	01/30/1990	CTD072138969	CTD072138969	0275 G	WASTE SWD SOLVENT NOS
CTC0286907	02/19/1990	MAD019371079	CTD055310759	0605 G	WASTE 111 TRICHLOROETHANE
CTC0286908	03/02/1990	CTD072138969	CTD072138969	0110 G	WASTE CYANIDE SLUDGE, NOS
CTC0286908	03/02/1990	CTD072138969	CTD072138969	0110 G	WASTE S.W.D. SOLVENT, LIQUID, NOS
CTC0286909	03/19/1990	MAD019371079	CTD055310759	0440 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0280132	03/20/1990	CTD089631956	CTD089631956	0055 G	WASTE METHYL ETHYL KETONE, LIQUID
CTC0286911	04/02/1990	CTD072138969	CTD072138969	0110 G	WASTE OIL, COMBUSTIBLE LIQUID, NOS
CTC0286910	04/02/1990	MAD019371079	CTD055310759	0440 G	WASTE III TRIC/OIL
CTC0286911	04/02/1990	CTD072138969	CTD072138969	0055 G	WASTE COMBUSTIBLE LIQUID, NOS MATERIAL
CTC0286912	04/16/1990	MAD019371079	CTD055310759	0825 G	WASTE III TRIC/OIL
CTC0286913	04/30/1990	MAD019371079	CTD055310759	0220 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0286914	05/25/1990	CTD072138969	CTD072138969	0165 G	WASTE COMBUSTIBLE LIQUID, NOS MATERIAL
CTC0286915	06/04/1990	MAD019371079	CTD055310759	0385 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0286916	07/03/1990	CTD072138969	CTD072138969	0110 G	WASTE COMBUSTIBLE LIQUID MATERIAL
CTC0286917	07/09/1990	MAD019371079	CTD055310759	0220 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0286918	08/06/1990	MAD019371079	CTD055310759	0500 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0286919	08/27/1990	CTD072138969	CTD072138969	0055 G	WASTE CYANIDE SOLUTION SLUDGE
CTC0286919	08/27/1990	CTD072138969	CTD072138969	0055 G	WASTE LIQ MAT L S W D SOLVENT
CTC0286921	09/04/1990	MAD019371079	CTD055310759	0385 G	WASTE III TRIC/OIL
CTC0286922	10/15/1990	MAD019371079	CTD055310759	0550 G	WASTE, 1,1,1, TRICHLOROETHANE

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 6 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: FABRICATED METAL PRODUCTS INC
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770
CONTACT: LARS JOHNSON
SOURCE: EPA

REV: 6/8/02
ID1: CTD983870924
ID2:
STATUS: VGN
PHONE: 2037298231

CTC0286923	10/30/1990	CTD072138969	CTD072138969	0055 G	HAZARDOUS WASTE LIQUID, NOS
CTC0286923	10/30/1990	CTD072138969	CTD072138969	0055 G	WASTE COMBUSRTIBLE LIQUID, NOS
CTC0286924	11/12/1990	MAD019371079	CTD055310759	0330 G	WASTE 111 TRICHLOROETHANE
CTC0286925	11/30/1990	CTD072138969	CTD072138969	0110 G	WASTE COMBUSTIBLE LIQUID, NOS
CTC0286926	12/03/1990	MAD019371079	CTD055310759	0440 G	WASTE 111 TRICHLOROETHANE
CTC0286927	12/28/1990	CTD072138969	CTD072138969	0110 G	WASTE COMUBUSTIBLE LIQUIDS
CTC0286928	01/07/1991	MAD019371079	CTD055310759	0495 G	WASTE, 1,1,1, TRICHLOROETHANE and WATER
CTC0286929	01/21/1991	MAD019371079	CTD055310759	0450 P	WASTE 111 TRICHLOROETHANE
CTC0286929	01/21/1991	MAD019371079	CTD055310759	0330 G	WASTE 111 TRICHLOROETHANE
CTF0098870	01/30/1991	CTD980667927	ILD051060408	0516 P	WASTE PETROLEUM NAPHTHA LIQUID
CTC0286930	02/05/1991	CTD072138969	CTD072138969	0165 G	HAZARDOUS WASTE LIQUID, NOS
CTC0286930	02/05/1991	CTD072138969	CTD072138969	0165 G	WASTE COMBUSTIBLE LIQUID, NOS
CTC0286931	02/05/1991	CTD072138969	CTD072138969	0275 G	WASTE CYANIDE SOLUTION, NOS
CTC0286933	02/25/1991	MAD019371079	CTD055310759	0440 G	WASTE 111 TRICHLOROETHANE
CTC0286936	03/18/1991	MAD019371079	CTD055310759	0275 G	WST, 1,1,1, TRICHLOROETHANE, WITH OIL
CTC0286936	03/18/1991	MAD019371079	CTD055310759	0400 P	WASTE, 1,1,1, TRICHLOROETHANE
CTF0003104	03/25/1991	CTD980667927	ILD051060408	0516 P	WASTE PETRO NAPHTHA LIQ
CTC0286937	04/01/1991	MAD019371079	CTD055310759	0400 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0286937	04/01/1991	MAD019371079	CTD055310759	0275 G	WST, 1,1,1, TRICHLOROETHANE WITH OIL
CTC0286934	04/03/1991	CTD072138969	CTD072138969	0275 G	WASTE COMBUSTIBLE LIQUID
CTC0286934	04/03/1991	CTD072138969	CTD072138969	0055 G	HAZARDOUS WASTE LIQUID
CTC0286938	05/06/1991	MAD019371079	CTD055310759	0275 G	WASTE 111 TRICHLOROETHANE
CTC0286939	05/20/1991	MAD053452637	MAD039322250	0055 G	WASTE OIL LIQ W/WATER
CTC0286939	05/20/1991	MAD053452637	MAD039322250	0220 G	WASTE LIQ NOS PETRO DIST/WATR/OILS
CTF0057028	05/23/1991	CTD980667927	ILD051060408	0430 P	WASTE PETRO NAPHTHA LIQ
CTC0286943	06/20/1991	MAD053452637	MAD039322250	0165 G	WST LIQ NOS, PETROLEUM DISTILATE, (OIL)

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 6 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: FABRICATED METAL PRODUCTS INC
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

CONTACT: LARS JOHNSON
SOURCE: EPA

REV: 6/8/02
ID1: CTD983870924
ID2:
STATUS: VGN
PHONE: 2037298231

CTC0286944	06/25/1991	MAD019371079	CTD055310759	0385 G	WASTE, 1,1,1, TRICHLOROETHANE
MAF257247	07/25/1991	CTD980667927	ILD051060408	0516 P	WASTE PETROLEUM NAPHTHA LIQUID
CTC0286945	08/05/1991	MAD019371079	CTD055310759	0440 G	WASTE 111 TRICHLOROETHANE
CTC0286946	08/07/1991	MAD053452637	MAD039322250	0055 G	WASTE COMBUSTIBLE LIQUID, NOS
CTC0286942	08/07/1991	MAD053452637	MAD039322250	0110 G	WASTE OIL, NOS
CTC0286941	08/19/1991	MAD053452637	MAD039322250	0350 P	WASTE SODIUM CYANIDE
CTC0286941	08/19/1991	MAD053452637	MAD039322250	0500 P	WASTE SODIUM CYANIDE MIXTURE, DRY
CTC0286941	08/19/1991	MAD053452637	MAD039322250	0500 P	WASTE SODIUM CYANIDE
CTC0286941	08/19/1991	MAD053452637	MAD039322250	0200 P	WASTE CYANIDE MIXTURE DRY
CTC0286947	08/26/1991	MAD019371079	CTD055310759	0400 P	WASTE, 1,1,1, TRICHLOROETHANE
CTC0286947	08/26/1991	MAD019371079	CTD055310759	0550 G	WASTE, 1,1,1, TRICHLOROETHANE WITH OIL
CTC0286949	09/04/1991	MAD053452637	MAD039322250	0200 P	SODIUM NITRATE MIXTURE
CTC0286948	09/04/1991	MAD053452637	MAD039322250	0055 G	WASTE LIQUID NOS, PETROLUUM DISTILLATE
CTF0018850	09/24/1991	MAD053452637	MAD039322250	0330 G	WASTE COMPOUND CLEANING LIQUID
CTF0018850	09/24/1991	MAD053452637	MAD039322250	0165 G	WASTE CYANIDE SOLUTION, NOS
CTF0018850	09/24/1991	MAD053452637	MAD039322250	0055 G	WASTE CYANIDE SOLUTION, NOS
CTC0286950	09/24/1991	MAD053452637	MAD039322250	0055 G	WASTE LIQUID NOS, PETROLEUM DISTILLATE
MAF610118	09/26/1991	CTD980667927	ILD051060408	0561 P	WASTE PETROLEUM NAPHTHA LIQUID
CTF0018848	09/30/1991	MAD019371079	CTD055310759	0495 G	WST 1,1,1 TRICHLOROETHANE WITH OIL/WATER
CTF0018802	10/11/1991	MAD053452637	MAD039322250	0055 G	WASTE OIL NOS, COMBUSTIBLE LIQUID
CTF0018802	10/11/1991	MAD053452637	MAD039322250	0055 G	WST LIQ NOS, PERTROLEUM DISTILLATES
CTF0018802	10/11/1991	MAD053452637	MAD039322250	0010 G	WASTE LIQUID NOS, HYDROCHLORIC ACID
CTF0018803	10/28/1991	MAD019371079	CTD055310759	0550 G	WASTE 111 TRICHLOROETHANE
CTF0018804	11/04/1991	MAD019371079	CTD055310759	1045 G	WASTE 111 TRICHLOROETHANE
MAF610369	11/07/1991	CTD980667927	ILD051060408	0348 P	WASTE PETROLEUM NAPHTHA LIQUID
CTF0018806	11/19/1991	MAD053452637	MAD039322250	0250 P	WASTE CYANIDE MIXTURE DRY
CTF0018806	11/19/1991	MAD053452637	MAD039322250	0200 P	WASTE SODIUM NITRITE DRY

- More Details Exist For This Site; Max Page Limit Reached -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 9 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON CORP METAL COSMETICS DIV
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770
CONTACT: JOSEPH STRAMONDO
SOURCE: EPA

REV: 10/8/02
ID1: CTD001166479
ID2:
STATUS: VGN
PHONE: 2037298231

CT MANIFEST INFORMATION

<u>MANIFEST ID</u>	<u>SHIPPED</u>	<u>TSD ID</u>	<u>TRANS ID</u>	<u>QTY</u>	<u>MATERIAL</u>
CTC0253914	01/08/1990	MAD019371079	CTD055310759	0210 G	WASTE III TRIC/OIL
CTC0253916	01/30/1990	MAD019371079	CTD055310759	0330 G	WASTE III TRIC W/OIL
CTC0253918	02/14/1990	CTD072138969	CTD072138969	0110 G	HAZ SUB LIQ NOS RISDON 3
CTC0280019	02/15/1990	CTD089631956	CTD089631956	0220 G	WASTE FLAMMABLE LIQUID, NOS
CTC0253917	02/19/1990	MAD019371079	CTD055310759	0165 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0253919	03/05/1990	MAD019371079	CTD055310759	0275 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0280131	03/20/1990	CTD089631956	CTD089631956	0550 G	WASTE FLAMMABLE LIQUID, NOS
CTC0253921	04/02/1990	MAD019371079	CTD055310759	0490 G	WASTE 111 TRICHLOROETHANE
CTC0253922	04/16/1990	MAD019371079	CTD055310759	0110 G	WASTE 111 TRICHLOROETHANE
CTC0253923	04/30/1990	MAD019371079	CTD055310759	0330 G	WASTE III TRIC/OIL
CTC0253924	05/04/1990	CTD072138969	CTD072138969	0165 G	HAZ SUB LIQ NOS
CTC0253926	05/14/1990	MAD019371079	CTD055310759	0440 G	WASTE III TRIC/OIL
CTC0308691	05/18/1990	CTD089631956	CTD089631956	0220 G	WASTE FLAMMABLE LIQUID, NOS
CTC0253928	06/04/1990	MAD019371079	CTD055310759	0440 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0253929	06/18/1990	MAD019371079	CTD055310759	0330 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0253930	07/09/1990	MAD019371079	CTD055310759	0375 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0253931	07/09/1990	CTD072138969	CTD072138969	0220 G	HAZARDOUS SUBSTANCE LIQUID, NOS
CTC0253932	07/11/1990	CTD072138969	CTD983872748	0010 Y	HAZARDOUS WASTE SOLID, NOS
CTC0308602	07/13/1990	CTD089631956	CTD089631956	0275 G	WASTE FLAMMABLE LIQUID, NOS
CTC0253934	08/06/1990	MAD019371079	CTD055310759	0330 G	WASTE, 1,1,1, TRICHLOROETHANE
CTC0253935	08/08/1990	CTD072138969	CTD072138969	0055 G	WASTE CYANIDE SOLUTION, NOS
CTC0253935	08/08/1990	CTD072138969	CTD072138969	0110 G	HAZARDOUS SUBSTANCE LIQUID, NOS
CTC0253936	08/20/1990	MAD019371079	CTD055310759	0330 G	WASTE, 1,1,1, TRICHLOROETHANE

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 9 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON CORP METAL COSMETICS DIV
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770
CONTACT: JOSEPH STRAMONDO
SOURCE: EPA

REV: 10/8/02
ID1: CTD001166479
ID2:
STATUS: VGN
PHONE: 2037298231

CTC0253937	08/20/1990	CTD072138969	CTD072138969	0880 G	HAZARDOUS WASTE LIQUID NOS
CTC0253938	09/04/1990	MAD019371079	CTD055310759	0275 G	WASTE 111 TRICHLOROETHANE
CTC0253939	09/05/1990	CTD072138969	CTD072138969	0055 G	HAZARDOUS WASTE LIQUID NOS
CTC0253939	09/05/1990	CTD072138969	CTD072138969	0220 G	HAZARDOUS SUBSTANCE LIQUID NOS
CTC0308747	09/05/1990	CTD089631956	CTD089631956	0150 G	WASTE FLAMMABLE LIQUID, NOS
CTC0253940	10/01/1990	MAD019371079	CTD055310759	0550 G	WASTE 111 TRICHLOROETHANE
CTF0082808	10/24/1990	MAD019371079	CTD055310759	0440 G	WASTE, 1,1,1, TRICHLOROETHANE
CTF0082809	10/25/1990	CTD072138969	CTD072138969	3200 P	HAZARDOUS WASTE SOLID, NOS
CTF0082810	11/05/1990	MAD019371079	CTD055310759	0330 G	WASTE 111 TRICHLOROETHANE
CTF0084682	11/15/1990	CTD089631956	CTD089631956	0650 G	WASTE FLAMMABLE LIQUID, NOS
CTF0082812	11/19/1990	MAD019371079	CTD055310759	0385 G	WASTE 111 TRICHLOROETHANE
CTF0084605	11/30/1990	CTD089631956	CTD089631956	0165 G	WASTE FLAMMABLE LIQU NOS
CTF0084605	11/30/1990	CTD089631956	CTD089631956	0330 G	WASTE FLAMMABLE LIQUID NOS
CTF0082813	12/10/1990	MAD019371079	CTD055310759	0385 G	WASTE 111, TRICHLOROETHANE
CTF0082815	01/07/1991	MAD019371079	CTD055310759	0550 G	WASTE 111 TRICHLOROETHANE
CTF0062568	01/11/1991	CTD089631956	CTD089631956	0400 G	WASTE LIQ NOS XYL/TOL
CTF0082816	01/21/1991	MAD019371079	CTD055310759	0330 G	WASTE, 1,1,1, TRICHLOROETHANE
CTF0082817	01/23/1991	CTD072138969	CTD072138969	0110 G	WASTE LIQUID NOS
CTF0082817	01/23/1991	CTD072138969	CTD072138969	0275 G	HAZARDOUS SUBSTANCE LIQUID NOS
CTF0062588	02/05/1991	CTD089631956	CTD089631956	0350 G	WASTE FLAMMABLE LIQUID, NOS
CTF0082818	02/06/1991	MAD019371079	CTD055310759	0385 G	WASTE, 1,1,1, TRICHLOROETHANE
CTF0082820	02/25/1991	MAD019371079	CTD055310759	0605 G	WASTE, 1,1,1, TRICHLOROETHANE
CTF0062622	03/04/1991	CTD089631956	CTD089631956	0390 G	WASTE FLAMMABLE LIQUID, NOS
CTF0082821	03/18/1991	MAD019371079	CTD055310759	0440 G	WASTE III TRIC/OIL
CTF0088572	03/28/1991	CTD089631956	CTD089631956	0275 G	WASTE FLAMMABLE LIQUID, NOS
CTF0082823	04/08/1991	MAD019371079	CTD055310759	0440 G	WASTE, 1,1,1, TRICHLOROETHANE

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRAGN

SEARCH ID: 9 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON CORP METAL COSMETICS DIV
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770
CONTACT: JOSEPH STRAMONDO
SOURCE: EPA

REV: 10/8/02
ID1: CTD001166479
ID2:
STATUS: VGN
PHONE: 2037298231

CTF0082824	04/17/1991	CTD072138969	CTD072138969	0165 G	HAZARDOUS SUBSTANCES LIQUID
CTF0082826	04/22/1991	MAD019371079	CTD055310759	0490 G	WASTE III TRI/OIL
MAF298648	04/29/1991	MAD980523203	MAD980523203	0005 G	WASTE OXIDIZER CORROSIVE LIQUID, NOS
MAF298648	04/29/1991	MAD980523203	MAD980523203	0045 P	WASTE OXIDIZER, NOS
MAF298648	04/29/1991	MAD980523203	MAD980523203	0080 P	WASTE FLAMMABLE LIQUID, NOS
MAF298648	04/29/1991	MAD980523203	MAD980523203	0375 P	WASTE FLAMMABLE SOLID, NOS
CTF0082827	05/06/1991	MAD019371079	CTD055310759	0165 G	WASTE III TRI/OIL
CTF0016612	05/09/1991	CTD089631956	CTD089631956	0220 G	WASTE LIQ NOS SLVNT/PETRO DIST
CTF0016612	05/09/1991	CTD089631956	CTD089631956	0330 G	WASTE LIQ NOS XY/TOL
CTF0082828	05/22/1991	CTD072138969	CTD072138969	0165 G	HAZARDOUS SUBSTANCE LIQUID, NOS
CTF0082829	05/28/1991	MAD019371079	CTD055310759	0330 G	WASTE, 1,1,1, TRICHLOROETHANE
MAF339767	06/13/1991	MAD053452637	MAD039322250	0055 G	HAZARDOUS WASTE LIQUID, NOS
MAF339768	06/13/1991	MAD053452637	MAD039322250	0055 G	WASTE FLAMMABLE LIQUID, NOS
MAF339768	06/13/1991	MAD053452637	MAD039322250	0055 G	WASTE CYANIDE SOLUTION, NOS
MAF339768	06/13/1991	MAD053452637	MAD039322250	0055 G	HAZARDOUS WASTE LIQUID, NOS
MAF339767	06/13/1991	MAD053452637	MAD039322250	0165 G	WASTE 111 TRICHLOROETHANE
MAF339767	06/13/1991	MAD053452637	MAD039322250	0110 G	WASTE COMBUSTIBLE LIQUID, NOS
MAF339785	06/26/1991	MAD053452637	MAD039322250	0055 G	WASTE COMBUSTIBLE LIQUID, NOS
MAF339771	06/26/1991	MAD053452637	MAD039322250	0055 G	HAZARDOUS WASTE SOLID, NOS
MAF339770	06/26/1991	MAD053452637	MAD039322250	0165 G	WASTE 111 TRICHLOROETHANE
MDC0284517	07/22/1991	MDD980555189	MAD039322250	3150 G	HZRDS WASTE LIQUID NOS, LEAD CHROMIUM
CTF0093027	08/09/1991	CTD089631956	CTD089631956	3500 G	HAZARDOUS WASTE LIQUID, NOS
CTF0093030	08/12/1991	CTD089631956	CTD089631956	1400 G	HAZARDOUS WASTE LIQUID, NOS
CTF0082832	08/19/1991	MAD053452637	MAD039322250	0055 G	HAZ WASTE LIQ NOS PETRO OIL
CTF0082832	08/19/1991	MAD053452637	MAD039322250	0055 G	WASTE LIQ NOS PETRO DIST/XY
CTF0082832	08/19/1991	MAD053452637	MAD039322250	0550 G	WASTE III TRI
MAF341583	09/17/1991	MAD053452637	MAD039322250	0300 P	HAZARDOUS WASTE SOLID, NOS

- More Details Exist For This Site; Max Page Limit Reached -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 15 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: FABRICATED METAL PRODUCTS INC ADDRESS: 1 RISDON ST NAUGATUCK CT 06770 CONTACT: SOURCE: EPA	REV: 1/13/10 ID1: CTD983870924 ID2: STATUS: NLR PHONE:
----------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SITE INFORMATION

CONTACT INFORMATION: LARS JOHNSON
1 RISDON ST
NAUGATUCK CT 06770

PHONE: 2037298231

UNIVERSE INFORMATION:

NAIC INFORMATION

332116 - METAL STAMPING
332999 - ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING
332312 - FABRICATED STRUCTURAL METAL MANUFACTURING

ENFORCEMENT INFORMATION:

AGENCY:	S - STATE	DATE:	1/5/1994
TYPE:	211 - UNILATERAL ORDER, NO PENALTIES		
 AGENCY:	S - STATE	DATE:	1/5/1994
TYPE:	211 - UNILATERAL ORDER, NO PENALTIES		

VIOLATION INFORMATION:

VIOLATION NUMBER:	0001	RESPONSIBLE:	S - STATE
DETERMINED:	5/21/1993	DETERMINED BY:	S - STATE
CITATION:	102(b)(2)		
RESOLVED:	8/31/1994		
TYPE:	GENERATOR INSPECTION SCHEDULE and LOG		

VIOLATION NUMBER:	0002	RESPONSIBLE:	S - STATE
DETERMINED:	5/21/1993	DETERMINED BY:	S - STATE
CITATION:	102(b)(2)		
RESOLVED:	8/31/1994		
TYPE:	GENERATOR INSPECTION SCHEDULE and LOG		

VIOLATION NUMBER:	0003	RESPONSIBLE:	S - STATE
DETERMINED:	5/21/1993	DETERMINED BY:	S - STATE
CITATION:	262.34		
RESOLVED:	8/31/1994		
TYPE:	PREPARDNESS AND PREVENTION		

VIOLATION NUMBER:	0004	RESPONSIBLE:	S - STATE
DETERMINED:	5/21/1993	DETERMINED BY:	S - STATE

- Continued on next page -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 15 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: FABRICATED METAL PRODUCTS INC
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

REV: 1/13/10
ID1: CTD983870924
ID2:
STATUS: NLR
PHONE:

CONTACT:
SOURCE: EPA

CITATION: 262.34
RESOLVED: 8/31/1994
TYPE: CONTAINER MGT=SAT LITE ACCUMS/CONTAINER

VIOLATION NUMBER: 0005 **RESPONSIBLE:** S - STATE
DETERMINED: 5/21/1993 **DETERMINED BY:** S - STATE
CITATION: 262.34
RESOLVED: 8/31/1994
TYPE: CONTAINER MGT=SAT LITE ACCUMS/CONTAINER

VIOLATION NUMBER: 0006 **RESPONSIBLE:** S - STATE
DETERMINED: 5/21/1993 **DETERMINED BY:** S - STATE
CITATION: 262.34
RESOLVED: 8/31/1994
TYPE: CONTAINER MGT=SAT LITE ACCUMS/CONTAINER

VIOLATION NUMBER: 0007 **RESPONSIBLE:** S - STATE
DETERMINED: 5/21/1993 **DETERMINED BY:** S - STATE
CITATION: 262.34
RESOLVED: 8/31/1994
TYPE: CONTAINER MGT=SAT LITE ACCUMS/CONTAINER

VIOLATION NUMBER: 0008 **RESPONSIBLE:** S - STATE
DETERMINED: 5/21/1993 **DETERMINED BY:** S - STATE
CITATION: 262.11
RESOLVED: 8/31/1994
TYPE: HAZARDOUS WASTE DETERMINATIONS

VIOLATION NUMBER: 0009 **RESPONSIBLE:** S - STATE
DETERMINED: 5/21/1993 **DETERMINED BY:** S - STATE
CITATION: 262.34
RESOLVED: 8/31/1994
TYPE: YCONTINGENCY PLAN

HAZARDOUS WASTE INFORMATION:

Reactive waste
Corrosive waste
Ignitable waste

The following spent halogenated solvents used in degreasing: Tetrachloroethylene, trichlorethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride and chlorinated fluorocarbons; all spent solvent mixtures/blends used in degreasing contain

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 17 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON CORP METAL COSMETICS DIV
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

REV: 1/13/10
ID1: CTD001166479
ID2:
STATUS: NLR
PHONE:

CONTACT:
SOURCE: EPA

SITE INFORMATION

CONTACT INFORMATION: JIM JOHNSON
1 RISDON ST
NAUGATUCK CT 06770

PHONE: 2037298231

CONTACT INFORMATION: JOSEPH STRAMONDO
1 RISDON ST
NAUGATUCK CT 06770

PHONE: 2037298231

UNIVERSE INFORMATION:

NAIC INFORMATION

332431 - METAL CAN MANUFACTURING
332813 - ELECTROPLATING, PLATING, POLISHING, ANODIZING, AND COLORING
332999 - ALL OTHER MISCELLANEOUS FABRICATED METAL PRODUCT MANUFACTURING
332116 - METAL STAMPING

ENFORCEMENT INFORMATION:

AGENCY: S - STATE **DATE:** 11/1/1993
TYPE: 120 - WRITTEN INFORMAL

AGENCY: S - STATE **DATE:** 11/1/1993
TYPE: 120 - WRITTEN INFORMAL

VIOLATION INFORMATION:

VIOLATION NUMBER: 0001 **RESPONSIBLE:** S - STATE
DETERMINED: 6/5/1987 **DETERMINED BY:** S - STATE

CITATION:
RESOLVED: 5/21/1993
TYPE: FORMAL ENFORCEMENT AGREEMENT

VIOLATION NUMBER: 0002 **RESPONSIBLE:** S - STATE
DETERMINED: 5/21/1993 **DETERMINED BY:** S - STATE

CITATION: 102(b)(2)
RESOLVED: 2/23/1994
TYPE: GENERATOR INSPECTION SCHEDULE and LOG

- Continued on next page -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 17	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
----------------------	--------------------------	-----------------------	-------------------

NAME: RISDON CORP METAL COSMETICS DIV
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

REV: 1/13/10
ID1: CTD001166479
ID2:
STATUS: NLR
PHONE:

CONTACT:
SOURCE: EPA

VIOLATION NUMBER:	0003	RESPONSIBLE:	S - STATE
DETERMINED:	5/21/1993	DETERMINED BY:	S - STATE
CITATION:	262.34		
RESOLVED:	2/23/1994		
TYPE:	YCONTINGENCY PLAN		

HAZARDOUS WASTE INFORMATION:

Wastewater treatment sludges from electroplating operations except from the following processes: (1) sulfuric acid anodizing of aluminum; (2) tin plating on carbon steel; (3) zinc plating (segregated basis) on carbon steel; (4) aluminum or zinc-aluminum p

Spent cyanide plating bath solutions from electroplating operations.

Plating bath residues from the bottom of plating baths from electroplating operations in which cyanides are used in the process.

Ignitable waste

F014

The following spent non-halogenated solvents: toluene, methyl ethyl ketone, carbon disulfide, isobutanol, pyridine, benzene, 2-ethoxyethanol, and 2-nitropropane; all spent solvent mixtures/blends containing, before use, a total of ten percent or more (by

The following spent halogenated solvents used in degreasing: Tetrachloroethylene, trichloroethylene, methylene chloride, 1,1,1-trichloroethane, carbon tetrachloride and chlorinated fluorocarbons; all spent solvent mixtures/blends used in degreasing contain

Spent stripping and cleaning bath solutions from electroplating operations in which cyanides are used in the process.

The following spent halogenated solvents: Tetrachloroethylene, methylene chloride, trichloroethylene, 1,1,1-trichloroethane, chlorobenzene, 1,1,2-trichloro-1,2,2-trifluoroethane, ortho-dichlorobenzene, trichlorofluoromethane, and 1,1,2, trichloroethane; a

F015

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 34 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: FABRICATED METAL PRODUCTS
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

REV:
ID1: CTD983870924
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS : CTD983870924, CTD001166479
PCS : CT0002194
AFS/AIRS : 0900903010, 090093010
SSTS :
CERCLIS :
NCDB :
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS : 06770FBRCT1RISD, 06770RSDNC1RISD
DandB : 602013799, 001166479
UNKNOWN :

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 35 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: FABRICATED METAL PRODUCTS, INC. ADDRESS: 1 RISDON ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110000317336 ID2: CTD001166479 STATUS: FRS PHONE:
---------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: RCRAINFO PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: FIRST REPORTING YEAR INT END QUAL: YEAR REPORTING STOPPED LAST REPORTED: 1/16/1998 ENFORCEMENT ACT: REG PROGRAM: HAZARDOUS WASTE BIENNIAL REPORTER - HAZARDOUS WASTE BIENNIAL REPORTER	PROGRAM ID: CTD983870924 AGENCY INTERESTED: 12/31/1989 INTEREST ENDED: 1/1/1999 SOURCE OF DATA: RCRAINFO LAST EXTRACTED: 2/13/2004 6:29:32 PM
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: AIRS/AFS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 3/14/2007 ENFORCEMENT ACT: REG PROGRAM: AIR MINOR - A FACILITY IS CLASSIFIED AS A CLEAN AIR ACT STATIONARY SOURCE MINOR DISCHARGER OF AIR POLLUTANTS IF: (A) POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR; OR (B) MAJOR SOURCE THRESHOLDS ARE NOT DEFINED, OR CLASSIFICATION IS UNKNOWN.	PROGRAM ID: 0900903010 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: AIRS/AFS LAST EXTRACTED:
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: AIRS/AFS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 10/23/2001 ENFORCEMENT ACT: REG PROGRAM: AIR MINOR - A FACILITY IS CLASSIFIED AS A CLEAN AIR ACT STATIONARY SOURCE MINOR DISCHARGER OF AIR POLLUTANTS IF: (A) POTENTIAL UNCONTROLLED EMISSIONS < 100 TONS/YEAR; OR (B) MAJOR SOURCE THRESHOLDS ARE NOT DEFINED, OR CLASSIFICATION IS UNKNOWN.	PROGRAM ID: 0900908753 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: AIRS/AFS LAST EXTRACTED:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110000317336 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: RCRAINFO PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 1/3/2002 ENFORCEMENT ACT: REG PROGRAM: NOT IN A UNIVERSE - THE HANDLER IS NOT CURRENTLY IN ANY HAZARDOUS WASTE UNIVERSE.	PROGRAM ID: CTD001166479 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NOTIFICATION LAST EXTRACTED: 5/18/2003 1:38:09 AM
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 35 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: FABRICATED METAL PRODUCTS, INC.
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: EPA

REV: 5/22/09
ID1: 110000317336
ID2: CTD001166479
STATUS: FRS
PHONE:

PROGRAM: RCRAINFO **PROGRAM ID:** CTD983870924
PROVIDED BY: FEDERAL AGENCY
AGENCY INT QUAL:
INT END QUAL:
LAST REPORTED: 7/1/2002 **SOURCE OF DATA:** NOTIFICATION
ENFORCEMENT ACT: **LAST EXTRACTED:** 5/18/2003 1:37:52 AM
REG PROGRAM: NOT IN A UNIVERSE - THE HANDLER IS NOT CURRENTLY IN ANY HAZARDOUS WASTE UNIVERSE.

PROGRAM: SIMS **PROGRAM ID:** 1514290
PROVIDED BY: STATE AGENCY
AGENCY INT QUAL:
INT END QUAL:
LAST REPORTED: **SOURCE OF DATA:** CONNECTICUT DEP
ENFORCEMENT ACT: **LAST EXTRACTED:** 5/24/2007 11:11:33 AM
REG PROGRAM: STATE MASTER -

PROGRAM: SIMS **PROGRAM ID:** 1534209
PROVIDED BY: STATE AGENCY
AGENCY INT QUAL:
INT END QUAL:
LAST REPORTED: **SOURCE OF DATA:** CONNECTICUT DEP
ENFORCEMENT ACT: **LAST EXTRACTED:** 5/24/2007 11:59:09 AM
REG PROGRAM: STATE MASTER -

PROGRAM: TRIS **PROGRAM ID:** 06770FBRCT1RISD
PROVIDED BY: FEDERAL AGENCY
AGENCY INT QUAL: FIRST REPORTING YEAR **AGENCY INTERESTED:** 12/31/1989
INT END QUAL:
LAST REPORTED: 7/3/2001 **SOURCE OF DATA:** TRI REPORTING FORM
ENFORCEMENT ACT: **LAST EXTRACTED:**
REG PROGRAM: TRI REPORTER - A TOXIC RELEASE INVENTORY REPORTER IS A FACILITY WHICH: EMPLOYS THE EQUIVALENT OF 10 OR MORE FULL-TIME EMPLOYEES; AND IS INCLUDED IN STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODES 10XX, 12XX, 20XX-39XX, 4911, 4931, 4939, 4953, 5169, 5171, OR 7389; AND MANUFACTURES (DEFINED TO INCLUDE IMPORTING), PROCESSES, OR OTHERWISE USES ANY EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT (EPCRA) SECTION 313 CHEMICAL IN QUANTITIES GREATER THAN THE ESTABLISHED THRESHOLD IN THE COURSE OF A CALENDAR YEAR (I.E., MANUFACTURES OR PROCESSES OVER 25,000 POUNDS OF THE APPROXIMATELY 600 DESIGNATED CHEMICALS OR 28 CHEMICAL CATEGORIES SPECIFIED IN THE REGULATIONS, OR USES MORE THAN 10,000 POUNDS OF ANY DESIGNATED CHEMICAL OR CATEGORY).

PROGRAM: TRIS **PROGRAM ID:** 06770RSDNC1RISD
PROVIDED BY: FEDERAL AGENCY
AGENCY INT QUAL: FIRST REPORTING YEAR **AGENCY INTERESTED:** 12/31/1987
INT END QUAL:
LAST REPORTED: 6/25/2001 **SOURCE OF DATA:** TRI REPORTING FORM
ENFORCEMENT ACT: **LAST EXTRACTED:**
REG PROGRAM: TRI REPORTER - A TOXIC RELEASE INVENTORY REPORTER IS A FACILITY WHICH: EMPLOYS THE EQUIVALENT OF 10 OR MORE FULL-TIME EMPLOYEES; AND IS INCLUDED IN STANDARD INDUSTRIAL CLASSIFICATION (SIC) CODES 10XX, 12XX, 20XX-39XX, 4911, 4931, 4939, 4953, 5169, 5171, OR 7389; AND MANUFACTURES (DEFINED TO INCLUDE IMPORTING), PROCESSES, OR OTHERWISE USES ANY EMERGENCY PLANNING AND COMMUNITY RIGHT-TO-KNOW ACT (EPCRA) SECTION 313

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 35 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: FABRICATED METAL PRODUCTS, INC. ADDRESS: 1 RISDON ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110000317336 ID2: CTD001166479 STATUS: FRS PHONE:
---------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

CHEMICAL IN QUANTITIES GREATER THAN THE ESTABLISHED THRESHOLD IN THE COURSE OF A CALENDAR YEAR (I.E., MANUFACTURES OR PROCESSES OVER 25,000 POUNDS OF THE APPROXIMATELY 600 DESIGNATED CHEMICALS OR 28 CHEMICAL CATEGORIES SPECIFIED IN THE REGULATIONS, OR USES MORE THAN 10,000 POUNDS OF ANY DESIGNATED CHEMICAL OR CATEGORY).

PROGRAM: NJ-NJEMS PROVIDED BY: STATE AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: STATE MASTER -	PROGRAM ID: 284989 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NJEMS LAST EXTRACTED: 4/25/2007 7:26:35 AM
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000
DATA UPDATED: 5/24/2007 11:59:09 AM
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR: MEDIUM
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY: NO
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST: 05
LEGISLATIVE DIST: 17
HYDROLOGICAL UNTIS: 01100005
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 50	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
----------------------	--------------------------	-----------------------	-------------------

NAME: RISDON CORP
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

REV:
ID1: CTD001166479
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE:

RCRIS : CTD001166479
PCS : CT0002194
AFS/AIRS :
SSTS :
CERCLIS :
NCDB :
ENF DOCKET :
CONTR LIST :
CRIM DOCKET :
FFIS :
CICIS :
STATE :
PADS :
TRIS : 06770RSDNC1RISD
DandB : 602013799
UNKNOWN :

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TRIS

SEARCH ID: 61	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
----------------------	--------------------------	-----------------------	-------------------

NAME: RISDON-AMS (USA) INC.
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT: JOHN FEELEY
SOURCE:

REV:
ID1: CTD983870924
ID2: 06770RSDNC1RISD
STATUS: OPEN
PHONE: 2037236115

DETAILS NOT AVAILABLE

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TRIS

SEARCH ID: 62 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON-AMS (USA) INC.
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

REV: 2/25/10
ID1: 06770RSDNC1RISD
ID2:
STATUS: OPEN
PHONE: 8604171206

CONTACT: JAMES H. ADAMS
SOURCE: EPA

SITE INFORMATION

SIC INFORMATION

3469

REPORTED INFORMATION

REPORTING YEAR:	CONTACT PERSON:	CONTACT PHONE:
1987	ROBERT O. BARBERI	2032268588
1988	ROBERT O. BARBER	2032268588
1988	ROBERT O. BARBERI	2032268588
1989	ROBERT O. BARBERI	202268588
1989	ROBERT O. BARBERI	2032268588
1989	LARS JOHNSON	2037235232
1990	ROBERT O. BARBERI	2032268588
1991	ROBERT O. BARBERI	2032268588
1992	ROBERT O. BARBERI	2032268588
1993	JOHN FEELEY	2037236115
1994	STEVEN HOLTMAN	2037236139
1995	STEVEN HOLTMAN	2037236139
1996	JAMES H. ADAMS	2037236103
1997	JAMES H. ADAMS	2037236103
1998	JAMES H. ADAMS	2037236103
1999	JAMES H. ADAMS	2037236103
2000	JAMES H. ADAMS	8604171206

<u>YEAR</u>	<u>CHEMICAL</u>	<u>ONE TIME RELEASE QTY(LBS)</u>
1987	NICKEL	
1987	SULFURIC ACID (1994 AND AFTER ACID AEROSOLS ONLY)	
1987	SODIUM HYDROXIDE (SOLUTION)	

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TRIS

SEARCH ID: 62	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
----------------------	--------------------------	-----------------------	-------------------

NAME: RISDON-AMS (USA) INC. ADDRESS: 1 RISDON ST NAUGATUCK CT 06770 CONTACT: JAMES H. ADAMS SOURCE: EPA	REV: 2/25/10 ID1: 06770RSDNC1RISD ID2: STATUS: OPEN PHONE: 8604171206
-----------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------

1987	CHROMIUM
1987	1,1,1-TRICHLOROETHANE
1987	COPPER
1988	1,1,1-TRICHLOROETHANE
1988	CHROMIUM
1988	COPPER
1988	NICKEL
1988	SODIUM HYDROXIDE (SOLUTION)
1988	SULFURIC ACID (1994 AND AFTER ACID AEROSOLS ONLY)
1989	CHROMIUM
1989	SULFURIC ACID (1994 AND AFTER ACID AEROSOLS ONLY)
1989	NITRIC ACID
1989	COPPER
1989	1,1,1-TRICHLOROETHANE
1989	NICKEL
1990	1,1,1-TRICHLOROETHANE
1990	COPPER
1990	SULFURIC ACID (1994 AND AFTER ACID AEROSOLS ONLY)
1991	1,1,1-TRICHLOROETHANE
1991	COPPER
1991	SULFURIC ACID (1994 AND AFTER ACID AEROSOLS ONLY)
1992	1,1,1-TRICHLOROETHANE 229
1992	SULFURIC ACID (1994 AND AFTER ACID AEROSOLS ONLY) 0
1992	COPPER 0
1993	1,1,1-TRICHLOROETHANE 200
1993	COPPER 0

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TRIS

SEARCH ID: 62	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
----------------------	--------------------------	-----------------------	-------------------

NAME: RISDON-AMS (USA) INC.
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

REV: 2/25/10
ID1: 06770RSDNC1RISD
ID2:
STATUS: OPEN
PHONE: 8604171206

CONTACT: JAMES H. ADAMS
SOURCE: EPA

1993	SULFURIC ACID (1994 AND AFTER ACID AEROSOLS ONLY) 0	
1994	1,1,1-TRICHLOROETHANE	100
1994	COPPER	0
1994	SULFURIC ACID (1994 AND AFTER ACID AEROSOLS ONLY) 0	
1995	COPPER	0
1996	COPPER	0
1997	COPPER	0
1998	COPPER	0
1999	COPPER	0
2000	COPPER	0

OFF SITE TREATMENT LOCATION

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 140	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
-----------------------	--------------------------	-----------------------	-------------------

NAME: FABRICATED METAL PRODUCTS, INC.
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

REV: 2/3/10
ID1: 05355
ID2: 88-5355
STATUS: PERMANENTLY CLOSED
PHONE:

CONTACT:
SOURCE: CT DEP

TOTAL NUMBER OF TANKS: 2

TANK ID: 5355-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 8/1/1989
SUBSTANCE STORED: USED OIL	CAPACITY (GALS): 15000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 5355-2
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 1/1/1950	DATE LAST USED: 8/1/1989
SUBSTANCE STORED: HEATING OIL	CAPACITY (GALS): 20000
TANK MATERIAL: ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL: BARE OR GALVONIZED STEEL	PIPE PROTECTION:

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 72 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON CORP.
ADDRESS: 1 RISDON RD
NAUGATUCK CT 06770

REV: 4/23/10
ID1: 3375
ID2: CTD001166479
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1:
WASTE TYPE2:
WASTE TYPE3:

DISPOSAL METHOD:

SAMPLE AVAILABLE: NO

LOCATION METHOD:

OTHER DEP:

UPDATED BY: HAMEL, M.
UPDATED PROGRAM: PTP - PROPERTY TRANSFER PROGRAM
UPDATED: 4/30/1999

SW CLASSIFICATION:
GW CLASSIFICATION:

COMMENTS: FORM II FILED 3/31/89, 4/24/89. ELUR SITE (4/99)

SITE NAMES

FABRICATED METAL PRODUCTS
RISDON CORP. METAL COSMETICS DIVISION
RISDON CORP. METAL COSMETICS DIVISION
FABRICATED METAL PRODUCTS

COMMENTS:

INFORMATION

ESTABLISHMENT: RISDON CORP.
SELLER: RISDON CORP.
BUYER: CMB HOLDINGS (USA) INC.

FORM: FORM III **RECEIVED:** 4/24/1989
ACKNOWLEDGED: 5/22/1989 **RETURNED:**
CERTIFIED: **REVISED:**
ECAF RECEIVED: **ECAF REVIEWED:**

STATUS: R

STAFF:

CERTIFIER: ,

FIRST PAYMENT: \$ **SECOND PAYMENT:** \$

COMMENTS:

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 72 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON CORP.
ADDRESS: 1 RISDON RD
NAUGATUCK CT 06770

REV: 4/23/10
ID1: 3375
ID2: CTD001166479
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

INFORMATION

ESTABLISHMENT: RISDON CORP.
SELLER: RISDON CORP.
BUYER: FABRICATED METAL PROD.

FORM: FORM III **RECEIVED:** 3/31/1989
ACKNOWLEDGED: 5/12/1989 **RETURNED:**
CERTIFIED: **REVISED:**
ECAF RECEIVED: **ECAF REVIEWED:**

STATUS: A

STAFF: HAMEL, M.

CERTIFIER: ,

FIRST PAYMENT: \$ **SECOND PAYMENT:** \$

COMMENTS:

INFORMATION

ESTABLISHMENT: FABRICATED METAL PRODUCTS
SELLER: RISDON CORP.
BUYER: FIRST HARTFORD CAPITAL

FORM: FORM III **RECEIVED:** 9/21/1989
ACKNOWLEDGED: 12/19/1989 **RETURNED:**
CERTIFIED: **REVISED:**
ECAF RECEIVED: **ECAF REVIEWED:**

STATUS: R

STAFF:

CERTIFIER: ,

FIRST PAYMENT: \$ **SECOND PAYMENT:** \$

COMMENTS:

REMEDIAL INFORMATION

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 72 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON CORP.
ADDRESS: 1 RISDON RD
NAUGATUCK CT 06770

REV: 4/23/10
ID1: 3375
ID2: CTD001166479
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

TYPE:	III	
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM	
ENTERED:		
STAFF:	HAMEL, M.	COMPLETE:
ASSIGNED:		PHASE: A
ORDER ISSUED:	NO	ORDER NUMBER:
ORDER DATE:		INVESTIGATION START:
COMPLETED:		DESIGN START:
DESIGN DONE:		ACTION START:
ACTION DONE:		OPERATION START:
GW MONITORING:	NO	

REFERRAL INFORMATION

SOURCE:	PTP - PROPERTY TRANSFER PROGRAM
RECEIVED:	4/24/1989
STAFF:	HAMEL, M.
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM
ASSIGNED:	
COMPLETED:	4/30/1999
OUTCOME:	PTP

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

OTHER

SEARCH ID: 129 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: FABRICATED METAL PRODUCTS, INC
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770

REV: 2/1/04
ID1: CTOT-07-4-174
ID2:
STATUS:
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

SITE TYPE: PROPERTY TRANSFER FORM III
INVESTIGATION START DATE: 8/29/2002
REMEDATION START DATE:
REMEDATION COMPLETED DATE:

COMMENTS: PROJECTS

TRIS

SEARCH ID: 60 **DIST/DIR:** 0.22 SW **ELEVATION:** 206 **MAP ID:** 34

NAME: RISDON CORP.
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770
NEW HAVEN

REV:
ID1: CTD001166479
ID2:
STATUS: OPENED
PHONE:

CONTACT:
SOURCE:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TRIS

SEARCH ID: 59	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
----------------------	--------------------------	-----------------------	-------------------

NAME: FABRICATED METAL PRODS. INC.
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT: LARS JOHNSON
SOURCE: EPA

REV: 2/25/10
ID1: 06770FBRCT1RISD
ID2:
STATUS: CLOSED
PHONE: 2037236430

SITE INFORMATION

SIC INFORMATION

3469

REPORTED INFORMATION

REPORTING YEAR:	CONTACT PERSON:	CONTACT PHONE:
1989	LARS JOHNSON	2037235232
1990	LARS JOHNSON	2037235232
1991	LARS JOHNSON	2037235232
1992	LARS JOHNSON	2037235232
1993	LARS JOHNSON	2037235232
1994	LARS JOHNSON	2037235232
1995	LARS JOHNSON	2037236430
1996	LARS JOHNSON	2037236430
1997	LARS JOHNSON	2037236430
1998	LARS JOHNSON	2037236430
1999	LARS JOHNSON	2037236430
2000	LARS JOHNSON	2037236430

<u>YEAR</u>	<u>CHEMICAL</u>	<u>ONE TIME RELEASE QTY(LBS)</u>
1989	1,1,1-TRICHLOROETHANE	
1989	CHROMIUM	
1989	COPPER	
1989	NICKEL	
1990	1,1,1-TRICHLOROETHANE	
1990	CHROMIUM	
1990	COPPER	
1990	HYDROCHLORIC ACID (1995 AND AFTER ACID AEROSOLS ONLY)	

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TRIS

SEARCH ID: 59	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
----------------------	--------------------------	-----------------------	-------------------

NAME: FABRICATED METAL PRODS. INC.
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT: LARS JOHNSON
SOURCE: EPA

REV: 2/25/10
ID1: 06770FBRCT1RISD
ID2:
STATUS: CLOSED
PHONE: 2037236430

1990	METHYL ETHYL KETONE	
1990	NICKEL	
1990	NITRIC ACID	
1991	COPPER	0
1991	CHROMIUM	0
1991	1,1,1-TRICHLOROETHANE	0
1991	NICKEL	0
1992	1,1,1-TRICHLOROETHANE	0
1992	CHROMIUM	0
1992	COPPER	0
1992	NICKEL	0
1993	1,1,1-TRICHLOROETHANE	0
1993	CHROMIUM	0
1993	COPPER	0
1993	NICKEL	0
1994	COPPER	0
1994	NICKEL	0
1994	CHROMIUM	
1994	1,1,1-TRICHLOROETHANE	0
1994	TRICHLOROETHYLENE	0
1995	CHROMIUM	0
1995	COPPER	0
1995	NICKEL	0
1995	TRICHLOROETHYLENE	0
1996	CHROMIUM	0
1996	COPPER	0

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

TRIS

SEARCH ID: 59	DIST/DIR: 0.22 SW	ELEVATION: 206	MAP ID: 34
----------------------	--------------------------	-----------------------	-------------------

NAME: FABRICATED METAL PRODS. INC.
ADDRESS: 1 RISDON ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT: LARS JOHNSON
SOURCE: EPA

REV: 2/25/10
ID1: 06770FBRCT1RISD
ID2:
STATUS: CLOSED
PHONE: 2037236430

1996	LEAD	0
1996	NICKEL	0
1996	TRICHLOROETHYLENE	0
1997	CHROMIUM	0
1997	TRICHLOROETHYLENE	0
1997	NICKEL	0
1997	LEAD	0
1997	COPPER	0
1998	CHROMIUM	0
1998	COPPER	0
1998	NICKEL	
1999	CHROMIUM	0
1999	COPPER	0
1999	NICKEL	0
2000	CHROMIUM	0
2000	COPPER	0
2000	NICKEL	0

OFF SITE TREATMENT LOCATION

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NPDES

SEARCH ID: 21	DIST/DIR: 0.23 SW	ELEVATION: 207	MAP ID: 35
----------------------	--------------------------	-----------------------	-------------------

NAME: ADDRESS: NAUGATUCK CT 06770 CONTACT: SOURCE: EPA	REV: 10/20/03 ID1: CTP000264 ID2: STATUS: MINOR PHONE:
-------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SITE INFORMATION

PERMIT ISSUED:
PERMIT EXPIRED:
RECEIVING WATERS:

SIC INFORMATION:

MAILING CONTACT:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 149	DIST/DIR: 0.24 NE	ELEVATION: 197	MAP ID: 36
-----------------------	--------------------------	-----------------------	-------------------

NAME: TOWN HALL - BOROUGH OF NAUGATUCK ADDRESS: 229 CHURCH ST NAUGATUCK CT 06770 CONTACT: SOURCE: CT DEP	REV: 2/3/10 ID1: 05393 ID2: 88-5393 STATUS: CURRENTLY IN USE PHONE:
------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

TOTAL NUMBER OF TANKS: 2

TANK ID: 5393-1
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED: 1/1/1965 SUBSTANCE STORED: HEATING OIL TANK MATERIAL: PIPE MATERIAL:	DATE LAST USED: CAPACITY (GALS): 4000 TANK PROTECTION: PIPE PROTECTION:
---------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------

TANK ID: 5393-2
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED: 8/1/1989 SUBSTANCE STORED: HEATING OIL TANK MATERIAL: COATED and CATHODICALLY PROTECTED STEEL (STI-P3) PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: CAPACITY (GALS): 4000 TANK PROTECTION: PIPE PROTECTION:
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 55 **DIST/DIR:** 0.24 NE **ELEVATION:** 197 **MAP ID:** 36

NAME: TOWN HALL - BOROUGH OF NAUGATUCK ADDRESS: 229 CHURCH ST NAUGATUCK CT 06770 CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110030410598 ID2: STATUS: FRS PHONE:
---------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 5/24/2007 12:16:05 PM ENFORCEMENT ACT: REG PROGRAM: FACILITY -	PROGRAM ID: 110030410598 AGENCY INTERESTED: 5/24/2007 12:16:05 PM INTEREST ENDED: SOURCE OF DATA: SIMS LAST EXTRACTED:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: SIMS PROVIDED BY: STATE AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM: STATE MASTER -	PROGRAM ID: 1524815 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: CONNECTICUT DEP LAST EXTRACTED: 5/24/2007 12:16:05 PM
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 5/24/2007 12:16:05 PM
DATA UPDATED:
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR:
ENFORCEMENT SENSITIVE:
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 45 **DIST/DIR:** 0.24 NE **ELEVATION:** 197 **MAP ID:** 36

NAME: NAUGATUCK BOROUGH - ADMINISTRATIVE and EXECUTIVE DEP ADDRESS: 229 CHURCH ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110020783785 ID2: STATUS: FRS PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: PROVIDED BY: AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM:	AIRS/AQS FEDERAL AGENCY DATE MONITORING STARTED AIR MONITORING SITE - A SITE ESTABLISHED TO MEASURE CONCENTRATIONS OF AIR POLLUTANTS.	PROGRAM ID: 2181 AGENCY INTERESTED: 1/1/1966 INTEREST ENDED: SOURCE OF DATA: AQS SITES TRANSACTION LAST EXTRACTED: 7/11/2006 2:05:53 PM
----------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: PROVIDED BY: AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM:	FRS FEDERAL AGENCY 4/7/2005 8:50:39 AM FACILITY -	PROGRAM ID: 110020783785 AGENCY INTERESTED: 4/7/2005 8:50:38 AM INTEREST ENDED: SOURCE OF DATA: AIRS/AQS LAST EXTRACTED:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: MONITORING STATION
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 4/7/2005 8:50:39 AM
DATA UPDATED: 4/7/2005 2:29:28 PM
ENTERED PERSON/METHOD: KKB
PARENT REG ID:
CONFIDENCE IN ADDR:
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY:
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST:
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS:
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

FINDS

SEARCH ID: 22 **DIST/DIR:** 0.25 SW **ELEVATION:** 216 **MAP ID:** 37

NAME: AVENUE CLEANERS ADDRESS: 160 RUBBER AVE NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 5/22/09 ID1: 110002497904 ID2: CTR000010793 STATUS: FRS PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

FACILITY REGISTRATION INFORMATION:

PROGRAM: RCRAINFO PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: 6/9/2000 ENFORCEMENT ACT: REG PROGRAM:	PROGRAM ID: CTR000010793 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: NOTIFICATION LAST EXTRACTED: 5/18/2003 1:37:46 AM NOT IN A UNIVERSE - THE HANDLER IS NOT CURRENTLY IN ANY HAZARDOUS WASTE UNIVERSE.
-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

PROGRAM: FRS PROVIDED BY: FEDERAL AGENCY AGENCY INT QUAL: INT END QUAL: LAST REPORTED: ENFORCEMENT ACT: REG PROGRAM:	PROGRAM ID: 110002497904 AGENCY INTERESTED: INTEREST ENDED: SOURCE OF DATA: FRS LAST EXTRACTED:
-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------

SITE TYPE: STATIONARY
INTEREST STATUS: ACTIVE
DATA QUALITY: V
LOCATION DESC:
ADDRESS TYPE: REGULAR URBAN
LAST REPORTED:
POSTED TO DATABASE: 3/1/2000
DATA UPDATED: 1/5/2006 1:43:23 PM
ENTERED PERSON/METHOD: REFRESH
PARENT REG ID:
CONFIDENCE IN ADDR: MEDIUM
ENFORCEMENT SENSITIVE: N
REQ MANUAL REVIEW:
REASON MAN REVIEW:
SMALL BUS POLICY:
ENFORCEMENT ACTION:
DATA PUB ACCESS: YES
INTERNAL SYS ID:

FEDERAL FACILITY: NO
FEDERAL AGENCY:
TRIBAL LAND: NO
TRIBAL LAND NAME:
CONGRESSIONAL DIST: 05
LEGISLATIVE DIST:
HYDROLOGICAL UNTIS: 01100005
EPA REGION: 01
AIRSHED:
CENSUS BLOCK:

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRANLR

SEARCH ID: 11	DIST/DIR: 0.25 SW	ELEVATION: 216	MAP ID: 37
----------------------	--------------------------	-----------------------	-------------------

NAME: AVENUE CLEANERS
ADDRESS: 160 RUBBER AVE
NAUGATUCK CT 06770

REV: 1/13/10
ID1: CTR000010793
ID2:
STATUS: NLR
PHONE:

CONTACT:
SOURCE: EPA

SITE INFORMATION

CONTACT INFORMATION: ENGR ENVR
160 RUBBER AVE
NAUGATUCK CT 06770

PHONE: 9999999999

UNIVERSE INFORMATION:

NAIC INFORMATION

ENFORCEMENT INFORMATION:

VIOLATION INFORMATION:

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 146 **DIST/DIR:** 0.25 SE **ELEVATION:** 243 **MAP ID:** 38

NAME: NAUGATUCK MOBIL ADDRESS: 240 S MAIN ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: CT DEP	REV: 2/3/10 ID1: 05391 ID2: 88-5391 STATUS: CURRENTLY IN USE PHONE:
----------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------

TOTAL NUMBER OF TANKS: 11

TANK ID: 5391-1
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 7/1/1981 SUBSTANCE STORED: GASOLINE TANK MATERIAL: ASPHALT COATED OR BARE STEEL PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: 8/1/1992 CAPACITY (GALS): 10000 TANK PROTECTION: PIPE PROTECTION:
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------------

TANK ID: 5391-10
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED: 9/1/1992 SUBSTANCE STORED: GASOLINE TANK MATERIAL: FIBERGLASS REINFORCED PLASTIC PIPE MATERIAL: OTHER (SPECIFY)	DATE LAST USED: CAPACITY (GALS): 6000 TANK PROTECTION: DOUBLE-WALLED PIPE PROTECTION:
----------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------

TANK ID: 5391-11
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED: 9/1/1992 SUBSTANCE STORED: DIESEL TANK MATERIAL: FIBERGLASS REINFORCED PLASTIC PIPE MATERIAL: OTHER (SPECIFY)	DATE LAST USED: CAPACITY (GALS): 5000 TANK PROTECTION: DOUBLE-WALLED PIPE PROTECTION:
--------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------

TANK ID: 5391-2
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 7/1/1981 SUBSTANCE STORED: GASOLINE TANK MATERIAL: ASPHALT COATED OR BARE STEEL PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: 8/1/1992 CAPACITY (GALS): 4000 TANK PROTECTION: PIPE PROTECTION:
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

TANK ID: 5391-3
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 7/1/1981 SUBSTANCE STORED: GASOLINE TANK MATERIAL: ASPHALT COATED OR BARE STEEL PIPE MATERIAL: BARE OR GALVONIZED STEEL	DATE LAST USED: 8/1/1992 CAPACITY (GALS): 4000 TANK PROTECTION: PIPE PROTECTION:
------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------------

TANK ID: 5391-4
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED: 7/1/1981 SUBSTANCE STORED: GASOLINE	DATE LAST USED: 8/1/1992 CAPACITY (GALS): 4000
----------------------------------------------------------------------	-----------------------------------------------------------------

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

UST

SEARCH ID: 146 **DIST/DIR:** 0.25 SE **ELEVATION:** 243 **MAP ID:** 38

NAME:	NAUGATUCK MOBIL	REV:	2/3/10
ADDRESS:	240 S MAIN ST	ID1:	05391
	NAUGATUCK CT 06770	ID2:	88-5391
	NEW HAVEN	STATUS:	CURRENTLY IN USE
CONTACT:		PHONE:	
SOURCE:	CT DEP		

TANK MATERIAL:	ASPHALT COATED OR BARE STEEL	TANK PROTECTION:
PIPE MATERIAL:	BARE OR GALVONIZED STEEL	PIPE PROTECTION:

TANK ID: 5391-5
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED:	7/1/1981	DATE LAST USED:	8/1/1992
SUBSTANCE STORED:	DIESEL	CAPACITY (GALS):	4000
TANK MATERIAL:	ASPHALT COATED OR BARE STEEL	TANK PROTECTION:	
PIPE MATERIAL:	BARE OR GALVONIZED STEEL	PIPE PROTECTION:	

TANK ID: 5391-6
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED:	1/1/1984	DATE LAST USED:	8/1/1992
SUBSTANCE STORED:	GASOLINE	CAPACITY (GALS):	2000
TANK MATERIAL:	ASPHALT COATED OR BARE STEEL	TANK PROTECTION:	
PIPE MATERIAL:	BARE OR GALVONIZED STEEL	PIPE PROTECTION:	

TANK ID: 5391-7
TANK STATUS: PERMANENTLY CLOSED-TANK WAS REMOVED FROM GROUND

DATE INSTALLED:	7/1/1981	DATE LAST USED:	8/1/1992
SUBSTANCE STORED:	USED OIL	CAPACITY (GALS):	550
TANK MATERIAL:	ASPHALT COATED OR BARE STEEL	TANK PROTECTION:	
PIPE MATERIAL:	BARE OR GALVONIZED STEEL	PIPE PROTECTION:	

TANK ID: 5391-8
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED:	9/1/1992	DATE LAST USED:	
SUBSTANCE STORED:	GASOLINE	CAPACITY (GALS):	10000
TANK MATERIAL:	FIBERGLASS REINFORCED PLASTIC	TANK PROTECTION:	DOUBLE-WALLED
PIPE MATERIAL:	OTHER (SPECIFY)	PIPE PROTECTION:	

TANK ID: 5391-9
TANK STATUS: CURRENTLY IN USE-

DATE INSTALLED:	9/1/1992	DATE LAST USED:	
SUBSTANCE STORED:	GASOLINE	CAPACITY (GALS):	10000
TANK MATERIAL:	FIBERGLASS REINFORCED PLASTIC	TANK PROTECTION:	DOUBLE-WALLED
PIPE MATERIAL:	OTHER (SPECIFY)	PIPE PROTECTION:	

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 166	DIST/DIR: 0.25 SE	ELEVATION: 243	MAP ID: 38
-----------------------	--------------------------	-----------------------	-------------------

NAME: WESSON TEXACO STATION
ADDRESS: 240 S MAIN ST
NAUGATUCK CT 06770

REV: 7/18/06
ID1: 30713
ID2: 2642
STATUS: CLEANUP INITIATED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

INCIDENT DATE: 5/12/1989
SPILL CASE ID:
SITS CASE ID:
UST SITE ID:

MATERIAL:

MOTOR FUEL:	-1
DIESEL:	0
GASOLINE:	-1
OTHER	0

CAUSE

LEAK	0
TANK:	0
PIPING:	0
OVERFILL	0
REMOVAL:	0

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

HMIRS

SEARCH ID: 169 **DIST/DIR:** 0.25 SE **ELEVATION:** 243 **MAP ID:** 38

NAME: MYSTIC TANK LINES CORP
ADDRESS: 240 S MAIN ST
NAUGATUCK CT 06770

REV: 5/1/06
ID1: 2004041378
ID2:
STATUS: 4
PHONE:

CONTACT:
SOURCE: USDOT

SITE INFORMATION

TOTAL NUMBER OF HAZARDOUS MATERIALS: 1

MULTIPLE CODE: A
MODE OF TRANSPORT: 4 - H-H: HIGHWAY (FOR HIRE)
OTHER MODE:

INCIDENT DATE: 2/17/2004 **INCIDENT TIME:** 3:30
CARRIER RPT NUMBER: 0469531 **ORIG SAME AS SHIP:** NO
DEST SAME AS CONS: YES

INCIDENT: 240 SOUTH MAIN STREET
NAUGATUCK CT
NEW HAVEN **CARRIER:** **ID:** 104682
MYSTIC TANK LINES CORP
19-01 STEINWAY STREET
ASTORIA NY 11105

SHIPPER: **ID:** 44888
CITGO PETROLEUM CORP
PO BOX 3758
TULSA OK 741023758 **CONSIGNEE:** **ID:** 80350
WESSON INC
240 SOUTH MAIN STREET
NAUGATUCK CT 06770

ORIGIN: 250 EAGLE NEST ROAD
BRIDGEPORT CT 06607 **DESTINATION:** 240 SOUTH MAIN STREET
NAUGATUCK CT 06770

COMMODITY INFORMATION

MULTIPLE CODE: A **SHIPPING PAPER:** 6086576
HAZ SUBSTANCE: NO **UN NUMBER:** UN1203
RQ MET: NO **QUAN REL CODE:** 0
QUANTITY RELEASED: 1 GAL **COMMODITY CODE:** 05360

COMMODITY SHIP NAME: GASOLINE
COMMODITY TRADE NAME:
COMMODITY CLASS: 30 - F. L.: FLAMMABLE - COMBUSTIBLE LIQUID

OTHER MATERIAL INFORMATION

DEATHS:	0	MAJOR INJURIES:	0
MINOR INJURIES:	0	NUMBER EVACUATED:	0
PRODUCT LOSS:	1	PROD LOSS CODE:	0
CARRIER DAMAGE:	0	CARRIER DAM CODE:	0
PUB PRI DAMAGE:	0	PUB PRI DAM CODE:	0
DECON DAMAGE:	100	DECON DAM CODE:	0
OTHER DAMAGE:	0	OTHER DAM CODE:	0
REPORT DAMAGE:	101	REPORT DAM CODE:	0
INCIDENT DAMAGE:	0	DAMAGE CODE:	
RESULT VAPOR:	NO	RESULT SEWER:	NO

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

HMIRS

SEARCH ID: 169 **DIST/DIR:** 0.25 SE **ELEVATION:** 243 **MAP ID:** 38

NAME: MYSTIC TANK LINES CORP ADDRESS: 240 S MAIN ST NAUGATUCK CT 06770 CONTACT: SOURCE: USDOT	REV: 5/1/06 ID1: 2004041378 ID2: STATUS: 4 PHONE:
-------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------

RESULT SPILL:	YES	RESULT FIRE:	NO
RESULT EXPLOSION:	NO	RESULT ENVIRONMENT:	NO
RESULT NONE:	NO	RESULT OTHER:	NO
RESULT OTHER DESC:		VEHICLE CARGO:	YES
VEHICLE VAN:	NO	VEHICLE FLAT:	NO
VEHICLE TANK CAR:	NO	VEHICLE RAIL CAR:	NO
VEHICLE TOFC:	0	VEHICLE AIRCRAFT:	NO
VEHICLE BARGE:	NO	VEHICLE SHIP:	NO
VEHICLE OTHER:	NO	VEHICLE OTHER DESC:	

TRANSPORT PHASE:	263	LAND USE:	272
COMMUNITY TYPE:	282	ACCIDENT OR DERAIL:	NO
ESTIMATED SPEED:	0	HIGHWAY TYPE:	999
HIGHWAY LANES:	0	GENERAL CAUSE:	10
MISC INFO 1:	111	MISC INFO 2:	100
ATTACHMENTS:	NO	RECOMMENDATIONS:	NO

REPORTER NAME: JACKIE COTTON
REPORTER TITLE: LOSS PREVENTION
REPORTER PHONE: 718-932-9075
REPORT DATE: 4/2/2004

CONTAINER INFORMATION

MULTIPLE CODE: A
CONTAINER TYPE: MC306 - TANK: CARGO TANKS

MANUFACTURER: **ID:** 13636
 FRUEHAUF CORP
 UNKNOWN XX

CONTAINER CAPACITY:	9000	CONTAINER CAP CODE:	0
NUMBER FAILED:	1	NUMBER FAILED CODE:	0
NUMBER IN SHIPMENT:	1	NUMBER IN SHIP CODE:	0
GAUGE OF CONTAINER:		TANK SERIAL NUMBER:	1H4TO4422S
LABEL OR PLACARD:	FLAM	REGISTRATION NUMBER:	
INSPECTION DATE:	12:00:00 AM	EXEMPTION NUMBER:	

VEHICLE COLLISION:	NO	VEHICLE OVERTURN:	NO
OVERLOAD OR OVERFILL:	NO	LOOSE FITTING:	NO
DEFECTIVE FITTING:	NO	DROPPED:	NO
STRUCK OR RAMMED:	NO	IMPROPER LOADING:	NO
IMPROPER BLOCKING:	NO	CORROSION:	NO
METAL FATIGUE:	NO	FRICTION OR RUBBING:	NO
FIRE OR HEAT:	NO	FREEZING:	NO
VENTING:	NO	VANDALISM:	NO

RUPTURED:	NO	HOW FAILED OTHER:	YES
HOW FAILED OTH DESC:	NO RESPONSE	END FORWARD:	NO
END REAR:	NO	SIDE RIGHT:	NO
SIDE LEFT:	NO	TOP:	NO
BOTTOM:	NO	CENTER:	NO

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

HMIRS

SEARCH ID: 169 **DIST/DIR:** 0.25 SE **ELEVATION:** 243 **MAP ID:** 38

NAME: MYSTIC TANK LINES CORP
ADDRESS: 240 S MAIN ST
NAUGATUCK CT 06770

REV: 5/1/06
ID1: 2004041378
ID2:
STATUS: 4
PHONE:

CONTACT:
SOURCE: USDOT

AREA OTHER:	YES	AREA OTHER DESC:	NO RESPONSE
PACKAGE MATERIAL:	NO	FITTING VALVE:	NO
CLOSURE:	NO	CHIME:	NO
WELD SEAM:	NO	HOSE PIPING:	NO
INNER LINING:	NO	WHAT FAILED OTHER:	YES
WHAT FAILED OTH DESC:	NO RESPONSE		

INCOMPATIBLE MATERIAL:	NO	CONTRIBUTING OTHER:	YES
CONTRIB OTHER DESC:	NO RESPONSE	OTHER FREIGHT:	NO
FORKLIFT:	NO	NAIL PROTRUSION:	NO
OTHER VEHICLE:	NO	WATER:	NO
GROUND FLOOR RDWAY:	NO	ROADSIDE OBSTACLE:	NO
NO OBJECT:	NO	OBJECT OTHER:	YES
PUNCTURED:	NO	CRACKED:	NO
BURST INTER PRESSURE:	NO	RIPPED:	NO
CRUSHED:	NO	RUBBED OR ABRADED:	NO

REMARKS

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 153	DIST/DIR: 0.27 NE	ELEVATION: 238	MAP ID: 39
-----------------------	--------------------------	-----------------------	-------------------

NAME: CONNECTICUT WATER COMPANY
ADDRESS: 250 MEADOW ST
NAUGATUCK CT 06770

REV: 7/18/06
ID1: 31203
ID2: 3132
STATUS: CLEANUP INITIATED
PHONE: (860) 669-8630

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

INCIDENT DATE: 6/4/1997
SPILL CASE ID:
SITS CASE ID: 9702902
UST SITE ID:

MATERIAL:

MOTOR FUEL:	-1
DIESEL:	0
GASOLINE:	0
OTHER	0

CAUSE

LEAK	0
TANK:	0
PIPING:	0
OVERFILL	0
REMOVAL:	0

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 152 **DIST/DIR:** 0.27 NE **ELEVATION:** 238 **MAP ID:** 39

NAME: CONNECTICUT WATER COMPANY
ADDRESS: 250 MEADOW ST
NAUGATUCK CT 06770

REV: 11/4/09
ID1: 9702902
ID2:
STATUS: CLOSED
PHONE:

CONTACT: CIASULLO, RICH
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 6/4/1997
TIME OF RELEASE:

DISCHARGER: CONNECTICUT WATER COMPANY
250 meadow street
NAUGATUCK CT 06770

DISCHARGER S PHONE: 860 6698630
ACCEPTS RESPONSIBILITY: YES

MATERIAL RELEASED (GAL): GASOLINE 0

CAUSE OF INCIDENT: 3 - INGROUND TANK FAILURE
OTHER:

REPORT TIME: 1:44:00 PM
REPORTED BY: DON SCHEMACHER
REPORTER S PHONE: 6698630

AGENCY NOTIFIED: 9 - DEP
OTHER:

DEP BUREAU: BUREAU OF WASTE MANAGEMENT
DEP DIVISIPN: OIL AND CHEMICAL SPILL RESPONSE

ACTION TAKEN: 2 - REMOVED
OTHER:

EMERGENCY MEASURES: REMOVED 1-1,000 INGROUND TANK AND REMOVED 30 YARDS OF CONTAMINATION FOR DISPOSAL TO PHOENIX. CT WATER HIRED ESI AND THEY FOUND ANOTHER TANK WITH SIGNIFICANT CONTAMINATION.

RELEASE CLASS: 8 - COMMERCIAL

MEDIA AFFECTED: 4 - GROUND SURFACE

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 150 **DIST/DIR:** 0.28 NE **ELEVATION:** 227 **MAP ID:** 40

NAME: ANTHONY COSTA
ADDRESS: 167 MAPLE ST
NAUGATUCK CT 06770

REV: 11/4/09
ID1: 9805627
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 8/21/1998
TIME OF RELEASE:

DISCHARGER: ANTHONY COSTA
167 MAPLE STREET
NAUGATUCK CT 06770

DISCHARGER S PHONE: 203 7551388
ACCEPTS RESPONSIBILITY: YES

MATERIAL RELEASED (GAL): 2 FUEL OIL 0

CAUSE OF INCIDENT: 3 - INGROUND TANK FAILURE
OTHER:

REPORT TIME: 8/21/1998 12:58:02 PM
REPORTED BY: STEVE KRAUS
REPORTER S PHONE: 5967979

AGENCY NOTIFIED: 9 - DEP
OTHER:
DEP BUREAU: BUREAU OF WASTE MANAGEMENT
DEP DIVISIPN: OIL AND CHEMICAL SPILL RESPONSE

AGENCY NOTIFIED: 3 - LOCAL FIRE MARSHAL
OTHER:
DEP BUREAU:
DEP DIVISIPN:

ACTION TAKEN: 4 - CONTRACTED
OTHER:

ACTION TAKEN: 18 - SOIL REMOVED
OTHER:

ACTION TAKEN: 17 - REMOVED TANK
OTHER:

EMERGENCY MEASURES: CONTRACTOR REMOVED 2 TANKS -- 1-275-GALLON TANK AND 1-550 GALLON TANK

MEDIA AFFECTED: 4 - GROUND SURFACE

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 69 **DIST/DIR:** 0.30 NE **ELEVATION:** 191 **MAP ID:** 41

NAME: NAUGATUCK BOROUGH PARCEL C ADDRESS: MAPLE, WATER AND CEDAR NAUGATUCK CT NEW HAVEN CONTACT: SOURCE: CT DEP	REV: 4/23/10 ID1: 2995 ID2: STATUS: SUSPECTED PHONE:
------------------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------

SITE INFORMATION

WASTE TYPE1: HYDRO/OIL - HYDROCARBONS AND/OR FUEL OIL
WASTE TYPE2: CHLR VOC - CHLORINATED VOLATILE ORGANIC COMPOUNDS
WASTE TYPE3: METALS

DISPOSAL METHOD: SPILL/DUMP

SAMPLE AVAILABLE: NO

LOCATION METHOD:

OTHER DEP: PCB

UPDATED BY: HAMEL, M.

UPDATED PROGRAM: PTP - PROPERTY TRANSFER PROGRAM

UPDATED: 7/30/1997

SW CLASSIFICATION: C/B

GW CLASSIFICATION: GB - HIGH YIELD - N.P.P.

COMMENTS: PARCEL C IS A SATILITE SITE FROM MAIN UNIROYAL / NAUGATUCK CHEMICAL SITE. IT IS
PROPOSED SITE OF POST OFFICE.(7/97)

SITE NAMES

UNIROYAL

UNIROYAL

COMMENTS:

INFORMATION

ESTABLISHMENT: NAUGATUCK BOROUGH PARCEL C

SELLER: N/A

BUYER: N/A

FORM: FORM VOL **RECEIVED:** 6/5/1997

ACKNOWLEDGED: **RETURNED:**

CERTIFIED: **REVISED:**

ECAF RECEIVED: **ECAF REVIEWED:** 6/17/1997

STATUS: L

STAFF: HAMEL, M.

CERTIFIER: TIMOTHY D. BARTH, MAYOR

FIRST PAYMENT: \$2000 **SECOND PAYMENT:** \$

COMMENTS:

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 69	DIST/DIR: 0.30 NE	ELEVATION: 191	MAP ID: 41
----------------------	--------------------------	-----------------------	-------------------

NAME: NAUGATUCK BOROUGH PARCEL C
ADDRESS: MAPLE, WATER AND CEDAR
NAUGATUCK CT
NEW HAVEN
CONTACT:
SOURCE: CT DEP

REV: 4/23/10
ID1: 2995
ID2:
STATUS: SUSPECTED
PHONE:

REFERRAL INFORMATION

SOURCE: RECEIVED: STAFF: PROGRAM: ASSIGNED: COMPLETED: OUTCOME:	PTP - PROPERTY TRANSFER PROGRAM 6/5/1997 HAMEL, M. PTP - PROPERTY TRANSFER PROGRAM 7/30/1997 PTP
------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

VCP

SEARCH ID: 176 **DIST/DIR:** 0.30 NE **ELEVATION:** 191 **MAP ID:** 41

NAME: NAUGATUCK BOROUGH PARCEL C
ADDRESS: NAUGATUCK CT

REV: 4/23/10
ID1: 2995
ID2: 2995
STATUS: VRP-133XSITES
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1: HYDRO/OIL - HYDROCARBONS AND/OR FUEL OIL
WASTE TYPE2: CHLR VOC - CHLORINATED VOLATILE ORGANIC COMPOUNDS
WASTE TYPE3: METALS

DISPOSAL METHOD: SPILL/DUMP

SAMPLE AVAILABLE: NO

LOCATION METHOD:

OTHER DEP: PCB

UPDATED BY: HAMEL, M.

UPDATED PROGRAM: PTP - PROPERTY TRANSFER PROGRAM

UPDATED: 7/30/1997

SW CLASSIFICATION: C/B

GW CLASSIFICATION: GB - HIGH YIELD - N.P.P.

COMMENTS: PARCEL C IS A SATILITE SITE FROM MAIN UNIROYAL / NAUGATUCK CHEMICAL SITE. IT IS
PROPOSED SITE OF POST OFFICE.(7/97)

SITE NAMES

UNIROYAL

UNIROYAL

COMMENTS:

INFORMATION

ESTABLISHMENT: NAUGATUCK BOROUGH PARCEL C

SELLER: N/A

BUYER: N/A

FORM: FORM VOL **RECEIVED:** 6/5/1997

ACKNOWLEDGED: **RETURNED:**

CERTIFIED: **REVISED:**

ECAF RECEIVED: **ECAF REVIEWED:** 6/17/1997

STATUS: L

STAFF: HAMEL, M.

CERTIFIER: TIMOTHY D. BARTH, MAYOR

FIRST PAYMENT: \$2000 **SECOND PAYMENT:** \$

COMMENTS:

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

VCP

SEARCH ID: 176	DIST/DIR: 0.30 NE	ELEVATION: 191	MAP ID: 41
-----------------------	--------------------------	-----------------------	-------------------

NAME: NAUGATUCK BOROUGH PARCEL C
ADDRESS: NAUGATUCK CT

REV: 4/23/10
ID1: 2995
ID2: 2995
STATUS: VRP-133XSITES
PHONE:

CONTACT:
SOURCE: CT DEP

REFERRAL INFORMATION

SOURCE:	PTP - PROPERTY TRANSFER PROGRAM
RECEIVED:	6/5/1997
STAFF:	HAMEL, M.
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM
ASSIGNED:	
COMPLETED:	7/30/1997
OUTCOME:	PTP

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 151 **DIST/DIR:** 0.32 NW **ELEVATION:** 239 **MAP ID:** 42

NAME: BRIAN DONNELLY
ADDRESS: 18 HILLSIDE AVE
NAUGATUCK CT 06770
NEW HAVEN
CONTACT: NO RESPONSE
SOURCE: CT DEP

REV: 11/4/09
ID1: 200703706
ID2:
STATUS: CLOSED
PHONE:

SITE INFORMATION

DATE OF RELEASE: 5/24/2007
TIME OF RELEASE:

DISCHARGER: BRIAN DONNELLY
CT

DISCHARGER S PHONE: 203 3150074
ACCEPTS RESPONSIBILITY: YES

MATERIAL RELEASED (GAL): 2 FUEL OIL 0

CAUSE OF INCIDENT: 3 - INGROUND TANK FAILURE
OTHER:

REPORT TIME: 6/11/2007 1:04:29 PM
REPORTED BY: LOU BELINSKI
REPORTER S PHONE: 2062149

AGENCY NOTIFIED: 3 - LOCAL FIRE MARSHAL
OTHER:
DEP BUREAU:
DEP DIVISIPN:

AGENCY NOTIFIED: 8 - DEP DISPATCH
OTHER:
DEP BUREAU:
DEP DIVISIPN:

ACTION TAKEN: 17 - REMOVED TANK
OTHER:

EMERGENCY MEASURES: 1K UST, NO WELLS ON SITE, 51000 PPM TPH LINED GRAVE, AND BACK FILLED.

RELEASE CLASS: 6 - PRIVATE

MEDIA AFFECTED: 6 - OTHER

WATERBODY AFFECTED: 9 - OTHER

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 154 **DIST/DIR:** 0.32 NW **ELEVATION:** 312 **MAP ID:** 43

NAME: FRANCIS FADENZA
ADDRESS: 126 FAIRVIEW AVE
NAUGATUCK CT 06770

REV: 11/4/09
ID1: 200405443
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 8/9/2004
TIME OF RELEASE:

DISCHARGER: FRANCIS FADENZA
CT

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY: YES

MATERIAL RELEASED (GAL): 2 FUEL OIL 0

CAUSE OF INCIDENT: 3 - INGROUND TANK FAILURE
OTHER:

REPORT TIME: 8/9/2004 2:28:30 PM
REPORTED BY: BELINSKY
REPORTER S PHONE: 7235888

ACTION TAKEN: 17 - REMOVED TANK
OTHER:

EMERGENCY MEASURES: 550 LUST REMOVED.

RELEASE CLASS: 6 - PRIVATE

MEDIA AFFECTED: 4 - GROUND SURFACE

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 158	DIST/DIR: 0.36 SW	ELEVATION: 221	MAP ID: 44
-----------------------	--------------------------	-----------------------	-------------------

NAME: RISDON MFG FABRICATED METAL P
ADDRESS: 1 ANDREW ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: CT DEP

REV:
ID1: 1668-1669
ID2:
STATUS: YES
PHONE:

REPORT DATE: 09-14-89
MATERIAL: STEEL
LOW CAPACITY: 14000
PRODUCT: SOL OIL/HF6

FED REG: YES
NUMBER OF TANKS: 2
HIGH CAPACITY: 20000

TANK REMOVED: YES	UNCONTROLLED RELEASE: YES	EMERGENCY: YES
TANK RELEASE:	PIPING RELEASE:	OVERFILL RELEASE:

REMEDICATION: SOIL REMOVAL	COMPLETE: YES
REFERRED:	
COMMENT:	

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 159	DIST/DIR: 0.36 SW	ELEVATION: 221	MAP ID: 44
-----------------------	--------------------------	-----------------------	-------------------

NAME: RISDON MFG. FABRICATED METAL P ADDRESS: 1 ANDREW ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: CT DEP	REV: 7/18/06 ID1: 28485 ID2: 459 STATUS: LUST COMPLETED (PROGRAM NO LON PHONE:
-----------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------

SITE INFORMATION

INCIDENT DATE: 9/14/1989
SPILL CASE ID:
SITS CASE ID:
UST SITE ID:

MATERIAL:

MOTOR FUEL:	0
DIESEL:	0
GASOLINE:	0
OTHER	0

CAUSE

LEAK	0
TANK:	0
PIPING:	0
OVERFILL	0
REMOVAL:	0

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 167	DIST/DIR: 0.36 NE	ELEVATION: 220	MAP ID: 45
-----------------------	--------------------------	-----------------------	-------------------

NAME: YMCA ADDRESS: 284 CHURCH ST NAUGATUCK CT 06770 CONTACT: SOURCE: CT DEP	REV: ID1: 1667 ID2: STATUS: YES PHONE:
--------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------

REPORT DATE: 09-11-89 MATERIAL: STEEL LOW CAPACITY: 3000 PRODUCT: HF2	FED REG: NO NUMBER OF TANKS: 1 HIGH CAPACITY: 3000
------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------

TANK REMOVED: YES	UNCONTROLLED RELEASE: YES	EMERGENCY: YES	
TANK RELEASE:	PIPING RELEASE:	OVERFILL RELEASE:	YES

REMEDICATION: SOIL REMOVAL REFERRED: COMMENT:	COMPLETE: YES
--------------------------------------------------------------------------	----------------------

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 168	DIST/DIR: 0.36 NE	ELEVATION: 220	MAP ID: 45
-----------------------	--------------------------	-----------------------	-------------------

NAME: YMCA ADDRESS: 284 CHURCH ST NAUGATUCK CT 06770 CONTACT: SOURCE: CT DEP	REV: 7/18/06 ID1: 28484 ID2: 458 STATUS: LUST COMPLETED (PROGRAM NO LON PHONE:
--------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------

SITE INFORMATION

INCIDENT DATE: 9/11/1989
SPILL CASE ID:
SITS CASE ID:
UST SITE ID:

MATERIAL:

MOTOR FUEL:	0
DIESEL:	0
GASOLINE:	0
OTHER	0

CAUSE

LEAK	0
TANK:	0
PIPING:	0
OVERFILL	0
REMOVAL:	0

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 68 **DIST/DIR:** 0.41 NE **ELEVATION:** 227 **MAP ID:** 46

NAME: LEWIS ENGINEERING CO.
ADDRESS: 238 WATER ST
NAUGATUCK CT

REV: 4/23/10
ID1: 1597
ID2: CTD001449453
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1: CYANIDE
WASTE TYPE2: METALS
WASTE TYPE3: ACID/BASE

DISPOSAL METHOD: WATER BODY SPILL/DUMP

SAMPLE AVAILABLE: NO

LOCATION METHOD:
OTHER DEP:

UPDATED BY: MCDANIEL, M.
UPDATED PROGRAM: DandA
UPDATED: 12/30/1993

SW CLASSIFICATION:
GW CLASSIFICATION:

COMMENTS:

SITE NAMES

LEWIS ELECTRONIC INST.
COLT INDUSTRIES, INC.
LEWIS ELECTRONIC INST.
COLT INDUSTRIES, INC.

COMMENTS: 218-224-238 WATER STREET

INFORMATION

ESTABLISHMENT: LEWIS ELECTRONIC INST. (COLT)
SELLER: COLT INDUSTRIES, INC.
BUYER: COLT HOLDINGS

FORM: FORM I **RECEIVED:** 6/10/1988
ACKNOWLEDGED: 8/5/1988 **RETURNED:**
CERTIFIED: **REVISED:**
ECAF RECEIVED: **ECAF REVIEWED:**

STATUS:

STAFF:

CERTIFIER: ,

FIRST PAYMENT: \$ **SECOND PAYMENT:** \$

COMMENTS:

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 68	DIST/DIR: 0.41 NE	ELEVATION: 227	MAP ID: 46
----------------------	--------------------------	-----------------------	-------------------

NAME: LEWIS ENGINEERING CO. ADDRESS: 238 WATER ST NAUGATUCK CT	REV: 4/23/10 ID1: 1597 ID2: CTD001449453 STATUS: SUSPECTED PHONE:
CONTACT:	
SOURCE: CT DEP	

REFERRAL INFORMATION

SOURCE:	SUPERFUND - DEP WASTE BUREAU - SUPERFUND SITE DISCOVERY
RECEIVED:	12/17/1993
STAFF:	
PROGRAM:	
ASSIGNED:	
COMPLETED:	
OUTCOME:	

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 73 **DIST/DIR:** 0.41 NE **ELEVATION:** 202 **MAP ID:** 47

NAME: SNET
ADDRESS: 295 CHURCH ST
NAUGATUCK CT

REV: 4/23/10
ID1: 4554
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1:
WASTE TYPE2:
WASTE TYPE3:

DISPOSAL METHOD:

SAMPLE AVAILABLE: NO
LOCATION METHOD:
OTHER DEP:
UPDATED BY:
UPDATED PROGRAM:
UPDATED:
SW CLASSIFICATION:
GW CLASSIFICATION:

COMMENTS:

SITE NAMES

ACME PACKAGING CORPORATION
ACME STEEL COMPANY
SOUTHERN NEW ENGLAND TELEPHONE CO.

COMMENTS:

INFORMATION

ESTABLISHMENT: SNET
SELLER: SNET
BUYER: SBC COMMUNICATIONS INC.

FORM: FORM I **RECEIVED:** 11/4/1998
ACKNOWLEDGED: 6/19/1999 **RETURNED:**
CERTIFIED: **REVISED:**
ECAF RECEIVED: **ECAF REVIEWED:**

STATUS:

STAFF:

CERTIFIER: SNET, TRANSFEROR
DONALD SHASSIAN

FIRST PAYMENT: \$200 **SECOND PAYMENT:** \$

COMMENTS:

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 73	DIST/DIR: 0.41 NE	ELEVATION: 202	MAP ID: 47
----------------------	--------------------------	-----------------------	-------------------

NAME: SNET
ADDRESS: 295 CHURCH ST
NAUGATUCK CT

REV: 4/23/10
ID1: 4554
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

REFERRAL INFORMATION

SOURCE:	PTP - PROPERTY TRANSFER PROGRAM
RECEIVED:	11/4/1998
STAFF:	
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM
ASSIGNED:	
COMPLETED:	11/4/1998
OUTCOME:	PTP

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 161 **DIST/DIR:** 0.41 NE **ELEVATION:** 339 **MAP ID:** 48

NAME: ROGERS
ADDRESS: 100 HILL REPORTED BY MAIL RD
NAUGATUCK CT 06770

REV: 11/4/09
ID1: 9604898
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 9/3/1996
TIME OF RELEASE:

DISCHARGER: ROGERS
100 HHILL ROAD
NAUGATUCK CT 06770

DISCHARGER S PHONE:
ACCEPTS RESPONSIBILITY:

MATERIAL RELEASED (GAL): 2 FUEL OIL 0

CAUSE OF INCIDENT: 3 - INGROUND TANK FAILURE
OTHER:

REPORT TIME: 12:00:00 AM
REPORTED BY: RAYMOND ZABIT
REPORTER S PHONE: 8207650

ACTION TAKEN: 12 - PUMPED OUT
OTHER:

ACTION TAKEN: 17 - REMOVED TANK
OTHER:

ACTION TAKEN: 18 - SOIL REMOVED
OTHER:

EMERGENCY MEASURES:

MEDIA AFFECTED: 4 - GROUND SURFACE

WATERBODY AFFECTED: 5 - SANITARY SEWER

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 164 **DIST/DIR:** 0.45 SE **ELEVATION:** 335 **MAP ID:** 49

NAME: UNIACHD RES.
ADDRESS: 99 HOLMSTEAD AVE
NAUGATUCK CT 06770

REV: 11/4/09
ID1: 200202652
ID2:
STATUS: CLOSED
PHONE:

CONTACT: NO RESPONSE
SOURCE: CT DEP

SITE INFORMATION

DATE OF RELEASE: 4/26/2002
TIME OF RELEASE:

DISCHARGER: UNIACHD RES.
CT

DISCHARGER S PHONE: 203 7231771
ACCEPTS RESPONSIBILITY: YES

MATERIAL RELEASED (GAL): 2 FUEL OIL 0

CAUSE OF INCIDENT: 3 - INGROUND TANK FAILURE
OTHER:

REPORT TIME: 4/26/2002 8:32:04 AM
REPORTED BY: GAIL ZABBIT
REPORTER S PHONE: 7207650

AGENCY NOTIFIED: 9 - DEP
OTHER:
DEP BUREAU: BUREAU OF WASTE MANAGEMENT
DEP DIVISIPN: OIL AND CHEMICAL SPILL RESPONSE

AGENCY NOTIFIED: 3 - LOCAL FIRE MARSHAL
OTHER:
DEP BUREAU:
DEP DIVISIPN:

ACTION TAKEN: 17 - REMOVED TANK
OTHER:

EMERGENCY MEASURES: 1K UST

RELEASE CLASS: 6 - PRIVATE

MEDIA AFFECTED: 6 - OTHER

WATERBODY AFFECTED: 9 - OTHER

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

LUST

SEARCH ID: 165	DIST/DIR: 0.49 SE	ELEVATION: 198	MAP ID: 50
-----------------------	--------------------------	-----------------------	-------------------

NAME: UNIROYAL CHEMICAL CO.
ADDRESS: ELM ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: CT DEP

REV: 7/18/06
ID1: 31749
ID2: 3723
STATUS: CLEANUP INITIATED
PHONE:

SITE INFORMATION

INCIDENT DATE: 7/19/1988
SPILL CASE ID:
SITS CASE ID:
UST SITE ID:

MATERIAL:

MOTOR FUEL:	0
DIESEL:	0
GASOLINE:	0
OTHER	0

CAUSE

LEAK	0
TANK:	0
PIPING:	0
OVERFILL	0
REMOVAL:	0

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRATSD

SEARCH ID: 3 **DIST/DIR:** 0.49 SE **ELEVATION:** 198 **MAP ID:** 50

NAME: CROMPTON MFG CO INC ADDRESS: 280 ELM ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 12/9/02 ID1: CTD001449826 ID2: STATUS: TSD PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

SITE INFORMATION

CONTACT INFORMATION: JOHN GULAK

ELM ST
NAUGATUCK CT 06770

PHONE: 2037233555

CONTACT INFORMATION: RAMAN IYER
MGR
280 ELM ST
NAUGATUCK CT 06770

PHONE: 2037206555

UNIVERSE NAME:

INCINERATOR
ST: STORAGE AND TREATMENT
SUBJECT TO CEI
DF: LAND DISPOSAL FACILITY
TSDS SUBJECT TO CORRECTIVE ACT
SUBJECT TO CORRECTIVE ACTION

SIC INFORMATION:

2819 - MANUFACTURING - INDUSTRIAL INORGANIC CHEMICALS, NE
2821 - MANUFACTURING - PLASTICS MATERIALS AND RESINS
2879 - MANUFACTURING - AGRICULTURAL CHEMICALS, NEC
2818 - DISCONTINUED, CHANGED, OR UNKNOWN

RAATS INFORMATION:

DOCKET NUMBER:	I-90-1091	INITIAL DATE:	8281990
DATE RECEIVED:	9281990	AMOUNT:	49900.00
ORDER TYPE:	3008(A)	FACILITY:	PRIVATELY HELD FACILITY
COMMENTS:			

ENFORCEMENT INFORMATION:

AGENCY:	S - STATE	DATE:	16-DEC-91
TYPE:	622 - STIPULATED JUDICIAL ORDER, WITH PENALTY		

AGENCY:	S - STATE	DATE:	05-JUL-00
TYPE:	120 - WRITTEN INFORMAL		

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRATSD

SEARCH ID: 3 **DIST/DIR:** 0.49 SE **ELEVATION:** 198 **MAP ID:** 50

NAME: CROMPTON MFG CO INC ADDRESS: 280 ELM ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 12/9/02 ID1: CTD001449826 ID2: STATUS: TSD PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

AGENCY:	S - STATE	DATE:	17-MAY-95
TYPE:	120 - WRITTEN INFORMAL		
AGENCY:	S - STATE	DATE:	30-JUL-99
TYPE:	622 - STIPULATED JUDICIAL ORDER, WITH PENALTY		
AGENCY:	E - EPA	DATE:	28-SEP-90
TYPE:	310 - FINAL 3008(A) COMPLIANCE ORDER		
AGENCY:	E - EPA	DATE:	28-AUG-90
TYPE:	210 - INITIAL 3008(A) COMPLIANCE ORDER		
AGENCY:	S - STATE	DATE:	16-MAY-90
TYPE:	620 - FINAL JUDICIAL ORDERS		
AGENCY:	S - STATE	DATE:	05-FEB-85
TYPE:	510 - CIVIL ACTION FOR COMPLIANCE		
AGENCY:	X - EPA OVERSIGHT	DATE:	15-JAN-85
TYPE:	820 - EPA TO STATE ADMINISTRATIVE REFERRAL		
AGENCY:	S - STATE	DATE:	16-FEB-99
TYPE:	510 - CIVIL ACTION FOR COMPLIANCE		

VIOLATION INFORMATION:

VIOLATION NUMBER:	0001	RESPONSIBLE:	E - EPA
DETERMINED:	19-AUG-98	DETERMINED BY:	E - EPA
CITATION:		RESOLVED:	
TYPE:	DCP - TSD CONTINGENCY PLAN REQUIREMENTS		
VIOLATION NUMBER:	0001	RESPONSIBLE:	X - EPA OVERSIGHT
DETERMINED:	27-NOV-84	DETERMINED BY:	X - EPA OVERSIGHT
CITATION:		RESOLVED:	02/19/1991
TYPE:	FEA - FORMER ENFORCEMENT AGREEMENT		
VIOLATION NUMBER:	0002	RESPONSIBLE:	X - EPA OVERSIGHT
DETERMINED:	27-NOV-84	DETERMINED BY:	X - EPA OVERSIGHT
CITATION:		RESOLVED:	02/19/1991
TYPE:	FEA - FORMER ENFORCEMENT AGREEMENT		
VIOLATION NUMBER:	0003	RESPONSIBLE:	S - STATE
DETERMINED:	27-NOV-84	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/19/1991
TYPE:	DOT - TSD OTHER REQUIREMENTS (OVERSIGHT LEVEL)		
VIOLATION NUMBER:	0004	RESPONSIBLE:	S - STATE
DETERMINED:	27-NOV-84	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/19/1991
TYPE:	DCL - TSD CLOSURE/POST CLOSURE REQUIREMENTS		
VIOLATION NUMBER:	0005	RESPONSIBLE:	S - STATE

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRATSD

SEARCH ID: 3 **DIST/DIR:** 0.49 SE **ELEVATION:** 198 **MAP ID:** 50

NAME: CROMPTON MFG CO INC ADDRESS: 280 ELM ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 12/9/02 ID1: CTD001449826 ID2: STATUS: TSD PHONE:
--------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------

DETERMINED:	27-NOV-84	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/19/1991
TYPE:	DOT - TSD OTHER REQUIREMENTS (OVERSIGHT LEVEL)		
VIOLATION NUMBER:	0006	RESPONSIBLE:	S - STATE
DETERMINED:	27-NOV-84	DETERMINED BY:	X - EPA OVERSIGHT
CITATION:		RESOLVED:	02/19/1991
TYPE:	DOT - TSD OTHER REQUIREMENTS (OVERSIGHT LEVEL)		
VIOLATION NUMBER:	0007	RESPONSIBLE:	X - EPA OVERSIGHT
DETERMINED:	27-NOV-84	DETERMINED BY:	X - EPA OVERSIGHT
CITATION:		RESOLVED:	02/19/1991
TYPE:	DOT - TSD OTHER REQUIREMENTS (OVERSIGHT LEVEL)		
VIOLATION NUMBER:	0008	RESPONSIBLE:	S - STATE
DETERMINED:	04-MAR-86	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/19/1991
TYPE:	DOT - TSD OTHER REQUIREMENTS (OVERSIGHT LEVEL)		
VIOLATION NUMBER:	0009	RESPONSIBLE:	S - STATE
DETERMINED:	04-MAR-86	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/19/1991
TYPE:	DCL - TSD CLOSURE/POST CLOSURE REQUIREMENTS		
VIOLATION NUMBER:	0010	RESPONSIBLE:	S - STATE
DETERMINED:	04-MAR-86	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/19/1991
TYPE:	DOT - TSD OTHER REQUIREMENTS (OVERSIGHT LEVEL)		
VIOLATION NUMBER:	0011	RESPONSIBLE:	S - STATE
DETERMINED:	27-MAY-87	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/24/1993
TYPE:	FEA - FORMER ENFORCEMENT AGREEMENT		
VIOLATION NUMBER:	0012	RESPONSIBLE:	S - STATE
DETERMINED:	27-MAY-87	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/24/1993
TYPE:	FEA - FORMER ENFORCEMENT AGREEMENT		
VIOLATION NUMBER:	0014	RESPONSIBLE:	S - STATE
DETERMINED:	27-MAY-87	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/19/1991
TYPE:	DOT - TSD OTHER REQUIREMENTS (OVERSIGHT LEVEL)		
VIOLATION NUMBER:	0015	RESPONSIBLE:	S - STATE
DETERMINED:	27-MAY-87	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/19/1991
TYPE:	DCL - TSD CLOSURE/POST CLOSURE REQUIREMENTS		
VIOLATION NUMBER:	0016	RESPONSIBLE:	S - STATE
DETERMINED:	27-MAY-87	DETERMINED BY:	S - STATE
CITATION:		RESOLVED:	02/19/1991
TYPE:	DOT - TSD OTHER REQUIREMENTS (OVERSIGHT LEVEL)		

- More Details Exist For This Site; Max Page Limit Reached -

Environmental FirstSearch
Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 75 **DIST/DIR:** 0.49 SE **ELEVATION:** 198 **MAP ID:** 50

NAME: UNIROYAL CHEMICAL CO. INC. ADDRESS: 280 ELM ST NAUGATUCK CT NEW HAVEN CONTACT: SOURCE: CT DEP	REV: 4/23/10 ID1: 252 ID2: CTD001449826 STATUS: INVENTORY PHONE:
------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------

SITE INFORMATION

WASTE TYPE1: METALS
WASTE TYPE2: PEST/HERB - PESTICIDES AND/OR HERBICIDES
WASTE TYPE3: ORGANIC

DISPOSAL METHOD: LANDFILL SPILL/DUMP TO GROUND

SAMPLE AVAILABLE: NO
LOCATION METHOD: UNK
OTHER DEP: WCU, RCRA
UPDATED BY:
UPDATED PROGRAM:
UPDATED:
SW CLASSIFICATION:
GW CLASSIFICATION:

COMMENTS: IN OPERATION SINCE 1904. UNDER ORDER BY HMMU TO REMEDIATE SOIL
CONTAMINATION; ORDER WC-3565 8/83 TO PERFORM GROUNDWATER MONITORING. INCORRECTLY LISTED ON 1987 INVENTORY
AS ON 74 AMITY

SITE NAMES

UNIROYAL INC.
NAUGATUCK CHEMICAL
UNIROYAL INC.
NAUGATUCK CHEMICAL

COMMENTS:

FEDERAL INFORMATION

ON CERCLIS: YES	EPI SITE: NO
ARCHIVE: NO	ARCHIVE DATE:
EPA REMOVAL: NO	DEFERRED: YES
ON NPL: NO	PART NPL: NO
RCRA STAT: LG	RCRA PERMIT:
FED FAC: NO	

INVENTORY INFORMATION

REQUEST STAFF: DEP	PROGRAM: SUPERFUND
DATE ADDED: 7/6/1987	ON INVENTORY: YES
ASSESSED: YES	87 GROUP: RI
87 ORIGIN: INVENTORY	ON 87: YES

INFORMATION

ESTABLISHMENT: UNIROYAL, INC.
SELLER: UNIROYAL INC.
BUYER: UNIROYAL CHEMICAL COMPANY

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 75 **DIST/DIR:** 0.49 SE **ELEVATION:** 198 **MAP ID:** 50

NAME: UNIROYAL CHEMICAL CO. INC. ADDRESS: 280 ELM ST NAUGATUCK CT NEW HAVEN CONTACT: SOURCE: CT DEP	REV: 4/23/10 ID1: 252 ID2: CTD001449826 STATUS: INVENTORY PHONE:
------------------------------------------------------------------------------------------------------------------------------------------------	-----------------------------------------------------------------------------------------------------------------

FORM:	FORM III	RECEIVED:	10/24/1985
ACKNOWLEDGED:		RETURNED:	
CERTIFIED:		REVISED:	
ECAF RECEIVED:		ECAF REVIEWED:	

STATUS: N

STAFF: HAMEL, M.

CERTIFIER: ,

FIRST PAYMENT: \$900 **SECOND PAYMENT:** \$

COMMENTS:

REFERRAL INFORMATION

SOURCE:	SUPERFUND - DEP WASTE BUREAU - SUPERFUND SITE DISCOVERY
RECEIVED:	7/6/1987
STAFF:	DEP
PROGRAM:	SUPERFUND - DEP WASTE BUREAU - SUPERFUND SITE DISCOVERY
ASSIGNED:	7/6/1987
COMPLETED:	7/6/1987
OUTCOME:	INVENTORY

ASSESS INFORMATION

ASSESS INFORMATION

TYPE:	SI	STAFF:	EPA
PROGRAM:	FPRE	ASSIGNED:	3/28/1990
DRAFT:	7/13/1990	REVIEWER:	MCDANIEL, M.
REVIEWED:	4/23/1990	FINAL:	4/10/1990
NFA:	NO		

TYPE:	PA	STAFF:	EPA
PROGRAM:	FPRE	ASSIGNED:	
DRAFT:		REVIEWER:	DEP
REVIEWED:		FINAL:	2/1/1983
NFA:	NO		

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRACOR

SEARCH ID: 4 **DIST/DIR:** 0.49 SE **ELEVATION:** 198 **MAP ID:** 50

NAME: CHEMTURA CORP ADDRESS: 280 ELM ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 2/16/10 ID1: CTD001449826 ID2: STATUS: CA PHONE:
--------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------

SITE INFORMATION

CONTACT INFORMATION: JOHN GULAK
ELM ST
NAUGATUCK CT 06770

PHONE: 2037233555

CONTACT INFORMATION: RAMAN IYER
280 ELM ST
NAUGATUCK CT 06770

PHONE: 2037206555

CONTACT INFORMATION: JAMES GRAZIOSI
280 ELM ST
NAUGATUCK CT 06770

PHONE: 2037206674

UNIVERSE INFORMATION:

NAIC INFORMATION

325188 - ALL OTHER BASIC INORGANIC CHEMICAL MANUFACTURING
32511 - PETROCHEMICAL MANUFACTURING
32532 - PESTICIDE AND OTHER AGRICULTURAL CHEMICAL MANUFACTURING
325211 - PLASTICS MATERIAL AND RESIN MANUFACTURING
325199 - ALL OTHER BASIC ORGANIC CHEMICAL MANUFACTURING

RAATS INFORMATION:

DOCKET NUMBER:	I-90-1091	INITIAL DATE:	8281990
DATE RECEIVED:	9281990	AMOUNT:	49900.00
ORDER TYPE:	3008(A)	FACILITY:	PRIVATELY HELD FACILITY
COMMENTS:			

ENFORCEMENT INFORMATION:

AGENCY:	X - EPA OVERSIGHT	DATE:	1/15/1985
TYPE:	820 - EPA TO STATE ADMINISTRATIVE REFERRAL		

AGENCY:	X - EPA OVERSIGHT	DATE:	1/15/1985
TYPE:	820 - EPA TO STATE ADMINISTRATIVE REFERRAL		

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRACOR

SEARCH ID: 4 **DIST/DIR:** 0.49 SE **ELEVATION:** 198 **MAP ID:** 50

NAME: CHEMTURA CORP ADDRESS: 280 ELM ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 2/16/10 ID1: CTD001449826 ID2: STATUS: CA PHONE:
--------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------

AGENCY:	S - STATE	DATE:	2/5/1985
TYPE:	510 - CIVIL ACTION FOR COMPLIANCE		
AGENCY:	S - STATE	DATE:	2/5/1985
TYPE:	510 - CIVIL ACTION FOR COMPLIANCE		
AGENCY:	S - STATE	DATE:	5/16/1990
TYPE:	620 - FINAL JUDICIAL ORDERS		
AGENCY:	S - STATE	DATE:	5/16/1990
TYPE:	620 - FINAL JUDICIAL ORDERS		
AGENCY:	E - EPA	DATE:	8/28/1990
TYPE:	210 - INITIAL 3008(A) COMPLIANCE ORDER		
AGENCY:	E - EPA	DATE:	8/28/1990
TYPE:	210 - INITIAL 3008(A) COMPLIANCE ORDER		
AGENCY:	E - EPA	DATE:	9/28/1990
TYPE:	310 - FINAL 3008(A) COMPLIANCE ORDER		
AGENCY:	E - EPA	DATE:	9/28/1990
TYPE:	310 - FINAL 3008(A) COMPLIANCE ORDER		
AGENCY:	S - STATE	DATE:	12/16/1991
TYPE:	622 - STIPULATED JUDICIAL ORDER, WITH PENALTY		
AGENCY:	S - STATE	DATE:	12/16/1991
TYPE:	622 - STIPULATED JUDICIAL ORDER, WITH PENALTY		
AGENCY:	S - STATE	DATE:	5/17/1995
TYPE:	120 - WRITTEN INFORMAL		
AGENCY:	S - STATE	DATE:	5/17/1995
TYPE:	120 - WRITTEN INFORMAL		
AGENCY:	S - STATE	DATE:	2/16/1999
TYPE:	510 - CIVIL ACTION FOR COMPLIANCE		
AGENCY:	S - STATE	DATE:	2/16/1999
TYPE:	510 - CIVIL ACTION FOR COMPLIANCE		
AGENCY:	S - STATE	DATE:	7/30/1999
TYPE:	622 - STIPULATED JUDICIAL ORDER, WITH PENALTY		
AGENCY:	S - STATE	DATE:	7/30/1999
TYPE:	622 - STIPULATED JUDICIAL ORDER, WITH PENALTY		
AGENCY:	S - STATE	DATE:	7/5/2000
TYPE:	120 - WRITTEN INFORMAL		
AGENCY:	S - STATE	DATE:	7/5/2000

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

RCRACOR

SEARCH ID: 4 **DIST/DIR:** 0.49 SE **ELEVATION:** 198 **MAP ID:** 50

NAME: CHEMTURA CORP ADDRESS: 280 ELM ST NAUGATUCK CT 06770 NEW HAVEN CONTACT: SOURCE: EPA	REV: 2/16/10 ID1: CTD001449826 ID2: STATUS: CA PHONE:
--------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------

TYPE:	120 - WRITTEN INFORMAL		
AGENCY:	S - STATE	DATE:	12/8/2004
TYPE:	120 - WRITTEN INFORMAL		
AGENCY:	S - STATE	DATE:	12/8/2004
TYPE:	120 - WRITTEN INFORMAL		

VIOLATION INFORMATION:

VIOLATION NUMBER:	0001	RESPONSIBLE:	E - EPA
DETERMINED:	8/19/1998	DETERMINED BY:	E - EPA
CITATION:	265.50		
VIOLATION NUMBER:	0001	RESPONSIBLE:	X - EPA OVERSIGHT
DETERMINED:	11/27/1984	DETERMINED BY:	X - EPA OVERSIGHT
CITATION:			
RESOLVED:	10/24/2000		
TYPE:	TSD-CONTINGENCY PLAN REQUIREMENTS		

RESOLVED:	2/19/1991
TYPE:	FORMAL ENFORCEMENT AGREEMENT

VIOLATION NUMBER:	0002	RESPONSIBLE:	X - EPA OVERSIGHT
DETERMINED:	11/27/1984	DETERMINED BY:	X - EPA OVERSIGHT
CITATION:			
RESOLVED:	2/19/1991		
TYPE:	FORMAL ENFORCEMENT AGREEMENT		

VIOLATION NUMBER:	0003	RESPONSIBLE:	S - STATE
DETERMINED:	11/27/1984	DETERMINED BY:	S - STATE
CITATION:			
RESOLVED:	2/19/1991		
TYPE:	TSD-OTHER REQUIREMENTS (OVERSIGHT)		

VIOLATION NUMBER:	0004	RESPONSIBLE:	S - STATE
DETERMINED:	11/27/1984	DETERMINED BY:	S - STATE
CITATION:			
RESOLVED:	2/19/1991		
TYPE:	TSD-CLOSURE/POST-CLOSURE REQUIREMENTS		

VIOLATION NUMBER:	0005	RESPONSIBLE:	S - STATE
DETERMINED:	11/27/1984	DETERMINED BY:	S - STATE
CITATION:			
RESOLVED:	2/19/1991		
TYPE:	TSD-OTHER REQUIREMENTS (OVERSIGHT)		

VIOLATION NUMBER:	0006	RESPONSIBLE:	S - STATE
DETERMINED:	11/27/1984	DETERMINED BY:	X - EPA OVERSIGHT
CITATION:			
RESOLVED:	2/19/1991		
TYPE:	TSD-OTHER REQUIREMENTS (OVERSIGHT)		

- More Details Exist For This Site; Max Page Limit Reached -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NFRAP

SEARCH ID: 2	DIST/DIR: 0.49 SE	ELEVATION: 198	MAP ID: 50
---------------------	--------------------------	-----------------------	-------------------

NAME: UNIROYAL CHEMICAL COMPANY, INC
ADDRESS: 280 ELM ST
NAUGATUCK CT 06770
NEW HAVEN
CONTACT:
SOURCE: EPA

REV: 1/22/09
ID1: CTD001449826
ID2: 0100106
STATUS: NFRAP-N
PHONE:

DESCRIPTION:

ACTION/QUALITY	AGENCY/RPS	START/RAA	END
ARCHIVE SITE	EPA In-House		01-25-1996
DISCOVERY	EPA Fund-Financed		06-01-1981
PRELIMINARY ASSESSMENT Low priority for further assessment	EPA Fund-Financed		02-01-1983
SITE INSPECTION Deferred to RCRA (Subtitle C)	EPA Fund-Financed		04-10-1990

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 70 **DIST/DIR:** 0.82 NE **ELEVATION:** 222 **MAP ID:** 51

NAME: NAUGATUCK GLASS CO. ADDRESS: BRIDGE ST and CHURCH ST NAUGATUCK CT CONTACT: SOURCE: CT DEP	REV: 4/23/10 ID1: 2774 ID2: CTD010144749 STATUS: SUSPECTED PHONE:
---------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------------------------------------------------------------------------------------

SITE INFORMATION

WASTE TYPE1:	HYDRO/OIL - HYDROCARBONS AND/OR FUEL OIL
WASTE TYPE2:	METALS
WASTE TYPE3:	
DISPOSAL METHOD:	SPILL/DUMP
SAMPLE AVAILABLE:	NO
LOCATION METHOD:	
OTHER DEP:	RCRA - DEP WASTE BUREAU - WASTE ENGINEERING and ENFORCEMENT DIVISION
UPDATED BY:	ROBINSON, R.
UPDATED PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM
UPDATED:	4/3/1996
SW CLASSIFICATION:	B/A
GW CLASSIFICATION:	GB - HIGH YIELD - N.P.P.
COMMENTS:	ECAF REC D 3/8/96.

SITE NAMES

THE NAUGATUCK GLASS CO.
THE NAUGATUCK GLASS CO.

COMMENTS:

INFORMATION

ESTABLISHMENT:	NAUGATUCK GLASS COMPANY		
SELLER:	WITHERWAX and DOUGLAS		
BUYER:	NAUGATUCK GLASS CO EMPL		
FORM:	FORM III	RECEIVED:	5/20/1993
ACKNOWLEDGED:	5/3/1994	RETURNED:	10/14/1993
CERTIFIED:		REVISED:	4/28/1994
ECAF RECEIVED:		ECAF REVIEWED:	

STATUS: RB

STAFF: ROBINSON, R.

CERTIFIER: ,

FIRST PAYMENT: \$200 **SECOND PAYMENT:** \$4300

COMMENTS: FILED I/RTND REFILED III

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 70 **DIST/DIR:** 0.82 NE **ELEVATION:** 222 **MAP ID:** 51

NAME: NAUGATUCK GLASS CO. ADDRESS: BRIDGE ST and CHURCH ST NAUGATUCK CT	REV: 4/23/10 ID1: 2774 ID2: CTD010144749 STATUS: SUSPECTED PHONE:
CONTACT:	
SOURCE: CT DEP	

INFORMATION

ESTABLISHMENT:	NAUGATUCK GLASS CO.		
SELLER:	THE NAUGATUCK GLASS CO.		
BUYER:	ERIE SCIENTIFIC COMPANY		
FORM:	FORM III	RECEIVED:	3/8/1996
ACKNOWLEDGED:	3/22/1996	RETURNED:	
CERTIFIED:		REVISED:	
ECAF RECEIVED:		ECAF REVIEWED:	4/1/1996
STATUS:	VA		
STAFF:	ROBINSON, R.		
CERTIFIER:	THE NAUGATUCK GLASS CO., TRANSFEROR		

FIRST PAYMENT: \$2000 **SECOND PAYMENT:** \$

COMMENTS:

REFERRAL INFORMATION

SOURCE:	PTP - PROPERTY TRANSFER PROGRAM		
RECEIVED:	4/3/1996		
STAFF:			
PROGRAM:			
ASSIGNED:			
COMPLETED:	4/10/1996		
OUTCOME:	PTP		

AUDIT INFORMATION

TYPE:	Form III	STAFF:	ROBINSON, R.
LEP:	Hackman, M	LICENSE:	145
VERIFICATION:	1/23/1998	RSR ISSUE:	
ELUR:		SCENARIO:	done
RECOMMENDATIONS:		NOTICE:	3/24/1998
REVIEW:	4/30/1998	MEETING:	5/5/1998
FINDING:	Rejected	FINDINGS LTR:	5/15/1998
LEP LETTER:		LEP REVIEW:	
REFILE:		CLOSURE:	
COMMENTS:			

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NPL

SEARCH ID: 1 **DIST/DIR:** 0.87 SW **ELEVATION:** **MAP ID:** 52

NAME: LAUREL PARK, INC.
ADDRESS: HUNTERS MTN ROAD
NAUGATUCK BOROUGH CT 06770
CONTACT: DAN WINOGRAD
SOURCE: EPA

REV: 2/23/10
ID1: CTD980521165
ID2: 0100232
STATUS: FINAL
PHONE: 6175653686

SITE INFORMATION

EVENT TYPE

SITE DISCOVERY BY:	EPA	DISCOVERY DATE:	12-01-80
SITE PROPOSED BY:	EPA	PROPOSED DATE:	10-23-81
FINAL LIST BY:	EPA	FINAL LIST DATE:	09-08-83

ACTIVITIES: 20 ACRE LANDFILL

CONTAMINANTS: INORGANICS, ORGANIC CHEMICALS, DICHLOROETHANES, BENZENE, HEAVY METALS, CALCIUM, MAGNESIUM, VOCs, TOLUENE, ACETONE

SOURCE OF CONTAMINATION: DISP OF SOLVENTS, OILS, HYDROCARBONS, CHEMICAL SOLIDS, TIRES, CHEMICAL/LIQUID SLUDGE, RUBBER PRODUCTS

CONTAMINATED: SOIL, LEACHATE, GROUNDWATER, SURFACE WATER
THREATENED: FORESTED AREAS

SITE DESCRIPTION

Conditions at listing (October 1981): The Laurel Park Landfill, operated by Laurel Park, Inc., covers 35 acres in a sparsely populated area of Naugatuck Borough, New Haven County, Connecticut. The landfill is situated on top of Huntington Hill, a steep ridge about 1.3 miles southwest of the center of Naugatuck. Since the 1950s, the landfill has accepted industrial and municipal wastes. About 12.8 acres were permitted by the State to accept the wastes. About 200 tons per day were disposed of at the site. In the early 1960s, citizens began to complain about odors, fires, spills, and run-off.

The maximum depth of the landfill is about 115 feet. The bedrock is shallow, and leachate is visible on all major slopes at the landfill. Leachate sampling at the base of the refuse slope confirmed the presence of toxic organic chemicals. In addition, various inorganic contaminants were measured in the unnamed tributary north of the site.

This site was first listed under the name Laurel Park Landfill. It is the top priority site in Connecticut.

Status (July 1983): In September 1982, the State denied a request to expand the landfill.

EPA recently completed a Remedial Action Master Plan for the site. It recommends a \$150,000 remedial investigation before proceeding to the feasibility study. Alternatives in the feasibility study involve (1) source control measures such as capping, leachate interception and treatment, and surface water diversion and (2) off-site measures to provide a permanent water supply to residents whose wells are affected or threatened, or to treat the water in the wells.

Enforcement actions by the State resulted in a Superior Court judgment requiring the owner to install a leachate collection and treatment system by October 31, 1983, and a water quality monitoring program. EPA has contracted for (1) an evaluation of the Court-ordered cleanup plan with respect to the National Contingency Plan and (2) review of the report prepared by the site owner's contractor.

CONSTRUCTION COMPLETED DATE: 09/11/1998
FINAL DATE: 09/08/1983

CERCLIS DETAILS

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NPL

SEARCH ID: 1 **DIST/DIR:** 0.87 SW **ELEVATION:** **MAP ID:** 52

NAME: LAUREL PARK, INC. ADDRESS: HUNTERS MTN ROAD NAUGATUCK BOROUGH CT 06770 CONTACT: DAN WINOGRAD SOURCE: EPA	REV: 2/23/10 ID1: CTD980521165 ID2: 0100232 STATUS: FINAL PHONE: 6175653686
------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------

ACTION/QUALITY	AGENCY/RPS	START/RAA	END
five-year review	EPA Fund-Financed Primary	3/6/2008	9/29/2008
potentially responsible party long-term response action	Responsible Party	9/29/2006	
five-year review	EPA Fund-Financed Primary	12/24/2002	9/19/2003
five-year review	EPA In-House Primary	8/11/1998	9/11/1998
potentially responsible party remedial design	Responsible Party Primary	4/24/1991	7/29/1996
remedial design/remedial action negotiations	Federal Enforcement Primary	9/28/1990	3/29/1991
potentially responsible party remedial action	Responsible Party Primary	9/5/1989	9/28/1990
potentially responsible party remedial design	Responsible Party Primary	3/27/1989	9/5/1989
remedial design/remedial action negotiations	Federal Enforcement Primary	1/18/1989	3/6/1989
remedial design/remedial action negotiations	Federal Enforcement Primary	6/2/1988	9/4/1990
potentially responsible party removal Stabilized	Responsible Party Primary	5/27/1987	9/30/1987
potentially responsible party removal Stabilized	Responsible Party Primary	7/21/1986	8/4/1986
potentially responsible party community involvement	Responsible Party Primary	6/1/1985	6/30/1988
potentially responsible party remedial investigation/feasibility study	Responsible Party Primary	5/17/1985	6/30/1988
combined remedial investigation/feasibility study	EPA Fund-Financed	3/11/1985	5/17/1985
		New Action Resulting from Take Over	Original Action Take Over
remedial investigation/feasibility study negotiations	Federal Enforcement Alternate	6/30/1984	5/16/1985

- Continued on next page -

Environmental FirstSearch

Site Detail Report

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

NPL

SEARCH ID: 1	DIST/DIR: 0.87 SW	ELEVATION:	MAP ID: 52
---------------------	--------------------------	-------------------	-------------------

NAME: LAUREL PARK, INC. ADDRESS: HUNTERS MTN ROAD NAUGATUCK BOROUGH CT 06770 CONTACT: DAN WINOGRAD SOURCE: EPA	REV: 2/23/10 ID1: CTD980521165 ID2: 0100232 STATUS: FINAL PHONE: 6175653686
------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------

hazard ranking system package	EPA Fund-Financed	12/1/1982
proposal to national priorities list	EPA Fund-Financed	12/30/1982
final listing on national priorities list	EPA Fund-Financed	9/8/1983
national priorities list responsible party search	Federal Enforcement	12/31/1984
administrative order on consent	Federal Enforcement	5/17/1985
administrative order on consent	Federal Enforcement	5/27/1987
issue request letters (104e)	Federal Enforcement	9/29/1987
issue request letters (104e)	Federal Enforcement	10/7/1987
notice letters issued	Federal Enforcement	5/19/1988
notice letters issued	Federal Enforcement	2/15/1989
issue request letters (104e)	Federal Enforcement	3/6/1989
administrative order on consent	Federal Enforcement	3/6/1989
issue request letters (104e)	Federal Enforcement	4/26/1989
issue request letters (104e)	Federal Enforcement	12/19/1989
lodged by doj	Federal Enforcement	2/13/1990
issue request letters (104e)	Federal Enforcement	2/26/1990
issue request letters (104e)	Federal Enforcement	4/4/1990
notice letters issued	Federal Enforcement	4/4/1990

- More Details Exist For This Site; Max Page Limit Reached -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 64 **DIST/DIR:** 0.96 NE **ELEVATION:** 207 **MAP ID:** 53

NAME: EASTERN COMPANY
ADDRESS: 85 BRIDGE ST
NAUGATUCK CT

REV: 4/23/10
ID1: 4548
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1:
WASTE TYPE2:
WASTE TYPE3:

DISPOSAL METHOD:

SAMPLE AVAILABLE: NO
LOCATION METHOD:
OTHER DEP:
UPDATED BY:
UPDATED PROGRAM:
UPDATED:
SW CLASSIFICATION:
GW CLASSIFICATION:

COMMENTS:

SITE NAMES

COMMENTS:

INFORMATION

ESTABLISHMENT: EASTERN COMPANY
SELLER: THE EASTERN COMPANY
BUYER: BRIDGE SHOPPING CTR LTD

FORM: FORM III **RECEIVED:** 2/14/1995
ACKNOWLEDGED: 5/15/1996 **RETURNED:** 3/30/1995
CERTIFIED: **REVISED:**
ECAF RECEIVED: **ECAF REVIEWED:**

STATUS: C

STAFF: PARKS, C.

CERTIFIER: ,

FIRST PAYMENT: \$6000 **SECOND PAYMENT:** \$14000

COMMENTS: 2ND PYMNT REC D 11/15/96

- Continued on next page -

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 64 **DIST/DIR:** 0.96 NE **ELEVATION:** 207 **MAP ID:** 53

NAME: EASTERN COMPANY
ADDRESS: 85 BRIDGE ST
NAUGATUCK CT

REV: 4/23/10
ID1: 4548
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

REMEDIAL INFORMATION

TYPE:	III	
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM	
ENTERED:		
STAFF:	PARKS, C.	COMPLETE:
ASSIGNED:		PHASE: C
ORDER ISSUED:	NO	ORDER NUMBER:
ORDER DATE:		INVESTIGATION START:
COMPLETED:		DESIGN START:
DESIGN DONE:		ACTION START:
ACTION DONE:		OPERATION START:
GW MONITORING:	NO	

REFERRAL INFORMATION

SOURCE:	PTP - PROPERTY TRANSFER PROGRAM
RECEIVED:	2/14/1995
STAFF:	PARKS, C.
PROGRAM:	PTP - PROPERTY TRANSFER PROGRAM
ASSIGNED:	
COMPLETED:	2/14/1995
OUTCOME:	PTP

***Environmental FirstSearch
Site Detail Report***

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

STATE

SEARCH ID: 66 **DIST/DIR:** 0.97 NE **ELEVATION:** 207 **MAP ID:** 54

NAME: HOP BROOK SCHOOL
ADDRESS: 75 CROWN ST
NAUGATUCK CT

REV: 4/23/10
ID1: 1399
ID2:
STATUS: SUSPECTED
PHONE:

CONTACT:
SOURCE: CT DEP

SITE INFORMATION

WASTE TYPE1: HYDRO/OIL - HYDROCARBONS AND/OR FUEL OIL
WASTE TYPE2:
WASTE TYPE3:

DISPOSAL METHOD: UST

SAMPLE AVAILABLE: NO

LOCATION METHOD:

OTHER DEP: OCS

UPDATED BY: DORAN, E.

UPDATED PROGRAM: CORE

UPDATED: 12/14/1992

SW CLASSIFICATION:

GW CLASSIFICATION:

COMMENTS:

SITE NAMES

COMMENTS:

REFERRAL INFORMATION

SOURCE: SPILLS

RECEIVED: 11/20/1992

STAFF:

PROGRAM: SRP

ASSIGNED: 12/24/1992

COMPLETED:

OUTCOME:

Environmental FirstSearch Descriptions

NPL: EPA NATIONAL PRIORITY LIST - The National Priorities List is a list of the worst hazardous waste sites that have been identified by Superfund. Sites are only put on the list after they have been scored using the Hazard Ranking System (HRS), and have been subjected to public comment. Any site on the NPL is eligible for cleanup using Superfund Trust money.

A Superfund site is any land in the United States that has been contaminated by hazardous waste and identified by the Environmental Protection Agency (EPA) as a candidate for cleanup because it poses a risk to human health and/or the environment.

FINAL - Currently on the Final NPL

PROPOSED - Proposed for NPL

NPL DELISTED: EPA NATIONAL PRIORITY LIST Subset - Database of delisted NPL sites. The National Oil and Hazardous Substances Pollution Contingency Plan (NCP) establishes the criteria that the EPA uses to delete sites from the NPL. In accordance with 40 CFR 300.425.(e), sites may be deleted from the NPL where no further response is appropriate.

DELISTED - Deleted from the Final NPL

CERCLIS: EPA COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY INFORMATION SYSTEM (CERCLIS)- CERCLIS is a database of potential and confirmed hazardous waste sites at which the EPA Superfund program has some involvement. It contains sites that are either proposed to be or are on the National Priorities List (NPL) as well as sites that are in the screening and assessment phase for possible inclusion on the NPL.

PART OF NPL- Site is part of NPL site

DELETED - Deleted from the Final NPL

FINAL - Currently on the Final NPL

NOT PROPOSED - Not on the NPL

NOT VALID - Not Valid Site or Incident

PROPOSED - Proposed for NPL

REMOVED - Removed from Proposed NPL

SCAN PLAN - Pre-proposal Site

WITHDRAWN - Withdrawn

NFRAP: EPA COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIABILITY INFORMATION SYSTEM ARCHIVED SITES - database of Archive designated CERCLA sites that, to the best of EPA's knowledge, assessment has been completed and has determined no further steps will be taken to list this site on the National Priorities List (NPL). This decision does not necessarily mean that there is no hazard associated with a given site; it only means that, based upon available information, the location is not judged to be a potential NPL site.

NFRAP – No Further Remedial Action Plan

P - Site is part of NPL site

D - Deleted from the Final NPL

F - Currently on the Final NPL

N - Not on the NPL

O - Not Valid Site or Incident

P - Proposed for NPL

R - Removed from Proposed NPL

S - Pre-proposal Site

W – Withdrawn

RCRA COR ACT: EPA RESOURCE CONSERVATION AND RECOVERY INFORMATION SYSTEM SITES - Database of hazardous waste information contained in the Resource Conservation and Recovery Act Information (RCRAInfo), a national program management and inventory system about hazardous waste handlers. In general, all generators, transporters, treaters, storers, and disposers of hazardous waste are required to provide information about their activities to state environmental agencies. These agencies, in turn pass on the information to regional and national EPA offices. This regulation is governed by the Resource Conservation and Recovery Act (RCRA), as amended by the Hazardous and Solid Waste Amendments of 1984.

RCRAInfo facilities that have reported violations and subject to corrective actions.

RCRA TSD: EPA RESOURCE CONSERVATION AND RECOVERY INFORMATION SYSTEM TREATMENT, STORAGE, and DISPOSAL FACILITIES. - Database of hazardous waste information contained in the Resource Conservation and Recovery Act Information (RCRAInfo), a national program management and inventory system about hazardous waste handlers. In general, all generators, transporters, treaters, storers, and disposers of hazardous waste are required to provide information about their activities to state environmental agencies. These agencies, in turn pass on the information to regional and national EPA offices. This regulation is governed by the Resource Conservation and Recovery Act (RCRA), as amended by the Hazardous and Solid Waste Amendments of 1984.

Facilities that treat, store, dispose, or incinerate hazardous waste.

RCRA GEN: EPA/MA DEP/CT DEP RESOURCE CONSERVATION AND RECOVERY INFORMATION SYSTEM GENERATORS - Database of hazardous waste information contained in the Resource Conservation and Recovery Act Information (RCRAInfo), a national program management and inventory system about hazardous waste handlers. In general, all generators, transporters, treaters, storers, and disposers of hazardous waste are required to provide information about their activities to state environmental agencies. These agencies, in turn pass on the information to regional and national EPA offices. This regulation is governed by the Resource Conservation and Recovery Act (RCRA), as amended by the Hazardous and Solid Waste Amendments of 1984.

Facilities that generate or transport hazardous waste or meet other RCRA requirements.

LGN - Large Quantity Generators

SGN - Small Quantity Generators

VGN – Conditionally Exempt Generator.

Included are RAATS (RCRA Administrative Action Tracking System) and CMEL (Compliance Monitoring & Enforcement List) facilities.

CONNECTICUT HAZARDOUS WASTE MANIFEST – Database of all shipments of hazardous waste within, into or from Connecticut. The data includes date of shipment, transporter and TSD info, and material shipped and quantity. This data is appended to the details of existing generator records.

MASSACHUSETTES HAZARDOUS WASTE GENERATOR – database of generators that are regulated under the MA DEP.

VQN-MA = generates less than 220 pounds or 27 gallons per month of hazardous waste or waste oil.

SQN-MA = generates 220 to 2,200 pounds or 27 to 270 gallons per month of waste oil.

LQG-MA = generates greater than 2,200 lbs of hazardous waste or waste oil per month.

RCRA NLR: EPA RESOURCE CONSERVATION AND RECOVERY INFORMATION SYSTEM SITES - Database of hazardous waste information contained in the Resource Conservation and Recovery Act Information (RCRAInfo), a national program management and inventory system about hazardous waste handlers. In general, all generators, transporters, treaters, storers, and disposers of hazardous waste are required to provide information about their activities to state environmental agencies. These agencies, in turn pass on the information to regional and national EPA offices. This regulation is governed by the Resource Conservation and Recovery Act (RCRA), as amended by the Hazardous and Solid Waste Amendments of 1984.

Facilities not currently classified by the EPA but are still included in the RCRAInfo database. Reasons for non classification:

Failure to report in a timely matter.

No longer in business.

No longer in business at the listed address.

No longer generating hazardous waste materials in quantities which require reporting.

ERNS: EPA/NRC EMERGENCY RESPONSE NOTIFICATION SYSTEM (ERNS) - Database of incidents reported to the National Response Center. These incidents include chemical spills, accidents involving chemicals (such as fires or explosions), oil spills, transportation accidents that involve oil or chemicals, releases of radioactive materials, sightings of oil sheens on bodies of water, terrorist incidents involving chemicals, incidents where illegally dumped chemicals have been found, and drills intended to prepare responders to handle these kinds of incidents. Data since January 2001 has been received from the National Response System database as the EPA no longer maintains this data.

Tribal Lands: DOI/BIA INDIAN LANDS OF THE UNITED STATES - Database of areas with boundaries established by treaty, statute, and (or) executive or court order, recognized by the Federal Government as territory in which American Indian tribes have primary governmental authority. The Indian Lands of the United States map layer shows areas of 640 acres or more, administered by the Bureau of Indian Affairs. Included are

Federally-administered lands within a reservation which may or may not be considered part of the reservation.
BUREAU OF INDIAN AFFAIRS CONTACT - Regional contact information for the Bureau of Indian Affairs offices.

State/Tribal Sites: *CT DEP* CONTAMINATED AND POTENTIALLY CONTAMINATED SITES - database of Hazardous Waste Facilities as defined by section 22a-134f of the Connecticut General Statute.

State Spills 90: *CT DEP* EMERGENCY RESPONSE ACTIONS AND SPILL RELEASES - database of oil and chemical spills. The database includes discharger, reporter, date of release, cause of incident, and emergency measurement information.

State/Tribal SWL: *CT DEP* ACTIVE SOLID WASTE LANDFILL FACILITIES - database of landfills including active and closed facilities.

State/Tribal LUST: *CT DEP* LEAKING UNDERGROUND STORAGE TANKS(LUST) - database of lusters, the data reported includes actions, agency, class, and media affected

State/Tribal UST/AST: *CT DEP* REGISTERED UNDERGROUND STORAGE TANKS - database of underground storage tanks, the data includes capacity, substance stored, status, tank material and piping material.

State/Tribal IC: *CT DEP* CONTAMINATED AND POTENTIALLY CONTAMINATED SITES SUBSET - database of environmental land use restrictions (ELUR). The data includes ELUR type, reason for the ELUR, and if the ELUR covers the entire property.

State/Tribal VCP: *CT DEP* CONTAMINATED AND POTENTIALLY CONTAMINATED SITES SUBSET - database of the Voluntary Remediation Program Sites pursuant to section 22a-133y or 22a-133x, and Pollution Abatement orders pursuant to CGS section 22a-432 or 433.

State/Tribal Brownfields: *CBRA* BROWNFIELDS DATABASE - Database of identified Brownfield sites eligible for redevelopment. Data includes address, acres, past use and road access.

Receptors: *US DOC* SENSITIVE RECEPTORS - 2005 Census Bureau's TIGER (Topologically Integrated Geographic Encoding and Referencing System) database of schools and hospitals. List of schools and hospitals that may house individuals deemed sensitive to environmental discharges due to their fragile immune systems.

NPDES: *EPA* THE NATIONAL POLLUTION DISCHARGE ELIMINATION SYSTEM - Database of permitted facilities receiving and discharging effluents to and from a natural source where treatment of the effluent is monitored.

FINDS: *EPA* FACILITY INDEX SYSTEM(FINDS)/FACILITY REGISTRY SYSTEM(FRS) - The index of identification numbers associated with a property or facility which the EPA has investigated or has been made aware of in conjunction with various regulatory programs. Each record indicates the EPA office that may have files on the site or facility. A Facility Registry System site has an FRS in the status field.

TRIS: *EPA* TOXIC RELEASE INVENTORY SYSTEM (TRIS)– Database that contains information on toxic chemical releases and other waste management activities reported annually by certain covered industry groups as well as federal facilities. This inventory was established under the Emergency Planning and Community Right-to-Know Act of 1986 (EPCRA) and expanded by the Pollution Prevention Act of 1990.

HMIRS: *US DOT* HAZARDOUS MATERIALS INCIDENT RESPONSE SYSTEM - Database of information regarding materials, packaging, and a description of events for tracked incidents.

NCDB: *EPA* NATIONAL COMPLIANCE DATA BASE SYSTEM - Database of regional compliance and enforcement activity and manages the Pesticides and Toxic Substances Compliance and Enforcement program at a national level. The system tracks all compliance monitoring and enforcement activities from the time an inspector conducts an inspection until the time the inspector closes or the case settles the enforcement action. NCDB is the national repository of the 10 regional and Headquarters FIFRA/TSCA Tracking System (FTTS). Data collected in the regional FTTS is transferred to NCDB to support the need for monitoring national performance of regional programs.

PADS: *EPA* DATABASE OF PCB HANDLERS - Database of PolyChlorinatedBiPhenol generators, transporters, storers and/or disposers that are required to register with the EPA. This database indicates the type of handler and registration number. Also included is the PCB Transformer Registration Database.

RADON: *NTIS* NATIONAL RADON DATABASE - EPA radon data from 1990-1991 national radon project collected for a variety of zip codes across the United States.

Nuclear Permits: *EPA/NRC* PERMITTED NUCLEAR FACILITIES - This database is a comprehensive listing of all facilities which have been issued permits for the handling of radioactive materials, in addition it also contains a complete listing of all licensed and active nuclear power plants located within the United States. THE RADINFO DATABASE - Database of basic information about facilities that are permitted and regulated for their use and handling of radioactive materials.

Federal Other: *EPA* SECTION SEVEN TRACKING SYSTEM (SSTS) – database of registration and production data for facilities which manufacture pesticides. VAPOR INTRUSION DATABASE – database that records the migration of volatile chemicals from the subsurface into overlying buildings. Volatile chemicals in contaminated soil or groundwater can emit vapors that may migrate through soil and into indoor air spaces.

State Other: *US DOJ* NATIONAL CLANDESTINE LABORATORY REGISTER - Database of addresses of some locations where law enforcement agencies reported they found chemicals or other items that indicated the presence of either clandestine drug laboratories or dumpsites. In most cases, the source of the entries is not the U.S. Department of Justice ("the Department"), and the Department has not verified the entry and does not guarantee its accuracy. All sites that are included in this data set will have an id that starts with NCLR.

State Other: *CT DEP* PROPERTY TRANSFER PROGRAM DATABASE - database of the Property Transfer Program is a subset of the list of Contaminated and Potentially Contaminated sites. Property Transfer sites are sites that have filed either a Form III or Form IV pursuant to CGS 22a- 134a through 134d, inclusive.

HW Manifest: *CT DEP* HAZARDOUS WASTE MANIFEST DATABASE - Database of generators of hazardous waste and where the waste was shipped to for treatment, storage or disposal. The database contains records from 1984 to 2005. Data includes facility location, facility id, transporter id, TSD id, waste shipped and amount.

Environmental FirstSearch Database Sources

NPL: *EPA* Environmental Protection Agency

Updated quarterly

NPL DELISTED: *EPA* Environmental Protection Agency

Updated quarterly

CERCLIS: *EPA* Environmental Protection Agency

Updated quarterly

NFRAP: *EPA* Environmental Protection Agency.

Updated quarterly

RCRA COR ACT: *EPA* Environmental Protection Agency.

Updated quarterly

RCRA TSD: *EPA* Environmental Protection Agency.

Updated quarterly

RCRA GEN: *EPA/MA DEP/CT DEP* Environmental Protection Agency, Massachusetts Department of Environmental Protection, Connecticut Department of Environmental Protection

Updated quarterly

RCRA NLR: *EPA* Environmental Protection Agency

Updated quarterly

ERNS: *EPA/NRC* Environmental Protection Agency

Updated annually

Tribal Lands: *DOI/BIA* United States Department of the Interior

Updated annually

State/Tribal Sites: *CT DEP* Connecticut Department of Environmental Protection

Updated quarterly

State Spills 90: *CT DEP* Connecticut Department of Environmental Protection's Bureau of Waste Management

Updated quarterly

State/Tribal SWL: *CT DEP* Department of Environmental Protection's Bureau of Waste Management, Solid Waste Program

Updated annually

State/Tribal LUST: *CT DEP* The Department of Environmental Protection's Bureau of Waste Management, Underground Storage Tank Enforcement Program

Updated quarterly

State/Tribal UST/AST: *CT DEP* Connecticut Department of Environmental Protection's Bureau of Waste Management, Underground Storage Tank Enforcement Program.

Updated quarterly

State/Tribal IC: *CT DEP* Connecticut Department of Environmental Protection

Updated when available

State/Tribal VCP: *CT DEP* Connecticut Department of Environmental Protection

Updated quarterly

State/Tribal Brownfields: *CBRA* Connecticut Brownfields Redevelopment Authority

Updated when available

Receptors: *US DOC* US Department of Commerce, Census Bureau

Updated periodically

NPDES: *EPA* Environmental Protection Agency

Updated quarterly

FINDS: *EPA* Environmental Protection Agency

Updated annually

TRIS: *EPA* Environmental Protection Agency.

Updated quarterly

HMIRS: *US DOT* US Department of Transportation

Updated quarterly

NCDB: *EPA* Environmental Protection Agency

Updated quarterly

PADS: *EPA* Environmental Protection Agency

Updated quarterly

RADON: *NTIS* Environmental Protection Agency, National Technical Information Services

Updated periodically

Nuclear Permits: *EPA/NRC* Nuclear Regulatory Commission

Updated periodically

Federal Other: *EPA* Environmental Protection Agency

Updated quarterly

State Other: *US DOJ* U.S. Department of Justice

Updated when available

State Other: *CT DEP* Connecticut Department of Environmental Protection

Updated quarterly

HW Manifest: *CT DEP* Department of Environmental Protection

Updated when available

Environmental FirstSearch
Street Name Report for Streets within .25 Mile(s) of Target Property

Target Property: 6 RUBBER AVE
NAUGATUCK CT 06770

JOB: 91065

Street Name	Dist/Dir	Street Name	Dist/Dir
Aetna Pl	0.25 NW		
Ansonia-Derby Expy	0.19 NE		
Arch St	0.19 SW		
Barnum Ct	0.10 NW		
Cherry St	0.11 SW		
Church St	0.02 NW		
Cliff St	0.24 NW		
Division St	0.25 NE		
Elm St	0.01 SE		
Fairview Ave	0.12 NW		
Freeman Ln	0.13 NE		
George St	0.25 NW		
Gorman St	0.24 SW		
Hotchkiss St	0.13 SE		
Lewis St	0.24 SW		
Maple St	0.22 NE		
Meadow St	0.09 NW		
Park Pl	0.15 NE		
Pleasant View St	0.14 NW		
Pond St	0.19 SW		
Risdon St	0.19 SW		
Rubber Ave	0.00 --		
S Main St	0.18 NE		
Scott St	0.18 SE		
Southview St	0.12 NW		
State Highway 63	0.00 --		
State Highway 8	0.19 NE		
Ward St	0.22 SE		
Water St	0.07 SE		




Environmental FirstSearch

1 Mile Radius

ASTM Map: NPL, RCRACOR, STATE Sites



6 RUBBER AVE, NAUGATUCK CT 06770



Source: 2005 U.S. Census TIGER Files

Target Site (Latitude: 41.487215 Longitude: -73.05553)
Identified Site, Multiple Sites, Receptor
NPL, DELNPL, Brownfield, Solid Waste Landfill (SWL), Hazardous Waste
Triballand.....
Railroads
Black Rings Represent 1/4 Mile Radius; Red Ring Represents 500 ft. Radius






Environmental FirstSearch

.5 Mile Radius

ASTM Map: CERCLIS, RCRATSD, LUST, SWL



6 RUBBER AVE, NAUGATUCK CT 06770



Source: 2005 U.S. Census TIGER Files

Target Site (Latitude: 41.487215 Longitude: -73.05553)
Identified Site, Multiple Sites, Receptor
NPL, DELNPL, Brownfield, Solid Waste Landfill (SWL), Hazardous Waste
Triballand.....
Railroads
Black Rings Represent 1/4 Mile Radius; Red Ring Represents 500 ft. Radius






Environmental FirstSearch

.25 Mile Radius

ASTM Map: RCRAGEN, ERNS, UST, FED IC/EC, METH LABS



6 RUBBER AVE, NAUGATUCK CT 06770



Source: 2005 U.S. Census TIGER Files

Target Site (Latitude: 41.487215 Longitude: -73.05553)

Identified Site, Multiple Sites, Receptor

NPL, DELNPL, Brownfield, Solid Waste Landfill (SWL), Hazardous Waste

Triballand.....

Railroads

Black Rings Represent 1/4 Mile Radius; Red Ring Represents 500 ft. Radius






Environmental FirstSearch

.25 Mile Radius
Non-ASTM Map: Multiple Databases



6 RUBBER AVE, NAUGATUCK CT 06770



Source: 2005 U.S. Census TIGER Files

Target Site (Latitude: 41.487215 Longitude: -73.05553)
Identified Site, Multiple Sites, Receptor
NPL, DELNPL, Brownfield, Solid Waste Landfill (SWL), Hazardous Waste
Triballand.....
National Historic Sites and Landmark Sites
Railroads
Black Rings Represent 1/4 Mile Radius; Red Ring Represents 500 ft. Radius



APPENDIX E
CTDEP FILE DOCUMENTATION



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION

December 9, 1998

CONSENT ORDER CLOSURE LETTER



General DataComm, Inc.
6 Rubber Avenue
Naugatuck, CT 06770

SITE NAME: General DataComm, Inc.
TOWN: Naugatuck / Middlebury
FILE TYPE: Ent

Attn: Chris Mongar

RE: Consent Order No. HM-815
Issued to General DataComm, Inc., 6 Rubber Avenue, Naugatuck, on
August 8, 1997

Dear Mr. Mongar:

This letter acknowledges receipt by the Department of Environmental Protection's Bureau of Waste Management of the certified statement submitted by General DataComm, Inc. on November 17, 1997, and supporting documentation dated August 11, 1997, August 27, 1997, October 14, 1997, November 17, 1997, January 21, 1998, March 4, 1998, March 5, 1998, March 23, 1998, April 7, 1998, May 8, 1998, and May 29, 1998 in response to the above-referenced Consent Order.

Bureau of Waste Management staff members have completed their review of the compliance statement and supporting documentation. Based upon the representations made in your submittals it has been decided that no further action by the Department will be taken at this time regarding the violations cited in the Consent Order. However, if the Department learns that the violations alleged in said Consent Order have not been fully resolved as represented, or if other violations exist not addressed in said Consent Order, the Department may take additional enforcement action.

In regards to the solder paste waste determination issue, at this time, the Department will accept the company's position that the waste material is a recyclable material not subject to regulations under parts 262 through parts 266 or parts 268, 270, or 124 of 40 CFR. The documents from GDC and the recycler (i.e., Electrum, Inc. Rathway, NJ) suggest that the material is beneficially recycled in a similar, if not identical, manner to the solder dross. Upon discussion with staff from the Environmental Protection Agency ("EPA"), the opinion is that the solder paste is a recyclable material which can meet the scrap metal exception. However, if any additional information comes to light or if EPA should review the matter and draft a position paper different from the above, the solder paste will have to be handled accordingly.

Please do not hesitate to contact Mr. Buzz Devine at (860) 424-3268 should you have any questions or comments with regard to this correspondence.

Sincerely,

A handwritten signature in dark ink, appearing to read "D. A. Nash", written in a cursive style.

David A. Nash, Director
Department of Environmental Protection
Bureau of Waste Management
Waste Engineering & Enforcement Division

DAN:BD:bd

cc: Douglas Cohen Esq., Brown, Reudnick, Freed & Gesmer
Julie Dutton, DEP/WEED



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION

December 8, 1998



NOV CLOSURE LETTER

General DataComm, Inc.
6 Rubber Avenue
Naugatuck, CT 06770

SITE NAME: General DataComm
TO: Naugatuck
FILE TYPE: Env

Attn: Chris Mongar

RE: **Notice of Violation No. 736**
Issued to General DataComm, Inc., 6 Rubber Avenue, Naugatuck, on May 25, 1995

Dear Mr. Mongar:

This letter acknowledges receipt by the Department of Environmental Protection's Bureau of Waste Management of the certified compliance statement submitted by General DataComm, Inc. on October 26, 1995, and supporting documentation dated June 19, 1995, October 19, 1995, October 26, 1995, June 25, 1996, September 13, 1996, October 23, 1996, December 31, 1996, April 17, 1997, November 17, 1997, January 21, 1998, and March 5, 1998 in response to the above-referenced Notice of Violation.

Bureau of Waste Management staff members have completed their review of the compliance statement and supporting documentation. Based upon the representations made in your submittals it has been decided that no further action by the Department will be taken at this time regarding the violations cited in the Notice. However, if the Department learns that the violations alleged in said Notice have not been fully resolved as represented, or if other violations exist not addressed in said Notice, the Department may take formal enforcement action.

Please do not hesitate to contact Mr. Buzz Devine at (860) 424-3268 should you have any questions or comments with regard to this correspondence.

Sincerely,

Robert C. Isner, Assistant Director
Department of Environmental Protection
Bureau of Waste Management
Waste Engineering & Enforcement Division

DAN:BD:bd

cc: Douglas Cohen Esq., Brown, Reudnick, Freed & Gesmer
Julie Dutton, DEP/WEED



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION



STATE OF CONNECTICUT
V.
GENERAL DATACOMM, INC.

SITE NAME: General DataComm
TOWN: Naugatuck
FILE TYPE: ENF

CONSENT ORDER

A. With the agreement of General DataComm, Inc., ("Respondent"), the Commissioner of Environmental Protection ("the Commissioner") finds:

1. Respondent is a corporation which is or has been engaged in the assembly of components for the electronics industry and has its headquarters at 1579 Straits Turnpike in Middlebury, Connecticut.
2. Respondent has the status of a small quantity generator of hazardous waste and operates an assembly facility at 6 Rubber Avenue in Naugatuck, Connecticut ("the Naugatuck site").
3. In Middlebury, Connecticut ("the Middlebury site"), Respondent has the status of a conditionally exempt small quantity generator of hazardous waste and operates prototype engineering facility at Park Road Extension.
4. The Waste Engineering and Enforcement Division of the Waste Management Bureau conducted an inspection of the Naugatuck site on February 21, 1995.
5. The Waste Engineering and Enforcement Division of the Waste Management Bureau conducted an inspection of the Middlebury site on April 11, 1995.
6. At the Naugatuck site, Respondent has failed to comply with the Sections of the Regulations of Connecticut State Agencies ("RCSA") identified in paragraph A in Attachment 1 of this consent order.
7. At the Middlebury site, Respondent has failed to comply with the RCSA Sections identified in paragraph B in Attachment 1 of this consent order.
8. On September 13, 1988, the Commissioner issued Order No. HM-532 to General DataComm, Inc. at the Naugatuck site which required General DataComm to:
 - a. Bring all waste handling procedures and facilities into compliance with the State's Hazardous Waste Management Regulations.

- b. Effect the removal and proper disposal of all hazardous, toxic, and other industrial waste now stored on-site in a manner approved by the Commissioner of Environmental Protection. Respondent was further ordered to accomplish the above described program in accordance with the following schedule:
 - i. On or before October 31, 1988, verify to the Commissioner of Environmental Protection that a qualified consultant has been retained to perform the necessary tasks, repackaging, and disposal of waste required under Directives 1 and 2.
 - ii. On or before November 30, 1988, submit to the Commissioner of Environmental Protection, for review and approval, a detailed report providing an inventory (identify and quantify) and hazardous waste determination for all wastes stored on-site and an implementation schedule to be executed by a licensed chemical waste disposal firm for the removal and proper disposal of all hazardous substances in accordance with Directive 2.
 - iii. On or before November 30, 1988, submit to the Commissioner of Environmental Protection a report which details the remedial measures necessary to achieve compliance with all applicable hazardous waste regulations including: hazardous waste determinations, a contingency plan, personnel training records, an inspection schedule and log, container management, and a detailed description of hazardous waste management procedures to be implemented pursuant to Directive 1.
 - iv. On or before January 31, 1989, verify to the Commissioner of Environmental Protection that all hazardous wastes have been removed and properly disposed of in accordance with the plan approved under Step B.
 - v. On or before January 31, 1989, verify to the Commissioner of Environmental Protection that the remedial measures approved in compliance with Step C, have been implemented.
9. Respondent failed to fully comply with Order No. HM-532; in particular, Respondent failed to comply with Directive 1 of Order No. HM-532 issued on September 13, 1988.
10. This consent order supersedes Order No. HM-532 issued on September 13, 1988.
11. With regards to the violations specified in Attachment 1 of this consent order, Respondent has notified the Commissioner, in reports dated June 1, 1995, June 14, 1995, June 19, 1995, February 12, 1996, June 25, 1996, September 13, 1996, October 23, 1996, December 31, 1996, April 17, 1997, and of action taken to comply with the sections of RCSA referenced in that attachment. A review of these reports has determined that the actions taken meet the

requirements of the referenced sections of RCSA.

- B. With the agreement of Respondent, the Commissioner, acting under Sections 22a-6, and 22a-449 of the Connecticut General Statutes, orders Respondent as follows:
1. Respondent shall maintain all hazardous waste handling procedures and facilities in compliance with the provisions of RCSA specified in Attachment A in accordance with the following schedule:
 - a. On or before thirty days after issuance of the consent order, Respondent shall retain one or more qualified consultants acceptable to the Commissioner to prepare the documents and implement or oversee the actions required by this consent order and shall, by that date, notify the Commissioner in writing of the identity of such consultants. Respondent shall retain one or more qualified consultants acceptable to the Commissioner until this consent order is fully complied with, and, within ten days after retaining any consultant other than one originally identified under this paragraph, Respondent shall notify the Commissioner in writing of the identity of such other consultant. Nothing in this paragraph shall preclude the Commissioner from finding a previously acceptable consultant unacceptable.
 - b. On or before ninety days after issuance of this consent order, Respondent shall submit for the Commissioner's review and written approval a plan detailing additional actions and/or operational changes to ensure future compliance with the requirements specified in paragraphs A and B in Attachment 1 of this consent order. Within five days after the Commissioner approves such plan, Respondent shall carry out the plan and maintain it in full effect thereafter.
 - c. Respondent may request that the Commissioner approve, in writing, revisions to any document approved hereunder in order to make such document consistent with law or for any other appropriate reason.
 2. Full compliance. Respondent shall not be considered in full compliance with this consent order until all actions required by this consent order and completed as approved have been to the satisfaction of the Commissioner.
 3. Penalty for past violations on or before fourteen (14) days after issuance of this consent order, Respondent shall pay a civil penalty of thirty seven thousand dollars (\$37,000.00) for the past violations which are specified in Attachment 1 of this consent order. Respondent may offset 17,000 dollars of the civil penalty by performing a supplemental environmental project ("SEP") as follows:

- a. Within sixty (60) days from the date of issuance of this consent order, Respondent shall submit for the Commissioner's review and written approval a proposal to perform an SEP ("proposal"). The proposal shall include but not be limited to: a description of the SEP; an explanation as to why the particular SEP is being proposed; a schedule for implementation and completion of the SEP; itemized costs to be incurred by the Respondent in carrying out the SEP; and a description of the SEP's benefit to the general public or the environment. The total expenditure of the proposal shall be not less than 20,000.00 dollars.
- b. Within sixty (60) days from the date he receives the proposal, the Commissioner will either (i) accept the proposal or (ii) reject the proposal and notify the Respondent, in writing, of deficiencies in the proposal and any additional actions or information required to be taken or supplied by the Respondent.
- c. If the Commissioner accepts the Respondent's proposal and the Respondent fails to perform such SEP, an additional 17,000.00 dollars civil penalty shall be immediately due and payable in accordance with the provisions of paragraph (4) of this consent order.
- d. Respondent shall have ten (10) days to object in writing to a rejection or notification of deficiency under subparagraph (b) of this paragraph. The Commissioner and Respondent shall have (30) days from the receipt by the Commissioner of an objection to reach agreement on a proposal. If agreement cannot be reached within such time, as evidenced by written notice from the Commissioner, Respondent shall either: (i) perform a SEP of a type and on a schedule presented by the Commissioner, or (ii) pay an additional 17,000.00 dollars civil penalty in accordance with the provisions of paragraph (4) of this consent order. In the event Respondent chooses to perform such a SEP, upon violations by the Respondent of the Commissioner's schedule or other requirements related thereto, an additional 17,000.00 dollars civil penalty shall be immediately due and payable in accordance with the provisions of paragraph (4) of this consent order.
- e. The net present after-tax value of any SEP shall be equivalent to the sums identified in this paragraph or Respondent shall submit certified documentation that no tax credit shall be obtained as a result of the SEP performed under this paragraph.
- f. If and when the Respondent disseminates publicity regarding its funding of the SEP, Respondent shall include a statement that such funding is in partial settlement of an enforcement action brought by the Commissioner.
- g. Within fourteen (14) days of completing such SEP, Respondent shall submit written documentation to the Commissioner that the requirements of the SEP have been fulfilled.

4. Payment of Penalties. Payment of penalties under this consent order shall be mailed or personally delivered to Mr. David A. Nash, Director of Engineering and Enforcement Division, Bureau of Waste Management. Department of Environmental Protection, 79 Elm Street, Hartford, Connecticut 06106-1632, and shall be by certified or bank check payable to the Connecticut Department of Environmental Protection. The check shall state on its face. "Waste Management civil penalty -- Engineering and Enforcement Division, Consent Order No. 815".
5. Approvals. Respondent shall use best efforts to submit to the Commissioner all documents required by this consent order in a complete and approvable form. If the Commissioner notifies the Respondent that any document or other action is deficient, and does not approve it with conditions or modifications, it is deemed disapproved, and the Respondent shall correct the deficiencies and submit it within the time specified by the Commissioner or, if no time is specified by the Commissioner, within thirty days of the Commissioner's notice of deficiencies. In approving any document or other action under this consent order, the Commissioner may approve the document or other action as submitted or performed or with such conditions or modifications as the Commissioner deems necessary to carry out the purposes of this consent order. Nothing in this paragraph shall excuse noncompliance or delay.
6. Definitions. As used in this consent order, "Commissioner" means the Commissioner or an agent of the Commissioner. The date of "issuance" of this consent order is the date the order is deposited in the mail or personally delivered, whichever is earlier.
7. Dates. The date of submission to the Commissioner of any document required by this consent order shall be the date such document is received by the Commissioner. The date of any notice by the Commissioner under this consent order, including but not limited to notice of approval or disapproval of any document or other action, shall be the date such notice is personally delivered or the date three days after it is mailed by the Commissioner, whichever is earlier. Except as otherwise specified in this consent order, the word "day" as used in this consent order means calendar day. Any document or action which is required by this consent order to be submitted or performed by a date which falls on a Saturday, Sunday or a Connecticut or federal holiday shall be submitted or performed on or before the next day which is not a Saturday, Sunday, or Connecticut or federal holiday.
8. Notification of noncompliance. In the event that Respondent becomes aware that it did not or may not comply, or did not or may not comply on time, with any requirement of this consent order or of any document required hereunder, Respondent shall immediately notify the

Commissioner and shall take all reasonable steps to ensure that any noncompliance or delay is avoided or, if unavoidable, is minimized to the greatest extent possible. In so notifying the Commissioner, Respondent shall state in writing the reasons for the noncompliance or delay and propose, for the review and written approval of the Commissioner, dates by which compliance will be achieved, and Respondent shall comply with any dates which compliance will be achieved, and Respondent shall comply with any dates which may be approved in writing by the Commissioner. Notification by Respondent shall not excuse noncompliance or delay, and the Commissioner's approval of any compliance dates proposed shall not excuse noncompliance or delay unless specifically so stated by the Commissioner in writing.

9. Certification of documents. Any document, including but not limited to any notice, which is required to be submitted to the Commissioner under this consent order shall be signed by a responsible corporate officer of the Respondent or a duly authorized representative of such officer, as those terms are defined in section 22a-430-3(b)(2) of the RCSA and by the individual or individuals responsible for actually preparing such document, each of whom shall certify in writing as follows: "I have personally examined and am familiar with the information submitted in this document and all attachments and certify that based on reasonable investigation, including my inquiry of those individuals responsible for obtaining the information, the submitted information is true, accurate and complete to the best of my knowledge and belief, and I understand that any false statement made in this document or its attachments may be punishable as a criminal offense."
10. Noncompliance. This consent order is a final order of the Commissioner with respect to the matters addressed herein, and is nonappealable and immediately enforceable. Failure to comply with this consent order may subject Respondent to an injunction and penalties under Chapters 439, and 445 or 446k of the Connecticut General Statutes.
11. False statements. Any false statement in any information submitted pursuant to this consent order may be punishable as a criminal offense under Section 22a-438 or 22a-131a of the Connecticut General Statutes or, in accordance with Section 22a-6, under Section 53a-157 of the Connecticut General Statutes.
12. Notice of transfer; liability of Respondent and others. Until Respondent has fully complied with this consent order, Respondent shall notify the Commissioner in writing no later than **thirty** days after transferring all or any portion of the operations which are the subject of this consent order, the site or the business, or obtaining a new mailing or location address. Respondent's obligations under this consent order shall not be affected by the passage of title to any property to any other person or municipality. Any future owner of the site may be subject to the issuance of an order from the Commissioner.
13. Commissioner's powers. Nothing in this consent order shall affect the Commissioner's authority

to institute any proceeding or take any other action to prevent or abate violations of law, prevent or abate pollution, recover costs and natural resource damages, and to impose penalties for violations of law which are willful or criminally negligent or for which penalties have not been specifically provided in this consent order, including but not limited to violations of any permit issued by the Commissioner. If at any time the Commissioner determines that the actions taken by Respondent pursuant to this consent order have not successfully corrected all violations, the Commissioner may institute any proceeding to require Respondent to correct violations.

14. Respondent's obligations under law. Nothing in this consent order shall relieve Respondent of other obligations under applicable federal, state and local law.
15. No assurance by Commissioner. No provision of this consent order and no action or inaction by the Commissioner shall be construed to constitute an assurance by the Commissioner that the actions taken by Respondent pursuant to this consent order will result in compliance.
16. Access to site. Any representative of the Department of Environmental Protection may enter the site without prior notice for the purposes of monitoring and enforcing the actions required or allowed by this consent order.
17. No effect on rights of other persons. This consent order shall neither create nor affect any rights of persons who or municipalities which are not parties to this consent order.
18. Notice to Commissioner of changes. Within thirty days of the date Respondent becomes aware of a change in any information submitted to the Commissioner under this consent order, or that any such information was inaccurate or misleading or that any relevant information was omitted, Respondent shall submit to the correct or omitted information to the Commissioner.
19. Submission of documents. Any document required to be submitted to the Commissioner under this consent order shall, unless otherwise specified in writing by the Commissioner, be directed to:

Mr. Arnold Devine
Department of Environmental Protection
Waste Management Bureau
Engineering and Enforcement Division
79 Elm Street
Hartford, Connecticut 06106-5127

Respondent consents to the issuance of this consent order without further notice. The undersigned certifies that he is fully authorized to enter into this consent order and to legally bind the Respondent to the terms and conditions of the consent order.

General DataComm, Inc.

BY: Ross A. Belson
Ross A. Belson
President

DATE: Aug 8, 1997

Issued as a final order of the Commissioner of Environmental Protection on 18 Aug 1997.

Sidney J. Holbrook
Sidney J. Holbrook
Commissioner

ORDER NO. HM_815
CEP/HM_081

ATTACHMENT 1

A. The following violations were noted during the February 21, 1995 inspection at the Naugatuck site.

1. Respondent has failed to determine if each waste generated on-site is a hazardous waste, in violation of Section 22a-449(c)-102(a) of the Regulations of Connecticut State Agencies ("RCSA"), incorporating 40 CFR 262.11.

Specifically, waste determinations were inadequate for waste circuit boards trimmings and solder masking wastes.

2. Respondent has failed to develop a compliant inspection schedule and log for hazardous waste storage areas, in violation of RCSA Section 22a-449(c)-102(b)(2), incorporating 40 CFR 265.15(b)(1).
3. Respondent has failed to develop a compliant inspection schedule and log for all safety equipment in violation of RCSA Section 22a-449(c)-102(b)(2), incorporating 40 CFR 265.15(b)(1).
4. Respondent has failed to properly train employees in hazardous waste procedures in violation of RCSA Section 22a-449(c)-102(a), incorporating 40 CFR 262.34(d)(5)(iii).
5. Respondent has failed to comply with emergency planning requirements in violation of RCSA Section 22a-449(c)-102(a), incorporating 40 CFR 262.34(d)(5).
6. Respondent has failed to maintain emergency equipment, in violation of RCSA Section 22a-449(c)-102(a) incorporating 40 CFR 262.34(d)(4) and 265.31.

Specifically, the only fire extinguisher in the hazardous waste storage area had not been checked since 1993.

7. Respondent has failed to mark a container with the words "Hazardous Waste" and other words that identify the content such as the chemical name, in violation of RCSA Section 22a-449(c)-102(a)(2)(C), incorporating 40 CFR 262.34(a)(3) and (d)(4).
8. Respondent has failed to mark the date accumulation began on hazardous waste containers, in violation of RCSA Section 22a-449(c)-102(a), incorporating 40 CFR 262.34(a)(2) and (d)(4).
9. Respondent has failed to keep a container of hazardous waste closed while in storage, in violation of RCSA Section 22a-449(c)-102(a) incorporating 40 CFR 262.34 (d)(2) and 265.173(a).

10. Respondent has failed to obtain a permit to accept hazardous waste from off-site in violation of RCSA Section 22a-449(c)-110, incorporating 40 CFR 270.10,

B. The following violations were noted during an inspection on April 11, 1995 at the Middlebury site.

1. Respondent has failed to determine if each waste generated on-site is a hazardous waste, in violation of Section 22a-449(c)-102(a) of the Regulations of Connecticut State Agencies ("RCSA"), incorporating 40 CFR 262.11.

Specifically, waste determinations were not available for contaminated speedi-dri, copier waste, and waste oil.

2. Respondent failed to transport hazardous waste to a permitted facility in violation of RCSA Section 22a-449(c)-11.



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION I

J.F. KENNEDY FEDERAL BUILDING, BOSTON, MASSACHUSETTS 02203-2211

URGENT MATTER--PROMPT REPLY NECESSARY
CERTIFIED MAIL - RETURN RECEIPT REQUESTED

March 30, 1995

Ernie Ludwig, Industrial Engineer
General DataComm, Inc
6 Rubber Avenue
Naugatuck, CT 06770

Dear Mr. Ludwig:

RE: **NOTICE OF VIOLATION** of the Land Disposal Restrictions Rule;
Sections 3004(d) through (m) of the Resource Conservation
and Recovery Act, 42 U.S.C. §§ 6924(d) through (m).

On February 21, 1995 a representative of the Connecticut Department of Environmental Protection (CT DEP) conducted an inspection at General DataComm (CTD981071822). The purpose of this inspection was, in part, to determine the company's compliance with the Land Disposal Restrictions (LDR). The LDR, which was established pursuant to the Hazardous and Solid Waste Amendments (HSWA) to Resource Conservation and Recovery Act (RCRA), applies to facilities that manage: (1) certain spent solvents after November 8, 1986; (2) "California list" wastes after July 8, 1987; and (3) the first one-third of the listed hazardous wastes after August 17, 1988, the second one-third of the listed hazardous wastes after June 23, 1989, and the third one-third of the listed hazardous wastes, as well as EPA hazardous waste numbers D001-D017 and F039, after May 8, 1990.

The LDR requires generators to arrange for treatment of their wastes, if their wastes exceed specific treatment standards, prior to land disposal. The LDR also establishes other requirements set forth in 40 C.F.R. Part 268 as well as in the revised regulations of 40 C.F.R. Parts 260-265 and 270. A discussion of the LDR and the regulations promulgated to date can be found in the following Federal Registers:

- 51 Federal Register 40572 (November 7, 1986);
- 52 Federal Register 21010 (June 4, 1987);
- 52 Federal Register 25760 (July 8, 1987);
- 53 Federal Register 31138 (August 17, 1988);
- 54 Federal Register 26594 (June 23, 1989);
- 54 Federal Register 36967 (September 6, 1989);
- 55 Federal Register 11862 (March 29, 1990);
- 55 Federal Register 22520 (June 1, 1990);
- 56 Federal Register 3864 (January 31, 1991);
- 57 Federal Register 37194 (August 18, 1992).

RECEIVED

APR 5 - 1995

DEP. Waste Management



As a result of the inspection noted above, we have determined that your facility violated certain land disposal restriction regulations. The specific violation is noted below:

Failure to send the appropriate LDR notification as required by 40 C.F.R. § 268.7(a)(1). Under 40 C.F.R. § 268.7 (a)(1), generators who manage a restricted waste after the waste became restricted are required to provide a notification for each shipment of waste to a treatment, storage or disposal facility. The notification must contain the following information: the EPA hazardous waste number; the manifest number associated with the shipment; the corresponding treatment standard, and waste analysis data, where available. Specifically, General DataComm failed to send notifications with an unknown number of shipments of restricted hazardous waste identified as hazardous waste number D001.

You are hereby required to:

1. Immediately upon receipt of this NOTICE:

- a. Determine the applicability of the Land Disposal Restrictions to your wastes. If the waste is subject to LDR, begin sending LDR notifications with each shipment off-site as required by 40 C.F.R. § 268.7(a)(1).
- b. Cease the shipment of all LDR wastes not accompanied by the proper notification, in accordance with 40 C.F.R. § 268.7(a)(1).
- c. Acquire copies of all LDR notifications sent with shipments of LDR waste occurring within the past five years. General DataComm shall retain a copy on-site of each LDR notification sent to its receiving facilities for five years from the date the notification was sent in accordance with 40 C.F.R. § 268.7(a)(7).

2. Within thirty (30) calendar days of receipt of this NOTICE:


- a. Submit to EPA and the CT DEP a written description, with supporting documentation, of the actions taken to correct the aforementioned violation to the following addresses:

Kenneth Rota (HRW CAN 3)
U.S. Environmental Protection Agency
Waste Management Division
John F. Kennedy Federal Building
Boston, MA 02203-2211

Darlene Sage
Bureau of Waste Management
CT Department of Environmental Protection
79 Elm Street, P.O. Box 5066
Hartford, CT 06106

Failure to correct the violation as required by this NOTICE may subject the facility to further Federal enforcement action, including the assessment of penalties, pursuant to Section 3008 of RCRA, 42 U.S.C. § 6928. If you have any questions regarding this NOTICE, please contact Kenneth Rota of my staff at (617) 573-5759.

Sincerely,



Stanley D. Chin, Chief
RCRA Support Section

cc: Darlene Sage, CT DEP
Ken Rota, EPA
Germaine Cass, EPA

Facility Name General DataComm, Inc. (Naugatuck)
EPA I.D.# CTD 981071822
Facility Rep. Ernie Ludwig, Industrial Engineer
Inspector C. Gleason Date 2/21/95

RORR LAND DISPOSAL RESTRICTIONS

GENERATOR COMPLIANCE (Complete this section for all Generators and TSDFs)

Waste Identification

1. Obtain copy of the generator's Annual Report. (Provide this to EPA with the checklist if violations are detected.)
2. Waste Codes listed in the Annual Report and evaluated during the inspection:

0001 _____
0001 _____

3. For newly generated wastes, "one-time" wastes, wastes from cleanups, and other wastes not appearing on the Annual Report, provide the following:

<u>Waste Code(s)</u>	<u>Description (composition/source)</u>	<u>Subcategory/Treatability Group</u>	<u>Frequency/Amount Generated</u>	<u>Receiving Facility</u>
----------------------	-----------------------------------------	---------------------------------------	-----------------------------------	---------------------------

4. Are the waste codes identified by the company correct? If NO, Explain:

<u>Company Code(s)</u>	<u>Suspected Code(s)</u>	<u>Reason/Explanation</u>
------------------------	--------------------------	---------------------------

Appear OK

5. Manifests reviewed from 1992 - 1994
(month/year)

GENERATOR COMPLIANCE

LDR Notifications

Shipments for which Notifications were NOT on file:

B ~~NOTE~~ This section is for shipments of waste which were not accompanied by LDR notifications. This section should be completed when no notifications were on file for a particular waste code. If all notifications are on file, or only a few are missing for a particular waste code, DO NOT USE THIS SECTION, use sections C, D, or E.

1. No Notifications were on file for the following waste codes: D001

2. Is there an indication that these Notifications were sent and not retained? Y N

Please Explain; (for example: are blank notification forms on-site?)

3. [268.7(a)] Did the generator determine that these wastes were subject to LDR? Y N

Please Explain; (for example, was there any evidence of a determination?, did the generator have any knowledge of the regulations?)

Was this determination correct? Y N If NO, Explain:

4. List of shipments for which NOTIFICATIONS WERE NOT ON FILE:

<u>Manifest No.</u>	<u>Date</u>	<u>Waste Code(s)</u>	<u>Explanation (incorrect determination?)</u>
---------------------	-------------	----------------------	-----------------------------------------------

Certain waste streams (copier waste: D001; waste flux: D001) are shipped from General Data Comm in Middlebury to General Data Comm in Naugatuck. This waste is shipped w/ no manifest or LDR.

(continue on back, if necessary)
[Obtain Copies of Manifests, Where Possible]

NO NOTIFICATIONS ON FILE

Shipments for which notifications ~~WERE~~ sent: wastes generated by Naug

1. WASTE EXCEEDS TREATMENT STANDARDS for: (waste codes) All on p 1
and notifications ~~WERE~~ on file. (if NONE, go to D)

2. [268.7(a)] Determination Based on:

For Waste Codes

Knowledge of Wastes ☒ Y
TCLP ☐ Y
Total Waste Analysis ☐ Y
Other ☐ Y

Basis WSDS
Last Analysis: _____
Last Analysis: _____
Explain _____

3. Did generator identify all applicable waste codes? ? Y _____ N

If NO, Explain and list wastes for which all waste codes were not identified:

Note: Even if the waste is identified as a listed waste code (F,K,P, or U), all pertinent characteristic waste codes (D) must also be listed. However, if the treatment standard for the listed waste code contains a standard for the characteristic constituent, the characteristic waste code need not be included. For example, a F006 sludge which contains lead at a concentration greater than 5 ppm does not have to be listed as a D006 as well since the F006 treatment standard contains a standard for lead. [268.9]

4. [268.7(a)(1)(i-iv)] For Each Waste, Did Notification Contain:
(SEE APPENDIX I)

If NO, relevant
Waste code(s)

(a) Waste Code(s) ☒ Y ☐ N
(b) Manifest Number ☒ Y ☐ N
(c) Waste Analysis Data ☒ Y ☐ N ☒ Not Available

(d) Treatment Standard: {APPENDIX VIII}

For F001-F005, F039 and California List:

for example

F003: Acetone

all other spent
solvents

0.59 mg/l

The specific Treatment Standard ☒ Y ☐ N
(if a table is used, the specific constituent(s)
and treatability group must be identified)

For all other wastes: The specific Treatment Standard ☐ Y ☐ N

for example

Acid Corrosive

nonwastewater

40CFR 268.42(a)

DEACT

The Subcategory of the Waste ☒ Y ☐ N ☐ N/A
The Treatability Group ☒ Y ☐ N
Appropriate CFR Reference ☒ Y ☐ N

For waste with treatment standards expressed as specified
technologies; the five-letter treatment code ☒ Y ☐ N

5. [268.7(a)(6)] Did the generator retain copies of all Notifications ☒ Y ☐ N
(Naugatuck generated waste)

(If there were any missing or inadequate notifications, please list them on page 5.)

Notifications ~~WERE~~ on file (continued):

1. WASTE MEETS ALL TREATMENT STANDARDS for: (waste codes) NONE
and notifications ~~WERE~~ on file. (if NONE, go to E)

2. [268.7(a)] Determination Based on:

For Waste Codes

Knowledge of wastes Y N
TCLP Y N
Total Waste Analysis Y N
Other Y N

Basis
Last Analysis:
Last Analysis:
Explain

**** OBTAIN COPIES OF WASTE ANALYSIS DATA OR SUPPORTING DOCUMENTATION ****

3. Did generator identify all applicable waste codes? Y N

If NO, Explain and list wastes for which all waste codes were not identified:

4. [268.7(a)(2)(A-D)] Did Notification Contain: {SEE APPENDIX I}

Waste Code(s) Y N
Treatment Standard Y N (as outlined in Section C above)
Manifest Number Y N
Waste Analysis Data Y N Not Available

Certification Statement [268.7(a)(2)(ii)] Y N

5. [268.7(a)(6)] Did the generator retain copies of all
Notifications/Certifications Y N

(If there were any missing or inadequate notif/certs, please list them on page 5.)

6. Based on the information provided (waste analysis data, type of
waste), is the above NOTIFICATION/CERTIFICATION accurate? Y N
(i.e., did the waste actually meet treatment standards?)

If NO, Explain:

WASTE MEETS TREATMENT STANDARDS

Notifications WERE on file (continued):

1. WASTE SUBJECT TO A National Capacity Extension (NCE) for: (waste codes) NONE
(SEE APPENDIX VI & VII) Case by Case Extension for: (waste codes) NONE
No Migration Petition for: (waste codes) NONE
and notifications WERE on file. (if NONE, go to CDE)

2. Based on the information provided (waste analysis data, type of waste), is the above NOTIFICATION accurate? Y N
(i.e., are they actually subject to the extension/variance?)

Note: If a waste code subject to a NCE is also subject to the California List prohibition levels, that waste is no longer eligible for a NCE. The California List is as follows: Liquid hazardous wastes with cyanides ≥ 1000 mg/l, Liquid hazardous wastes containing: arsenic ≥ 500 mg/l, mercury ≥ 20 mg/l, cadmium ≥ 100 mg/l, nickel ≥ 134 mg/l, chromium VI ≥ 500 mg/l, selenium ≥ 100 mg/l, lead ≥ 500 mg/l, thallium ≥ 130 mg/l, and/or PCBs ≥ 50 ppm, Liquid hazardous wastes having a pH ≤ 2 , Hazardous wastes ≥ 1000 ppm of Halogenated Organic Compounds (HOCs).

If no, Explain:

3. [268.7(a)(3)(i-v)] Did Notification Contain (for wastes subject to EXTENSION):
(SEE APPENDIX I)

Waste Code(s) Y N
Treatment Standard Y N (as outlined in Section C above)
Manifest Number Y N
Waste Analysis Data Y N Not Available
Date the waste is subject to the Prohibitions Y N

4. [268.7(a)(6)] Did generator retain copies of all Notifications? Y N

(If there were any missing or inadequate notifications, please list them in CDE below.)

MISSING OR INADEQUATE NOTIFICATIONS? (for shipments of waste outlined in sections C, D, or E above.)

[list information and explain (not sent, not retained, no treatment standards?)]

Manifest No. Date Waste Code(s) From which section? C, D, or E? Explanation

See p. 2

[continue on back, if necessary][Obtain Copies of Manifests, Where Possible]

EXTENSION / VARIANCE

MISSING, INADEQUATE

F

OTHER GENERATOR REQUIREMENTS

Generator Treatment Methods

1. Does the generator (non-TSDF) treat wastes (to meet the Treatment Standards) in containers or tanks. ? Y N

Please Explain: (which wastes, type of treatment, etc.)

Curing polyurethane foam components

If YES: (a) Has the generator developed a waste analysis plan for this activity? [268.7(a)(4)] Y N

(b) Has the generator submitted this plan to the Regional Administrator? [268.7(a)(4)] Y N

2. Does the generator dilute wastes as a part of any process regulated by other EPA programs (e.g. wastewater treatment system) Y N

Please Explain: (which wastes, how are they diluted, etc.)

If YES: Is a record kept indicating why the waste is not prohibited by the LDR? Y N

3. Is there any reason to believe that the generator may have impermissibly diluted the waste to change or achieve the applicable treatment standard? (based on review of process operation, pipe routing, and point of sampling)? [268.3] (SEE DILUTION FLOWCHART: APPENDIX IX) Y N

If YES, Please explain in detail: Use back of checklist or attach sheet.

4. Did the generator mix wastes with differing treatment standards for the same constituent? Y N

If so, did the generator select the most stringent treatment standard for each constituent? [268.41(b)] Y N

5. Has the generator conducted any type of remedial project or cleanup that may have generated waste subject to the LDR? Y N

Has information on this waste been included in sections B, C, D, or E of this checklist? Y N

Please explain the circumstances, wastes, and the methods by which the generator handled these wastes (i.e., was it a soil cleanup, was it properly classified, where was it shipped...):

None based on manifest review

(continue on back, if necessary)

1. Characteristic wastes treated so they are no longer hazardous None
(waste codes)

✱ THESE PROVISIONS DO NOT APPLY TO CHARACTERISTIC WASTES
WHICH ARE TREATED BUT STILL EXHIBIT THE CHARACTERISTIC ✱

(If NONE, go to H)

Explain waste type and treatment process which removes characteristic:

2. Was this waste subsequently shipped to a Subtitle D
(non-hazardous) landfill? Y N
(If NO, go to H)

3. [268.9(d)] Did Generator (or treatment facility) Send a Notification/
Certification to the Regional Administrator for each shipment of
such waste to a Subtitle D land disposal facility (non-hazardous
landfill)? Y N

4. [268.9(d)(1)(i-iii)] Did Notification Contain: {SEE APPENDIX I}

Name and Address of Subtitle D facility Y N

Description of Waste Initially Generated
(including Hazardous Waste Number and Treatability Group) Y N

The Treatment Standards Applicable to the Waste
at the Initial Point of Generation Y N

Certification Statement [269.9(d)(2); 268.7(b)(5)(i)] Y N


OTHER COMMENTS:

END GENERATOR CHECKLIST

FOR TREATMENT AND/OR STORAGE FACILITIES
THIS CHECKLIST SHOULD BE COMPLETED AS WELL AS THE FOLLOWING PAGES



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION



STATE OF CONNECTICUT
VS.
GENERAL DATA COMM, INC.

IN THE MATTER OF AN ORDER TO GENERAL DATA COMM, INC., TO COMPLY
WITH CONNECTICUT'S HAZARDOUS WASTE MANAGEMENT REGULATIONS.

ORDER

Having found that General Data Comm, Inc., located on 6 Rubber Avenue in Naugatuck, Connecticut is in violation of Connecticut's Hazardous Waste Management Regulations, under the provisions of Chapters 439 and 446k of the Connecticut General Statutes, as amended, the Commissioner of Environmental Protection, acting under Sections 22a-6 and 22a-449 of the General Statutes, hereby orders General Data Comm, Inc. to take such action as is necessary to:

1. Bring all waste handling procedures and facilities into compliance with the State's Hazardous Waste Management Regulations.
2. Effect the removal and proper disposal of all hazardous, toxic, and other industrial waste now stored on-site in a manner approved by the Commissioner of Environmental Protection.

General Data Comm, Inc. is further ordered to accomplish the above described program, except as may be revised by the Commissioner of Environmental Protection, in accordance with the following schedule:

- A. On or before October 31, 1988, verify to the Commissioner of Environmental Protection that a qualified consultant has been retained to perform the necessary tasks, repackaging, and disposal of waste required under Directives 1 and 2.
- B. On or before November 30, 1988, submit to the Commissioner of Environmental Protection, for review and approval, a detailed report providing an inventory (identify and quantify) and hazardous waste determination for all wastes stored on-site and an implementation schedule to be executed by a licensed chemical waste disposal firm for the removal and proper disposal of all hazardous substance. in accordance with Directive 2.

Phone:

165 Capitol Avenue * Hartford, Connecticut 06106


An Equal Opportunity Employer

Order No. HM- 532

Page Two

- C. On or before November 30, 1988, submit to the Commissioner of Environmental Protection a report which details the remedial measures necessary to achieve compliance with all applicable hazardous waste regulations including: hazardous waste determinations, a contingency plan, personnel training records, an inspection schedule and log, container management, and a detailed description of hazardous waste management procedures to be implemented pursuant to Directive 1.
- D. On or before January 31, 1989, verify to the Commissioner of Environmental Protection that all hazardous wastes have been removed and properly disposed of in accordance with the plan approved under Step B.
- E. On or before January 31, 1989, verify to the Commissioner of Environmental Protection, that the remedial measures approved in compliance with Step C, have been implemented.

Entered as an Order of the Commissioner of Environmental Protection this 13 day of September, 1988.


Leslie Carothers
Commissioner

Order No. HM- 532

City of Naugatuck

Sent Certified Mail

Return Receipt Requested

TO	NAME, TITLE	J Ray Senior Sanitary Engineer	DATE	11-18-88
	AGENCY ADDRESS	DEP/ Hazardous Waste Management		
FROM	NAME, TITLE	B. Devine, Environmental Analyst	TELEPHONE	566-8843
	AGENCY ADDRESS	Same		

Subject: Complaint # 1405, (General Data Comm, 6 Rubber Avenue, Nayatuck) Follow-up

10-27-88 At 1930 hrs I telephoned Bill Ferguson, former maintenance manager at General Data Comm, concerning complaint # 1405. Mr Ferguson had not worked for the company since late May 1988, but while employed there he was involved with hazardous waste management.

Mr Ferguson provided the following information during this conversation.

- 1) About 60⁺ drums containing Insta Pak residues were staged outside the southeast corner of the building. Mr Ferguson was told that these drums were transported by General Data Comm to a 'scrap' dealer in Waterbury.
- 2) Ten underground tanks (ranging between 1000 - 6000 gallons) are located across the street from the plant (In the parking lot between the CVS and the former AYP). According to Mr Ferguson these tanks all had contents formerly used by the UniRoyal operation. Mr Ferguson contacted Hitchcock⁶⁰⁵ Engine Company who sent a representative down to sample the tanks' contents.

However, the Hitchcock Gas Engine Company never removed the waste. Mr. Ferguson also said that late last fall a local contractor was called in to fill the tanks with sand, without having the waste residue removed. However, after he protested to upper management the operation was called off.

- 3) A number of drums/containers were left behind by the former UniRoyal operation. Mr. Ferguson reported that many small containers of an epoxy material were among the various wastes. These wastes were stored in the basement of the company.

Mr. Ferguson stated that a consulting firm, R.M. Jones, was hired to evaluate all the waste materials, but, he did not know the outcome.

B. Deane

STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION



ORDER NOTIFICATION LETTER

August 31, 1988

Charles P. Johnson
President
1579 Straits Turnpike
Middlebury, CT 06762

Dear Mr. Johnson:

On June 1 and 2, 1988, an inspection was conducted by the Hazardous Waste Management Section at your facility located at Rubber Avenue, Naugatuck, Connecticut. It was found that your facility is operating in violation of Connecticut's Hazardous Waste Management Regulations.

An Abatement Order will be forthcoming that will require corrective action. The Abatement Order will define the specific steps necessary to bring your company into compliance with the Hazardous Waste Management Regulations. While you may wish to initiate corrective action at this time, I must advise you that prior approval from the Department should be received.

Enclosed for your review is a copy of the June 1 and 2, 1988 inspection report and a copy of the Connecticut Hazardous Waste Management Regulations.

If you have any questions, please contact Donna Seresin at 566-8843.

Sincerely,

Patrick F. Bowe
Principal Environmental Analyst
Hazardous Waste Management Section

PFB:jab

cc: Jeffrey Durkin
General Data Comm, Inc.

Enclosures

9/16 Spoke to Jim Ray.
should receive letter in
about one (1) week.
• recommends waiting until
receipt of letter then
face to face meeting.
• In meantime send him
data on material still to be
shipped.

Phone:

165 Capitol Avenue • Hartford, Connecticut 06106

An Equal Opportunity Employer

STATE OF CONNECTICUT

★ Thank You for Sharing Your Idea. ★

Please send your ideas to: Employees' Suggestion Awards Program, 165 Capitol Ave., Hartford, 06106.

Interdepartment Message

STO-201 REV. 11/81 STATE OF CONNECTICUT
(Stock No. 6938-051-01)

SAVE TIME: Handwritten messages are acceptable.

Use carbon if you really need a copy. If typewritten, ignore faint lines.

To	NAME <i>T Roy</i>	TITLE <i>Senior Sanitary Engineer</i>	DATE <i>6/16/88</i>
	AGENCY <i>Hazardous Waste Management</i>	ADDRESS <i>122 Washington St., Hartford</i>	
From	NAME <i>B Devine</i>	TITLE <i>Environmental Analyst</i>	TELEPHONE <i>566-8843</i>
	AGENCY <i>same</i>	ADDRESS <i>same</i>	
SUBJECT <i>Investigation of Complaint # 1405, General Data Comm, 6 Robber Ave, Naugatuck.</i>			

6/1/88

At 1545 hrs I arrived at General Data Comm, Inc. 6 Robber Avenue, Naugatuck, and met with David Alley, Manager of Personnel Network Services. The purpose of the visit was to investigate the allegations described in complaint # 1405 (attached). Mr Alley told me that the appropriate contact was in a meeting and would not be available to later. After waiting until 1630 hrs I informed Mr Alley that I was leaving and would be returning ~ 0800 hrs the next day.

6/2/88

At 0810 hrs I returned to General Data Comm, Inc. and met with Dave Alley; who told me he would accompany me on the inspection. Mr Alley indicated that there was limited processes occurring on-site, the main activities were: electronic assembly, electronic testing, packaging and maintenance (refer to inspection report).

Following the interview, Dave Alley and I toured the site and the following observations were made:

Shipping

- Four units are used for packaging finished products. Each unit uses Instapak component A and Instapak component B which forms a polyurethane foam in place. In addition, each spray unit contains a small tray with Instapak Gun Solvent used to clean the spray nozzle.

According to the Shipping Supervisor, Al Ambrosini, no waste is generated in this operation.

- 2) In this same area three drums of Freon TMS were stored. Dave Alley stated the freon was wiped on parts with V-tips and no waste was generated.

Basement

In the basement near a truck loading ramp was 13 containers of waste materials reportedly left behind by UniRoyal. The containers were identified as follows:

- a) Two black, 55 gallon ^{drums} had hazardous waste markers which identified the material as waste sodium hydroxide.
- b) Seven other 55 gallon drums (3 - ITH, 1 blue plastic, 1 black plastic and 2 black ITH) displayed hazardous waste markers but were identified as "non-regulated material" under the EPA identification code. All drums had a 5-4-85 accumulation date.
- c) Four additional 55 gallon containers displayed hazardous waste markers but were also identified as "non-regulated materials". The manufacturer's marker had the following information: "No-Bled 114 Epoxy Filler Compound, Danger harmful dust". Additional information included "p,p' methylenediamine also known as MDA or diaminodiphenyl methane", manufactured by Ammon

Protective Coatings Division. Home office: 201 N. Gary St. Brea, Calif.

92621. The EPA waste number was recorded as MA99.

Outside

- 1) Along the southeast corner of the building, where the waste was reported to be stored according to the complainant, was a lone drum $\frac{2}{3}$ full. The drum was an Instapak type, but, the contents were not identified. About 30 rust colored rings were observed on the concrete adjacent to the drum. It appeared as if drums were recently removed from that site. Mr. Alley was unaware of when or where the drums were disposed.
- 2) Near the northeast corner of the building was a full, unmarked, red, 55 gallon drum. Mr. Alley did not know the contents of the drum.

Following the site inspection I requested the following:

- a) information on the disposition of the Instapak drums;
- b) waste determination for the two drums containing unknowns; and
- c) additional information on the waste in the basement.

State of Connecticut
Department of Environmental Protection
Hazardous Waste Management Section
165 Capitol Avenue, Hartford, Conn. 06115

Complaint No.
1405

Date:
5/17/88

REPORT OF COMPLAINT

Alleged Source General Int'l. - Naugatuck - 729-0271
Source Address 6 Rubber Avenue Naugatuck
(Street) (Town)
Complainant Anonymous
Address _____ Town _____
Phone _____ Zip Code _____
(Home) (Office)

STATEMENT OF COMPLAINT

Complainant concerned that materials stored in drums in the back of the building (at above address) will not be disposed of properly. Materials were identified as isocyanate and an epoxy-resin.

File Check:

→ Non-Notifier: → Naugatuck Facility.
→ Waterbury Facility Contact - Jeff Durkin, Facilities Supervisor (CTD 980906705)
Received By: Christie Wopschall

Assigned 6/1/88

To Bing
(Inspect. #)
Immed. Corr.

Investigation conducted on:
6/1/88

ACTION TAKEN: None

HAZARDOUS WASTE INSPECTION CHECKLIST

Inspection Date: 6-1-88
6-2-88

Inspection Category: _____

RCRA Notifier as: _____

Generator: _____

Transporter: _____

TSDF: _____

Part A Application No. Yes

UTC: _____

Inventory: _____

Complaint No: 1405

Other (describe): _____

Name: General Data Comm, IncLocation: 6 Rubber Avenue
Newark, CT06770Phone No: (203) 729-0271ID No: noneContact & Title: Al Ambrosini - Shipping Supervisor
David Allen - Manager of Personal Network ServiceMailing Address (if different from location):

_____Inspector(s): B. Devine

CHARACTERIZATION OF SITE ACTIVITY

*This location was formerly occupied by UniRoyal.*Date Established at Present Location: 1986No. of Employees, Shifts: Approximately 300 employees work on one shift.Type of Activity: ManufacturingProducts: Communication systems (link telephones to computers)Processes: Assembling (electrical components, harnesses, etc); hand soldering; hand cleaning (using Freon Tins or Q-tips); electrical testing; packaging (Four units use InstaPak components A and B to form in-place polyurethane packing. Component A - 4,4'-diphenylmethane diisocyanate, Component B - polyol with 15% trichloromethoxy methane. In addition each unit has a small tray containing "InstaPak Gun Solvent" used to clean the spray gun nozzle); and shipping.Support operation include a maintenance departmentF) Water Supply (if well(s) give approx. location): CityG) Septic System(s), Municipal Sewer(s), Drywell(s): City

Waste	Amount/Frequency	On-Site, Temporary Storage/TSD	Transporter	Off-site TSD
Waste sodium hydroxide	2 drums	left behind by Unifroyed according to contract		
Non regulated material	7 drums	" " " " "	" " " " "	" " " " "
Epoxy filler compound	4 containers	" " " " "	" " " " "	" " " " "
Unknown	1 drum	outside by NE corner of building		
Waste Insta Pk Gen Solvent	none reported	Shipping Supervisor said it all evaporates!		
Waste Insta Pk	none reported	1/2 full drum outside		
Freon TMs	none reported			

III INVENTORY

- A) Has this site notified EPA under the Comprehensive Environmental Response, Compensation and Liability Act of 1980 PL 96-510 (commonly known as Superfund): ☒ No, ☐ Yes:
(Attach copy of Notification, if available)
- B) Prior to the November 19, 1980 Implementation of RCRA Where; When; What type; Amount/Frequency; How long; and by Who (Transporters, Facilities, Etc.) were wastes disposed of Off-site: N/A

- C) Is there any evidence of On-site disposal? ☒ No, ☐ Yes.
Give Approximate Location; Type; Amount/Frequency; Length of Time On-site disposal has been used, etc. (Specify any historical On-site disposal):

IV RECORDS

aa) Hazardous Waste Determination

52.11/
5-54cc(c)-
(a)(3)(A)-7,
3-9(3)(3)

- 1) Performed: At least 2 unknown; 11 other containers identified as non-regulated; no analyses available for evaluation
- 2) Records Maintained: Only MSD Sheets

IV RECORDS

None available for review

a) Manifest

- 1) Document No.: _____
- 2) Generator ID,
name, address: _____
- 3) Transporter(s) ID,
name, address: _____
- 4) Continuing Transporter
ID, Name, Address: _____
- 5) TSD Facility ID,
name, address: _____
- 6) Waste Type/
Quantity: _____
- 7) Date Shipped: _____
- 8) Delivered: _____

i) International Shipping Manifest: _____

ii) Exception Report: _____

b) Waste Analysis Plan

N/A company probably a SQG

- 1) Plan on site: _____
- 2) Plan should include (a) parameters: _____
(b) test methods: _____
(c) sampling methods: _____
(d) frequency: _____

3) Copy of Results: _____

c) Inspection Schedule and Log

N/A Company probably a SQG

- 1) Are inspections conducted: _____
- 2)* Written inspection schedule: _____
- 3) Inspection Log: _____
- (A) Daily - loading and unloading of areas subject to spills: _____
- discharge control equipment in tanks: _____
- incinerator system, thermal treatment equipment, _____
- chem/phys/bio. treatment equipment: _____
- freeboard level of surface impoundments: _____

C. Requests for Information

Requested the following: a) information on the disposition of the Insta Pak drums; b) waste determinations for the two drums containing unknowns; and c) additional information on the waste in the basement.

D. Photos Taken

No

E. Samples Taken (List sample numbers & describe technique,)

No

F. Potential for Imminent Hazard, Air, or Water Discharge Violations

Small volumes of waste currently generated on-site according to contract. Some waste left behind by UniRoyal.

G. Proximity to Residential Area, Surface Water, Recharge Zone, etc.

In a commercial area; apartment across the street.
The company borders the Narragansett River.

NEW DUMP BY GENERAL DATA CORP.

OLD UNIROYAL RUBBER CO.

DEBILITATING MEMO

6/12/85
6/14/85

M. McDANIEL
M. DANE

Name of Site (as notified to EPA)

Division

Inspection Date

Inspector(s) Name

Street Address
MAIN ST. NAUGATUCK CT. 06770

Inspection Type: RCRA PCL-INV Other-INV FOLLOW-UP

Compliance w/ Complaint #

PA ID Number (or note N/A)

WHAT DO THEY DO OR MAKE? INFO RUBBER PRODUCTS

STATUS: RCRA NOTIFIER AS: SM-Q GEN TRANS TREATMENT STORAGE DISPOSAL // MAJOR MINOR-TSDF MINOR-GEN/TRANS GROUNDWA. #2

(at time of inspection) CT-Permit Trans U.O.B. No Haz. Waste CT-Regulated Only Non-notifier Operating As:

SM-Q (=100-1,000kg/no/accum.) ONLY THIS DIVISION SM-Q(<100kg/no/accum.) Moved to: Exempt because:

Does the actual operation agree with the notification? yes no X N/A. Is a status change needed? yes no. If yes, explain.

If a TSDF, does the operation agree with the Part A? yes no N/E. Comments:

TYPE OF WASTE HANDLED:

Listed H. Wastes
X Chlor. Solvents
Non-Chlor. Solvents
Acutely Toxic ("P")
UNKNOWN
Other:

CHARACT. HAZ.
Ignitable
Corrosive
Reactive
EP Toxic

TREATED/STORED/DISPOSED IN:

X Containers: Approx. # on-site 7
Tanks (aboveground)
Tanks (belowground)
Surface Impoundment
Waste Pile
Other:

PROBLEMS: List ALL violations, deficiencies, etc., noted and briefly EXPLAIN/CLARIFY. BE SPECIFIC. If not evaluated, write "N/E" in "In Compliance" column. If not applicable, write "N/A".

Note CLASS OF VIOLATION (I or II) for each area of non-compliance.

Check compliance status at the time of the inspection, in the judgement of the inspector.

MANIFESTS

USING PERMITTED TRANSPORTERS*

USING PERMITTED TSDFS*

HAZARDOUS WASTE DETERMINATIONS*

INSPECTION SCHEDULE & LOG

PERSONNEL TRAINING

CONTINGENCY PLAN

WASTE ANALYSIS PLAN

CLOSURE PLAN & ESTIMATE (Amount\$)

POST-CLOSURE PLAN & ESTIMATE (Amount\$)

FINANCIAL REQUIREMENTS: INSURANCE:

(Note amt. & mechanism) ASSURANCE:

OPERATING RECORDS

SECURITY

PREPAREDNESS & PREVENTION

GROUNDWATER MONITORING

* ACTUAL STORAGE, TREATMENT & DISPOSAL* (Include storage & 90 days for Gen. problems w/labels, accum. dates, leaks, imperv. base/berm, sloppy storage, handling or ign/incompat/reactives, proper disposal.)

* UNIROYAL WENT OUT OF BUSINESS SEVERAL YEARS AGO. AND IS PRESENTLY BEING DEMOLISHED BY BIG APPLE WRECKING CREW.

HOWARD RAY - PCB UNIT FOUND SEVERAL DRUMS IN BLDGS. 67 & 68.

I FOUND 5 DRUMS IN BLDG. 41 WHICH WERE REMOVED FROM BLDG. 67 NOW DEMOLISHED. ONE DRUM WAS LYING ON ITS SIDE WITH A BLACK RESIN SPILLING ONTO FLOOR AND INTO MACHINE WELL. 2-30 GAL DRUMS (ONE FULL, ONE 1/2 FULL) OF TRIETHYLENE GLYCOL MONOFLUOROMETHANE INSIDE BLDG. 68.

GENERAL COMPLIANCE STATUS: DEFICIENCIES ARE: MAJOR INTERMEDIATE MINOR NONE (In the judgement of inspector)

GENERAL COMMENTS: (Under enf. action, compliance deadlines, etc.)

Is there evidence of on-site disposal or potential for groundwater contamination? no yes possible. GW Class

Comments: STANDING ON ASPHALT AND IN BLDG.

COPY DISTRIBUTION: File/District Analyst UNCR GW Group Referral to: applicable to HWUM 1/84 STATE OF CONNECTICUT DEPT. OF ENVIRONMENTAL PROTECTION HAZARDOUS WASTE MANAGEMENT *small-quantity generator also.

SEE HOWARD RAY'S ATTACHED REPORT

GENERAL DATA CORP. WILL CONVERT AREA INTO PARKING LOT.

ALBERT SARNELLI IS IN CHARGE OF DISPOSAL OF ALL HAZ. MATERIALS ON SITE. HE WORKS FOR BIG APPLE WRECKING CREW.

THIS DIVISION WENT OUT OF BUSINESS SEVERAL YEARS AGO. BUT THE MAIN CHEMICAL DIVISION OF UNIROYAL IS STILL IN OPERATION ON THE OTHER SIDE OF TOWN.

STATE OF CONNECTICUT

★ A Problem Solving Idea Can Win An Award ★

Please send your ideas to: Employees' Suggestion Awards Program, 165 Capitol Ave., Hartford, 06106.

NAUGATUCK**Interdepartment Message**STO-201 REV. 10/83 STATE OF CONNECTICUT
(Stock No. 6938-051-01)SAVE TIME: *Handwritten messages are acceptable.**Use carbon if you really need a copy. If typewritten, ignore faint lines.*

To	NAME Stephen Hitchcock	TITLE Director	DATE July 22, 1985
	AGENCY DEP - HMMU	ADDRESS 122 Washington Street, Hartford, CT	
From	NAME William D. Hegener	TITLE Chief	TELEPHONE 566-4686
	AGENCY DEP - OCSS - HMMU	ADDRESS 122 Washington Street, Hartford, CT	
SUBJECT	NAUGATUCK: FORMER UNIROYAL SITE		

The former Uniroyal Property located on both sides of Rubber Avenue is under demolition by Big Apple Wrecking Company of New York City, New York for the new owners, General Data Comm.

On 7/16/85 a cylinder containing anhydrous ammonia was damaged venting NH₃. During the investigation of this incident, Charles Zieminski determined the following problems exist at this site, see enclosed schematic.

1. Asbestos - There were enough friable asbestos particles present so that Mr. Zieminski judged the situation to constitute a potential health threat to the public and especially the workers. EPA was contacted previously and is jointly under investigation with DEP. EPA will be contacted today with request to reinspect and close down the job.
2. Hydraulic Oils - Sections of the site are contaminated with pools of what appears to be hydraulic oil. PCB's will sample the oil pools on Tuesday, July 23, 1985. It will be determined how the oil will be cleaned up by the contractor.
3. Tanks - Mr. Zieminski located 4 fuel tanks and 6 solvent tanks. These tanks should be checked to be sure all product has been removed. DEP should be there when the tanks are removed to be able to visually check tanks and excavation for signs of product loss. PCB inspector will try to determine the status of all tanks. The Oil & Chemical Spill Section will inspect the tanks and tank graves where they are excavated.
4. Drums - Mr. Zieminski saw at least 20 drums within a section of the building that were partially demolished. The Fire Department personnel on the scene stated that DEP Hazardous Waste had given "the OK for the demolition to proceed" presumably indicating that all drums and

★
SAVE TIME: *If convenient, handwrite reply to sender on this same sheet.*


4. and above and underground storage tanks or hazardous materials had been removed from site. Status of these drums is unknown and cannot be determined safely until the demolition crew gets overhead structures down. There are also a number of pressure vessels whose contents are not known to us.
5. Long Term - Because of the size and nature of the operations conducted at this site for so many years, it may be advisable to have some test wells placed on the property to allow DEP to make the determination that gross groundwater contamination does not exist particularly with regard to certain suspected materials. This probably should be done under the direction of Water Compliance Hydrogeologists.

In summary, there are a lot of issues that need attention at this site. Cooperation and coordination from Hazardous Wastes and Water Compliance will be required.

BH/shd


cc: Scott Deshefy, PCB's
Pat Bowe, Hazardous Waste

Drawn from Memory
Not to Scale



No Site Security

Bits of Asbestos Apparent
Material all over



Drawn From Memory
Not to Scale



No Site Security

B.L. on site, but no
Material allowed


Yard

Pressure Vessels

Tanks

Oil

Door



Water St

Rubber Av.

Commercial Area

Fire House

Buildg

Gate

Rubble

Rubble

Parking Area

Tank Area

Solvent Bldg

Super Market

Machine Area

Mobile

Mobile

Rubble

Rubble

Oil from Chargers
Spilled all over

COPY DISTRIBUTION: ☒ File District Analysis ☒ CERCLA/CWA Group Referral to: applicable to
HWM 1/84 STATE OF CONNECTICUT DEPT. OF ENVIRONMENTAL PROTECTION HAZARDOUS WASTE MANAGEMENT **small-quantity gener also.



NOTICE OF VIOLATION
SOLID WASTE MANAGEMENT — ENFORCEMENT
STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION

STATE OFFICE BUILDING

HARTFORD, CONNECTICUT 06115

TO: Mr. Harold Greenbury, Big Apple Wrecking Corp., 61-02 81st St. Middle Village Dr
RE: Illegal bulky waste dumping assessors Map #2 block 2W-1 formally known as Uniroyal Rubber Plant, Naugatuck, CT NV No. PC-62

You are hereby notified of violation(s) of State Regulations and/or Statutes regarding solid waste disposal:

VIOLATION(S)

Illegally filling cellar holes with demolition waste material as defined by Sec. 22a-209- of the regulations of state agencies from Uniroyal Rubber Plant, Naugatuck, CT, in a non-permitted area on property now owned by General Data Com. located as noted above.

REQUIRED CORRECTIVE ACTION(S)

Immediately stop filling cellar holes with demolition. All demolition is to be removed to an authorized landfill. No removal shall take place until the company notifies this Dept. in writing of the permitted disposal location to be used and receives written approval.

PERTINENT REGULATORY AND/OR STATUTORY AUTHORITY

Sec. 19-524-4, 19-524-8 Solid Waste Management Regulations

Sec. 22a-208 Connecticut General Statutes, as amended by Public Act 85-334 Section 2 (b),(c)

Copies of these Regulations and Statutes are available for your reference in our office.

Within thirty (30) days after receipt of this Notice, you must correct the above violation(s) so as to comply with the specified Regulations and/or Statutes, and also

SUBMIT IN WRITING to the --- Director of Solid Waste Management
Department of Environmental Protection
165 Capitol Avenue
Hartford, Connecticut 06115

the details of the specific corrective action you HAVE taken which resulted in compliance. Failure to do so will require us to issue a State Order. Please be advised that intentional falsification of information is subject to criminal penalties under State and Federal laws. You are invited to confer with us about this Notice before the end of the period specified above. If you do not initiate such a conference within that period, you shall be considered to have waived this opportunity. Please contact the Director of the Solid Waste Unit regarding any questions.

R. K. Carpenter
Signed (Enforcement Officer)

PC-62
Inspector Number

9 / 5 / 85
Date

RETURN OF SERVICE

A copy of the foregoing Notice was submitted to the above-named as indicated below:

☐ Personally delivered to _____ / /

☒ Certified mail to the usual place of business or residence. Registration No. 41784



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION



December 23, 1985

Mr. Edward Brown
Manager of Facilities
GDC Naugatuck, Inc.
Route 63
Middlebury, CT. 06762-1299

RE: ILLEGAL FILLING OF CELLAR HOLES FROM UNIROYAL RUBBER PLANT, NAUGATUCK

Dear Mr. Brown:

On December 10, 1985 I made an inspection of building #37 cellar hole with you and Mr. Greenburg. This was the last building to be inspected in regard to being filled with demolition.

No demolition was present, except some which was ground up and was on top of the ground. The rest of the hole contained clean fill which was proved by a machine that was on site.

This completes the inspection of the old Uniroyal plant that was between Rubber Avenue and Maple Street.

Sincerely,

Peter Carpenter
Field Inspector II


SOLID WASTE MANAGEMENT UNIT

PC:bwh

Phone:

165 Capitol Avenue • Hartford, Connecticut 06106

An Equal Opportunity Employer



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION



August 11, 1989

Mr. Tony Cocchiola
Cocchiola Paving
290 Commercial Street
Watertown, CT 06795

Subject: Naugatuck/GDC - Former Uniroyal Complex Project, Parcel "C".

Dear Mr. Cocchiola:

On August 10, 1989 a final inspection of Parcel "C" was made by this writer with you accompanying.

Prior to this inspection, numerous inspections were made by myself and other Solid Waste DEP members. We observed all the cellar holes being dug out of building debris and refilled with clean fill.

The inspection today was the last step for completions of the project. The disposal of approximately 350 cubic yards of contaminated demolition debris mixed with #6 fuel oil.

The two cement holes were observed to be free of any material. Drainage holes will be made and the holes filled in with clean fill.

It is with great pleasure that I can now say that Parcel "C" clean-up has been completed and that all the requirements of the DEP Solid Waste Management Unit have been met.

If I can be of further help, please contact me at 566-5847.

Sincerely,

Peter Carpenter,
Field Inspector II
SOLID WASTE MANAGEMENT UNIT

PC/dr

cc: Mr. James A. Arcara, President
General Data Comm. Industries, Inc.
Route 63
Middlebury, CT 06762

Honorable Terry L. Buckmiller
Mayor of Naugatuck
229 Church Street
Naugatuck, CT 06770

Phone:

165 Capitol Avenue • Hartford, Connecticut 06106

An Equal Opportunity Employer

GENERATOR SUMMARY REPORT

1/1/1984 thru 12/31/2007

Generator EPA ID: CTD981071822

Generator Name, Address, and Zipcode: GENERAL DATA COM INDS INC
6 RUBBER AVE
NAUGATUCK, CT, 06770 USA

MANIFEST	DTSHIPPED	US DOT DESC	HAZ CL	UNNA	# OF CONT	CONT TYPE	QTY	WT/VO	EPA CODE	BATCH#
MAC855674	5/22/1990	WASTE LIQ NOS FLUOROCARB/FLUX/GUM	FLAMM	1993	005	DM	275	G	D001	999999
MAF135892	2/26/1991	WASTE LIQUID NOS, ISOPROPANOL	FLAMM	1993	003	DM	165	G	D001	999999
MAF577458	8/5/1991	WASTE LIQUID NOS, CHLOROFLUOROCARBON	FLAMM	1993	003	DM	165	G	F001	999999
MAF569192	1/6/1992	WASTE LIQUID NOS, ISOPROPANOL	FLAMM	1993	002	DM	110	G	D001	999999
	1/6/1992	HZ WST LIQ NOS, TRICHLOROTRIFLUOROETHANE	ORM-E	9189	001	DM	55	G	F001	999999
MAG590597	6/24/1992	WASTE LIQUID NOS, ISOPROPANOL	FLAMM	1993	002	DF	110	G	D001	999999
	6/24/1992	HZ WS LIQ NOS, TRICHLOROTRIFLUOROETHANE	ORM-E	9189	001	DM	55	G	F001	999999
MAH302040	1/18/1993	WASTE FLAMMABLE LIQUID	FLAMM	1993	002	DM	110	G	D001	999999
MAH536329	8/26/1993	WASTE HYDROCARBONS LIQUID, NOS	COMB	1993	002	DF	10	G	D001	999999
	8/26/1993	WASTE ISOPROPANOL, LIQUIDS, NOS	FLAMM	1993	004	DM	220	G	D001	999999
	8/26/1993	HW LIQUID NOS, TRICHLOROTRIFLUOROETHANE	9	3082	002	DM	110	G	F001	999999
MAH537824										

GENERATOR SUMMARY REPORT

1/1/1984 thru 12/31/2007

Generator EPA ID: CTD981071822

Generator Name, Address, and Zipcode: GENERAL DATA COM INCS INC
6 RUBBER AVE
NAUGATUCK, CT, 06770 USA

MANIFEST	DTSHIPPED	US DOT DESC	HAZ CL	UNNA	# OF CONT	CONT TYPE	QTY	WT/VO	EPA CODE	BATCH#
	3/14/1994	WASTE FLAMMABLE LIQUID	FLAMM	1993	002	DM	110	G	D001	999999
MAH564285										
	11/10/1994	WASTE FLAMMABLE LIQUID	3	1993	002	DM	110	G	D001	
	11/10/1994	WASTE FLAMMABLE LIQUID	3	1993	001	DM	55	G	D001	
MAH581617										
	2/21/1995	WASTE FLAMMABLE LIQUID	3	1993	004	DM	220	G	D001	
MAJ267007										
	8/28/1995	WASTE FLAMMABLE LIQUID NOS	3	1993	001	DM	55	G	D001	
	8/28/1995	WASTE FLAMMABLE LIQUID NOS	3	1993	003	DF	165	G	D001	
MAJ283298										
	2/5/1996	FLAMMABLE LIQUID N.O.S.	3	1993	001	DM	40	G	D001	1027 1045
MAJ291272										
	3/7/1996	FLAMMABLE LIQUID N.O.S.	3	1993	001	DM	55	G	D001	1074 1129
MAJ270086										
	5/6/1996	FLAMMABLE LIQUID N.O.S.	3	1993	001	DF	55	G	D001	1177
MAJ289035										
	5/28/1996	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	009	CF	750	P	D008	1052 1055

GENERATOR SUMMARY REPORT

1/1/1984 thru 12/31/2007

Generator EPA ID: CTD981071822

Generator Name, Address, and Zipcode: GENERAL DATACOMM IND INC
6 RUBBER AVE
NAUGATUCK , CT , 06770 USA

MANIFEST	DTSHIPPED	US DOT DESC	HAZ CL	UNNA	# OF CONT	CONT TYPE	QTY	WT/VO	EPA CODE	BATCH#
MAJ297507	7/2/1996	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	001	DF	90	P	D008	1039 1139
MAJ299317	8/12/1996	FLAMMABLE LIQUID N.O.S.	3	1993	001	DF	55	G	D001	1023
	8/12/1996	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	001	DF	93	P	D008	1023
MAJ594091	9/23/1996	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	001	DF	89	P	D008	1007 1025
	9/23/1996	FLAMMABLE LIQUID N.O.S.	3	1993	001	DM	55	G	D001	1007 1025
MAJ591705	10/28/1996	FLAMMABLE LIQUID N.O.S.	3	1993	001	DF	55	G	D001	1150 1162
	10/28/1996	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	001	DF	55	G	D008	1150 1162
MAJ597914	12/10/1996	FLAMMABLE LIQUID N.O.S.	3	1993	001	DF	55	G	D001	1154 1167
	12/10/1996	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	001	CF	84	P	D008	1154 1167
MAK173108										

GENERATOR SUMMARY REPORT

1/1/1984 thru 12/31/2007

Generator EPA ID: CTD981071822

Generator Name, Address, and Zipcode: GENERAL DATACOMM IND INC
6 RUBBER AVE
NAUGATUCK , CT , 06770 USA

MANIFEST	DTSHIPPED	US DOT DESC	HAZ CL	UNNA	# OF CONT	CONT TYPE	QTY	WT/VO	EPA CODE	BATCH#
	1/28/1997	FLAMMABLE LIQUID N.O.S.	3	1993	001	DM	55	G	D001	1749 1771
	1/28/1997	CORROSIVE LIQUID ACIDIC, ORGANIC NOS	8	3265	001	DF	55	G	D002	1749 1771
	1/28/1997	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	002	DF	100	P	D008	1749 1771

MAK445227

4/22/1997	CORROSIVE LIQUID ACIDIC, ORGANIC NOS	8	3265	001	DF	30	G	D002	1914
4/22/1997	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	004	DF	272	P	D008	1914

MAK452696

7/14/1997	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	002	DF	127	P	D008	1721 1727
7/14/1997	FLAMMABLE LIQUID N.O.S.	3	1993	001	DM	55	G	D001	1721 1727

MAK472446

10/6/1997	FLAMMABLE LIQUID N.O.S.	3	1993	001	DM	55	G	D001	1766 1773
10/6/1997	corrosive liquid acidic, inorganic nos	8	3265	001	DF	55	G	D002	1766 1773
10/6/1997	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	003	DF	236	P	D008	1766 1773

MAJ643255

10/15/1997	MERCURY	8	3077	034	CM	569	P	D009	2108
------------	---------	---	------	-----	----	-----	---	------	------

GENERATOR SUMMARY REPORT

1/1/1984 thru 12/31/2007

Generator EPA ID: CTD981071822

Generator Name, Address, and Zipcode: GENERAL DATACOMM IND INC
6 RUBBER AVE
NAUGATUCK , CT , 06770 USA

MANIFEST	DTSHIPPED	US DOT DESC	HAZ CL	UNNA	# OF CONT	CONT TYPE	QTY	WT/VO	EPA CODE	BATCH#
MAK490715	1/7/1998	FLAMMABLE LIQUID N.O.S.	3	1993	001	DM	55	G	D001	1187 1244
	1/7/1998	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	004	DF	294	P	D008	1187 1244
MAK493922	6/22/1998	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	006	DF	360	P	D008	1711
	6/22/1998	FLAMMABLE LIQUID N.O.S.	3	1993	001	DF	55	G	D001	1711
MAK817319	11/2/1998	corrosive liquid acidic, inorganic nos	8	3264	001	DF	1	G	D002	2501
	11/2/1998	FLAMMABLE LIQUID N.O.S.	3	1993	002	DM	110	G	D001	2501
	11/2/1998	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	005	DF	375	P	D008	2501
MAM001657	3/25/1999	FLAMMABLE LIQUID N.O.S.	3	1993	002	DM	912	P	D001	2698
	3/25/1999	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	004	DF	284	P	D008	2698
MAK804301	7/2/1999	solid containing flammable liquid	4,1	3175	001	CF	30	P	D001	3001
	7/2/1999	WASTE ETHANOLAMINE SOLUTION	8	2491	001	CF	40	P	D002	3001
MAM023984	9/10/1999	FLAMMABLE LIQUID N.O.S.	3	1993	001	DM	389	P	D001	3102 3244

GENERATOR SUMMARY REPORT

1/1/1984 thru 12/31/2007

Generator EPA ID: CTD981071822

Generator Name, Address, and Zipcode: GENERAL DATACOMM IND INC
6 RUBBER AVE
NAUGATUCK , CT , 06770 USA

MANIFEST	DTSHIPPED	US DOT DESC	HAZ CL	UNNA	# OF CONT	CONT TYPE	QTY	WT/VO	EPA CODE	BATCH#
	9/10/1999	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	004	DF	297	P	D008	3102
										3244
	9/10/1999	CORROSIVE LIQUID, ACIDIC, ORGANIC NOS	8	3265	001	DM	458	P	D002	3102
										3244
MAK736553	10/21/1999	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	012	DM	60	P	D009	3239
MAM017108	11/12/1999	FLAMMABLE LIQUID N.O.S.	3	1993	001	DM	456	P	D001	3244
										3267
	11/12/1999	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	002	DF	144	P	D008	3244
										3267
MAK715122	2/29/2000	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	027	CW	405	P	D009	3523
										4178
MAM375794	4/5/2000	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	002	DM	116	P	D008	3611
										3717
	4/5/2000	FLAMMABLE LIQUID N.O.S.	3	1993	001	DM	456	P	D001	3611
										3717
MAK715299	7/27/2000	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	035	CF	175	P	D009	3766
										3976

GENERATOR SUMMARY REPORT

1/1/1984 thru 12/31/2007

Generator EPA ID: CTD981071822

Generator Name, Address, and Zipcode: GENERAL DATACOMM IND INC
6 RUBBER AVE
NAUGATUCK , CT , 06770 USA

MANIFEST	DTSHIPPED	US DOT DESC	HAZ CL	UNNA	# OF CONT	CONT TYPE	QTY	WT/VO	EPA CODE	BATCH#
MAK715300	7/27/2000	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	014	CF	70	P	D009	3766 3976
MAM271957	8/15/2000	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	001	DF	25	P	D008	3980
	8/15/2000	flammable liquid toxic nos	3	1992	001	DF	200	P	D001	3980
	8/15/2000	OXIDIZING LIQUID N.O.S.	5.1	3139	001	DF	2	P	D001	3980
MAM273165	8/15/2000	FLAMMABLE LIQUID N.O.S.	3	1993	002	DF	700	P	D001	3980
	8/15/2000	ISOPROPYL ALCOHOLS MIXTURE, ISOPROPANOL	3	1219	001	DF	350	P	D001	3980
	8/15/2000	aerosols	2.1	1950	001	DF	5	P	D001	3980
	8/15/2000	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	001	CF	150	P	D008	3980
MAM728961	10/27/2000	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	015	CF	45	P	D009	3995 4070
MAM716216	4/25/2001	ENVIRONMENTALLY HAZ. SUBSTANCES,SOLID	9	3077	023	CF	163	P	D009	4359

GENERATOR SUMMARY REPORT

1/1/1984 thru 12/31/2007

Generator EPA ID: CTP0000007559

Generator Name, Address, and Zipcode: GENERAL DATA COMM

6 RUBBER AVE

NAUGATUCK, CT, 06770 USA

MANIFEST	DTSHIPPED	US DOT DESC	HAZ CL	UNNA	# OF CONT	CONT TYPE	QTY	WT/VO	EPA CODE	BATCH#
MAC460333	6/3/1988	WASTE SODIUM HYDROXIDE SOL MAT'L	CORR	1824	001	DM	55	G	D002	999999
	6/3/1988	WASTE SODIUM HYDROXIDE BEAD MATERIAL	CORR	1823	001	DM	55	G	D002	999999
MAC460329	1/3/1989	HAZ WASTE LIQ NOS FLUX W/FREON	ORM-E	9189	004	DM	220	G	F001	999999
MAC460331	2/14/1989	WASTE FLAMMABLE LIQUID, NOS	FLAMM	1993	004	DM	220	G	D001	999999
MAC652569	5/9/1989	WASTE PAINT LIQUID	FLAMM	1263	001	DM	55	G	F003	999999
	5/9/1989	WASTE FLAMMABLE LIQUID NOS	FLAMM	1993	004	DM	220	G	D001	999999
MAC863136	1/29/1990	WASTE FLAMMABLE LIQUID NOS	FLAMM	1993	006	DM	330	G	D001	999999

FINAL REMEDIAL ACTION REPORT

FORMER PARCEL C SITE
Water and Cedar Streets
Naugatuck, Connecticut

OCTOBER 1998

Prepared For:

Mayor Timothy Barth
Borough of Naugatuck
229 Church Street
Naugatuck, Connecticut 06770

Prepared By:

Land Tech Remedial, Inc.
569 Main Street
Monroe, Connecticut 06468
(203) 261-2673

James W. Ciaglo, III
Project Manager

Russell J. Dirienzo, P.G., LEP
Senior Project Manager
LTR Project #12822
October 21, 1998

1.0 INTRODUCTION

This report was prepared by Land Tech Remedial, Inc. (LTR) to document information obtained during the implementation of a Final Remedial Action Plan (FRAP) at the Parcel C Site (Site) located in Naugatuck, Connecticut. LTR was retained by the Borough of Naugatuck (Borough) to implement the FRAP at the Site which is bounded by Cedar and Water Streets located in the center of Naugatuck, Connecticut. The Remedial Action Plan was prepared by LTR and was approved by the Commissioner of the Connecticut Department of Environmental Protection (CTDEP) on May 12, 1998. The final version of the FRAP was dated May 1998.

The FRAP was implemented pursuant to requirements specified for Voluntary Remediation under Section 22a-133x of the Connecticut General Statutes (CGS). The goal of the FRAP was to achieve compliance with the Connecticut Remediation Standard Regulations (RSRs) as stipulated under CGS Sections 22a-133k-1 through 22a-133k-3. This RAP was also specifically formulated to address provisions of a property transfer contract (contract) between the Borough and the United States Postal Service (Postal Service). The Postal Service has entered into an agreement to purchase approximately 2.85 acres of the northerly side of "Parcel C" from the Borough provided that the Site is successfully remediated in accordance with the RSRs. This document was approved by for submission to the CTDEP by the Postal Service on October 19, 1998.

For the purposes of this report, "Parcel C" consists of an approximate 5.1 acre parcel of land which is located in the Borough of Naugatuck, Connecticut and is bounded by Cedar Street to the north, North Water Street to the east, and Maple Street to the south. However, this FRAP was designed to specifically focus on the 2.85 acres of the northern portion of the parcel, (described in Schedule "A" of the real estate contract) which the Postal Service intends to purchase and develop into a new postal facility. The RAP does not include the southern portion of the *entire* "Parcel C" Site, which is owned by the Borough.

Therefore, the subject site (Site) consists of a 2.85 acre portion of Parcel C, which is bounded by Cedar Street to the north, a stormwater drainage easement to the south, Water Street to the east, and a retaining wall which is located on the Bank of Boston property line to the west. The property is described in Schedule A of the real estate contract, which is to be conveyed by the Borough to the U.S. Postal Service. A separate Remedial Action Plan (RAP) will be developed for the southern (front) portion of the Parcel.

The Borough submitted an Environmental Condition Assessment Form (ECAF) to the Connecticut Department of Environmental Protection (CTDEP) during May 1997 in accordance with the Voluntary Remediation Regulations as described under Section 22a-133x of the Regulations of Connecticut State Agencies (CSA). The CTDEP acknowledged that a Licensed Environmental Professional (LEP) "may verify that the investigation has been performed in accordance with prevailing standards and guidelines and that the parcel has been remediated in accordance with the remediation standard regulations adopted by the Commissioner pursuant to Section 22a-133k of the Connecticut General Statutes (CGS). The "ECAF" letter was addressed to Ron Mormile of the Borough of Naugatuck and dated June 19, 1997.

The FRAP was developed based on previous site investigations, which are outlined in the Plan which was approved by the CTDEP on May 12, 1998. A copy of the approval letter is included in the Supporting Documentation, found in **Appendix 4** of this report.

Prior to beginning remedial actions at the site, the FRAP outlined the following preparation and assessment activities for the site:

- Provide public notice of the RAP in accordance with the voluntary regulations;
- Remove and legally dispose of asbestos pipe wrap and petroleum and asbestos-containing water located in a tunnel system on the northern portion of the site;
- Collect four (4) soil samples from beneath the tunnel area to determine the quality of soils beneath the tunnel area via excavation of test pits adjacent to the tunnel area.

Remedial actions outlined for the site included the following:

- The excavation of an area of 250 feet by 250 feet to a depth of four (4) feet below grade across the central portion of the site.
- Construction of an engineered control, defined as an impermeable barrier or cap, of petroleum-impacted media over the raceway on the northwest corner of the site. In approving the FRAP, the Commissioner approved the installation of an engineered control in accordance with Section 2 (f)(2) of the Connecticut Remediation Standard Regulations (RSRs), 22a-133k-1 through 3.
- Installation of a network of four (4) groundwater monitoring wells on the site for sampling on a quarterly basis in order to determine compliance with the Section 22a-133k-3(f) and post remedial monitoring in accordance with 22a-133-k (g) of the RSRs. This task has not yet been completed, as it was determined that it was not practical to install monitoring wells prior to completion of construction activities on the site. There is a high probability that any wells installed at this time would be destroyed during construction activities.
- Placement of an Environmental Land Use Restriction (ELUR) in accordance with Section 22a-133q-1 of the regulations of Connecticut State Agencies (CSA). The ELUR will be applied to three (3) separate areas of the Site: 1) the "capped" portion of the Site to restrict the disturbance of this area in the future; and 2) the remaining area of the Site to restrict excavation below four (4) feet from existing grade (191 feet above sea level), and 3) beneath the proposed building..

The following sections of the report detail the tasks completed during the implementation of the FRAP. The FRAP was performed in accordance with the approved plan, which the exception of the cap area being slightly modified in order to use existing foundations as anchors. In addition, this report describes the removal of underground storage tanks (USTs) from the front portion of Parcel C, which was not located on the subject Site.





FIGURE 2
VERIFICATION
SAMPLING LOCATIONS

LAND TECH

REMEDIAL, INC.

BOROUGH OF NAUGATUCK
PARCEL C
NAUGATUCK, CONNECTICUT

DRAWN BY	DATE	DRAWING NUMBER	SCALE	REVISIONS
AMC	10/5/98	12822	1" = 60'	



WATER PROTECTION AND LAND REUSE

AUG - 4 2008

REMEDIATION DIVISION

DRAFT

REMEDIAL ACTION PLAN

FORMER UNIROYAL COMPLEX
PARCEL C - SOUTH
MAPLE STREET AND WATER STREET
NAUGATUCK, CONNECTICUT

BUREAU WATER MANAGEMENT

SITE NAME Naugatuck Parcel C

ADDRESS Maple, Water, Cedar Sts.

TOWN Naugatuck

FILE TYPE REM-VOL
aka Uniroyal Parcel C

Prepared for:

Borough of Naugatuck
229 Church Street
Naugatuck, Connecticut 06770

Prepared by:

GeoDesign, Inc.
984 Southford Road
Middlebury, Connecticut 06762

File No. 3101-004
August 2008



GEODESIGN
INCORPORATED

GEOTECHNICAL ENGINEERS AND ENVIRONMENTAL CONSULTANTS

August 1, 2008
File No. 3101-004.0

Ms. Patricia DeRosa
Remediation Division
Connecticut Department of Environmental Protection
79 Elm Street
Hartford, Connecticut 06106

Re: DRAFT
Remedial Action Plan
Former Uniroyal Complex
Parcel C - South
Maple Street and North Water Street
Naugatuck, CT

Dear Ms DeRosa:

GeoDesign, Inc. (GeoDesign) has prepared this draft Remedial Action Plan (RAP) on behalf of the Borough of Naugatuck for the southern half of the former Uniroyal Complex property referred to as Parcel C. The RAP has been prepared as required by the Connecticut Department of Environmental Protection's (CTDEP) Voluntary Remediation Program in accordance with Connecticut General Statutes (CGS) 22a-133x. The Borough entered the site into the voluntary remedial program in 1997.

The objective of proposed remedial actions is to treat contaminated soil and groundwater to levels that will allow for unrestricted use of the property for redevelopment. Specifically, the remedial actions are intended to mitigate potential groundwater volatilization impacts from chlorinated solvents and decrease exposures to site soils containing relatively low concentrations of petroleum-based compounds, lead, and arsenic.

Proposed remedial actions include limited excavation and offsite disposal of rubber and concrete from former site operations and storm drainage components. Several areas of soil containing ash, lead and arsenic will be excavated and reused on site for fill beneath a planned municipal parking garage. Petroleum contaminated soil and groundwater contaminated with chlorinated solvents will be treated using an In-Situ Chemical Oxidation (ISCO) process. Soil and groundwater monitoring will be completed to document remedial actions and to comply with the Remediation Standards Regulations.

The chemical oxidation process will be used to destroy organic compounds with the intent of reducing organic contaminant concentrations to below residential criteria. We have had



DRAFT Remedial Action Plan – Parcel C South
File No. 3101-004 – August 1, 2008
Page No. 2

numerous conversations with remedial contractors who specialize in this technology. Samples from the site were submitted to two contractors (Regenesis and Verutek) earlier this year for chemical oxidation treatability testing and analyses. Both contractors indicated positive results and each had confidence that full scale application of this technology at the site would yield the intended results. We are currently working with the Borough Engineer, Mr. James Stewart, on preparing a request for proposals (RFP) from remedial contractors. Because ISCO methods vary, this draft RAP will be finalized once the selected ISCO contractor has been selected by the Borough.

This RAP includes a provision to implement Environmental Land Use Restrictions (ELUR) on the property for soil property for soil that will be relocated on-site, placed on already contaminated soil, and stay beneath a future parking garage. The Borough will be requesting alternate cost estimates in the RFPs to remediate the entire property (e.g., dispose of all excavated soil offsite and/or treatment with ISCO products). Should this alternative become financially feasible after a review of the bid responses, the Borough may modify the plan accordingly.

We look forward to your comments on the RAP. The Borough has attained significant funding for the project and wishes to initiate remediation by November 1, 2008. Please call if you have any questions.

Sincerely,

GeoDesign, Inc.

Alfred N. Kovalik, P.E., LEP
Vice President

Timothy Carr, LEP
Manager of Environmental Services

CC: Honorable Mayor Mike Bronko
Mr. James Stewart, P.E.
Mr. Michael L. O'Connor
Mr. Dave Prendergast
Mr. Michael Ahern



1.0 INTRODUCTION

GeoDesign, Inc. (GeoDesign) has prepared this Remedial Action Plan (RAP) to address subsurface contamination identified the southern portion of Parcel C of the former Uniroyal Complex in Naugatuck, Connecticut (Site). Parcel C-South is located at the corner of Maple Street and North Water Street. An Area Plan and Site Plan are provided as Figures 1 and 2 in Appendix 1, respectively.

This RAP is intended to address the following areas of contamination:

1. Buried debris including rubber and concrete with metal and bricks. One area of buried rubber is located on the eastern portion of the property near the former storm water pump house vault. This material will be excavated, characterized, and disposed of offsite. Concrete from the former stormwater raceway and drainage structures have been observed on this portion of the site as well. Additional components may be present below grade in other portions of the property. Confirmation and removal of subsurface drainage structures will be completed prior to initiating soil and groundwater remediation. Removal of these structures will reduce the number of potential offsite preferential flow pathways of injected chemicals and allow for better chemical distributions and therefore treatment of contamination.
2. Four areas of soil contaminated with lead and/or arsenic at concentrations above RSR criteria will be excavated and reused onsite as fill beneath a proposed municipal parking garage. An environmental land use restriction (ELUR) will be placed on the deed to the garage property after redevelopment that prohibits soil disturbance.
3. Semi-volatile petroleum compounds that exceed RSR criteria in unsaturated soils throughout the site. During demolition of the former Uniroyal buildings and remediation of Parcel C-North, Parcel C-South appears to have been backfilled and mixed with petroleum contaminated soil. This soil will be treated by chemically oxidizing the petroleum compounds. The oxidant will be applied to the subsurface using a series of injection wells. Different oxidants are commercially available and are generally applied by specialty contractors. Once the remedial contractor is selected, the selected oxidant will be applied and monitored in compliance with requirements of a Connecticut Department of Environmental Protection Temporary Groundwater Discharge Permit.
4. A dilute groundwater plume of chlorinated solvents from historical operations exists beneath the eastern portion of the Site. Vinyl chloride is the primary compound of concern (COC) and exceeds RSR volatilization criteria. The parent compound originally released to the environment is unknown. Injection of oxidant directly into groundwater on this portion of chemical oxidation methods are proposed to treat the impacted groundwater to below



DRAFT Remedial Action Plan – Parcel C South
File No. 3101-004 – August 1, 2008
Page No. 2

applicable remedial standards.

Quality assurance and performance monitoring will be performed during remedial activities to document the work completed and compliance with permits and project specifications during remediation. Surface water and groundwater conditions will be monitored during chemical injections. Compliance with RSR criteria will be demonstrated by completing post-excavation and post-injection soil sampling and analyses and post remediation groundwater monitoring.

2.0 SITE BACKGROUND

2.1 SITE DESCRIPTION

Parcel C is one of at least three areas in Naugatuck formerly known as the “Uniroyal Complex”. Parcels A and B are located immediately to the south of Parcel C (Site) and are not in the scope of this report.

Parcel C consists of approximately 5.1 acres of land. Parcel C-North is approximately 2.8 acres and is currently occupied by the Naugatuck branch of the United States Postal Service. Parcel C-South consists of approximately 2.3 acres of land and was formerly occupied by the U.S. Rubber Company. Parcel C-South was developed in 1843 for use as a rubber-goods factory and was used for manufacture of rubber gloves and footwear from 1843 through 1983. From approximately 1983, Parcel C-South has been mostly unused. Multiple buildings from the former Uniroyal Complex were demolished between 1985 and 1989. Presently, Parcel C-South is undeveloped except for one unoccupied two story brick building referred to as Building 25. Current plans are to rehabilitate this building for use as a community center and rename it to the “Charles Goodyear Multicultural Center”.

The center of Parcel C-South has an elevation of about 185 feet mean sea level. The majority of the surface is unpaved, except for a small section of the southwest corner which is covered with deteriorated asphalt. This area is used for parking by the Borough. The ground surface of Parcel C-North is approximately three feet higher than at Parcel C-South. A retaining wall rises sharply upwards to properties adjoining the Site to the west. Both properties have a gentle downward slope towards the east in the direction of the Naugatuck River. The Naugatuck River is about 200 feet east of the Site. In between the river and the Site are North Water Street and the rail road tracks.



2.2 ENVIRONMENTAL REGULATORY STATUS

A significant volume of environmental data has been developed for the Site and has been presented in various reports published since 1991. A listing of previous reports is provided in Appendix 2. Although a summary of the current status of the Site and relevant Areas of Concern and previous investigations are summarized in this RAP, the prior individual reports should be reviewed to provide a more complete historical perspective on the level of investigation conducted at the site to date.

Opinions published in previous Phase I Environmental Site Assessments (ESAs) suggest the site is an “establishment” as defined by Connecticut’s Property Transfer Program (Connecticut General Statutes Section 22a-134). Clear evidence supporting this designation was not available. Regardless, in the absence of the sale of the property, the Borough entered the Site into the Connecticut Department of Environmental Protection’s (CTDEP) Voluntary Remediation Program 22a-133X in 1997. In June 1997, the CTDEP acknowledged receipt of an Environmental Conditions Assessment Form (ECAAF) submitted by the Borough for Parcel C and indicated a Licensed Environmental Professional (LEP) may verify that assessment and remedial work is completed in accordance with prevailing standards and guidelines. A copy of the letter is in Appendix 3.

Environmental assessment and soil remediation was completed on Parcel C-North by Handex, Inc. between 1991 and 1998. According to reports filed at the CTDEP, the north property only requires post remediation groundwater monitoring and routine inspections of an impermeable asphalt and geomembrane cap constructed in the rear of the site. Recent monitoring of the cap and groundwater performed by GeoDesign, on behalf of the Borough, is summarized under separate cover.

In contrast, Parcel C-South has had considerable assessment work performed and an undetermined amount of soil remediation. Soil remediation work completed on Parcel C-South by Handex Inc. was not documented as rigorously as the assessment work and therefore, the extent of previous soil remediation is not well defined.

2.3 SITE ENVIRONMENTAL SETTING

Surface geology is mapped as ice-contact stratified drift¹. Stratified drift is deposited by both fluvial (river) and lacustrine (lakes) processes during periods of glacial melting. Ice contact stratified drift consists of fairly clean sands and gravels, to sands and gravels containing little silt

¹ Quadrangle Report No. 35, Surficial Geology of the Naugatuck Quadrangle (CTDEP, 1978)



DRAFT Remedial Action Plan – Parcel C South
File No. 3101-004 – August 1, 2008
Page No. 4

and trace amounts of clay. Soil borings have shown disturbed soil and fill throughout the property ranging from 3 fbg to the depth of the water table (approximately 12 fbg).

Bedrock underlying the site is mapped as Waterbury Gneiss² which is a metamorphic rock containing heterogeneous sequences of quartzites and biotite-muscovite schists interbanded with Gneiss showing marked alternation of bands of dark and light minerals. The deepest soil boring (GD-5) completed at the site to 39 fbg did not encounter bedrock.

The CTDEP has mapped the area as having a GB groundwater classification³. A GB classification is representative of groundwater within highly urbanized areas of intense industrial activity where municipal water supplies are available. GB classified groundwater is presumed to be unsuitable for direct human consumption without treatment.

Groundwater is generally encountered between 11 to 15 feet below grade. Based upon the topography of the Site and surrounding area, the inferred groundwater flow direction is towards the southeast. This has been confirmed by GeoDesign with field measurements. Hydrogeology is discussed further in Section 3.2 of this report and is present in GeoDesign's Phase III Environmental Site Assessment, November 2007.

A potable well survey was completed in 2007 for a 500-foot radius around the Site. There are no known uses of groundwater in the vicinity.

The CTDEP has classified the Naugatuck River as C/B surface water. This classification indicates the surface water is suitable for certain fish, wildlife habitat, certain recreational activities, industrial and other legitimate uses including navigation.

3.0 CONCEPTUAL SITE MODEL

Between 1985 and 1989 the multiple buildings that composed the U.S. Rubber Company were demolished. As shown in Figure 2, the buildings encompassed most of Parcel C-South. During the site's occupancy by the U.S. Rubber Company and UniRoyal, operations associated with cutting, drying and packing rubber goods were performed. A lumber shed was also onsite. Documentation of chemical usage onsite is essentially non-existent, except for references to a methyl ethyl ketone (MEK) Storage tank, varnish and benzene. Oil was also used to heat the building and steam generators formerly located on the southeastern side of the property.

² Connecticut Bedrock Geology Map (Rogers, 1985)

³ Map entitled "Water Quality Classifications Housatonic River, Hudson River, and Southwest Coastal Basins" (CTDEP, 1997).



3.2 HYDROGEOLOGY

A network of 7 groundwater monitoring wells has been installed at the site. Well construction details are summarized in Table 1 of Appendix 1. Quarterly depth to water measurements are presented in Table 2 of Appendix 1. The location of existing groundwater monitoring wells and a water table contour map from March 2008 is presented as Figure 4 in Appendix 1. Groundwater at the Site is generally encountered from 10 to 14 feet below grade. Based on recent monitoring, groundwater flows in a southeasterly direction towards the Naugatuck River with a flat hydraulic gradient of about 0.003 to 0.007 ft/ft. The gradient appears fairly regular which does not suggest significant influences from the historic rain or storm drain features.

One deep well (GD-5 at 39.3 ft.) is located on-site. GD-5 is located on the eastern side of the property, adjacent to Water Street and between MW-1 and MW-2. GD-5 was installed in 2008 and is screened from 29 to 39 ft. bg. A slight upward vertical groundwater flow gradient was demonstrated by comparing water table elevations in GD-5 and MW-2. A slight upward gradient and low concentrations of VOCs in the deep well support the conclusion that VOCs are limited to the upper aquifer and have not migrated significantly downward.

3.3 APPLICABLE REMEDIATION STANDARDS

Based on the site's environmental setting and proposed plans for redevelopment (i.e., mixed-use commercial/residential), the applicable remedial criteria for soils, as specified in Connecticut's Remediation Standard Regulations (RCSA 22a-133-2) are the Residential Direct Exposure Criteria (R-DEC) and GB groundwater Pollutant Mobility Criteria (GB-PMC). The applicable remedial criteria for groundwater under RCSA 22a-133-3 are the Residential Volatilization Criteria (R-VC) and Surface Water Protection Criteria (SWPC). As part of the compliance evaluation for this site, the data are also compared to the Industrial/Commercial Direct Exposure Criteria for soils (I/C-DEC) and Industrial/Commercial Volatilization Criteria (I/C-VC)⁴ for groundwater.

This Remedial Action Plan has been written assuming that an Environmental Land Use Restriction (ELUR) will be placed on the property deed record in the future, in accordance with RCSA 22a-133q-1. At a minimum, the ELUR would restrict excavation of soils beneath a proposed municipal parking garage planned for the northern portion of Parcel C – South.

⁴“Proposed Revisions, Connecticut Remediation Standard Regulations Volatilization Criteria”(CTDEP, March 2003



DRAFT Remedial Action Plan – Parcel C South
File No. 3101-004 – August 1, 2008
Page No. 17


groundwater mounding which is occurring during injection. Performance monitoring will consist of continuous in-situ monitoring of selected monitoring wells using data loggers, ex-situ monitoring of selected monitoring wells by sampling through a flow cell, and on-site laboratory analysis. Continuous monitoring will utilize Troll 9500s placed within monitoring wells. The Trolls will monitor temperature, water pressure, pH, turbidity, ORP, dissolved oxygen, and specific conductance. The monitoring data from the Trolls will be logged and/or saved in electronic format. Groundwater samples will be collected for analysis of oxidant concentration, activator concentration and interfacial tension (IFT).

3. Once ISCO injections are completed, post-injection groundwater samples will be collected to evaluate the return of baseline aquifer conditions for water pressure, pH, ORP and specific conductance. This is presumed to be completed within one week.

4.5.3 Groundwater Monitoring Well Network

The Parcel C-South groundwater monitoring well network will consist of seven existing wells. One well is located in the approximate center of the property (GD-6) and another well (GD-7) is located 80 feet offsite in the downgradient direction of the site. Monitoring well locations are provided on Figure 8 in Appendix 1. Well construction details can be summarized as follows:

Well	Approximate Depth to Bottom of Well (fbg)	Screen Interval (fbg)	Location Relative to Release/Treatment Area	Monitored AOC
MW-1	15.2	Unknown	In COA 3, sidegradient to COA 2	Former MEK and Heating Oil Tanks. Onsite placement of mixed fill
MW-2	21.8	Unknown	In COA 3, downgradient of COA 2	Oily debris and release area. Onsite placement of mixed fill
MW-3	16.5	Unknown	In COA 2, downgradient of COA 1 and 3	Oily debris and release area. Onsite placement of mixed fill
MW-4	19.2	Unknown	In COA 1	Urban fill area. Onsite placement of mixed fill.
GD-1	18.1	8.1 – 18.1	In COA 1, sidegradient of COA 2	Former stormwater raceway. Onsite placement of mixed fill.
GD-5	39.3	29.3 – 39.3	In COA 3, downgradient of COA 2	Oily debris and release area. Onsite placement of mixed fill.
GD-6	18.5	8.5 – 18.5	In COA 2, upgradient of COA 3, sidegradient of COA 1	Former stormwater raceway. Onsite placement of mixed fill.
GD-7	16.6	6.6 – 16.6	Downgradient of COA 1, 2 and 3	Off-Site compliance monitoring





General DataComm, Inc.

6 RUBBER AVENUE, NAUGATUCK, CT 06770 • (203) 729-0271

January 10, 1991

State of Connecticut
Department Of Environmental Protection
165 Capitol Avenue
Hartford, Connecticut 06106
Att: G. Scott Deshefy

Dear Mr Deshefy,

We received your form letter the week of 12/24/90 regarding underground storage tank facilities.

This facility, at 6 Rubber Avenue, Naugatuck, Connecticut which is considered parcel A under the GDC property in Naugatuck does not have, or ever had, underground storage tanks. Your letter indicated we do have a storage tank facility that will be governed by section 22A-449D-1. I would therefore like to have you correct your records, or if you do have specific information to the contrary, I would be interested in receiving a copy of it.

I therefore request you remove our name from this listing, if indeed there is no proof that our facility has a storage tank that is governed by this regulation.

Thank you,

Pat Ferraro

Pat Ferraro
Mgr. Mfg. Eng.

729-0271

sm
CC:
Gus Hof
Dorian Nork
Jeff Durkin

phone conversation 2/26/91
with Pat Ferraro
EPHM-6 -(88-8514) on file
showing all USTs Remed
F 1.

PROGRAM: UST504 - U504ET1631
RUN DATE:08-04-88
RUN TIME:16:31
TOWNS:087-092

DEPARTMENT OF ENVIRONMENTAL PROTECTION
UNDERGROUND STORAGE FACILITIES TRACKING SYSTEM
DOCUMENT NUMBER CROSS REFERENCE
EXPIRATIONS FROM:01-1950 THRU:11-1988

PAGE: 25

SITE-ID:088-08514

LATEST DOCUMENT NO:88004018
LATEST NOTIFICATION NO:011

GRID-X:000001
GRID-Y:000001
BASIN:999999 NO LAT/LONG
PROPRIETARY?:N

LONGITUDE DEGREES:073
MINUTES:03
SECONDS:01

LATITUDE DEGREES:041
MINUTES:28
SECONDS:01

[LOCATION] NAME:PARKING LOT PARCEL #4
STREET:00000 CHURCH ST
INTERSECT STREET:RUBBER AVE
CITY:NAUGATUCK

[OWNER] NAME:GENERAL DATA COMM IND., INC.
STREET:01579 STRAITS TURNPIKE
CITY/STATE/ZIP:MIDDLEBURY CT 06762-0000
PHONE:203-574-1118

[BUSINESS] NAME:GDC NAUGATUCK, INC.
STREET:01579 STRAITS TURNPIKE
CITY/STATE/ZIP:MIDDLEBURY CT 06762-0000
PHONE:203-574-1118

[CONTACT] NAME:DON SANTOSTEFANO
STREET:01579 STRAITS TURNPIKE
CITY/STATE/ZIP:MIDDLEBURY CT 06762-0000
PHONE:203-574-1118

PREVIOUS NOTIFICATION/DOCUMENT NUMBERS:

001/88004002	002/88004003	003/88004004	004/88004005	005/88004006	006/88004008	007/88004009	008/88004011	009/88004013
010/88004015	011/88004018							

T A N K D A T A									
INSTALL LIFE	LEFT LAST USED			CONSTRUCT	[--PROTECTION--]		PIPING MONITOR		EXPIRES
TANK MM-YY	YRS	CAPACITY	USE STORED	MM-YY	CONTENTS	CAS#	MATERIAL	INTRL EXTL PIPE	MM-YY SYSTEM
A	01-50	15	3,000	A	01-50	OIL/PETRO	S	2	E 7 01-50 U
									COMMENT:WATER, IA, NDG
B	01-50	15	3,000	A	01-50	OIL/PETRO	S	2	E 7 01-50 U
									COMMENT:UNKNOWN, IA, NDG
C	01-50	15	3,000	A	01-50	OIL/PETRO	S	2	E 7 01-50 U
									COMMENT:UNKNOWN, IA, NDG
D	01-50	15	3,000	A	01-50	OIL/PETRO	S	2	E 7 01-50 U
									COMMENT:UNKNOWN, IA, NDG
E	01-50	15	3,000	A	01-50	OIL/PETRO	S	2	E 7 01-50 U
									COMMENT:UNKNOWN, IA, NDG
F	01-50	15	2,000	A	01-50	OIL/PETRO	S	2	E 7 01-50 U
									COMMENT:UNKNOWN, IA, NDG
G	01-50	15	2,000	A	01-50	OIL/PETRO	S	2	E 7 01-50 U
									COMMENT:UNKNOWN, IA, NDG
H	01-50	15	550	A	01-50	OIL/PETRO	S	2	E 7 01-50 U
									COMMENT:UNKNOWN, IA, NDG
I	01-50	15	550	U	00-00	OIL/PETRO	S	2	E 7 01-50 U



General DataComm, Inc.

MIDDLEBURY, CONNECTICUT 06762-1299 (203) 574-1118

October 6, 1989

State of Connecticut
Department of Environmental Protection
Hazardous Materials Management Unit
Hartford, CT 06106

Attention: Mr. Philip Wilde

Dear Philip:

Attached herewith is the Connecticut Department Form EPHM-6 reporting change in status to ten (10) underground tanks located at our Naugatuck Facility in Naugatuck, CT.

If you have any further questions concerning this matter, please feel free to call me at (203) 574-1118, extension 6929.

Very truly yours,

GENERAL DATACOMM, INC.

Edward F. Orski
Manager of Administration
& Capital Procurement

cc: Fred Butler
Mark Seegar (Naugatuck Fire Marshall)

Enc.



General DataComm, Inc.

MIDDLEBURY, CONNECTICUT 06762-1299 (203) 574-1118

November 10, 1987

Mr. Philip Wilde
Department of Environmental Protection
Hazardous Materials Management Unit
165 Capitol Avenue
Hartford, CT 06106

Dear Phil:

Per our telephone conversation of yesterday, this letter documents a situation General DataComm (GDC) has with two (2) underground #4 oil tanks. Following are the events leading up to the present status.

- All underground storage tanks at GDC were tested by Aaron Environmental according to NFPA 329.
- One 6,000 gallon #4 oil tank failed NFPA 329, however, inventory records kept by GDC show no loss of product. Indications are that the "leak" is in the vent piping system.
- Since the tank is no longer in use, we decided to clean, remove and dispose of the tank. Another 6,000 gal. tank next to the failed tank passed NFPA 329, however, since it is also not in use and because of the proximity, we decided to remove it also.
- Hitchcock of Bridgeport was contracted to remove the product and sludge and clean the tank. We then intended to dig up the tanks and have them disposed of in accordance with applicable regulations.
- When we attempted to uncover the tanks, we discovered that they were completely encased in reinforced concrete (#6 rebar) approximately three (3) feet thick.
- Our excavation contractor informed us that it would require blasting and heavy demolition to remove the concrete and tanks.

Given the above information, we are interested in abandoning the tanks in place. We understand that the regulations specify that this requires that they be filled with a solid inert material so



General DataComm Industries, Inc.

Page 2

that if/when the tanks rot out there would not be subsidence or collapse. Given the surrounding concrete structure, this is virtually impossible. We are concerned about using a material, such as concrete, to fill the tanks which would make excavation nearly impossible for future building; even more difficult than the existing condition.

We are, therefore, seeking guidance from the DEP to help us find a method of abandoning the tanks in an acceptable manner. Enclosed are pictures showing the excavated tanks. We are very interested in having a representative of the DEP make a site visit at which time we can uncover the tanks again to let him/her view the situation.

An expedient reply would be appreciated since the excavation site is adjacent to our loading dock and is, therefore, causing inconvenience. Contact me at 574-1118, Ext. 6904 or Ed Orski at Ext. 6929.

Sincerely,

GENERAL DATACOMM, INC.

Don Santostefano
Corporate Manager of Facilities

Enc.

DS/mlp

cc: Ed Orski

Jack Arcara



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION



November 12, 1987

General DataCon Naugatuck, Inc.
1579 Straits Turnpike
Middlebury, Connecticut 06762

Re: Parking Lot - Parcel # 4 in Naugatuck

Attention of Don Santostefano, Corp. Manager of Facilities

Dear Mr. Santostefano:


Failure of your facility to submit a properly completed CT Underground Storage Tank (UST Notification Form (EPHM-6) prior to May 8, 1986 constitutes violations of both the Regulations of Connecticut State Agencies (Section 22a-449(d)-1 and Federal notification requirements promulgated in 40 CFR Part 280.

Please be advised that this Letter of Non compliance will serve in lieu of more stringent enforcement actions provided that correctly and totally completed UST notification information is submitted to the CT Department of Environmental Protection within fifteen (15) days.

That statement, including Form EPHM-6, and results of any leak detection tests completed, shall be sent to G. Scott Deshefy, CT PCB-Toxics Program, D.E.P., Hazardous Materials Management Unit, State Office Building, 165 Capitol Avenue, Hartford, Connecticut 06106.

This enforcement action neither precludes enforcement measures pertaining to other UST violations nor precludes actions taken by other DEP sections and/or other State and Federal Agencies

Dated and signed this 12th day of November, 1987.


Gregory Scott Deshefy
CT PCB-Toxics-UST Coordinator

SENT CERTIFIED
RETURN RECEIPT REQUESTED

P 729 292 341

Phone: 566-4631

165 Capitol Avenue • Hartford, Connecticut 06106

**Schatz
& Schatz,
Ribicoff
& Kotkin**

Attorneys at Law

90 State House Square
Hartford, CT 06103-3902
(203) 522-3234
Telecopier
(203) 246-1225

1 Landmark Square
Stamford, CT 06901-2676
(203) 964-0027
Telecopier
(203) 357-9251

22 Waterville Road
Avon, CT 06001-2042
(203) 678-8118

100 Fairfield Avenue
Bridgeport, CT 06604-4278
(203) 368-4500
Telecopier
(203) 367-9038

Cable: Barrister
Telex (Hartford and Stamford)
99364 (CEOHFD)

November 5, 1987

Mr. Scott Deshefy
Hazard Materials Management Unit
Department of Environmental Protection
165 Capitol Avenue
Hartford, CT 06106

Re: General DataComm Industries, Inc.

Dear Scott:

Pursuant to our meeting, enclosed please find the Underground Storage Information Sheets for Parcel No. 4 at the former UniRoyal Plant in Naugatuck. As requested, General DataComm reviewed all known records and have transcribed the available information onto the form. As per our discussions this date, General DataComm will fill all underground facilities with inert material. I will again correspond upon completion of the project.

Thank you for your assistance in this matter.

Very truly yours,



Walter E. Paulekas

WEP/ce

cc/James Arcara

Thomas A. Gugliotti, Esquire

TANK REMOVAL PROJECT
GENERAL DATACOM
OLD FIREHOUSE RD
NAUGATUCK, CONNECTICUT

Mr. Steve Roth

August 29, 1989

prepared by:

Daniel R. Kogut
Environmental Manager
AARON Environmental Spec

INTRODUCTION

AARON Environmental Specialists was contracted by Cochiola Paving Co. to oversee the removal and disposal of ten tanks at the General DataCom facility (old Uniroyal Footwear Complex), Old Firehouse Rd., Naugatuck, Ct. The tanks removed and disposed of were as follows:

Tank 1.	3,000	gallon	containing	residual	water
Tank 2.	3,000	gallon	containing	residual	oil
Tank 3.	3,000	gallon	containing	residual	water
Tank 4.	3,000	gallon	containing	residual	water
Tank 5.	2,000	gallon	containing	residual	oil
Tank 6.	2,000	gallon	containing	residual	water
Tank 7.	2,000	gallon	containing	residual	water
Tank 8.	550	gallon	containing	residual	water
Tank 9.	550	gallon	containing	residual	water
Tank 10	6,000	gallon	containing	residual	oil.

The work was completed on August 21 to 23, 1989.

Contractors providing services were as follows:

- .. AARON Environmental Specialists
Engineering & On-Site Monitoring
- .. Cochiola Paving Co.
Tank Removal & Backfilling
Site Finish work & Paving
- .. Shire Corporation
Tank Transportation & Disposal
- .. Connecticut Waste Oil
Sludge Transportation & Disposal
- .. Guerrera Trucking
Water Transportation
- .. Naugatuck Treatment Co.
Water Disposal
- .. Connecticut Testing Laboratories Inc.
Soil Sampling

The results of this project are summarized in this report. Daniel R. Kogut was the project manager from AARON Environmental Specialists.

SUMMARY & CONCLUSIONS

1. There was approx. 7,500 gallons of water and 1,000 gallons of sludge/petroleum products removed from the tanks. The water was properly removed by Guerrera Trucking and Connecticut Waste Oil and transported to the Naugatuck Treatment Co. for disposal. The oil was properly removed by Connecticut Waste Oil and transported to United Industrial Services for disposal.

2. A hydrocarbon meter was utilized to determine residual organic concentration in the tanks. All tanks registered less than 15% of the LEL (the tanks containing water were all at 0% of the LEL). The tanks were removed and inspected. All tanks were free of pitting.

3. Since all tanks were adjacent to each other, a total of five bottom hole samples were taken from the one large excavation and submitted for laboratory analysis. A GasTech 1238 portable hydrocarbon meter was utilized to obtain the field concentration of petroleum organics. This meter indicated that the soil was clean. Fire Marshal Mark Seeger and Deputy Fire Marshal Thomas Ashmore of Naugatuck inspected the tank graves and approved of backfilling. Approx. 130 yards of clean backfill obtained off-site was utilized to fill the excavation.

4. The excavation was filled to grade and allowed to settle. Ultimately, the area will be repaved.

5. Laboratory results of the bottom hole samples confirmed that there was no residual soil contamination. All five soil sample results were below detectable limits for oil and grease.

RECOMMENDATIONS

Since the underground petroleum tanks were removed from the site in conformance with the recommended practices of the Ct. Dept. of Environmental Protection and the American Petroleum Institute, the project was completed as per the original specifications.

The Town fire marshal confirmed that the soil beneath the excavations was not contaminated and approved backfilling. Since this tank removal project met or exceeded all of today's regulations, it is deemed to have been successfully completed. No additional environmental work appears necessary.

PROJECT LIMITATIONS

The conclusions and recommendations provided by AARON Environmental Specialists are based solely on the scope of the work conducted and sources of information referred to in this report. Any additional information that becomes available concerning this site should be provided to AARON Environmental Specialists so that our conclusions may be reviewed and modified as necessary.

10 TANKS
General DataCom

TRANSFER OF OWNERSHIP
UNDERGROUND STORAGE TANK

PREVIOUS OWNER: General DataCom

ADDRESS: OLD Fire House Rd.
NAUGATUCK, CT

PREVIOUS CONTENTS: PETROLEUM PRODUCTS/WATER

REMOVAL DATE: August 23, 1989

NEW OWNER: Shire Corp

ADDRESS: NORTH FRANKLIN, CT

AUTHORIZED REPRESENTATIVE: Spencer Smith
8/23/89

(signature and date; new owner assumes all liability of
tank effective this day)

AARON ENVIRONMENTAL SPECIALISTS
937 SOUTH MAIN STREET
PLANTSVILLE, CONNECTICUT 06479
203-628-9858

August 17, 1989

Mr. Scott Deshefy
Connecticut Dept. of Environmental Protection
Underground Storage Tank Coordinator
165 Capitol Avenue
Hartford, Ct. 06106

Ref: Underground Storage Tank Removal

Dear Mr. Deshefy,

As per our standard operation practice, we are making the following notification to the Department and all copied.

AARON Environmental Specialists has been contracted by Cochiola Paving Co. to supervise the removal and disposal of ten underground tanks at General DataCom, Firehouse Rd., Naugatuck, Ct. The removals are to take place on Tuesday, August 22, 1989. Removal and abandonment procedures will adhere to guidelines established by the American Petroleum Institute.

Should you have any questions or concerns, feel free to contact me at 203-628-9858.

Very truly yours,


Daniel R. Kogut
Environmental Manager

cc: Mr. Mark Seegar
Fire Marshal
Town Hall
Naugatuck, Ct. 06770

Mr. Mike Falafia
Building Inspector
Town Hall
Naugatuck, Ct. 06770

Mr. Edward Orski
Manager of Administ.
General DataCom
Middlebury, Ct. 06762

Mr. Steve Roth
General DataCom
Straits Turnpike
Middlebury, Ct. 06762



N
→
Not To Scale

UNDERGROUND STORAGE FACILITY NOTIFICATION

PG. 1 of 2

STATE OF CONNECTICUT
Department of Environmental Protection
UNDERGROUND STORAGE FACILITIES PROGRAM
HAZARDOUS MATERIALS MANAGEMENT UNIT
165 Capitol Avenue, Hartford, CT 06106
TEL. 566-4630



PLEASE TYPE ALL THREE COPIES MUST BE LEGIBLE!
Refer to INSTRUCTIONS FOR FILING NOTIFICATION before completing form.

EPHM-6 NEW 10/85
3.
D. GRID COORDINATES
X Y

1. FIRST DIRECTION
a. PREVIOUS NOTIFICATION
b. SUBSEQUENT NOTIFICATION
(If checked, enter No.)

SITE ID. 88-8514
001-00005

2. NAME OF FACILITY
3. LOCATION

4. OF FACILITY
5. BUSINESS NAME AND MAILING ADDRESS
6. MAILING ADDRESS
7. FACILITY OWNER
8. TYPE OF OWNER
9. PERSON
10. TANK ID.
11a. DATE OF INSTALLATION (Mo./Yr.)
11b. LIFE EXPECTANCY (# of years)
12a. TOTAL CAPACITY (Gals.)
12b. STATUS
13. TYPE OF CONTENTS
14. CONTENTS
15. CONSTRUCTION MATERIALS
16. PROTECTION
17. INTER

18. TYPE OF OWNER
19. PERSON
20. HAVE YOU ATTACHED SKETCH OF TANKS AND LOCATION?
21. COMMENTS:
22. CERTIFICATION:
23. NAME (Type or Print)

24. NAME
25. LOCATION
26. BUSINESS NAME AND MAILING ADDRESS
27. MAILING ADDRESS
28. FACILITY OWNER
29. TYPE OF OWNER
30. PERSON
31. TANK ID.
32a. DATE OF INSTALLATION (Mo./Yr.)
32b. LIFE EXPECTANCY (# of years)
33a. TOTAL CAPACITY (Gals.)
33b. STATUS
34. TYPE OF CONTENTS
35. CONTENTS
36. CONSTRUCTION MATERIALS
37. PROTECTION
38. INTER

39. TYPE OF OWNER
40. PERSON
41. TANK ID.
42a. DATE OF INSTALLATION (Mo./Yr.)
42b. LIFE EXPECTANCY (# of years)
43a. TOTAL CAPACITY (Gals.)
43b. STATUS
44. TYPE OF CONTENTS
45. CONTENTS
46. CONSTRUCTION MATERIALS
47. PROTECTION
48. INTER

49. TYPE OF OWNER
50. PERSON
51. TANK ID.
52a. DATE OF INSTALLATION (Mo./Yr.)
52b. LIFE EXPECTANCY (# of years)
53a. TOTAL CAPACITY (Gals.)
53b. STATUS
54. TYPE OF CONTENTS
55. CONTENTS
56. CONSTRUCTION MATERIALS
57. PROTECTION
58. INTER

59. TYPE OF OWNER
60. PERSON
61. TANK ID.
62a. DATE OF INSTALLATION (Mo./Yr.)
62b. LIFE EXPECTANCY (# of years)
63a. TOTAL CAPACITY (Gals.)
63b. STATUS
64. TYPE OF CONTENTS
65. CONTENTS
66. CONSTRUCTION MATERIALS
67. PROTECTION
68. INTER

69. TYPE OF OWNER
70. PERSON
71. TANK ID.
72a. DATE OF INSTALLATION (Mo./Yr.)
72b. LIFE EXPECTANCY (# of years)
73a. TOTAL CAPACITY (Gals.)
73b. STATUS
74. TYPE OF CONTENTS
75. CONTENTS
76. CONSTRUCTION MATERIALS
77. PROTECTION
78. INTER

79. TYPE OF OWNER
80. PERSON
81. TANK ID.
82a. DATE OF INSTALLATION (Mo./Yr.)
82b. LIFE EXPECTANCY (# of years)
83a. TOTAL CAPACITY (Gals.)
83b. STATUS
84. TYPE OF CONTENTS
85. CONTENTS
86. CONSTRUCTION MATERIALS
87. PROTECTION
88. INTER

89. TYPE OF OWNER
90. PERSON
91. TANK ID.
92a. DATE OF INSTALLATION (Mo./Yr.)
92b. LIFE EXPECTANCY (# of years)
93a. TOTAL CAPACITY (Gals.)
93b. STATUS
94. TYPE OF CONTENTS
95. CONTENTS
96. CONSTRUCTION MATERIALS
97. PROTECTION
98. INTER

99. TYPE OF OWNER
100. PERSON
101. TANK ID.
102a. DATE OF INSTALLATION (Mo./Yr.)
102b. LIFE EXPECTANCY (# of years)
103a. TOTAL CAPACITY (Gals.)
103b. STATUS
104. TYPE OF CONTENTS
105. CONTENTS
106. CONSTRUCTION MATERIALS
107. PROTECTION
108. INTER

109. TYPE OF OWNER
110. PERSON
111. TANK ID.
112a. DATE OF INSTALLATION (Mo./Yr.)
112b. LIFE EXPECTANCY (# of years)
113a. TOTAL CAPACITY (Gals.)
113b. STATUS
114. TYPE OF CONTENTS
115. CONTENTS
116. CONSTRUCTION MATERIALS
117. PROTECTION
118. INTER

119. TYPE OF OWNER
120. PERSON
121. TANK ID.
122a. DATE OF INSTALLATION (Mo./Yr.)
122b. LIFE EXPECTANCY (# of years)
123a. TOTAL CAPACITY (Gals.)
123b. STATUS
124. TYPE OF CONTENTS
125. CONTENTS
126. CONSTRUCTION MATERIALS
127. PROTECTION
128. INTER

129. TYPE OF OWNER
130. PERSON
131. TANK ID.
132a. DATE OF INSTALLATION (Mo./Yr.)
132b. LIFE EXPECTANCY (# of years)
133a. TOTAL CAPACITY (Gals.)
133b. STATUS
134. TYPE OF CONTENTS
135. CONTENTS
136. CONSTRUCTION MATERIALS
137. PROTECTION
138. INTER

139. TYPE OF OWNER
140. PERSON
141. TANK ID.
142a. DATE OF INSTALLATION (Mo./Yr.)
142b. LIFE EXPECTANCY (# of years)
143a. TOTAL CAPACITY (Gals.)
143b. STATUS
144. TYPE OF CONTENTS
145. CONTENTS
146. CONSTRUCTION MATERIALS
147. PROTECTION
148. INTER

149. TYPE OF OWNER
150. PERSON
151. TANK ID.
152a. DATE OF INSTALLATION (Mo./Yr.)
152b. LIFE EXPECTANCY (# of years)
153a. TOTAL CAPACITY (Gals.)
153b. STATUS
154. TYPE OF CONTENTS
155. CONTENTS
156. CONSTRUCTION MATERIALS
157. PROTECTION
158. INTER

159. TYPE OF OWNER
160. PERSON
161. TANK ID.
162a. DATE OF INSTALLATION (Mo./Yr.)
162b. LIFE EXPECTANCY (# of years)
163a. TOTAL CAPACITY (Gals.)
163b. STATUS
164. TYPE OF CONTENTS
165. CONTENTS
166. CONSTRUCTION MATERIALS
167. PROTECTION
168. INTER

169. TYPE OF OWNER
170. PERSON
171. TANK ID.
172a. DATE OF INSTALLATION (Mo./Yr.)
172b. LIFE EXPECTANCY (# of years)
173a. TOTAL CAPACITY (Gals.)
173b. STATUS
174. TYPE OF CONTENTS
175. CONTENTS
176. CONSTRUCTION MATERIALS
177. PROTECTION
178. INTER

179. TYPE OF OWNER
180. PERSON
181. TANK ID.
182a. DATE OF INSTALLATION (Mo./Yr.)
182b. LIFE EXPECTANCY (# of years)
183a. TOTAL CAPACITY (Gals.)
183b. STATUS
184. TYPE OF CONTENTS
185. CONTENTS
186. CONSTRUCTION MATERIALS
187. PROTECTION
188. INTER

189. TYPE OF OWNER
190. PERSON
191. TANK ID.
192a. DATE OF INSTALLATION (Mo./Yr.)
192b. LIFE EXPECTANCY (# of years)
193a. TOTAL CAPACITY (Gals.)
193b. STATUS
194. TYPE OF CONTENTS
195. CONTENTS
196. CONSTRUCTION MATERIALS
197. PROTECTION
198. INTER

199. TYPE OF OWNER
200. PERSON
201. TANK ID.
202a. DATE OF INSTALLATION (Mo./Yr.)
202b. LIFE EXPECTANCY (# of years)
203a. TOTAL CAPACITY (Gals.)
203b. STATUS
204. TYPE OF CONTENTS
205. CONTENTS
206. CONSTRUCTION MATERIALS
207. PROTECTION
208. INTER

UNDERGROUND STORAGE
FACILITY NOTIFICATION

SECTION A

1a. ☒ FIRST NOTIFICATION
OR
☐ SUBSEQUENT NOTIFICATION (If checked, enter No.)

SITE ID: 88-8514
081-00065



STATE OF CONNECTICUT
Department of Environmental Protection
UNDERGROUND STORAGE FACILITIES PROGRAM
HAZARDOUS MATERIALS MANAGEMENT UNIT
165 Capitol Avenue, Hartford, CT 06106
TEL. 566-4630



PLEASE TYPE. ALL THREE COPIES MUST BE LEGIBLE!
Refer to INSTRUCTIONS FOR FILING NOTIFICATION before completing form.

D. GRID COORDINATES
X Y

SECTION B

4. LOCATION OF FACILITY	SITE NAME	NO. AND STREET	NEAREST INTERSECTING STREET	CITY OR TOWN
BUSINESS NAME AND MAILING ADDRESS	NAME	NO. AND STREET	Firehouse Road	Naugatuck
7. FACILITY OWNER	NAME	NO. AND STREET	1579 Straits Turnpike	Middlebury
8. TYPE OF OWNER	<input checked="" type="checkbox"/> PRIVATE <input type="checkbox"/> STATE <input type="checkbox"/> MUNICIPAL	FEDERAL (G.S.A. No. _____)		
9. OPERATOR/CONTACT PERSON	NAME	NO. AND STREET	STRAITS TURNPIKE	MIDDLEBURY

SECTION C

10. TANK ID.	11a. DATE OF INSTALLATION (Mo./Yr.)	11b. LIFE EXPECTANCY (# of years)	12a. TOTAL CAPACITY (Gals.)	IN USE	ABANDONED IN PLACE	12 b. STATUS	EST. QUANTITY LEFT STORED (if any). (Gals.)	REMOVED	DATE TANK LAST USED (Mo./Yr.)	13. TYPE OF CONTENTS	14. CONTENTS- CHEMICAL NAME OF PRINCIPAL SUBSTANCE (not trade name.) (Enter C.A.S. No., if known)	15. CONSTRUCTION MATERIALS	16. PROTECTION	17. INTER PIPING
Example	5/75	30	5000	X					X	X	Heating fuel #2	STEEL	X	H 5
Example	7/60	-	8000				X	8/78	X	X	1, 1, 1 - Trichloroethane CAS #79016	X	X	E 7
I	UNKNOWN	-	550				X	8/89	X	X	ALCOHOL	X	X	7
7	"	-	6000				X	8/89	X	X	PROCESSING OIL	X	X	7

20. HAVE YOU ATTACHED SKETCH OF TANKS AND LOCATION? ☒ YES

21. COMMENTS:

SEE TANK PROJECT - DOCUMENT

22. CERTIFICATION: I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. Penalties: any owner who knowingly fails to notify shall be subject to a civil penalty not to exceed \$10,000 for each tank for which notification is not given or for which false information is submitted.

22a. SIGNATURE
EDWARD F. ORSKI

D. GRID COORDINAT

OPERATOR/CONTACT 9. PERSON	NAME Don Santostefano	NO. AND STREET 1579 Straits Turnpike	CITY OR TOWN Middlebury
-------------------------------	--------------------------	-----------------------------------------	----------------------------

H	?	15	550	X	-0-	RECEIVED	Unknown	X				E	7
---	---	----	-----	---	-----	----------	---------	---	--	--	--	---	---

2c. NAME (Type or Print)
Don Santostefano

UNDERGROUND STORAGE FACILITY NOTIFICATION

2. PG. 1 of 3



STATE OF CONNECTICUT
Department of Environmental Protection
UNDERGROUND STORAGE FACILITIES PROGRAM
HAZARDOUS MATERIALS MANAGEMENT UNIT
165 Capitol Avenue, Hartford, CT 06106
TEL. 556-4630



EPHM-5 NEW 10/85
3.

SECTION A

1a. ☒ FIRST NOTIFICATION
OR
b. ☐ SUBSEQUENT NOTIFICATION (If checked, enter No.)

SITE ID
8514

PLEASE TYPE. ALL THREE COPIES MUST BE LEGIBLE!
Refer to INSTRUCTIONS FOR FILING NOTIFICATION before completing form.

D. GRID COORDINATE
X Y

SECTION B

4. LOCATION OF FACILITY	SITE NAME	NO. AND STREET	NEAREST INTERSECTING STREET	CITY OR TOWN
BUSINESS NAME AND ADDRESS	Parking Lot - Parcel #4	Church Street	Rubber Avenue	Naugatuck
7. FACILITY OWNER	NAME	NO. AND STREET		CITY OR TOWN
	General DataComm Ind., Inc.	1579 Straits Turnpike		Middlebury
8. TYPE OF OWNER	<input checked="" type="checkbox"/> PRIVATE <input type="checkbox"/> STATE <input type="checkbox"/> MUNICIPAL <input type="checkbox"/> FEDERAL (G.S.A. No. _____)			
9. OPERATOR/CONTACT PERSON	NAME	NO. AND STREET		CITY OR TOWN
	Don Santostefano	1579 Straits Turnpike		Middlebury

SECTION C

10. TANK ID.	11a. DATE OF INSTALLATION (Mo./Yr.)	11b. LIFE EXPECTANCY (# of years)	12a. TOTAL CAPACITY (Gals.)	12b. STATUS	13. TYPE OF CONTENTS	14. CONTENTS	15. CONSTRUCTION MATERIALS	16. PROTECTION	17. INT. PIPING
Example	5/75	30	5000	X		Hearing fuel #2	STEEL	X	H 5
Example	7/60	-	8000	X		1,1,1-Trichloroethane CAS #79016	FIBERGLASS REINFORCED PLASTIC	X	E 7
I	?	15	550	X	-0-	Unknown	OTHER (Specify from list A)	X	E 7
J	?	15	6000	X	-0-	Unknown	OTHER (Specify from list A)	X	E 7

RECEIVED

NOV 10 1987

Hazardous Materials Management Unit
HARTFORD, CONNECTICUT

SECTION D

20. HAVE YOU ATTACHED SKETCH OF TANKS AND LOCATION? ☒ YES

21. COMMENTS:

22. CERTIFICATION: I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. Penalties: any owner who knowingly fails to notify shall be subject to a civil penalty not to exceed \$10,000 for each tank for which notification is not given or for which false information is submitted.

22a. SIGNATURE
Don Santostefano

22c. NAME (Type or Print)
Don Santostefano



General DataComm, Inc.

6 RUBBER AVENUE, NAUGATUCK, CONNECTICUT 06770 Tel: (203) 729-0271

September 10, 2007

Connecticut Department of
Environmental Protection
UST Division
79 Elm Street
Hartford, CT 06106

Dear Sirs,

Enclosed please find a copy of an "Underground Storage Facility Notification" filed for General DataComm, Inc., 6 Rubber Avenue, Naugatuck, CT 06770 along with a copy of the "Underground Storage Tank Closure Report" prepared by HRP Associates.

Sincerely,

William G. Henry
Vice President, Finance and Administration

WGH:ads

Enclosures

RECEIVED

SEP 17 2007


**Bureau of Materials Management
& Compliance Assurance
Storage Tank Enforcement Unit**

UNDERGROUND STORAGE TANK
REMOVAL REPORT


6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT
HRP #GEN1031.RA

PREPARED FOR: MR. WILLIAM G. HENRY
GENERAL DATACOMM, INC.
6 RUBBER AVENUE
NAUGATUCK, CT 06770

PREPARED BY: HRP ASSOCIATES, INC
197 SCOTT SWAMP ROAD
FARMINGTON, CONNECTICUT 06032



Michael A. Varni
Project Geologist



Michael R. Ainsworth, LEP
Senior Project Manager

ISSUED ON: September 5, 2007

TABLE OF CONTENTS

<u>Section</u>	<u>Page</u>
I. INTRODUCTION.....	1
II. TANK REMOVAL.....	2
III. CONCLUSIONS.....	5

LIST OF FIGURES (follow text)

- 1 Site Location
- 2 Site Plan
- 3 UST Excavation Details

LIST OF APPENDICIES

- A Site Photos
- B Laboratory Reports for Soils
- C Waste Disposal Documentation

I. INTRODUCTION

HRP Associates, Inc. (HRP) completed this Underground Storage Tank Report on behalf of General DataComm, Inc, for 6 Rubber Avenue, Naugatuck, Connecticut (the "site"). The site location is shown on Figure 1.

The property is occupied by a single 5-story building and large parking lot. The existing site building is currently used as an office building and for warehousing and testing of electrical computer components. Historically, the parking lot area on the property was developed with a complex of industrial buildings associated with the manufacture and distribution of rubber products. All of the former buildings were demolished except for the existing site building.

A 2002 ground penetrating radar (GPR) survey of the site, conducted by HRP, identified a subsurface anomaly in the northwestern portion of the parking lot that was interpreted to be a possible underground storage tank (UST). The size of the tank at that time was estimated at between 5,000 and 8,000 gallons based on the size and shape of the GPR anomaly.

In July 2007, HRP developed a plan to investigate the GPR anomaly and remove a UST if it was confirmed to be present. The following sections discuss these activities.

HRP

II. TANK REMOVAL

On July 30, 2007 Excavation Technologies, Inc. (ETI) excavated the area of the suspected UST under the supervision of HRP. The area of the GPR anomaly, which was previously marked with white paint during the GPR survey, was excavated by removing the existing asphalt and underlying soils. Upon removal of the asphalt and the top 1 to 2 ft of material, two electrical conduits pipes (one 2-in. and one 1-in. diameter) and one 2-in. diameter steel pipe were encountered. Excavation further to the south revealed the presence of a steel UST and a concrete manway structure above the tank. The smaller conduit was determined to be an electric line leading to the tank, which is speculated as a feed line to a metering device or other equipment requiring electricity related to the tank. The 2-in. steel line was determined to be a fill or vent line that lead into the tank. The larger conduit, which was located west of the tank, is presumed to be related to lights in the parking lot.

ETI as able to drop a bailer into the fill/vent hole on the tank to gauge and sample its contents. The UST was determined to have very little (1-2 in.) of liquid in the bottom. A sample was collected into a sampling jar that was transported by HRP to United Industrial Services (United), where it was analyzed for PCB content. The clear liquid, with some floating debris, was determined not to contain PCBs. The excavation was secured with caution tape and left open pending the results of this sampling.

The UST was removed on the following day by ETI. HRP personnel were on-site during the removal process to examine and sample the soils surrounding the UST. The Naugatuck Fire Marshal, Bill Scanlon, visited the site during the removal of the tank.

After exposing the tank, United pumped out the remaining fluid in the tank using a vac truck (see manifests in Appendix C). The quantity of liquid pumped from the tank was approximately 100 gallons. ETI personnel then entered the tank and removed approximately 200 gallons of sludge from the bottom of the tank, which was also taken off-site by United. After emptying and cleaning the tank, ETI pulled it from the ground. A visual inspection did not reveal evidence of leaking or holes in the tank (see photographs in Appendix A). The size of the tank measured approxi-

HRP

mately 36 feet long with an 86 inch diameter (approximately 10,000 gallons). The tank was riveted steel tank constructed of ½ inch thick steel. There were no obvious holes or cracks in the tank or evidence of severe corrosion. Following the removal, ETI transported the UST to a metals scrap yard. The tank grave measured approximately 43 by 20 by 8 feet in dimension.

Soil within the tank grave was observed to be dry brown sand with anthropogenic debris (i.e., glass and bricks). No staining or other physical indications (i.e., Photoionization Detector readings) were observed to indicate a release from the UST to the subsurface. Previous subsurface investigations indicated that fill is present below grade in the parking area, and that the fill contains sporadic occurrences of certain substances that exceed certain regulatory criteria set by the Connecticut Department of Environmental Protection, including petroleum. Groundwater was not encountered in the excavation.

HRP collected five soil samples from the tank grave for analytical analysis for Extractable Total Petroleum Hydrocarbons (ETPH), Volatile Organic Compounds (VOCs), and Poly-aromatic Hydrocarbons (PAHs). Samples were collected from each of the four sidewalls and from the bottom of the tank grave. Samples were preserved according to CT Department of Environmental Protection (DEP) standards and submitted to an independent state-certified laboratory.

ETPH was detected in each of the soil samples collected except for SW-1. Levels of ETPH detected ranged from 113 to 1,161 ppm. Only the sample (SW-2), located along the west sidewall (Figure 3), had a concentration (1,161 ppm) which is above the Remediation Regulation Standards (RSR) established for the Residential Direct Exposure Criteria for ETPH of 500 ppm. Further excavation of this sidewall was not possible because it would have compromised the structural integrity of a nearby sidewalk. The concentration of ETPH is consistent with concentrations previously detected sporadically in soils on the site, thus this concentration is not necessarily evidence of a release from the UST itself or associated with historical filling of the UST. VOCs were not detected in any of the soil samples analyzed. PAHs were detected in each of the samples analyzed. However, none of the compounds detected were in levels that exceeded the RSR criteria applicable to the site. See Ap-

HRP

pendix B for laboratory results for soils. After sampling ETI backfilled the tank grave with clean fill brought in from an off-site source.


HRP

III. CONCLUSIONS

The GPR anomaly identified during a 2002 investigation was determined to be a 10,000 gallon UST. The tank was exposed, cleaned, and removed from the ground. No evidence of releases of oil or hazardous materials was identified during the removal of the UST. No evidence of holes or severe corrosion was identified in the riveted steel tank. Only a small amount of residual liquids and sludge was present inside of the tank. The levels of ETPH and PAHs detected in soils around the UST are similar to those detected during other subsurface investigations of the parking area at the site, and are likely attributable to the presence of fill on the site. It is HRP's opinion that the tank removal was successful and that no further action is required with respect to the tank.

HRP

FIGURES



- LEGEND**
- - LIGHT POLE/TELEPHONE POLE
 - MH - MANHOLE
 - CB - CATCH BASIN




FIGURE 2
SITE PLAN
 GENERAL DATACOMM
 6 RUBBER AVENUE
 NAUGATUCK, CT
 HRP # GEN1031.RA
 SCALE 1" = 120'±

HRP Associates, Inc.
 Environmental/Civil Engineering & Hydrology
 Creating the Right Solutions Together
 Connecticut, New York, Pennsylvania, South Carolina
 197 Scott Swamp Road
 Farmington, Connecticut 06032
 Ph: (860) 674-9570 Fax: (860) 674-9624
 www.hrpassociates.com

J:\G\GENED - GENERAL DATACOMM, INC\6 RUBBER AVENUE, NAUGATUCK,
CT\GEN1031RA\CAD\UST EXCAVATION DETAILS.dwg, Layout1, 8/28/2007 12:58:58 PM, \\hrp_fs1\HP LaserJet 5Si

SOUTH WATER STREET





FIGURE 3
UST EXCAVATION
DETAILS
GENERAL DATACOMM
6 RUBBER AVE.
NAUGATUCK, CT
HRP# GEN1031.RA
SCALE: 1" = 5'

ATTACHMENT A
SITE PHOTOGRAPHS




Initial excavation activities




Excavating the UST




Tank grave



UST after removal



UST after removal



Tank grave

ATTACHMENT B
LABORATORY REPORTS FOR SOIL

August 10, 2007

HRP Associates, Inc.
197 Scott Swamp Road
Farmington, CT 06032
Attn: Mary Jane Mamed


Please find attached laboratory report(s) for the samples submitted on:
August 01, 2007.

All pertinent information for this analysis is located on the report. Should it be necessary to contact us regarding billing or the test results, please have the following information readily available:

Lab No. : 0807003
PO/Job No. : GEN1031.RA
Invoice No. : 149541
Customer No. : 350

Please contact us if you have any questions.

Very truly yours,


Stephen J. Franco
Laboratory Director
PH-0547



STEPHEN J. FRANCO
Laboratory Director
PHONE ■ 203/634-3731
www.ctl-web.com / ctestlab@erols.com
165 GRACEY AVENUE ■ MERIDEN, CT ■ 06451

Date Samples Received 08/01/2007

Client Name: HRP Associates, Inc.

CTL Lab No.: 0807003

Report Date: 08/09/2007

PO No: GEN1031.RA

Analyst: SJF

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	13975	13976	13977	13978
Field ID:	SW-1	SW-2	SW-3	SW-4

Parameters	Date Tested	RL					Method #
CT ETPH-mg/kg	08/07/2007	50	BDL	1,161	253	303	GC-FID

RL=Reporting Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2007

Client Name: HRP Associates, Inc.

CTL Lab No.: 0807003

Report Date: 08/09/2007

PO No: GEN1031.RA

Analyst: SJF

RESULTS OF ANALYSIS

Matrix Type:

SOIL

CTL Sample No.:

13979

Field ID:

B-1

Parameters	Date Tested	RL				Method #
CT ETPH-mg/kg	08/07/2007	50	113	--	--	GC-FID

RL=Reporting Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2007

Client Name: HRP Associates, Inc.

Report Date: 08/09/2007

CTL Lab No.: 0807003

PO No: GEN1031.RA

Analyst: SR

RESULTS OF ANALYSIS

8260B/5035 Volatile Org.- GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	13975	13976	13977	13978
Field ID:	SW-1	SW-2	SW-3	SW-4
Date Analyzed:	08/08/2007	08/08/2007	08/08/2007	08/08/2007
Date Extracted:	08/07/2007	08/07/2007	08/07/2007	08/07/2007

Parameters	Units	RL				
Dichlorodifluoromethane	ug/Kg	10	BDL	BDL	BDL	BDL
Chloromethane	ug/Kg	10	BDL	BDL	BDL	BDL
Chloroethane	ug/Kg	10	BDL	BDL	BDL	BDL
Vinyl chloride	ug/Kg	10	BDL	BDL	BDL	BDL
Bromomethane	ug/Kg	10	BDL	BDL	BDL	BDL
Trichlorofluoromethane	ug/Kg	10	BDL	BDL	BDL	BDL
1,1-Dichloroethylene	ug/Kg	10	BDL	BDL	BDL	BDL
Methylene chloride	ug/Kg	10	BDL	BDL	BDL	BDL
Methyl tert-butyl ether (MTBE)	ug/Kg	10	BDL	BDL	BDL	BDL
trans-1,2-Dichloroethylene	ug/Kg	10	BDL	BDL	BDL	BDL
1,1-Dichloroethane	ug/Kg	10	BDL	BDL	BDL	BDL
Methyl ethyl ketone	ug/Kg	50	BDL	BDL	BDL	BDL
2,2-Dichloropropane	ug/Kg	10	BDL	BDL	BDL	BDL
cis-1,2-Dichloroethylene	ug/Kg	10	BDL	BDL	BDL	BDL
Chloroform	ug/Kg	10	BDL	BDL	BDL	BDL
Bromochloromethane	ug/Kg	10	BDL	BDL	BDL	BDL
1,1,1-Trichloroethane	ug/Kg	10	BDL	BDL	BDL	BDL
1,1-Dichloropropylene	ug/Kg	10	BDL	BDL	BDL	BDL
Carbon tetrachloride	ug/Kg	10	BDL	BDL	BDL	BDL
Benzene	ug/Kg	10	BDL	BDL	BDL	BDL
1,2-Dichloroethane	ug/Kg	10	BDL	BDL	BDL	BDL
Trichloroethylene	ug/Kg	10	BDL	BDL	BDL	BDL
1,2-Dichloropropane	ug/Kg	10	BDL	BDL	BDL	BDL
Dibromomethane	ug/Kg	10	BDL	BDL	BDL	BDL
Bromodichloromethane	ug/Kg	10	BDL	BDL	BDL	BDL
MIBK	ug/Kg	50	BDL	BDL	BDL	BDL
cis-1,3-Dichloropropylene	ug/Kg	10	BDL	BDL	BDL	BDL
Toluene	ug/Kg	10	BDL	BDL	BDL	BDL
trans-1,3-Dichloropropylene	ug/Kg	10	BDL	BDL	BDL	BDL
1,1,2-Trichloroethane	ug/Kg	10	BDL	BDL	BDL	BDL
Methyl butyl ketone	ug/Kg	50	BDL	BDL	BDL	BDL
Tetrachloroethylene	ug/Kg	10	BDL	BDL	BDL	BDL
1,3-Dichloropropane	ug/Kg	10	BDL	BDL	BDL	BDL
Dibromochloromethane	ug/Kg	10	BDL	BDL	BDL	BDL

RL=Reporting Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2007

Client Name: HRP Associates, Inc.

CTL Lab No.: 0807003

Report Date: 08/09/2007

PO No: GEN1031.RA

Analyst: SR

RESULTS OF ANALYSIS

8260B/5035 Volatile Org.- GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	13975	13976	13977	13978
Field ID:	SW-1	SW-2	SW-3	SW-4
Date Analyzed:	08/08/2007	08/08/2007	08/08/2007	08/08/2007
Date Extracted:	08/07/2007	08/07/2007	08/07/2007	08/07/2007

Parameters	Units	RL				
1,2-Dibromoethane	ug/Kg	10	BDL	BDL	BDL	BDL
Chlorobenzene	ug/Kg	10	BDL	BDL	BDL	BDL
Ethyl Benzene	ug/Kg	10	BDL	BDL	BDL	BDL
1,1,1,2-Tetrachloroethane	ug/Kg	10	BDL	BDL	BDL	BDL
p/m-Xylene	ug/Kg	10	BDL	BDL	BDL	BDL
o-Xylene	ug/Kg	10	BDL	BDL	BDL	BDL
Styrene	ug/Kg	10	BDL	BDL	BDL	BDL
Bromoform	ug/Kg	10	BDL	BDL	BDL	BDL
Isopropylbenzene	ug/Kg	10	BDL	BDL	BDL	BDL
1,1,2,2-Tetrachloroethane	ug/Kg	10	BDL	BDL	BDL	BDL
Bromobenzene	ug/Kg	10	BDL	BDL	BDL	BDL
1,2,3-Trichloropropane	ug/Kg	10	BDL	BDL	BDL	BDL
2-Chlorotoluene	ug/Kg	10	BDL	BDL	BDL	BDL
n-Propylbenzene	ug/Kg	10	BDL	BDL	BDL	BDL
1,3,5-Trimethylbenzene	ug/Kg	10	BDL	BDL	BDL	BDL
4-Chlorotoluene	ug/Kg	10	BDL	BDL	BDL	BDL
tert-Butylbenzene	ug/Kg	10	BDL	BDL	BDL	BDL
1,2,4-Trimethylbenzene	ug/Kg	10	BDL	BDL	BDL	BDL
p-Isopropyltoluene	ug/Kg	10	BDL	BDL	BDL	BDL
1,3-Dichlorobenzene	ug/Kg	10	BDL	BDL	BDL	BDL
sec-Butylbenzene	ug/Kg	10	BDL	BDL	BDL	BDL
1,4-Dichlorobenzene	ug/Kg	10	BDL	BDL	BDL	BDL
n-Butylbenzene	ug/Kg	10	BDL	BDL	BDL	BDL
1,2-Dichlorobenzene	ug/Kg	10	BDL	BDL	BDL	BDL
1,2-Dibromo-3-chloropropane	ug/Kg	10	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	ug/Kg	10	BDL	BDL	BDL	BDL
Hexachlorobutadiene	ug/Kg	50	BDL	BDL	BDL	BDL
Naphthalene	ug/Kg	50	BDL	BDL	BDL	BDL
1,2,3-Trichlorobenzene	ug/Kg	10	BDL	BDL	BDL	BDL
Dibromofluoromethane	%	—	109	106	106	105
Toluene-d8	%	—	102	98	96	95

RL=Reporting Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2007

Client Name: HRP Associates, Inc.

Report Date: 08/09/2007

CTL Lab No.: 0807003

PO No: GEN1031.RA

Analyst: SR

RESULTS OF ANALYSIS

8260B/5035 Volatile Org.- GC/MS

Matrix Type: SOIL
CTL Sample No.: 13979
Field ID: B-1
Date Analyzed: 08/08/2007
Date Extracted: 08/07/2007

Parameters	Units	RL				
Dichlorodifluoromethane	ug/Kg	10	BDL	--	--	--
Chloromethane	ug/Kg	10	BDL	--	--	--
Chloroethane	ug/Kg	10	BDL	--	--	--
Vinyl chloride	ug/Kg	10	BDL	--	--	--
Bromomethane	ug/Kg	10	BDL	--	--	--
Trichlorofluoromethane	ug/Kg	10	BDL	--	--	--
1,1-Dichloroethylene	ug/Kg	10	BDL	--	--	--
Methylene chloride	ug/Kg	10	BDL	--	--	--
Methyl tert-butyl ether (MTBE)	ug/Kg	10	BDL	--	--	--
trans-1,2-Dichloroethylene	ug/Kg	10	BDL	--	--	--
1,1-Dichloroethane	ug/Kg	10	BDL	--	--	--
Methyl ethyl ketone	ug/Kg	50	BDL	--	--	--
2,2-Dichloropropane	ug/Kg	10	BDL	--	--	--
cis-1,2-Dichloroethylene	ug/Kg	10	BDL	--	--	--
Chloroform	ug/Kg	10	BDL	--	--	--
Bromochloromethane	ug/Kg	10	BDL	--	--	--
1,1,1-Trichloroethane	ug/Kg	10	BDL	--	--	--
1,1-Dichloropropylene	ug/Kg	10	BDL	--	--	--
Carbon tetrachloride	ug/Kg	10	BDL	--	--	--
Benzene	ug/Kg	10	BDL	--	--	--
1,2-Dichloroethane	ug/Kg	10	BDL	--	--	--
Trichloroethylene	ug/Kg	10	BDL	--	--	--
1,2-Dichloropropane	ug/Kg	10	BDL	--	--	--
Dibromomethane	ug/Kg	10	BDL	--	--	--
Bromodichloromethane	ug/Kg	10	BDL	--	--	--
MIBK	ug/Kg	50	BDL	--	--	--
cis-1,3-Dichloropropylene	ug/Kg	10	BDL	--	--	--
Toluene	ug/Kg	10	BDL	--	--	--
trans-1,3-Dichloropropylene	ug/Kg	10	BDL	--	--	--
1,1,2-Trichloroethane	ug/Kg	10	BDL	--	--	--
Methyl butyl ketone	ug/Kg	50	BDL	--	--	--
Tetrachloroethylene	ug/Kg	10	BDL	--	--	--
1,3-Dichloropropane	ug/Kg	10	BDL	--	--	--
Dibromochloromethane	ug/Kg	10	BDL	--	--	--

RL=Reporting Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2007

Client Name: HRP Associates, Inc.

Report Date: 08/09/2007

CTL Lab No.: 0807003

PO No: GEN1031.RA

Analyst: SR

RESULTS OF ANALYSIS

8260B/5035 Volatile Org.- GC/MS

Matrix Type: SOIL
CTL Sample No.: 13979
Field ID: B-1
Date Analyzed: 08/08/2007
Date Extracted: 08/07/2007

Parameters	Units	RL				
1,2-Dibromoethane	ug/Kg	10	BDL	--	--	--
Chlorobenzene	ug/Kg	10	BDL	--	--	--
Ethyl Benzene	ug/Kg	10	BDL	--	--	--
1,1,1,2-Tetrachloroethane	ug/Kg	10	BDL	--	--	--
p/m-Xylene	ug/Kg	10	BDL	--	--	--
o-Xylene	ug/Kg	10	BDL	--	--	--
Styrene	ug/Kg	10	BDL	--	--	--
Bromoform	ug/Kg	10	BDL	--	--	--
Isopropylbenzene	ug/Kg	10	BDL	--	--	--
1,1,2,2-Tetrachloroethane	ug/Kg	10	BDL	--	--	--
Bromobenzene	ug/Kg	10	BDL	--	--	--
1,2,3-Trichloropropane	ug/Kg	10	BDL	--	--	--
2-Chlorotoluene	ug/Kg	10	BDL	--	--	--
n-Propylbenzene	ug/Kg	10	BDL	--	--	--
1,3,5-Trimethylbenzene	ug/Kg	10	BDL	--	--	--
4-Chlorotoluene	ug/Kg	10	BDL	--	--	--
tert-Butylbenzene	ug/Kg	10	BDL	--	--	--
1,2,4-Trimethylbenzene	ug/Kg	10	BDL	--	--	--
p-Isopropyltoluene	ug/Kg	10	BDL	--	--	--
1,3-Dichlorobenzene	ug/Kg	10	BDL	--	--	--
sec-Butylbenzene	ug/Kg	10	BDL	--	--	--
1,4-Dichlorobenzene	ug/Kg	10	BDL	--	--	--
n-Butylbenzene	ug/Kg	10	BDL	--	--	--
1,2-Dichlorobenzene	ug/Kg	10	BDL	--	--	--
1,2-Dibromo-3-chloropropane	ug/Kg	10	BDL	--	--	--
1,2,4-Trichlorobenzene	ug/Kg	10	BDL	--	--	--
Hexachlorobutadiene	ug/Kg	50	BDL	--	--	--
Naphthalene	ug/Kg	50	BDL	--	--	--
1,2,3-Trichlorobenzene	ug/Kg	10	BDL	--	--	--
Dibromofluoromethane	%	---	103	--	--	--
Toluene-d8	%	---	97	--	--	--

RL=Reporting Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2007

Client Name: HRP Associates, Inc.

CTL Lab No.: 0807003

Report Date: 08/09/2007

PO No: GEN1031.RA

Analyst: JP

RESULTS OF ANALYSIS

EPA Method 8270 PAH

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	13975	13976	13977	13978
Field ID:	SW-1	SW-2	SW-3	SW-4
Date Analyzed:	08/07/2007	08/07/2007	08/07/2007	08/08/2007
Date Extracted:	08/03/2007	08/03/2007	08/03/2007	08/03/2007

Parameters	Units	RL				
Naphthalene	ppb	10	BDL	33.0	11.0	11.0
Acenaphthylene	ppb	10	BDL	BDL	BDL	BDL
Acenaphthene	ppb	10	BDL	15.0	BDL	BDL
Fluorene	ppb	10	BDL	BDL	12.0	BDL
Phenanthrene	ppb	10	20.0	715.0	335.0	BDL
Anthracene	ppb	10	BDL	233.0	43.0	BDL
Fluoranthene	ppb	10	146.0	825.0	690.0	59.0
Pyrene	ppb	10	104.0	650.0	536.0	66.0
Benzo(a)anthracene	ppb	10	40.0	253.0	248.0	48.0
Chrysene	ppb	10	102.0	538.0	601.0	85.0
Benzo(b)fluoranthene	ppb	10	68.0	450.0	363.0	57.0
Benzo(k)fluoranthene	ppb	10	56.0	433.0	429.0	48.0
Benzo(a)pyrene	ppb	10	90.0	588.0	549.0	BDL
Indeno(1,2,3-cd)Pyrene	ppb	50	BDL	BDL	78.0	BDL
Dibenzo(a,h)Anthracene	ppb	50	BDL	BDL	66.0	BDL
Benzo(g,h,i)Perylene	ppb	50	BDL	BDL	378.0	BDL
Benzo(j)fluoranthene	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,h)acridine	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,j)acridine	ppb	50	BDL	BDL	BDL	BDL
7H-Dibenzo(c,g)carbazole	ppb	50	BDL	BDL	BDL	BDL
3-Methylcholanthrene	ppb	50	BDL	BDL	BDL	BDL
2-Fluorobiphenyl	%	—	102	99	93	97
Nitrobenzene-d5	%	—	106	106	101	100
p-Terphenyl-d14	%	—	98	97	103	102

RL=Reporting Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2007

Client Name: HRP Associates, Inc.

Report Date: 08/09/2007

CTL Lab No.: 0807003

PO No: GEN1031.RA

Analyst: JP

RESULTS OF ANALYSIS

EPA Method 8270 PAH

Matrix Type: SOIL
CTL Sample No.: 13979
Field ID: B-1
Date Analyzed: 08/08/2007
Date Extracted: 08/03/2007

Parameters	Units	RL				
Naphthalene	ppb	10	BDL	—	—	—
Acenaphthylene	ppb	10	BDL	—	—	—
Acenaphthene	ppb	10	BDL	—	—	—
Fluorene	ppb	10	BDL	—	—	—
Phenanthrene	ppb	10	BDL	—	—	—
Anthracene	ppb	10	BDL	—	—	—
Fluoranthene	ppb	10	37.0	—	—	—
Pyrene	ppb	10	30.0	—	—	—
Benzo(a)anthracene	ppb	10	BDL	—	—	—
Chrysene	ppb	10	11.0	—	—	—
Benzo(b)fluoranthene	ppb	10	BDL	—	—	—
Benzo(k)fluoranthene	ppb	10	BDL	—	—	—
Benzo(a)pyrene	ppb	10	22.0	—	—	—
Indeno(1,2,3-cd)Pyrene	ppb	50	BDL	—	—	—
Dibenzo(a,h)Anthracene	ppb	50	BDL	—	—	—
Benzo(g,h,i)Perylene	ppb	50	BDL	—	—	—
Benzo(j)fluoranthene	ppb	50	BDL	—	—	—
Dibenzo(a,h)acridine	ppb	50	BDL	—	—	—
Dibenzo(a,j)acridine	ppb	50	BDL	—	—	—
7H-Dibenzo(c,g)carbazole	ppb	50	BDL	—	—	—
3-Methylcholanthrene	ppb	50	BDL	—	—	—
2-Fluorobiphenyl	%	—	103	—	—	—
Nitrobenzene-d5	%	—	103	—	—	—
p-Terphenyl-d14	%	—	100	—	—	—

RL=Reporting Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

ATTACHMENT C
WASTE DISPOSAL DOCUMENTATION



UNITED
INDUSTRIAL
SERVICES

DIVISION OF UNITED OIL RECOVERY, INC.

136 GRACEY AVENUE MERIDEN, CT 06451-2270
TEL. (203) 238-6745
FAX (203) 630-2503

WORK ORDER

Work Order No : 00654862

Date : 07/31/07

020001

EXC106

GC: 1

GEN001

EXCAVATION TECHNOLOGY INC

GENERAL DATA COMM

135 COMMERCE COURT

6 RUBBER AVE

CHESHIRE, CT 06410

NAUGATUCK, CT 06770

TIM SLATER

ROBERT BUTLER

(203)271-2232

(203)729-0271

APPROVAL TO FOLLOW

APPROVAL TO FOLLOW ORDER

MANIFEST: UISA0872592

P.O. #: -

200

GALS

2178 IXMSD

SCOPE OF WORK: (TS) ON SITE 1 HR TO PUMP TANK WHILE
THEY RINSE. TANK TO BE REMOVED ONCE
CLEAN. APPROX 100 GAL OIL/WATER. CONTACT
TIM SLATER ON SITE

CALLER IN BY: TIM SLATER

REQ TIME: LATE A.M

DAY/HRS OPER:

EXP QTY: 100

REP(S): BRO/TS

SITE CONTACT: ROBERT BUTLER 203-729-0271

(203)410-5702

DRIVER NAME Brian Clark TRUCK # V-7 TRL#
LEAVE YARD 945 ARRIVE SITE 1015
LEAVE SITE ARRIVE PLANT
ON SITE TIME MANIFEST/BOL#
SOURCE OF WASTE: DRUMS TANK ☒ OTHER
APPROX. QUANTITY OF SLUDGE
LIGHT WEIGHT GROSS WEIGHT
CERTIFIED SCALE USED
DRIVER COMMENTS

THANK YOU FOR THE OPPORTUNITY TO SERVE YOUR WASTE REMOVAL NEEDS

CUSTOMER AGREES TO PAY SERVICE CHARGES OF 1% PER MONTH OR THE HIGHEST RATE ALLOWED BY LAW, (WHICHEVER IS LESSER), FROM THE DUE DATE OF EACH INVOICE TO DATE OF PAYMENT. IN THE EVENT CUSTOMER'S ACCOUNT IS PLACED FOR COLLECTION, CUSTOMER AGREES TO PAY ALL COSTS OF COLLECTION, INCLUDING REASONABLE ATTORNEY'S FEES.

Signature [Signature]

Date

7/31/07



General DataComm, Inc.

6 RUBBER AVENUE, NAUGATUCK, CONNECTICUT 06770 Tel: (203) 729-0271

DATE RECEIVED
DATE: 9-12-07
CRD

September 10, 2007

Mr. Charles Doback
Naugatuck Fire Marshal
41 Maple Street
Naugatuck, CT 06770

Dear Mr. Doback,

Enclosed please find a copy of an "Underground Storage Facility Notification" filed for General DataComm, Inc., 6 Rubber Avenue, Naugatuck, CT 06770 along with a copy of the "Underground Storage Tank Closure Report" prepared by HRP Associates.

Sincerely,

William Henry/ads

William G. Henry
Vice President, Finance and Administration

WGH:ads

Enclosures



EPHM-6 Rev. 5/94
3. FOR STATE AGENCY USE ONLY
B. FEE RECEIVED
C. FEE RECEIVED
10/25/07

PLEASE TYPE OR PRINT ALL THREE COPIES MUST BE LEGIBLE
Refer to INSTRUCTIONS FOR FILING NOTIFICATION before completing form.

1a. ☒ FIRST NOTIFICATION
b. ☐ SUBSEQUENT NOTIFICATION
2. PG. 1 of 1
SITE ID: 88-8514

4. OF FACILITY LOCATION
General DataComm
5. BUSINESS NAME AND ADDRESS
General DataComm
6. MAILING ADDRESS
General DataComm
7. FACILITY OWNER
General DataComm

NO. AND STREET
6 Rubber Ave.
CITY OR TOWN
Naugatuck
STATE
CT
ZIP CODE
06770

NEAREST INTERSECTING STREET
South Water Street
CITY OR TOWN
Naugatuck
STATE
CT
ZIP CODE
06770
D. GRID COORDINATES
X Y
E. DOES FACILITY MEET NEW REQUIREMENTS?
YES NO

8. TYPE OF OWNER
☒ PRIVATE
☐ MUNICIPAL
☐ FEDERAL (G.S.A. NO.)
9. OPERATOR/CONTACT PERSON
William Henry

NO. AND STREET
6 Rubber Avenue
CITY OR TOWN
Naugatuck
STATE
CT
ZIP CODE
06770

TELEPHONE
(203) 729-0271
TELEPHONE
(203) 729-0271

10. TANK ID.
Example
Example
A1

11a. DATE OF INSTALLATION (Mo/Yr)
5/75
7/60
Unknown

11b. 12a. 12b. STATUS
11b. NAME
William Henry
12a. TOTAL CAPACITY (Gals)
5000
8000
10,000
12b. EST. QUANTITY LEFT STORED (if any) (Gals.)
X
X
X

13. TYPE OF CONTENTS
CHEMICAL LIQUID
OIL/PETRO
LEUM PRODUCT

14. CONTENTS
CHEMICAL NAME OF PRINCIPAL SUBSTANCE (not trade name) (Enter C.A.S. No., if known)
Heating fuel #2
1,1,1 - Trichloroethane CAS #79016
unknown oil

15. CONSTRUCTION MATERIALS
STEEL
FIBERGLASS
REINFORCED
PLASTIC
OTHER (Specify from List A)

16. PROTECTION
a. INTERNAL
b. EXTERNAL
c. COATED/WRAPPED
d. CATHODIC PROTECTION

17. INTEGRAL PIPING SYSTEM
DATE OF INSTALLATION OR REPLACEMENT (Mo/Yr)
5/75
7/60
U

18. MONITORING SYSTEM
(Specify type from list B)
U
U
U

19. FAILURE DETERMINATION CONDUCTED?
(If "YES", enter "DATE" and attach results)
(If "NO", enter "NO")
NO
-
-

20. HAVE YOU ATTACHED SKETCH OF TANKS AND LOCATION?
☒ YES
21. COMMENTS:

22a. SIGNATURE
X W Henry
22b. DATE SIGNED
8/31/07
22c. NAME (Type or Print)
William Henry
22d. OFFICIAL TITLE (or owner or authorized representative)
Vice President

UNDERGROUND STORAGE FACILITY NOTIFICATION

1a. ☒ FIRST NOTIFICATION
 b. ☐ SUBSEQUENT NOTIFICATION

2. PG. of 11

3. SITE ID. B8-11760



STATE OF CONNECTICUT
 Department of Environmental Protection
 UNDERGROUND STORAGE FACILITIES PROGRAM
 Bureau of Hazardous Waste Management
 79 ELIM STREET, Hartford, CT 06106-6127
 TEL. (860) 424-3374



4. LOCATION: Former Municipal Parcel C
 5. BUSINESS NAME AND MAILING ADDRESS: N/A
 6. FACILITY OWNER: Borough of Naugatuck
 7. TYPE OF OWNER: ☐ PRIVATE ☒ MUNICIPAL

8. NO. AND STREET: Water St.
 9. CITY OR TOWN: Naugatuck
 10. STATE: CT
 11. ZIP CODE: 06770
 12. TELEPHONE: (203) 720-7009

13. TYPE OF CONTENTS: 14. CONTENTS
 15. MATERIALS: STEEL
 16. PROTECTION: INTERNAL
 17. INTEGRAL: CT 06770
 18. MONITORING SYSTEM: U
 19. FAILURE DETERMINATION CONDUCTED? NO

NO.	TANK ID	DATE OF INSTALLATION (Mo./Yr.)	EST. QUANTITY LEFT STORED (if any) (Gals.)	ABANDONED IN PLACE	IN USE	TOTAL CAPACITY (Gals.)	LIFE EXPECTANCY (if any) (Yr.)	REMOVED	DATE TANK LAST USED (Mo./Yr.)	CHEMICAL NAME OF PRINCIPAL SUBSTANCE (not trade name) (Enter C.A.S. No. if known)	15. CONSTRUCTION MATERIALS	16. PROTECTION	17. INTEGRAL	18. MONITORING SYSTEM	19. FAILURE DETERMINATION CONDUCTED?
Example	5/75	30	5000	X				X	8/78	X	STEEL	INTERNAL	CT 06770	U	NO
Example	7/60	-	8000					X	6/98	X	STEEL	INTERNAL	CT 06770	U	-
A1	?	15	8000					X	6/98	X	STEEL	INTERNAL	CT 06770	U	-
B2	?	15	5000					X	6/98	X	STEEL	INTERNAL	CT 06770	U	-

RECEIVED

JUL 10 1998


DEP WASTE MANAGEMENT BUREAU
 UNDERGROUND STORAGE TANK
 ENFORCEMENT PROGRAM

20. HAVE YOU ATTACHED SKETCH OF TANKS AND LOCATION? ☒ YES

21. COMMENTS:

22a. SIGNATURE: x Timothy D. Barth
 22b. DATE SIGNED: 7-2-98
 22c. NAME (Type or Print): Timothy Barth
 22d. OFFICIAL TITLE (of owner or authorized representative): Mayor

22. CERTIFICATION: I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents and that I believe that the submitted information is true, accurate and complete. I believe that the submitted information is true, accurate and complete. Penalties: any owner who knowingly fails to notify shall be subject to a civil penalty not to exceed \$10,000 for each tank for which notification is not given or for which false information is submitted.



UST LOCATION



CEDAR STREET

MAPLE STREET

WATER STREET

EXISTING
BUILDING
#25

JUNCTION BOX
AND HYDRANT

APPROXIMATE LOCATION OF STORM WATER LINE

APPROXIMATE PROPERTY BOUNDARY

RETAINING WALL

APPROXIMATE PROPERTY BOUNDARY

RETAINING WALL

BUILDING

5,000-GALLON MEEK

8,000-GALLON
#4 HEATING TANK

UST AREA

PUMP HOUSE

APPROXIMATE SCALE IN FEET
50 0 50

LAND TECH REMEDIAL, INC.				
BOROUGH OF NAUGATUCK				
PARCEL C				
NAUGATUCK, CONNECTICUT				
DRAWN BY	DATE	DRAWING NUMBER	SCALE	REVISIONS
ADM	7/2/97	12615	1" = 50'	

CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION
Oil & Chemical Spill Section
Hazardous Materials Management Unit

Case # 970-7/16/85

ASSIGNED TO: MC

EMERGENCY INCIDENT REPORT

DATE: 7/16/85 TIME: 3:25 pm TOWN OF DISCHARGE: Naugatuck
FROM: Naugatuck FD BY: Dave Secor PHONE: 729-2234
REPRESENTING: _____
STREET ADDRESS: _____
CITY: _____
LOCATION OF DISCHARGE: Uniroyal Facility - Downtown

DISCHARGE TYPE: () PETRO () CHEMICAL (X) GAS. EMISSION. () OTHER
DISCHARGE SUBSTANCE: NH₃ / 44 MGD TOTAL QUANTITY: 44 MGD
DATE OF DISCHARGE: 7-16-85 TIME OF DISCHARGE: PM
CONTAINMENT MEASURES: NH₃ refrigerant tank ruptured by demolition contractor

WATER BODY: None TOTAL IN WATER: _____
TOTAL RECOVERED: 0 RECOVERED FROM WATER: _____
DISCHARGER: UNIROYAL DISCHARGE STOPPED: YES
DISCHARGER ACCEPTED LEGAL RESPONSIBILITY: _____

DISCHARGE CLASS

- | | | | |
|------------------------|------------------------|-------------------|-----------------------|
| 1. UNKNOWN () | 2. MARINE TERMINAL () | 3. INDUSTRIAL (X) | 4. TRANSPORTATION () |
| 5. PRIVATE () | 6. GOVERNMENTAL () | 7. VESSELS () | 8. COMMERCIAL () |
| 9. INLAND TERMINAL () | 10. UTILITY () | 99. OTHER () | |

CAUSE

- | | | |
|------------------------------------------------------------------------|------------------------------|--------------------------|
| 1. UNKNOWN () | 2. HOSE FAILURE () | 3. TRANS. LINE FAIL. () |
| 4. INGROUND TANK FAILURE () | 5. ABOVE GRND TANK FAIL. () | 6. SADDLE TANK FRAC. () |
| 7. CARGO TANK FAILURE () | 8. FUEL TANK FAILURE () | 9. HULL FRACTURE () |
| 10. TANK FAILURE () | 11. CONTAINER FAILURE () | 12. VALVE FAILURE () |
| 13. FIRE () | 14. POWER FAILURE () | 15. PUMP FAILURE () |
| 16. PUMPING () | 17. DUMPING () | 18. DISCHARGING () |
| 19. SINKING () | 20. SEEPAGE () | 21. PUMPING BILGE () |
| 22. OPEN HATCH () | 23. VANDALISM () | 24. BLOW BACK () |
| 25. ROAD OILING OR REPAIR () | 26. VEHICULAR ACCIDENT () | 27. TRANS/CAPACITOR () |
| 99. OTHER <u>Refrigerant cylinder damaged by demolition contractor</u> | | |

CORRECTIVE ACTIONS

- | | | | |
|----------------------------|-----------------------|-----------------------|------------------|
| 1. NONE () | 2. NONE REQUIRED () | 3. UNKNOWN () | 4. REMOVED (X) |
| 5. CONTAINED & REMOVED () | 6. CONTRACTED () | 7. TEST WELL(S) () | 8. DISSIPATE (X) |
| 9. EVAPORATED () | 10. SANDED () | 11. FOAMED () | 12. REFERRED () |
| 13. CLEANED () | 14. WASHED DOWN () | 15. PUMPED OUT () | 14. NEUTRAL () |
| 17. RECOVERY SYSTEM () | 18. REPAIRED LINE () | 19. REPAIRED TANK () | |
| 20. REMOVED TANK () | 19. OTHER _____ () | | |

CLEAN-UP ACTIONS BEING TAKEN: Removed container / dissipated

AGENCIES NOTIFIED: DEP
CLEAN-UP CONTRACTOR: _____ REQUESTED: _____ ARRIVED: _____
STATUS: () OPEN (X) CLOSED () MONITORED CODE: E
RECEIVED BY: William Secor INSPECTOR: Mike Capuano

CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION
Oil & Chemical Spill Section
Hazardous Materials Management Unit

SE# 678-515186

ASSIGNED TO: NR

EMERGENCY INCIDENT REPORT

DATE: 5/5/86 TIME: 10:10 TOWN OF DISCHARGE: Naugatuck
FROM: _____ BY: Dan Knight PHONE: 713-3555
REPRESENTING: Universal Chemical
STREET ADDRESS: Rubber Avenue
CITY: Naugatuck
LOCATION OF DISCHARGE: same - at waste drum storage area
DISCHARGE TYPE: () PETRO (X) CHEMICAL () GAS EMISSION () OTHER
DISCHARGE SUBSTANCE: methyl methacrylate TOTAL QUANTITY: vapor
DATE OF DISCHARGE: 5/5/86 TIME OF DISCHARGE: _____
CONTAINMENT MEASURES: disassembled

WATER BODY: n-cr TOTAL IN WATER: _____
TOTAL RECOVERED: _____ RECOVERED FROM WATER: _____
DISCHARGER: _____ DISCHARGE STOPPED: _____
DISCHARGER ACCEPTS FINANCIAL RESPONSIBILITY: _____

DISCHARGE CLASS

- | | | | |
|------------------------|------------------------|-------------------|-----------------------|
| 1. UNKNOWN () | 2. MARINE TERMINAL () | 3. INDUSTRIAL (X) | 4. TRANSPORTATION () |
| 5. PRIVATE () | 6. GOVERNMENTAL () | 7. VESSELS () | 8. COMMERCIAL () |
| 9. INLAND TERMINAL () | 10. UTILITY () | 11. NATURAL () | 99. OTHER () |

CAUSE

- | | | |
|------------------------------|------------------------------------|-----------------------------|
| 1. UNKNOWN () | 2. HOSE FAILURE () | 3. TRANSF. LINE FAILURE () |
| 4. INGROUND TANK FAILURE () | 5. ABOVE GRND TANK FAIL. () | 6. SADDLE TANK FRACTURE () |
| 7. CARGO TANK FAILURE () | 8. FUEL TANK FAILURE () | 9. HULL FRACTURE () |
| 10. TANK OVERFILL () | 11. CONTAINER FAILURE () | 12. VALVE FAILURE () |
| 13. FIRE () | 14. POWER FAILURE () | 15. PUMP FAILURE () |
| 16. PUMPING () | 17. DUMPING () | 18. ILLEGAL DISCHARGE () |
| 19. SINKING () | 20. SEEPAGE () | 21. PUMPING BILGE () |
| 22. OPEN HATCH () | 23. VANDALISM () | 24. BLOW BACK () |
| 25. ROAD OILING/REPAIR () | 26. VEHICULAR ACCIDENT () | 27. TRANS/CAPACITOR () |
| 28. NATURAL () | 99. OTHER <u>vapor release</u> (X) | |

CORRECTIVE ACTIONS

- | | | | |
|----------------------------|-----------------------|-----------------------|---------------------|
| 1. NONE () | 2. NONE REQUIRED () | 3. UNKNOWN () | 4. REMOVED () |
| 5. CONTAINED & REMOVED () | 6. CONTRACTED () | 7. TEST WELL(S) () | 8. DISSIPATED (X) |
| 9. EVAPORATED () | 10. SANDED () | 11. FOAMED () | 12. REFERRED () |
| 13. CLEANED () | 14. WASHED DOWN () | 15. PUMPED OUT () | 14. NEUTRALIZED () |
| 17. RECOVERY SYSTEM () | 18. REPAIRED LINE () | 19. REPAIRED TANK () | 20. DISPERSED () |
| 21. REMOVED TANK () | 99. OTHER _____ | | |

CLEAN-UP ACTIONS BEING TAKEN: will relocate operation or modify to prevent vapor release
AGENCIES NOTIFIED: _____
CLEANUP CONTRACTOR: Sealand REQUESTED: _____ ARRIVED: _____
STATUS: () OPEN () CLOSED () MONITORED CODE: E
RECEIVED BY: BC INSPECTOR: NR/BC

CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION
Oil & Chemical Spill Section
Hazardous Materials Management Unit

SE# 956-6/14/86

ASSIGNED TO: MC

EMERGENCY INCIDENT REPORT

DATE: 6/14/86
FROM: _____

TIME: 16:00
BY: James Walsh 723-3000

TOWN OF DISCHARGE: Norwalk
PHONE: 723-3555

REPRESENTING: _____
STREET ADDRESS: _____
CITY: _____

Univocal Chemical

Don Kogut Home
723-3555
office

LOCATION OF DISCHARGE: Rubber Ave

DISCHARGE TYPE: () PETRO (☒) CHEMICAL () GAS. EMISSION () OTHER

DISCHARGE SUBSTANCE: sulfuric acid TOTAL QUANTITY: 600 gal

DATE OF DISCHARGE: 6/14 TIME OF DISCHARGE: 1

CONTAINMENT MEASURES: contained in sand on partial blacktop but may be seeping in

WATER BODY: ground TOTAL IN WATER: _____

TOTAL RECOVERED: 650 gal RECOVERED FROM WATER: _____

DISCHARGER: Univocal DISCHARGE STOPPED: YES

DISCHARGER ACCEPTS FINANCIAL RESPONSIBILITY: Don Kogut

DISCHARGE CLASS

- | | | | |
|------------------------|------------------------|-------------------------------------------------------|-----------------------|
| 1. UNKNOWN () | 2. MARINE TERMINAL () | 3. INDUSTRIAL (<input checked="" type="checkbox"/>) | 4. TRANSPORTATION () |
| 5. PRIVATE () | 6. GOVERNMENTAL () | 7. VESSELS () | 8. COMMERCIAL () |
| 9. INLAND TERMINAL () | 10. UTILITY () | 11. NATURAL () | 99. OTHER () |

CAUSE

- | | | |
|------------------------------|------------------------------------------------------------------|-----------------------------|
| 1. UNKNOWN () | 2. HOSE FAILURE () | 3. TRANSF. LINE FAILURE () |
| 4. INGROUND TANK FAILURE () | 5. ABOVE GRND TANK FAIL. (<input checked="" type="checkbox"/>) | 6. SADDLE TANK FRACTURE () |
| 7. CARGO TANK FAILURE () | 8. FUEL TANK FAILURE () | 9. HULL FRACTURE () |
| 10. TANK OVERFILL () | 11. CONTAINER FAILURE () | 12. VALVE FAILURE () |
| 13. FIRE () | 14. POWER FAILURE () | 15. PUMP FAILURE () |
| 16. PUMPING () | 17. DUMPING () | 18. ILLEGAL DISCHARGE () |
| 19. SINKING () | 20. SEEPAGE () | 21. PUMPING BILGE () |
| 22. OPEN HATCH () | 23. VANDALISM () | 24. BLOW BACK () |
| 25. ROAD OILING/REPAIR () | 26. VEHICULAR ACCIDENT () | 27. TRANS/CAPACITOR () |
| 28. NATURAL () | 99. OTHER () | |

CORRECTIVE ACTIONS

- | | | | |
|----------------------------|-------------------------------------------------------|--------------------------------------------------------|---------------------------------------------------------|
| 1. NONE () | 2. NONE REQUIRED () | 3. UNKNOWN () | 4. REMOVED () |
| 5. CONTAINED & REMOVED () | 6. CONTRACTED (<input checked="" type="checkbox"/>) | 7. TEST WELL(S) () | 8. DISSIPATED () |
| 9. EVAPORATED () | 10. SANDED () | 11. FOAMED () | 12. REFERRED () |
| 13. CLEANED () | 14. WASHED DOWN () | 15. PUMPED OUT (<input checked="" type="checkbox"/>) | 14. NEUTRALIZED (<input checked="" type="checkbox"/>) |
| 17. RECOVERY SYSTEM () | 18. REPAIRED LINE () | 19. REPAIRED TANK () | 20. DISPERSED () |
| 21. REMOVED TANK () | 99. OTHER () | | |

CLEAN-UP ACTIONS BEING TAKEN: see above

AGENCIES NOTIFIED: N.A.
CLEANUP CONTRACTOR: Sealand
STATUS: () OPEN (☒) CLOSED
RECEIVED BY: BC

REQUESTED: _____ ARRIVED: _____
~~MONITORED~~ CODE: E
INSPECTOR: M. Capuano

CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION
Oil & Chemical Spill Section
Hazardous Materials Management Unit

Case# 953-5/31/87

ASSIGNED TO: NR

EMERGENCY INCIDENT REPORT

DATE: 5/31/87
FROM: _____

TIME: 1:10 AM

TOWN OF DISCHARGE: Naugatuck

BY: Jim Walsh

PHONE: 203-3000

REPRESENTING: _____

STREET ADDRESS: _____

CITY: _____

LOCATION OF DISCHARGE: Sea

DISCHARGE TYPE: () PETRO () CHEMICAL () GAS. EMISSION () OTHER

DISCHARGE SUBSTANCE: HCl

TOTAL QUANTITY: about

DATE OF DISCHARGE: 5/30/87

TIME OF DISCHARGE: 10:50 PM

CONTAINMENT MEASURES: None

WATER BODY: NA

TOTAL IN WATER: NA

TOTAL RECOVERED: _____

RECOVERED FROM WATER: _____

DISCHARGER: Walsh

DISCHARGE STOPPED: _____

DISCHARGER ACCEPTS FINANCIAL RESPONSIBILITY: yes

DISCHARGE CLASS

- | | | | |
|------------------------|------------------------|-------------------|-----------------------|
| 1. UNKNOWN () | 2. MARINE TERMINAL () | 3. INDUSTRIAL () | 4. TRANSPORTATION () |
| 5. PRIVATE () | 6. GOVERNMENTAL () | 7. VESSELS () | 8. COMMERCIAL () |
| 9. INLAND TERMINAL () | 10. UTILITY () | 11. NATURAL () | 99. OTHER () |

CAUSE

- | | | |
|------------------------------|------------------------------|-----------------------------|
| 1. UNKNOWN () | 2. HOSE FAILURE () | 3. TRANSF. LINE FAILURE () |
| 4. INGROUND TANK FAILURE () | 5. ABOVE GRND TANK FAIL. () | 6. SADDLE TANK FRACTURE () |
| 7. CARGO TANK FAILURE () | 8. FUEL TANK FAILURE () | 9. HULL FRACTURE () |
| 10. TANK OVERFILL () | 11. CONTAINER FAILURE () | 12. VALVE FAILURE () |
| 13. FIRE () | 14. POWER FAILURE () | 15. PUMP FAILURE () |
| 16. PUMPING () | 17. DUMPING () | 18. ILLEGAL DISCHARGE () |
| 19. SINKING () | 20. SEEPAGE () | 21. PUMPING BILGE () |
| 22. OPEN HATCH () | 23. VANDALISM () | 24. BLOW BACK () |
| 25. ROAD OILING/REPAIR () | 26. VEHICULAR ACCIDENT () | 27. TRANS/CAPACITOR () |
| 28. NATURAL () | 99. OTHER () | |

CORRECTIVE ACTIONS

- | | | | |
|----------------------------|-----------------------|-----------------------|--------------------|
| 1. NONE () | 2. NONE REQUIRED () | 3. UNKNOWN () | 4. REMOVED () |
| 5. CONTAINED & REMOVED () | 6. CONTRACTED () | 7. TEST WELL(S) () | 8. DISSAPATED () |
| 9. EVAPORATED () | 10. SANDED () | 11. FOAMED () | 12. REFERRED () |
| 13. CLEANED () | 14. WASHED DOWN () | 15. PUMPED OUT () | 14. NUTRALIZED () |
| 17. RECOVERY SYSTEM () | 18. REPAIRED LINE () | 19. REPAIRED TANK () | 20. DISPERSED () |
| 21. REMOVED TANK () | 99. OTHER () | | |

CLEAN-UP ACTIONS BEING TAKEN: None Required

AGENCIES NOTIFIED: Naugatuck FD 729-1315

CLEANUP CONTRACTOR: _____

REQUESTED: _____

ARRIVED: _____

STATUS: () OPEN

() CLOSED

() MONITORED

CODE: _____

RECEIVED BY: Walsh

INSPECTOR: NR

CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION
Hazardous Materials Management Unit
Oil and Chemical Spill Section

CASE # 1519 517190

ASSIGNED TO: PCB

EMERGENCY INCIDENT REPORT

DATE: 5/7/90 TIME: 15:45 TOWN of INCIDENT: Naugatuck
FROM: _____ BY: Mark Seeger PHONE: 729-4571
REPRESENTING: Fire Marshal's Office
ADDRESS: _____

INCIDENT LOCATION: Five Headwaters, Maple St

TYPE: () PETRO. (X) CHEMICAL () DIELECT. () GASEOUS () HAZ. WST. () OTHER
DISCHARGE SUBSTANCE: Ballast (Flourescent light) Fire

QUANTITY: 1 Ballast

SARA: () EXTREMELY HAZ. SUB. () CERCLA HAZ. SUB. FED. RQ
() RELEASE CROSSED PROPERTY LINE () PROTECTIVE ACTIONS (cont. other side)

DATE OF SPILL: 5/5/90 TIME OF SPILL: _____: _____: _____ SPILL STOPPED _____: _____

MISC. INFO: _____

WATER BODY: N/A TOTAL IN WATER: _____

TOTAL RECOVERED: _____ RECOVERED FROM WATER: N/A

DISCHARGER: WATER TOWN OF NAUGATUCK - FIRE DEPARTMENT

DISCHARGER ACCEPTS FINANCIAL RESPONSIBILITY: () YES () NO

DISCHARGE CLASS: 1. () UNKNOWN 2. () MARINE TERMINAL 3. () INDUSTRIAL
4. () TRANSPORTATION 5. () PRIVATE 6. (X) GOVERNMENTAL 7. () VESSEL
8. () COMMERCIAL 9. () INLAND TERMINAL 10. () UTILITY 11. () NATURAL
99. () OTHER _____

CAUSE: 1() UNKNOWN 2() HOSE FAILURE 3() TRANSF. LINE FAILURE
4() INGROUND TANK FAIL. 5() ABOVE GROUND TANK FAIL. 6() SADDLE TANK FAIL.
7() CARGO TANK FAIL. 8() FUEL TANK FAIL. 9() HULL FRACTURE 10() OVERFILL
11() CONTAINER FAIL. 12() VALVE FAIL. 13() FIRE 14() POWER FAILURE
15() PUMP FAIL. 16() PUMPING 17() DUMPING 18() ILLEGAL DISCHARGE
19() SINKING 20() SEEPAGE 21() PUMPING BILGE 22() OPEN HATCH
23() VANDALISM 24() BLOW BACK 25() ROAD OILING/REPAIR 26() M/V ACCIDENT
27(X) TRANS./CAPACITOR 28() NATURAL
99(X) OTHER Ballast Fire

CORRECTIVE ACTIONS: 1() NONE 2() NONE REQUIRED 3() UNKNOWN 4() REMOVED
5() CONTAINED & REMOVED 6() CONTRACTED 7() TEST WELL(S) 8() DISSIPATED
9() EVAPORATED 10() SANDED 11() FOAMED 12(X) REFERRED 13() CLEANED
14() WASHED DOWN 15() PUMPED OUT 16() NEUTRALIZED 17() RECOVERY SYSTEM
18() REPAIRED LINE 19() REPAIRED TANK 20() DISPERSED 21() REMOVED TANK
99() OTHER _____

CLEAN-UP ACTIONS BEING TAKEN: Referred to PCB section for
wipe sampling

AGENCIES NOTIFIED: DEP

CLEAN-UP CONTRACTOR(S): None REQUESTED: _____ ARRIVED: _____

STATUS: () OPEN () CLOSED (X) MONITORED CODE: E

RECEIVED BY: Rick Cusullo INSPECTOR: PCB Division

DATE/TIME ASSIGNED: 5/7/90, 15:50 ESTIMATED ETA: _____

CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION
Oil & Chemical Spill Section
Hazardous Materials Management Unit

ASSIGNED TO: 912

EMERGENCY INCIDENT REPORT

DATE: 7/28/89 TIME: 0940 TOWN OF DISCHARGE: Norwalk
FROM: Fire Marshall Office PHONE: 535-4721
REPRESENTING: Norwalk town Hall
STREET ADDRESS: Universal Maple & Water street
CITY: Norwalk
LOCATION OF DISCHARGE: Universal Maple & Water street
DISCHARGE TYPE: ☒ PETRO ☐ CHEMICAL ☐ GAS. EMISSION ☐ OTHER
DISCHARGE SUBSTANCE: _____ TOTAL QUANTITY: _____
DATE OF DISCHARGE: _____ TIME OF DISCHARGE: _____
CONTAINMENT MEASURES: Tank full

WATER BODY: unk TOTAL IN WATER: _____
TOTAL RECOVERED: _____ RECOVERED FROM WATER: _____
DISCHARGER: Universal DISCHARGE STOPPED: yes
DISCHARGER ACCEPTS FINANCIAL RESPONSIBILITY: yes

DISCHARGE CLASS

- | | | | |
|---------------------------------------------|---------------------------------------------|----------------------------------------|---------------------------------------------------|
| 1. UNKNOWN <input type="checkbox"/> | 2. MARINE TERMINAL <input type="checkbox"/> | 3. INDUSTRIAL <input type="checkbox"/> | 4. TRANSPORTATION <input type="checkbox"/> |
| 5. PRIVATE <input type="checkbox"/> | 6. GOVERNMENTAL <input type="checkbox"/> | 7. VESSELS <input type="checkbox"/> | 8. COMMERCIAL <input checked="" type="checkbox"/> |
| 9. INLAND TERMINAL <input type="checkbox"/> | 10. UTILITY <input type="checkbox"/> | 11. NATURAL <input type="checkbox"/> | 99. OTHER <input type="checkbox"/> |

CAUSE

- | | | |
|--------------------------------------------------------------|---------------------------------------------------|--------------------------------------------------|
| 1. UNKNOWN <input type="checkbox"/> | 2. HOSE FAILURE <input type="checkbox"/> | 3. TRANSF. LINE FAILURE <input type="checkbox"/> |
| 4. INGROUND TANK FAILURE <input checked="" type="checkbox"/> | 5. ABOVE GRND TANK FAIL. <input type="checkbox"/> | 6. SADDLE TANK FRACTURE <input type="checkbox"/> |
| 7. CARGO TANK FAILURE <input type="checkbox"/> | 8. FUEL TANK FAILURE <input type="checkbox"/> | 9. HULL FRACTURE <input type="checkbox"/> |
| 10. TANK OVERFILL <input type="checkbox"/> | 11. CONTAINER FAILURE <input type="checkbox"/> | 12. VALVE FAILURE <input type="checkbox"/> |
| 13. FIRE <input type="checkbox"/> | 14. POWER FAILURE <input type="checkbox"/> | 15. PUMP FAILURE <input type="checkbox"/> |
| 16. PUMPING <input type="checkbox"/> | 17. DUMPING <input type="checkbox"/> | 18. ILLEGAL DISCHARGE <input type="checkbox"/> |
| 19. SINKING <input type="checkbox"/> | 20. SEEPAGE <input type="checkbox"/> | 21. PUMPING BILGE <input type="checkbox"/> |
| 22. OPEN HATCH <input type="checkbox"/> | 23. VANDALISM <input type="checkbox"/> | 24. BLOW BACK <input type="checkbox"/> |
| 25. ROAD OILING/REPAIR <input type="checkbox"/> | 26. VEHICULAR ACCIDENT <input type="checkbox"/> | 27. TRANS/CAPACITOR <input type="checkbox"/> |
| 28. NATURAL <input type="checkbox"/> | 99. OTHER <input type="checkbox"/> | |

CORRECTIVE ACTIONS

- | | | | |
|-------------------------------------------------|---------------------------------------------------|--------------------------------------------|-----------------------------------------|
| 1. NONE <input type="checkbox"/> | 2. NONE REQUIRED <input type="checkbox"/> | 3. UNKNOWN <input type="checkbox"/> | 4. REMOVED <input type="checkbox"/> |
| 5. CONTAINED & REMOVED <input type="checkbox"/> | 6. CONTRACTED <input checked="" type="checkbox"/> | 7. TEST WELL(S) <input type="checkbox"/> | 8. DISSIPATED <input type="checkbox"/> |
| 9. EVAPORATED <input type="checkbox"/> | 10. SANDED <input type="checkbox"/> | 11. FOAMED <input type="checkbox"/> | 12. REFERRED <input type="checkbox"/> |
| 13. CLEANED <input type="checkbox"/> | 14. WASHED DOWN <input type="checkbox"/> | 15. PUMPED OUT <input type="checkbox"/> | 14. NUTRALIZED <input type="checkbox"/> |
| 17. RECOVERY SYSTEM <input type="checkbox"/> | 18. REPAIRED LINE <input type="checkbox"/> | 19. REPAIRED TANK <input type="checkbox"/> | 20. DISPERSED <input type="checkbox"/> |
| 21. REMOVED TANK <input type="checkbox"/> | 99. OTHER <input type="checkbox"/> | | |

CLEAN-UP ACTIONS BEING TAKEN: _____

AGENCIES NOTIFIED: _____

CLEANUP CONTRACTOR: _____

STATUS: ☐ OPEN ☐ CLOSED

RECEIVED BY: John Porter

REQUESTED: _____

ARRIVED: _____

☐ MONITORED

CODE: _____

INSPECTOR: Rich Ciasullo

TIME/DATE ASSIGNED TO INSPECTOR _____

ESTIMATED ETA _____

CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION
Oil & Chemical Spill Section
Hazardous Materials Management Unit

ASSIGNED TO: MLC

EMERGENCY INCIDENT REPORT

DATE: 7/10/89 TIME: 10:35 TOWN OF DISCHARGE: NAUGATUCK
FROM: David Seeger PHONE: 734-2234

REPRESENTING: _____
STREET ADDRESS: _____
CITY: _____

LOCATION OF DISCHARGE: Maple St

DISCHARGE TYPE: ☒ PETRO () CHEMICAL () GAS. EMISSION () OTHER
DISCHARGE SUBSTANCE: Oil TOTAL QUANTITY: Unknown
DATE OF DISCHARGE: 7/10/89 TIME OF DISCHARGE: Unknown
CONTAINMENT MEASURES: Oil going into Bay.

WATER BODY: Naugatuck TOTAL IN WATER: Unknown
TOTAL RECOVERED: Unknown RECOVERED FROM WATER: Unknown
DISCHARGER: Unknown DISCHARGE STOPPED: NO
DISCHARGER ACCEPTS FINANCIAL RESPONSIBILITY: Unknown

DISCHARGE CLASS

- | | | | |
|------------------------|------------------------|-------------------|-----------------------|
| 1. UNKNOWN () | 2. MARINE TERMINAL () | 3. INDUSTRIAL () | 4. TRANSPORTATION () |
| 5. PRIVATE () | 6. GOVERNMENTAL () | 7. VESSELS () | 8. COMMERCIAL () |
| 9. INLAND TERMINAL () | 10. UTILITY () | 11. NATURAL () | 99. OTHER () |

CAUSE

- | | | |
|------------------------------|------------------------------|-----------------------------|
| 1. UNKNOWN () | 2. HOSE FAILURE () | 3. TRANSF. LINE FAILURE () |
| 4. INGROUND TANK FAILURE () | 5. ABOVE GRND TANK FAIL. () | 6. SADDLE TANK FRACTURE () |
| 7. CARGO TANK FAILURE () | 8. FUEL TANK FAILURE () | 9. HULL FRACTURE () |
| 10. TANK OVERFILL () | 11. CONTAINER FAILURE () | 12. VALVE FAILURE () |
| 13. FIRE () | 14. POWER FAILURE () | 15. PUMP FAILURE () |
| 16. PUMPING () | 17. DUMPING () | 18. ILLEGAL DISCHARGE () |
| 19. SINKING () | 20. SEEPAGE () | 21. PUMPING BILGE () |
| 22. OPEN HATCH () | 23. VANDALISM () | 24. BLOW BACK () |
| 25. ROAD OILING/REPAIR () | 26. VEHICULAR ACCIDENT () | 27. TRANS/CAPACITOR () |
| 28. NATURAL () | 99. OTHER () | |

CORRECTIVE ACTIONS

- | | | | |
|----------------------------|-----------------------|-----------------------|---------------------|
| 1. NONE () | 2. NONE REQUIRED () | 3. UNKNOWN () | 4. REMOVED () |
| 5. CONTAINED & REMOVED () | 6. CONTRACTED () | 7. TEST WELL(S) () | 8. DISSAPATED () |
| 9. EVAPORATED () | 10. SANDED () | 11. FOAMED () | 12. REFERRED () |
| 13. CLEANED () | 14. WASHED DOWN () | 15. PUMPED OUT () | 14. NUETRALIZED () |
| 17. RECOVERY SYSTEM () | 18. REPAIRED LINE () | 19. REPAIRED TANK () | 20. DISPERSED () |
| 21. REMOVED TANK () | 99. OTHER () | | |

CLEAN-UP ACTIONS BEING TAKEN: _____

AGENCIES NOTIFIED: _____
CLEANUP CONTRACTOR: _____
STATUS: () OPEN () CLOSED
RECEIVED BY: ED ALEXANDER
REQUESTED: _____ ARRIVED: _____
() MONITORED CODE: _____
INSPECTOR: Mike Capomano

TIME/DATE ASSIGNED TO INSPECTOR _____ ESTIMATED ETA _____



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION



Date: 3/3/89

TO: Solid Waste Management Unit
FROM: Rich Ciasullo, Oil & Chemical Spill Section
SUBJECT: Disposal of contaminated soil from spill incidents and tank removals

The Oil & Chemical Spill Section needs to dispose of approximately 1-2
cubic yards of soil from a spill ~~on tank removal~~ on 3/3/89 at
100 Water St., Naugatuck, CT.. The spill involved
Hydraulic Oil. The name of the person and/or company responsible
for the spill/tank removal is SANITARY SERVICES, INC..
Phone number: 1-800-458-7274 on 482-6340

The contractor for the cleanup who will be hauling the materials to the disposal
site is SANITARY SERVICES, INC..
Contact Person: Bob Botticello Phone number: 482-6340.

Rich Ciasullo, the Inspector for Oil & Chemical Spill Section
has checked the materials involved and determined that the material is suitable
for daily cover and will not present a problem at the disposal site.

Disposal has been arranged at Torrington Landfill.

Richard A. Ciasullo

Inspector, Oil & Chemical Spill Section

Additional Comments:

Phone:

165 Capitol Avenue • Hartford, Connecticut 06106

An Equal Opportunity Employer

CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION
Oil & Chemical Spill Section
Hazardous Materials Management Unit

Case# 1646-10/29/86
10-29-86

ASSIGNED TO: M.C.

EMERGENCY INCIDENT REPORT

DATE: 10-29-86 TIME: 11:10pm TOWN OF DISCHARGE: NORWICH
FROM: _____ BY: SEAN GANDOLFO PHONE: 258-1371
REPRESENTING: _____
STREET ADDRESS: _____
CITY: _____
LOCATION OF DISCHARGE: 124 HUNTER AVE.

DISCHARGE TYPE: () PETRO (☒) CHEMICAL () GAS. EMISSION () OTHER
DISCHARGE SUBSTANCE: ETHYLENE GLYCOL TOTAL QUANTITY: 400L
DATE OF DISCHARGE: 10-15-86 TIME OF DISCHARGE: _____
CONTAINMENT MEASURES: _____

WATER BODY: LONG MEADOWS BRACK TOTAL IN WATER: _____
TOTAL RECOVERED: _____ RECOVERED FROM WATER: _____
DISCHARGER: OSO DIAPYTON DISCHARGE STOPPED: NO
DISCHARGER ACCEPTS FINANCIAL RESPONSIBILITY: _____

DISCHARGE CLASS

- | | | | |
|------------------------|------------------------|-------------------|-----------------------------------------------------------|
| 1. UNKNOWN () | 2. MARINE TERMINAL () | 3. INDUSTRIAL () | 4. TRANSPORTATION (<input checked="" type="checkbox"/>) |
| 5. PRIVATE () | 6. GOVERNMENTAL () | 7. VESSELS () | 8. COMMERCIAL (<input checked="" type="checkbox"/>) |
| 9. INLAND TERMINAL () | 10. UTILITY () | 11. NATURAL () | 99. OTHER () |

CAUSE

- | | | |
|------------------------------|-----------------------------------------------------|-----------------------------|
| 1. UNKNOWN () | 2. HOSE FAILURE () | 3. TRANSF. LINE FAILURE () |
| 4. INGROUND TANK FAILURE () | 5. ABOVE GRND TANK FAIL. () | 6. SADDLE TANK FRACTURE () |
| 7. CARGO TANK FAILURE () | 8. FUEL TANK FAILURE () | 9. HULL FRACTURE () |
| 10. TANK OVERFILL () | 11. CONTAINER FAILURE () | 12. VALVE FAILURE () |
| 13. FIRE () | 14. POWER FAILURE () | 15. PUMP FAILURE () |
| 16. PUMPING () | 17. DUMPING (<input checked="" type="checkbox"/>) | 18. ILLEGAL DISCHARGE () |
| 19. SINKING () | 20. SEEPAGE () | 21. PUMPING BILGE () |
| 22. OPEN HATCH () | 23. VANDALISM () | 24. BLOW BACK () |
| 25. ROAD OILING/REPAIR () | 26. VEHICULAR ACCIDENT () | 27. TRANS/CAPACITOR () |
| 28. NATURAL () | 99. OTHER () | |

CORRECTIVE ACTIONS

- | | | | |
|----------------------------|-----------------------|-----------------------|-------------------------------------------------------|
| 1. NONE () | 2. NONE REQUIRED () | 3. UNKNOWN () | 4. REMOVED (<input checked="" type="checkbox"/>) |
| 5. CONTAINED & REMOVED () | 6. CONTRACTED () | 7. TEST WELL(S) () | 8. DISSAPATED (<input checked="" type="checkbox"/>) |
| 9. EVAPORATED () | 10. SANDED () | 11. FOAMED () | 12. REFERRED () |
| 13. CLEANED () | 14. WASHED DOWN () | 15. PUMPED OUT () | 14. NUETRALIZED () |
| 17. RECOVERY SYSTEM () | 18. REPAIRED LINE () | 19. REPAIRED TANK () | 20. DISPERSED () |
| 21. REMOVED TANK () | 99. OTHER () | | |

CLEAN-UP ACTIONS BEING TAKEN: _____

AGENCIES NOTIFIED: _____

CLEANUP CONTRACTOR: _____

STATUS: 465 OPEN

RECEIVED BY: Mike Capuano

465 CLOSED

REQUESTED: _____

ARRIVED: _____

() MONITORED

CODE: _____

INSPECTOR: Mike Capuano

SUPPLEMENTAL INFORMATION

Property Owner RISDON MFG.

Pollutor BOB DAINES / ARTHUR DAYTON Phone No. 729-8231

Phone No. _____

Vehicle Ident. Type _____ Reg. # _____ Tank/Box # _____
Operator _____ License # _____
Owner _____ Phone No. _____

Contractor Info. Name _____

Equipment:
Boom _____ Vac Truck _____ Hose _____
Boat _____ F/F Mats. _____ Vactor _____
Special _____ Hand Tools _____ Skimmer _____
Man Power _____

Other Materials: (Haz. Materials)
Samples: Qty. _____ Loc. _____
Qty. _____ Loc. _____

Contacts: Name _____ Phone No. _____
Name _____ Phone No. _____

ADDITIONAL INFORMATION:

→ Bill Copeland has samples. MIKE KELLY HAS SAMPLES

MIKE KELLY CALLED @ 11:30 SUP. PWD 729-4576
SPILL FROM RISDON ARCH ST, OFF RUBBER AVE
CONTACT BOB DAINES, RISDON MFG.
PROBLEM FROM 36" PIPE, 20,000 TANK
LEAKING

CALLER AT 1:30 CALLED ARTHUR DAYTON 729-8231 RISDON MFG.
OIL TANK LEAKING 75 G. PER DAY TO BROOK
TANK INSTALLED 1940



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION

STATE OFFICE BUILDING

HARTFORD, CONNECTICUT 06115



REPORT OF PETROLEUM OR CHEMICAL PRODUCT
DISCHARGE, SPILLAGE, SEEPAGE, FILTRATION

The following information is submitted concerning petroleum or chemical product discharge reported verbally to the Department of Environmental Protection/State Police at Naugatuck Police Dept on 3/11/77 at 9:45 A.M.
(location) (date) (time)
by C. White & Son, Inc.
(name)

1. Time and date of discharge, spillage, etc.

Friday, 3/11/77 at 9:45 A.M.

2. Location, to include name of town, river, highway, distance from intersection, etc., of the pollution or contamination.

Rubber Ave. & Pond St., Naugatuck, CT

3. Type of oil, petroleum or chemical pollutant or contaminant.

Gasoline

4. Quantity of discharge, spillage, seepage, filtration.

308 Gals.

5. Cause of pollution or contamination:

- a. Type of vessel, vehicle, containers, etc., which contained the pollutant or contaminant Tractor/Tank Trailer

- b. Describe in detail what actually occurred to cause discharge, spillage, seepage, filtration.

Tank Trailer struck by other unoccupied vehicle while
Proceeding along Rubber Ave., Naugatuck, CT.

WATER COMPLIANCE
Dept. of Environmental Protection
RECEIVED

MAR 30 1977

ANSWERED _____
REFERRED _____
ED _____

- c. If pollutant or contamination was a result of discharge, spillage, seepage, filtration from a moving vessel or vehicle, give location of departure and destination.

New Haven to Naugatuck CT

6. Name and address of owner of ship, boat or other vessel, terminal, establishment, vehicle, trailer or machine causing such pollution or contamination.

C. White & Son, Inc.

Evans Road

Rocky Hill, CT.

7. Name and address of person making this report.

Robert O White

8. Title, or relationship to owner, of person making report.

Owner

All statements contained herein are true to the best of my knowledge.

Robert O White
Signature of Person Making Report



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION

STATE OFFICE BUILDING HARTFORD, CONNECTICUT 06115

Oil Spill Report

sent Ben-



DATE: 7/9/76 TIME: 1145

FROM TROOP: _____ BY: BOB ORCIARI - REGION II PHONE: 758-1753

REPRESENTING (COMPANY) D.E.P.

ADDRESS (COMPANY) 571 RUBBER AV
NAUGATUCK
129-9206

LOCATION OF SPILL (CITY & STATE): RUBBER AVE. NAUGATUCK - YODERS ATLANTIC

TO (BODY OF WATER) SMALL BROOK

QUANTITY AND TYPE: RECURRING SHEEN

AMOUNT THAT REACHED THE WATER: -

SOURCE: YODERS ATLANTIC

CAUSE: DUMPING

DISCHARGE STOPPED: _____ CONTAINMENT MEASURES: _____

OTHER AGENCIES CONTACTED: _____

DATE AND TIME OF SPILL: _____

LEGAL RESPONSIBILITY ACCEPTED BY POLLUTER: _____

CLEANUP ACTIONS BEING TAKEN: _____

CLEANUP CONTRACTOR: _____ REQUESTED: _____ ARRIVED: _____

CONTAINMENT LOCATION: _____

CONTAINMENT LOCATION: _____

REMOVAL LOCATION: _____

INFO TAKEN BY D. BURTON

SEE REVERSE SIDE FOR
ADDITIONAL INFORMATION

SIGNATURE

This report was prepared from recorded notes - both books and notes.



STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION
STATE OFFICE BUILDING HARTFORD, CONNECTICUT 06115
Room 128

WATER COMPLIANCE
Dept. of Environmental Protection
RECEIVED
JUN 26 1973

REPORT OF PETROLEUM OR CHEMICAL PRODUCT
DISCHARGE, SPILLAGE, SEEPAGE, FILTRATION

ANSWERED _____
REFERRED _____
FILED _____

The following information is submitted concerning petroleum or chemical product discharge reported verbally to the Department of Environmental Protection/State Police at _____

I spoke with Peter Dziuriga at my office concerning the spill
on _____ at _____ by _____
(date) (time) (name)
Jan. Thurt

1. Time and date of discharge, spillage, etc.

1 P.M. June 21 1973

2. Location, to include name of town, river, highway, distance from intersection, etc., of the pollution or contamination.

Long Meadow Brook - Naugatuck, Conn
Rubber Av- intersection of Heady St

3. Type of oil, petroleum or chemical pollutant or contaminant.

#2 Fuel

4. Quantity of discharge, spillage, seepage, filtration.

approx 5-10 gallons

5. Cause of pollution or contamination:

- a. Type of vessel, vehicle, containers, etc., which contained the pollutant or contaminant _____

large bucket

- b. Describe in detail what actually occurred to cause discharge, spillage, seepage, filtration.

Man carrying bucket stumbled and spilled oil on ground - some of it ran into a storm drain which runs into Long Meadow Brook

- c. If pollutant or contamination was a result of discharge, spillage, seepage, filtration from a moving vessel or vehicle, give location of departure and destination.

6. Name and address of owner of ship, boat or other vessel, terminal, establishment, vehicle, trailer or machine causing such pollution or contamination.

D. Thurston's Saws Inc
410 Rubber Av. Naugatuck Conn.

7. Name and address of person making this report.

James Thurston - 134 Craig Circle, Naug, Conn

8. Title, or relationship to owner, of person making report.

Treas

All statements contained herein are true to the best of my knowledge.

James Thurston
Signature of Person Making Report

CONNECTICUT DEPARTMENT OF ENVIRONMENTAL PROTECTION
Oil and Chemical Spill Section
Hazardous Materials Management Unit

DP

EMERGENCY INCIDENT REPORT

DATE: 8-13-82 TIME: 8:32 TOWN OF DISCHARGE: Naugatuck
FROM: _____ BY: Bill Copeland of Unigal PHONE: 723-3555
REPRESENTING (COMPANY): UNIROYAL CHEMICAL
STREET ADDRESS: _____
CITY: _____

LOCATION OF DISCHARGE: NAUGATUCK RIVER (WEST SHORELINE)
DISCHARGE TYPE: ☒ PETRO ☐ GASEOUS EMISSION ☐ CHEMICAL ☐ OTHER
DISCHARGE SUBSTANCE: BLACK OIL TOTAL QUANTITY: 100 gal
DATE OF DISCHARGE: 8-13-82 TIME OF DISCHARGE: 7:00 AM.
CONTAINMENT MEASURES: _____

WATER BODY: NAUGATUCK RIVER TOTAL IN WATER: 100 gal
TOTAL RECOVERED: 50 TOTAL RECOVERED: 50
DISCHARGER: RISDON MFG. DISCHARGE STOPPED: YES
DISCHARGER ACCEPTED LEGAL RESPONSIBILITY: YES

DISCHARGE CLASS

- | | | | |
|---------------------------------------------|---------------------------------------------|---------------------------------------------------|--------------------------------------------|
| 1. UNKNOWN <input type="checkbox"/> | 2. MARINE TERMINAL <input type="checkbox"/> | 3. INDUSTRIAL <input checked="" type="checkbox"/> | 4. TRANSPORTATION <input type="checkbox"/> |
| 5. PRIVATE <input type="checkbox"/> | 6. GOVERNMENTAL <input type="checkbox"/> | 7. VESSELS <input type="checkbox"/> | 8. COMMERCIAL <input type="checkbox"/> |
| 9. INLAND TERMINAL <input type="checkbox"/> | | 10. UTILITY <input type="checkbox"/> | 99. OTHER <input type="checkbox"/> |

CAUSE

- | | | |
|--------------------------------------------------------------|-------------------------------------------------------|--------------------------------------------------------------|
| 1. UNKNOWN <input type="checkbox"/> | 2. HOSE FAILURE <input type="checkbox"/> | 3. TRANSFER LINE FAILURE <input checked="" type="checkbox"/> |
| 4. INGROUND TANK FAILURE <input checked="" type="checkbox"/> | 5. ABOVE GROUND TANK FAILURE <input type="checkbox"/> | |
| 6. SADDLE TANK FRACTURE <input type="checkbox"/> | 7. CARGO TANK FRACTURE <input type="checkbox"/> | |
| 8. FUEL TANK FAILURE <input type="checkbox"/> | 9. HULL FRACTURE <input type="checkbox"/> | 10. TANK OVERFILL <input type="checkbox"/> |
| 11. CONTAINER FAILURE <input type="checkbox"/> | 12. VALVE FAILURE <input type="checkbox"/> | 13. FIRE <input type="checkbox"/> |
| 14. POWER FAILURE <input type="checkbox"/> | 15. PUMP FAILURE <input type="checkbox"/> | 16. PUMPING <input type="checkbox"/> |
| 17. DUMPING <input type="checkbox"/> | 18. DISCHARGING <input type="checkbox"/> | 19. SINKING <input type="checkbox"/> |
| 20. SEEPAGE <input type="checkbox"/> | 21. PUMPING BILGE <input type="checkbox"/> | 22. OPEN HATCH <input type="checkbox"/> |
| 23. VANDALISM <input type="checkbox"/> | 24. BLOW BACK <input type="checkbox"/> | 25. ROAD OILING OR REPAIR <input type="checkbox"/> |
| 26. VEHICULAR ACCIDENT <input type="checkbox"/> | 27. TRANSFORMER/CAPACITOR <input type="checkbox"/> | 99. OTHER <input type="checkbox"/> |

CORRECTIVE ACTIONS

- | | | | |
|------------------------------------------------------------|--------------------------------------------|----------------------------------------------------|------------------------------------------|
| 1. NONE <input type="checkbox"/> | 2. NONE REQUIRED <input type="checkbox"/> | 3. UNKNOWN <input type="checkbox"/> | 4. REMOVED <input type="checkbox"/> |
| 5. CONTAINED & REMOVED <input checked="" type="checkbox"/> | 6. CONTRACTED <input type="checkbox"/> | 7. TEST WELL(S) <input type="checkbox"/> | 8. DISSIPATED <input type="checkbox"/> |
| 9. EVAPORATED <input type="checkbox"/> | 10. SANDED <input type="checkbox"/> | 11. FOAMED <input type="checkbox"/> | 12. REFERRED <input type="checkbox"/> |
| 13. CLEANED <input type="checkbox"/> | 14. WASHED DOWN <input type="checkbox"/> | 15. PUMPED OUT <input checked="" type="checkbox"/> | 16. NEUTRALIZED <input type="checkbox"/> |
| 17. RECOVERY SYSTEM <input type="checkbox"/> | 18. REPAIRED LINE <input type="checkbox"/> | 19. REPAIRED TANK <input type="checkbox"/> | |
| 20. REMOVED TANK <input type="checkbox"/> | 99. OTHER <input type="checkbox"/> | | |

CLEANUP ACTIONS BEING TAKEN:

AGENCIES NOTIFIED: Referred to Farm Water Comp.

CLEANUP CONTRACTOR: EAST COAST

STATUS: ☒ OPEN ☒ CLOSED ☐

INSPECTOR: _____

RECEIVED BY: Beyers

REQUESTED: _____

MONITORED

LAST DATE INSPECTED: 8-13-82

ASSIGNED TO: DAVE PRIMO

NAUGATUCK PD
WATERBURY PD



Excavation Technologies, Inc.

135 Commerce Court • Cheshire, Connecticut 06410 • 203-271-2233 • Fax 203-271-0657

June 25, 2001

Town of Naugatuck
229 Church Street
Naugatuck, CT 06770
Attn: Mr. James Stewart

RE: UST Closure Documentation
Church Street & Old Firehouse Road
Naugatuck, CT 06770
DEP Case # 20013326

RECEIVED

JUN 27 2001

DEPT. OF ENVIRONMENTAL PROTECTION
OIL & CHEMICAL SPILLS DIVISION

Dear Mr. Stewart:

The following is a summary of the underground storage tank (UST) removal activities conducted at the above-mentioned site. Prior to the tank removal, Excavation Technologies Inc. (ETI) contacted Mr. Mark F. Seeger, Naugatuck Fire Marshall and made notification of the UST removal activities. On May 1, 2001, ETI removed (1) 1,000-gallon unknown storage tank. **See enclosed site map.** Soil testing showed that there was contaminated soil on the east, west and north walls. Approximately 64.24 tons of contaminated soil was removed from the sidewalls and bottom of the tank grave. The sidewalls and bottom were screened using a photo-ionization detector (PID) calibrated to an isobutylene standard and capable of detecting volatile organic compounds (VOC) to detection level of 0.1 parts per million (PPM). ETI collected confirmation soil samples from the bottom, north side, south side, east side, and west side. The test samples were submitted to Spectrum Analytical, Inc in Agawam, Massachusetts. Confirmation soil test results indicated EPA Method 8260, total petroleum hydrocarbons (TPH) and lead are within the acceptable limit set forth by the Department of Environmental Protection's standards. No further remediation is required. On May 1, 2001 the tank were cleaned and transported to Albert Brothers Scrap yard in Waterbury, Connecticut for final disposal.

Enclosed you will find the documentation for your files. If you have any questions, please do not hesitate to call me.

Sincerely,

Keith Erickson - Vice-President

Enclosure

cc: DEP Oil & Chemical Spill Division/ Mike Capuano
Naugatuck Fire Marshall




Excavation Technologies, Inc.

135 Commerce Court • Cheshire, Connecticut 06410 • 203-271-2233 • Fax 203-271-0657

CHURCH STREET

NAUGATUCK BANK



OLD FIREHOUSE ROAD



BOROUGH OF NAUGATUCK
OLD FIREHOUSE ROAD & CHURCH STREET
NAUGATUCK, CT 06770
TANK REMOVAL & SOIL SAMPLING - 5/1/01

HRP

ASSOCIATES, INC.

September 28, 1989

Mr. Richard Ciasullo
Department of Environmental Protection
Hazardous Materials Management Unit
Oil and Chemical Spills Section
165 Capitol Avenue
Hartford, CT 06106

RE: REQUEST TO BACKFILL STAGED MATERIAL, TMC REALTY SITE (FORMER CLARK'S SERVICE STATION), RUBBER AVENUE, NAUGATUCK, CONNECTICUT (HRP #890054-0)

Dear Mr. Ciasullo:

This letter is intended to confirm last Friday's (9/22/89) telephone conversation concerning the above referenced site (see Figure 1). As you know, on behalf of our client (TMC Realty; owner of the site), HRP has requested the DEP's permission to partially backfill (with stockpiled soil) the excavation in the area of the removed active underground gasoline tanks (2-10,000 and 1-3,000 gallon tanks). The stockpiled soil for which HRP is requesting approval to backfill was removed during the excavation of the former active tanks, and has been sampled and analyzed with HRP's Gas Chromatograph, as described in the attached report. As was discussed during last weeks conversation, subject to review of additional information concerning the Gas Chromatograph analytical methodology, you indicated that you and Scot Wing of the DEP Water Compliance Unit would not have any objections to backfilling the excavation with that portion of the stockpiled material which was analyzed with the GC and not found to contain detectable levels of VOCs. Therefore, I have included the attached report for your review which describes the sampling and analysis methodologies which were utilized, and also includes all analytical results obtained. I also would like to summarize other information concerning the site and the current request to backfill as follows:

- 1) The site is in a GB ground water classification area and was formerly the location of Clark's Service Station.
- 2) The site owner plans to continue to lease the site as a gasoline station. The site owner plans to have the excavation backfilled to approximately 12 feet below grade (in structural lifts) such that new underground gasoline tanks can be installed. Polyethylene sheeting will be placed along the walls of the excavation prior to backfilling.

Mr. Richard Ciasullo

Page 2

September 28, 1989

- 3) The material which HRP is requesting permission to use for backfilling was removed from above the former active tanks (Piles B and C) and from around and below the former active tanks (Pile A). No material from the other underground tank areas has been excavated and staged on-site. Material from the excavated area east of the main tanks was also staged south of Pile A and east of pile B (Pile H). This soil was observed to contain fill materials, including one drum of oil, and HRP is not requesting approval to backfill with this soil. Pile H has been analyzed with the GC and determined to contain various levels of TCE. Additionally, the east half of Pile A was determined to contain various levels of TCE and 111-Trichloroethane, and HRP is not requesting permission to use this material as backfill.
- 4) Bottom and sidewall soil samples were collected during excavation of the main tank area, and were analyzed by a State certified independent testing laboratory for E.P. Toxic Metals, Aromatic Volatile Organics (Method 8020) and Halogenated Volatile Organics (Method 8010). I previously faxed these results to you, and copies of the laboratory results are again provided herein. Table 1 provides the location of the analyzed samples.

Low levels of barium, well below drinking water standards, were detected in several samples. No other E.P. Toxic Metals were detected. Three samples were determined to contain various levels of Halogenated Volatile Organics as summarized below:

Sample #	Sample Location	111-Tri-chloroethane	Trichloro-ethylene	Total BTX
5	South wall of excavation, east side, 12' to 20' bg composite	79 ppb	ND	ND
7	West wall of excavation, 12' to 20' bg composite	ND	40 ppb	31 ppb

Mr. Richard Ciasullo
Page 3
September 28, 1989

Sample #	Sample Location	111-Tri-chloroethane	Trichloro-ethylene	Total BTX
10	North wall of excavation, east side, 0 to 12' bg composite	ND	30 ppb	39 ppb

BTX = Benzene, Toluene, and Xylenes
ppb = Part per billion

Although levels of contamination were detected in three of the samples, HRP does not recommend additional soil removal at this time in the area of the main tank excavation, due to; 1) the GB ground water classification on the site, 2) physical restrictions (excavation hazards related to adjacent on-site building and street), 3) the relatively low levels detected and, 4) the fact that ground water quality at the site (monitor well shown on Figure 1) and the adjacent Butterfield site is currently being monitored.

- 5) It is noted that no sidewall samples were collected from the east wall of the active tank excavation, as this excavation was partially extended further east into an area of fill materials (see Figure 1). Additionally, fill material has been excavated from this area and staged on-site (material not part of current request).
- 6) HRP is currently monitoring ground water at the site and the adjacent Butterfield site. Quarterly monitoring reports for one year will be provided to the DEP (HMMU).
- 7) HRP will also contact the local fire marshal to obtain their approval for backfilling as described herein.

Mr. Richard Ciasullo
Page 4
September 28, 1989

If you have any questions concerning this request, please do not hesitate to contact HRP. I will contact you later this week.

Thank you for your assistance in this matter.

Sincerely,

HRP ASSOCIATES, INC.



L. Andrew White
Project Manager

LAW/ad
g/
Attachment

CC: Jim Green, TMC Realty
Scot Wing, DEP WCU

TABLE 1

Sidewall and Bottom Sample Locations from Active Tank Excavation

Sample ID	Sample Location
1	Excavation bottom, south side composite
2	Excavation bottom, middle composite
3	Excavation bottom, north side
4	South wall, west side, 12-20' bg
5	South wall, east side, 12-20' bg
6	South wall, middle, 12-20' bg
7	West sidewall composite, 12-20' bg
8	North sidewall composite, 12-20' bg
9	North sidewall, west side, 0-12' bg
10	North sidewall, east side, 0-12' bg
11	West sidewall, 0-12' bg composite




FIGURE 1
 SCHEMATIC DIAGRAM
 CLARK SERVICE STATION
 NTS 89.0054.0
 9/89 A/B

STATE OF CONNECTICUT - Form 1064

Name of Company <i>U.S. RUBBER CO.</i>		Town <i>NAUGATUCK</i>	
Village <i>NAUGATUCK</i>		Location on Map <i>30</i>	
Receiving Stream <i>NAUGATUCK RIVER</i>		Watershed <i>NAUGATUCK RIVER</i>	
Mailing Address <i>58 MAPLE ST.</i>		Contact <i>MR. P.W. SUNDBERG - POWER ENGINEER</i>	
Date Est. <i>1943</i>		Type of Problem - Serious, <u>Routine</u> , Minor, None	
Date Last Exp. <i>1952</i>		No. of Employees <i>4700</i> <i>570</i> <i>4130</i> <i>3</i>	
Report by <i>C. E. D.</i>		Date <i>10-9-61</i>	
Products <i>FOOTWEAR - CHEMICAL SPONGE</i>			
Processes			
A <i>WASHING</i>			
B <i>COOLING</i>			
C			
D			
Origin of Waste			
Waste Contains			
A <i>LATEX</i>			
B			
C			
D			
Water Used For	Sanitary Wastes	Industrial Wastes	Clean Water
Discharged To	<i>SEWER</i>	<i>STREAM (U)</i>	<i>STREAM</i>
Water Usage	Gals per day	How Computed	
Sanitary Sewage	<i>84,600</i>	<i>4700 x (15 + 3)</i>	
Industrial Wastes	<i>150,000</i>	<i>CONTACT ESTIMATE</i>	
Clean Discharge	<i>2,622,400</i>	<i>T - (SS + IW + BW) = C.D.</i>	
Boiler Water	<i>55,000</i>	<i>CONTACT ESTIMATE</i>	
In Product			
Unaccounted			
Total Used	<i>2,922,000</i>	<i>*TOTAL FROM POND, WELL, AND CITY</i>	
SANITARY TREATMENT - <i>MUNICIPAL SEWER</i>			
INDUSTRIAL TREATMENT - <i>NONE</i>			
File Data Available			
NOTES: <i>* SEE BACK FOR WATER SOURCES</i>			

2,110
1,650
940

TOTAL WATER USED:

POND,

$$(900 \frac{\text{gal}}{\text{min}}) (60 \frac{\text{min}}{\text{hr}}) (24 \frac{\text{hr}}{\text{day}}) = 1,296,000 \frac{\text{gal}}{\text{day}}$$

WELL,

$$900 \frac{\text{gal}}{\text{min}} = 1,296,000 \frac{\text{gal}}{\text{day}}$$

CITY WATER,

$$10 \times 10^6 \frac{\text{gal}}{\text{mo}} \frac{\text{mo}}{30 \text{ day}} = 330,000 \frac{\text{gal}}{\text{day}}$$

TOTAL:

$$\begin{array}{r} 1,296,000 \\ 1,296,000 \\ 330,000 \\ \hline 2,922,000 \end{array}$$

STATE OF CONNECTICUT
WATER RESOURCES COMMISSION

Form P-5

Name of company <i>US Rubber Co</i>		Town <i>Naugatuck</i>		Location on Map <i>30</i>	
<i>Footwear Div.</i>		Village <i>1</i>			
Mailing Address		Rec. Stream <i>Naugatuck R</i>		Watershed <i>Naugatuck</i>	
<i>58 Maple St</i>		Contact <i>Ralph Sundberg (Power Engr)</i> ^{Stan} <i>Zabecki</i>			
<i>Naugatuck</i>		Type of Problem Serious <u>Routine</u> Minor None			
Date Established <i>1893</i>		No. of Emp.	<i>4523</i>	<i>650</i>	<i>3873</i>
Date of Last Ex. <i>1952</i>		Report by <i>David A. Violette</i>		Date <i>6-15-66</i> ³⁻⁵⁸⁵	
Products <i>Footwear (Waterproof & Canvas), Sponge</i>					
Processes A <i>Cooling (98%)</i>					
B <i>Washing (2%)</i>					
C					
D					
Origin of Wastes <i>B</i>					
Wastes Contain A					
B <i>Latex</i>					
C					
D					
Comments Not Covered by Above Data					
Water Used For		San. Wastes		Industrial Wastes	
Discharged To		<i>Sewer</i>		<i>Stream (U)</i>	
Water Usage		Gals-per-day		How Computed	
Sanitary Sewage		<i>380,000</i>		<i>Municipal Supply</i>	
Industrial Wastes		<i>52,000</i>		<i>2% of Well + Pond</i>	
Clean Discharge		<i>2,550,000</i>		<i>98% " " " "</i>	
Boiler Water		<i>60,000</i>		<i>Contact est</i>	
In Product		<i>—</i>			
Unaccounted					
Total Used		<i>2,980,000</i>		<i>Total from municipal, pond, well</i>	
SANITARY TREATMENT - <i>Municipal</i>					
INDUSTRIAL TREATMENT -					
File Data Available:					
NOTES: <i>Weekend application of algae control chemical.</i>					

Municipal: $8 \text{ mg/mo} \div 21 \text{ working days} = 380,000 \text{ g/dt}$

Well: 1.3 mgd

Pond: 1.3 mgd

$$\begin{array}{r} 1.3 \\ 1.3 \\ .38 \\ \hline 2.98 \end{array}$$

$$\begin{array}{r} 2.4 \\ .02 \\ \hline 2.42 \end{array}$$

$$\begin{array}{r} 2.60 \\ 5 \end{array}$$

STATE OF CONNECTICUT
WATER RESOURCES COMMISSION

Form P-5

Name of company	Town <u>Naugatuck</u>		Location on Map	
<u>T. F. Butterfield, Inc.</u>	Village			
Mailing Address	Rec. Stream <u>Long Meadow Brook</u>		Watershed <u>Naugatuck R.</u>	
<u>54 Rubber Ave.</u>	Contact <u>W. Palmer Jr. - President</u>			
<u>Naugatuck</u>	Type of Problem		Serious	Routine
Date Established <u>1932</u>	No. of Emp.	<u>120 73</u>	<u>5</u>	<u>115</u>
Date of Last Ex. <u>—</u>	Report by <u>P. W. Senack</u>		Date <u>2-9-79</u>	
Products <u>Molded plastic parts</u>			<u>12-20-74</u>	
Processes	A <u>injection and compression molding</u>			
	B			
	C			
	D			
Origin of Wastes				
Wastes Contain	A <u>plastic scraps</u>			
	B			
	C			
	D			
Comments Not Covered by Above Data <u>12-20-74 - 73 employees - cooling water reduced by 1/3 according to Mr. Palmer, no more 2nd shift</u>				
<u>see Reverse side for Diagram</u>				
Water Used For	San. Wastes	Industrial Wastes	Clean Water	
Discharged To	<u>sewer</u>		<u>steam</u>	
Water Usage	Gals-per-day	How Computed		
Sanitary Sewage	<u>1,800</u>	<u>120 emp. x 15 g.p.d. = 1,800 g.p.d.</u>		
Industrial Wastes				
Clean Discharge	<u>24,420</u>	<u>overflow from hydraulic accumulator system (7-5+30)</u>		
Boiler Water	<u>12,180</u>	<u>174 HP x 100 = 17,400 g.p.d. @ est. 70%</u>		
In Product				
Unaccounted				
Total Used	<u>38,400</u>	<u>Cont. est. 844,800 g./mo. ÷ 22 w.d./mo. = 38,400 g.p.d.</u>		
SANITARY TREATMENT - <u>municipal sewer</u>				
INDUSTRIAL TREATMENT -				
File Data Available:				
NOTES: <u>water supply - Long Meadow Pond and The Connecticut Water Co., for domestic use.</u>				

Drawing NOT To SCALE



STATE OF CONNECTICUT - Form 1064

Name of Company <i>T.F. Butterfield, Inc</i>		Town <i>Naugatuck</i>	
		Village <i>Naugatuck</i>	Location on Map <i>1</i>
		Receiving Stream <i>Long Meadow Cr.</i>	Watershed <i>Naugatuck</i>
Mailing Address <i>59 Rubber Rd Naugatuck</i>		Contact <i>J.F. McGarry - Sec.</i>	
Date Est. ?		Type of Problem - Serious, Routine, Minor, <u>None</u>	
Date Last Exp.		No. of Employees	
		<i>115</i>	<i>5</i>
		<i>110</i>	<i>2</i>
		Report by <i>G.M. Reck</i>	Date <i>7-18-60</i>
Products <i>Molded plastic parts</i>			
Processes			
A <i>Steaming</i>			
B <i>Injection & Compression</i>			
C			
D			
Origin of Waste			
Waste Contains <i>No industrial wastes</i>			
A			
B			
C			
D			
Water Used For		Sanitary Wastes	Industrial Wastes
Discharged To		<i>Sewer</i>	<i>-</i>
			<i>Stream</i>
Water Usage	Gals per day	How Computed	
Sanitary Sewage	<i>1,725</i>	<i>115 emp x 15 g.p.d.</i>	
Industrial Wastes	<i>-</i>		
Clean Discharge	<i>unknown</i>	<i>cooling water taken from stream</i>	
Boiler Water	<i>7870</i>	<i>174 HP Boiler @ 45 hr</i>	
In Product			
Unaccounted	<i>- 240</i>		
Total Used	<i>2,355</i>	<i>total from water bill</i>	
SANITARY TREATMENT - <i>Municipal Sewer</i>			
INDUSTRIAL TREATMENT - <i>-</i>			
File Data Available			
NOTES: <i>water source is city (S.S.)</i>			
<i>Cooling water is surface</i>			

STATE OF CONNECTICUT
WATER RESOURCES COMMISSION

Form P-5

Name of company <u>Dooral</u>	Town <u>Naugatuck</u>	Location on Map <u>4</u>
Tool & Mfg, Inc	Village <u>"</u>	
Mailing Address	Rec. Stream <u>Long Meadow Br</u>	Watershed <u>Naug</u>
<u>35 Elm St</u>	Contact <u>J. Beaunette (Off Mgr)</u>	
<u>Naugatuck</u>	Type of Problem <u>Serious</u>	Routine <u>None</u> Minor <u>None</u>
Date Established <u>1947</u>	No. of Emp. <u>30</u>	<u>4</u> <u>26</u> <u>1+</u>
Date of Last Ex. <u>-</u>	Report by <u>David A. Violette</u>	Date <u>6-17-66</u>
Products <u>Metals, Screw Machine Work</u>		
Processes	A <u>Presses</u>	E. <u>Screw Mach</u>
	B <u>Cut & Draw</u>	F. <u>Drill Presses</u>
	C <u>Cut & Form</u>	G. <u>Tooling equip</u>
	D <u>Redraw</u>	H. <u>Plating</u>
Origin of Wastes <u>A-G</u>		H. <u>H.</u>
Wastes Contain	A <u>Kerosene</u>	<u>Ni salt</u>
	B	<u>Cd</u>
	C	<u>Caustic</u>
	D	<u>CN</u>
Comments Not Covered by Above Data		
Water Used For	San. Wastes	Industrial Wastes
Discharged To	<u>Mun Sew (U)</u>	<u>Stream (U)</u>
Water Usage	Gals-per-day	How Computed
Sanitary Sewage	<u>450</u>	<u>30 x 15</u>
Industrial Wastes	<u>2,570</u>	<u>Difference</u>
Clean Discharge	<u>-</u>	
Boiler Water	<u>-</u>	
In Product	<u>-</u>	
Unaccounted		
Total Used	<u>3,020</u>	<u>Mun Water 371</u>
SANITARY TREATMENT - <u>None</u>		
INDUSTRIAL TREATMENT - <u>None</u>		
File Data Available:		
NOTES:		

STATE OF CONNECTICUT - Form 1064

Name of Company <i>Dowal Tool & Mfg. Inc.</i>		Town <i>Naugatuck</i> Village <i>Naugatuck</i> Location on Map <i>4</i>	
Receiving Stream <i>Long Meadow St.</i> Watershed <i>Naugatuck R.</i>			
Mailing Address <i>35 Elm St. Naugatuck</i>		Contact <i>Jo Bando - office manager</i>	
Date Est. <i>1945</i>		Type of Problem - <u>Serious</u> , Routine, Minor, None	
Date Last Exp.		No. of Employees <i>23</i> <i>3</i> <i>25</i> <i>ONE</i>	
Report by <i>G.R. Pratt</i>		Date <i>7-18-60</i>	
Products <i>Metal stamping</i>			
Processes			
A <i>Pressing</i>			
B <i>Plating (nickel)</i>			
C <i>Cleaning (brush & rollers)</i>			
D			
Origin of Waste			
Waste Contains			
A <i>nickel salts</i> <i>Compound cyanides</i>			
B <i>cyanides</i>			
C			
D			
Water Used For	Sanitary Wastes	Industrial Wastes	Clean Water
Discharged To	<i>Sewer</i>	<i>Stream (U)</i>	-
Water Usage	Gals per day	How Computed	
Sanitary Sewage	<i>420</i>	<i>28 gpm x 15 g.p.h.</i>	
Industrial Wastes	<i>9,580</i>	<i>Total - S.S. = Ind. Wastes</i>	
Clean Discharge			
Boiler Water	<i>0</i>	<i>just heating</i>	
In Product			
Unaccounted			
Total Used	<i>10,000</i>	<i>total from water bill</i>	
SANITARY TREATMENT - <i>Municipal Sewerage</i>			
INDUSTRIAL TREATMENT - <i>None</i>			
File Data Available			
NOTES: <i>Water source is city</i>			

11-13-61

NE-02-01

New Haven

STATE OF CONNECTICUT
WATER RESOURCES COMMISSION

Form P-5

Name of company <i>Lewis Eng'g Co</i>	Town <i>Naugatuck</i>	Location on Map <i>6</i>	
Mailing Address <i>(see over)</i>	Village <i>"</i>	Rec. Stream <i>-</i>	Watershed <i>Naug.</i>
<i>339 Church St</i>	Contact <i>E.J. Worthington (Treas)</i>		
<i>Naugatuck</i>	Type of Problem	Serious	Routine
Date Established	No. of Emp.	<i>377</i>	<i>84</i>
Date of Last Ex.	Report by <i>David A. Violette</i>	<i>293</i>	<i>293</i>
Products <i>Aircraft instr</i>	<i>Insulated wire</i>	<i>#4</i>	
Processes A <i>Assy</i>	<i>Insulating wire</i>		
B	<i>Plating</i>		
C			
D			
Origin of Wastes	<i>#2</i>	<i>#3</i>	<i>#4</i>
Wastes Contain A <i>Sanitary</i>	<i>San</i>	<i>San</i>	
B <i>Deter</i>		<i>N:</i>	
C		<i>Ag</i>	
D		<i>CN</i>	
Comments Not Covered by Above Data			
<i>1st: 351, 2nd: 20, 3rd: 6</i>			
Water Used For	San. Wastes	Industrial Wastes	Clean Water
Discharged To	<i>Mun Sew (U)</i>	<i>Mun Sew (PT)</i>	<i>Mun Sew (U)</i>
Water Usage	Gals-per-day	How Computed	
Sanitary Sewage	<i>5,650</i>	<i>377 x 15</i>	
Industrial Wastes	<i>32,650</i>	<i>Tot - (SS + Cl Dchg)</i>	
Clean Discharge	<i>900</i>	<i>See over</i>	
Boiler Water	<i>-</i>	<i>Heat only</i>	
In Product	<i>-</i>		
Unaccounted	<i>-</i>		
Total Used *	<i>39,200</i>	<i>Water bill: 12 mos / 250 days</i>	
SANITARY TREATMENT - <i>Municipal Sewer</i>			
INDUSTRIAL TREATMENT - <i>Neutralized, lagoon, sewers</i>			
File Data Available:			
NOTES: * Use in plant #4 varies from 2000 gal/mo to 12000 gal/mo			

STATE OF CONNECTICUT - Form 1064

Name of Company <i>Lewis Engineering</i>		Town <i>Naugatuck</i>		Village <i>Naugatuck</i> Location on Map <i>6</i>	
Receiving Stream <i>see back</i>		Watershed <i>Naugatuck R.</i>			
Mailing Address <i>329 Main St. Naugatuck</i>		Contact <i>E. J. Warburton - Treas.</i>			
Date Est.		Type of Problem - <u>Serious</u> , Routine, Minor, None			
Date Last Exp.		No. of Employees		<div> <div><i>69</i></div> <div><i>14</i></div> <div><i>250</i></div> <div><i>3</i></div> </div>	
Report by <i>C. R. Kopp</i>		Date <i>7-18-60</i>			
Products <i>Electric products</i>					
Processes					
A <i>insulation</i>					
B <i>insulation (Tinselation)</i>					
C <i>insulation (Silver)</i>					
D					
Origin of Waste <i>see back</i>					
Waste Contains					
A <i>insulation</i>					
B <i>insulation</i>					
C <i>insulation</i>					
D					
Water Used For		Sanitary Wastes		Industrial Wastes	
Discharged To		<i>sewer</i>		<i>stream</i>	
Water Usage		Gals per day		How Computed	
Sanitary Sewage		<i>4,035</i>		<i>200 gals per day</i>	
Industrial Wastes		<i>16,005</i>		<i>100 gal - (155 + 8.44) = see back</i>	
Clean Discharge		<i>unknown</i>			
Boiler Water		<i>2,000</i>		<i>140 gal - 155 of boiler</i>	
In Product					
Unaccounted					
Total Used		<i>101,120</i>		<i>total from water bill</i>	
SANITARY TREATMENT - <i>MUNICIPAL SEWER</i>					
INDUSTRIAL TREATMENT - <i>100 gal - 155 = 1</i>					
File Data Available					
NOTES: <i>water source is city</i>					

11-13-1

NC-02-01

New Haven

R.

1-24
2-21
3-4

6

Address

- * Plant #1 52 Rubber Ave - thermoplastic
Plant #2 Water St - Aircraft inst.
Plant #3 339 Church St (office)

Planning to start operations on
August 1, 1960 in new plant in
Union City. (Haugstuck) - Spring St address.

Water bill

300,200	gallons
304,200	" "
906,300	" "
<hr/>	
1,011,200	

101,120 g.p.d.

* Part of industrial wastes will be
clean discharge - but no way of estimating
the quantity.

STATE OF CONNECTICUT - Form 1064

Name of Company The Parsons		Town Naugatuck		Village Naugatuck		Location on Map 14	
Screw Products Co.		Receiving Stream		Watershed Naugatuck R.			
Mailing Address		Contact W. Parsons - Pres.					
Rubber Naugatuck		Type of Problem - Serious, Routine, Minor, (None)					
Date Est. 1937		No. of Employees		15	1	14	1
Date Last Exp.		Report by G. R. Recot		Date 7-18-60			
Products		Screw Machine Products					
Processes		A Cutting					
		B Upsetting					
		C					
		D					
Origin of Waste							
Waste Contains		No. industrial matter					
		A					
		B					
		C					
		D					
Water Used For		Sanitary Wastes		Industrial Wastes		Clean Water	
Discharged To		Ground		-		-	
Water Usage		Gals per day		How Computed			
Sanitary Sewage		225		15 emp x 15 g.p.d.			
Industrial Wastes							
Clean Discharge							
Boiler Water		0		just heating			
In Product							
Unaccounted							
Total Used		225		comp. est.			
SANITARY TREATMENT -		Septic tank - dry well					
INDUSTRIAL TREATMENT -		-					
File Data Available							
NOTES:		water source is well (drinking)					
		Septic tank Boiler flue gas					

NG-02-01

New Haven

STATE OF CONNECTICUT
WATER RESOURCES COMMISSION

Form P-5

19-28, 72 Hb St. Long Island City, N.Y. Tel. 312-222-5500

C

Name of company FR Parsons Screw Products Co.	Town <u>Naugatuck</u>	Location on Map <u>14</u>
Mailing Address <u>Box 245, Naugatuck</u>	Village	Rec. Stream <u>Long Meadow Pond Bk. Watershed Naugatuck R.</u>
	Contact <u>Walter Parsons (Vice President & General Manager)</u>	
	Type of Problem	Serious <input type="checkbox"/> Routine <input type="checkbox"/> Minor <input type="checkbox"/> None <input type="checkbox"/>
Date Established <u>1943</u>	No. of Emp.	<u>14</u> <u>3</u> <u>1</u>
Date of Last Ex. <u>1960</u>	Report by <u>R.W. Senack</u>	Date <u>2-17-68</u>

Products <u>Screw Machine Products</u>
Processes
A <u>Machine Cutting</u> (E) <u>cleaning part - on demand only</u>
B <u>Upsetting</u>
C <u>Tumbling (very small quantity)</u>
D <u>Centrifuging</u>

Origin of Wastes
Wastes Contain
A <u>Oil & Metal chips</u> (E) <u>aqueous solution of soap & water</u>
B
* C <u>detergent & cleaning compound</u>
D


Comments Not Covered by Above Data The oil waste & Metal chips are picked up by Simon & Goldman (scrap Dealers from Waterbury). Fuller's earth, some oil & metal chips, which are collected from the floor of the shop, and a cleaning agent are dumped near the back of Long Meadow Pk. and burned.

Water Used For	San. Wastes	Industrial Wastes	Clean Water
Discharged To	<u>Ground (T)</u>	<u>Ground *</u>	
Water Usage	Gals-per-day	How Computed	
Sanitary Sewage	<u>255</u>	<u>15 aged x 17 emp. = 255 gal/day</u>	
Industrial Wastes		<u>Tumbling very small amount</u>	
Clean Discharge		<u>Contact Est. (see page from Soller walls)</u>	
Boiler Water		<u>Recirculating Boiler water used for heating only.</u>	
In Product		<u>(a neutralizing agent is used)</u>	
Unaccounted			
Total Used	<u>255</u>	<u>Contact Est. see reverse side for water supply</u>	

SANITARY TREATMENT - * Septic tank and dry well (tank size 500 gal. Contact Est.)
INDUSTRIAL TREATMENT -

File Data Available:
NOTES: water supply - stream and private well
stream used for cleaning, well used for drinking water

Layout of water supply and ~~and~~ waste disposal area



INTERDEPARTMENT MAIL

DATE

March 15, 1968

FROM Robert B. Taylor, Sen. San. Eng.

DEPARTMENT

Water Resources Commission

SUBJECT Robert W. Senack, Field Inspector

DEPARTMENT

Water Resources Commission

Naugatuck - Parsons Screw Products Company

In regard to Mr. George E. McNamara's letter of December 1, 1967, concerning possible sources of pollution to Falling Mill Brook and Long Meadow Pond Brook in the Town of Naugatuck. An interview with Mr. McNamara on February 14, 1968 revealed the following:

A field trip was taken by Mr. McNamara and myself to the area of the Roberts Plating Company on East Waterbury Road. The green film on the rocks in a tributary of Falling Mill Brook was apparently attributed to the plating waste. Mr. McNamara was not aware of the recent pollution abatement Order (No. 506) issued to the Roberts Plating Company.


A second field trip was taken to the Parsons Screw Products Company on Rubber Avenue. A visual inspection of the grounds revealed a dumping area which is located at the south east end of the building. This dumping area covered approximately 500 square feet and about 15 to 20 feet from Long Meadow Pond Brook.

It was later established by Mr. Parsons, General Manager of the Parsons Company, that the contents of this waste was a combination of oil, metal chips and Fuller's earth which is collected from the floor of the shop.

NOTE: See attached P-5 form on the Parsons Screw Products Company.

ROBERT W. SENACK
FIELD INSPECTOR

RWS:jch





Revised
2/90

CERTIFICATION

Submitted Pursuant to Connecticut General Statutes
Sections 22a-134 to 22a-134 (d), inclusive.

FORM III

(Complete all sections of Form III when a release has occurred which has not been cleaned up in a manner approved by the Commissioner of Environmental Protection or for any other reason a negative declaration cannot be submitted). Form III must be submitted prior to the transfer.

SECTION A. GENERAL ESTABLISHMENT INFORMATION1. OWNER OF ESTABLISHMENT

- a. Name (if corporation, the full exact name as registered with the Connecticut Secretary of State):

General-Lord Realty Corporation

- b. Mailing Address: Street: 45 Broadway

Town: New York State NY Zip 10006

- c. Authorized Contact: Name: Kevin Burns

Title: Vice President

Phone No.: (212) 809-7900

- d. EPA (RCRA) ID No.: CTD N/A

- e. Type of transfer: Conveyance of Real Property and Financing

2. OPERATOR OF ESTABLISHMENT

- a. Name (Give name of company which exists/existed on-site. If a corporation, the full exact name as registered with the Connecticut Secretary of State):

General DataComm, Inc.

- b. Mailing Address: Street: 1579 Straits Turnpike

Town: Middlebury State CT Zip 06762-1299

- c. Authorized Contact: Name: James R. Arcara

Title: Executive Vice President

Phone No.: (203) 574-1118

Form III - Page 1

RECEIVED

SEP 30 1993

WATER MANAGEMENT
PERMITTING, ENFORCEMENT
& REMEDIATION DIVISION

6174

K101

3. PROPERTY OWNER

- a. Name: General-Lord Realty Corporation
(as appears in land records)
- b. Mailing address: Street: 45 Broadway
Town: New York State NY Zip 10006
- c. Authorized Contact: Name: Kevin Burns
Title: Vice President
Phone No.: (212) 809-7900
- d. Map: Include a map of the property location.

*
DESCRIPTION IN PROPERTY DEED: Recorded on page 678 of volume 294,
of the town of Naugatuck land records, as lot _____,
block 23W2 on maps 2 and 3 in the town of Naugatuck,
Tax Assessor's Office.

SECTION B. Indicate the reason why the transferor is unable to submit a
negative declaration:

No site assessment or investigation has been done on the site so the transferor is
unable to certify that there has been no release.

SECTION C: CERTIFICATION

An establishment located at 6 Rubber Ave., Naugatuck
(street) (town)
is being transferred on 9 / 29 / 93 by General-Lord Realty Corporation
(Date) (Transferor)
to GDC Naugatuck, Inc.
(Transferee)

The transferor is unable to submit a negative declaration to the transferee
under 22a-134(a) of the Connecticut General Statutes.

As a party to the transfer, I certify that, to the extent necessary to minimize
or mitigate a threat to human health or the environment, I shall contain,
remove, or otherwise mitigate the effects of any discharge, spillage,
uncontrolled loss, seepage, or filtration of hazardous waste at the site of
said establishment in accordance with procedures and a time schedule approved

(continued next page...)

by the Commissioner of Environmental Protection pursuant to an order, stipulated judgment, or consent agreement. I have personally examined and am familiar with the information submitted in this document and certify that based on reasonable investigation, including inquiry of those individuals immediately responsible for obtaining the information, the submitted information is true, accurate, and complete. I am aware that if I knowingly submit false information or fail to comply with the provisions of Connecticut General Statute Section 22a-134(a), I may be subject to a forfeiture of up to \$100,000.

Authorized signature (as specified in instructions):

Name (Type or Print): James R. Arcara

Title: President

Mailing address: Street: 1579 Straits Turnpike

Town: Middlebury State CT Zip 06762-1299

Phone No. (203) 574-1118

Representing: GDC Naugatuck, Inc.

Involvement in the transfer: Transferee

Signature: *James R. Arcara*

Date signed: 9 / 29 / 93

"Subscribed and sworn to before me this 29th day of September, 1993."

Notary Public: *William F. Treanor*

WILLIAM F. TREANOR
Notary Public, State of New York
No. 304014325

Qualified in Windsor County
Expires Dec 31 1994

This document was received by me on 9 / 29 / 93.

Name: Kevin Burns

Title: Vice President

Representing: General-Lord Realty Corporation

Signature: *Kevin Burns*

Address: 45 Broadway

New York, NY

Form prescribed by the Connecticut Dept. of Environmental Protection. Revised 2/90

The DEP has not reviewed the information submitted in this form and does not certify that such information is correct.

FORM OF ACKNOWLEDGEMENT

(Attach to certification for Forms I, II, and III)

FOR INDIVIDUAL:

State of Connecticut

ss. (Town, City, Date)

County of _____

On this the _____ day of _____, 19____, before me,

_____, the undersigned officer, personally
(Name of Notary) appeared _____, known to me(Name of individual(s))
(or satisfactorily proven) to be the person(s) whose name(s) is/are subscribed
to the within instrument and acknowledged that he/she/they executed the same
for the purposes therein contained.

In witness whereof I hereunto set my hand. _____

(Signature of Notary Public)

FOR A CORPORATIONNew York
State of ~~Connecticut~~

ss. (Town, City, Date)

County of: New York

On this the 29th day of September, 1993, before me,

William F. Treanor _____, the undersigned officer, personally

(Name of Notary)
appeared James R. Arcara who acknowledged himself to be(Name of officer)
the President of GDC Naugatuck, Inc.(Title of officer) (Name of corporation)
a corporation, and that he, as such President, being(Title of officer)
authorized so to do, executed the foregoing instrument for the purposes therein
contained, by signing the name of the corporation by himself as

President _____

(Title of officer)

In witness whereof I hereunto set my hand.

(Signature of Notary Public)

WILLIAM F. TREANOR
Notary Public, State of New York
No. 000014808
Office: _____
County: _____

See 3/13/93

NOV REQUIRED: YES NO

COMPLAINT NUMBER: _____

STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION
COMPLAINT FORM
BUREAU OF WATER MANAGEMENT

TOWN: Naugatuck

DATE: 7-06-99

COMPLAINANT: Rachael Pringle

TELEPHONE NUMBER: Pager # 203 7801519

LOCATION OF SITE: Elm St e Precise Mfg. / Parts America
Long Meadow Pond Brook

STATEMENT OF COMPLAINT

filmy white color in Brook at 1330.

E. Pizzuto
COMPLAINT RECEIVED BY

Ed Fingar
COMPLAINT REFERRED TO

7-06-99
DATE

INVESTIGATION REPORT:

CONTACT NAME: _____ PHONE: _____

DESCRIPTION: (Include Diagram if Necessary)

I responded to complaint about color in Long Meadow Pond Brook within 1 hr. of report.

Long Meadow Pond Brook was clear in the vicinity of Elm St. and upstream. Storm sewer line ~~at~~ landfill near Friendly's was also clear and no residue.

On 7-07-99 reinspection found Brook clear.

Note: Brook has a large amount of urban-trash.

Spoke to Ms. Pringle on 7-08-99, she reported that color lasted only about 30 minutes, she also said that she has observed color in the Brook on several occasions. She will keep watch & report next event to Spills and to Ed Finger.

RECEIVING STREAM: Long Meadow Pond Brook WATERSHED: Naugatuck River

ACTION TO BE TAKEN AND/OR NEEDED TO ALLEVIATE CONDITIONS:

INVESTIGATED BY: Ed Finger

DATE(S): 7-06- & 7-07-99

NOV REQUIRED: YES

NO

COMPLAINT NUMBER: _____

STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION
COMPLAINT FORM
BUREAU OF WATER MANAGEMENT

TOWN: Naugatuck

DATE: 8-03-99

COMPLAINANT: Rachael Pringle

TELEPHONE NUMBER: (W) 203 723-0982

LOCATION OF SITE: Elm St. Bridge at Long Meadow Pond Brook
near Rubber Ave. in Naugatuck

STATEMENT OF COMPLAINT

White oily-film observed on surface of
Long Meadow Pond Brook - ongoing.

Spills Group is responding to reported
problem.

Also see complaint 399-182

Spills - Jim Santacoe
COMPLAINT RECEIVED BY

Ed Finger
COMPLAINT REFERRED TO

DATE

INVESTIGATION REPORT:

CONTACT NAME: Rachael Pringle

PHONE: (W) 203 723-0982

DESCRIPTION: (Include Diagram if Necessary)

• Stream clean on 8-05-99. One storm drain pipe just north of the Elm Street Bridge and on the east side of Long Meadow Pond Brook had the appearance of urban stormwater but not sanitary sewage.

• The Brook receives considerable amount of urban runoff.

RECEIVING STREAM: Long Meadow Pond Brook

WATERSHED: Naugatuck River

ACTION TO BE TAKEN AND/OR NEEDED TO ALLEVIATE CONDITIONS:

Ms. Pringle will continue to monitor & notify Ed Finger if she notices a problem in the Brook.

The Naugatuck Recreation Dept was determined to be discharging paint wastewaters to the Brook upstream from the Elm St. location. Discharges eliminated & NOV sent to Naugatuck Rec Dept (Separate Complaint Investigation)

INVESTIGATED BY: Ed Finger

DATE(S): 8-05-99

NOV REQUIRED: YES NO

COMPLAINT NUMBER: _____

STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION
COMPLAINT FORM
BUREAU OF WATER MANAGEMENT

TOWN: Naugatuck DATE: May 10, 2001

COMPLAINANT: Fred Banach, Planning & Standards Division

TELEPHONE NUMBER: _____

LOCATION OF SITE: Maple Street Bridge - 24" concrete pipe
directly under bridge - west bank of Naugatuck River

STATEMENT OF COMPLAINT

14:50 May 10, 2001:

Fred Banach reported that E. Pizzuto observed sanitary
wastewater discharging from a stormwater-pipe under
the Maple Street Bridge earlier this afternoon.

Note: 3-06-98 Sewage in same storm pipe. An unpermitted
by-pass (san line over storm line in same MH) was sealed and 2 other
MH's installed ~~into~~ correct problem.

Attached: letter dated 5-14-01 Stewart to Finger Re Sanitary Sewer Overflow
By-Pass Report Form

letter to Borough from DEP dated 3-17-98 - Unpermitted By-Pass

letter from Borough to DEP dated 3-24-98 - Response

C. Ready / E. Finger
COMPLAINT RECEIVED BY

E. Finger
COMPLAINT REFERRED TO

5-10-01
DATE



BOROUGH OF NAUGATUCK

ENGINEERING DEPARTMENT

229 CHURCH STREET

NAUGATUCK, CT 06770-4145

203 / 720-7006

FAX 203 / 720-7041

Handwritten by Ed Finger on 5-16-01

The sanitary line was video taped on

2-14-01 (Tape 432-2) and did not indicate a root problem

for most of the pipe, but indicated an obstruction (possible roots, or misaligned pipe?) at ~90' from MH loc on east side of Town Green.

May 14, 2001

Edward Finger

Environmental Analyst

Bureau of Water management

79 Elm Street

Hartford, CT 06106-5127

New seal (steel plate & cement) inspected & photographed on 5-14-01. San Line dye-tested by Town - No Dye to River.

Excavation started on 5-14-01 to determine location of sanitary line at NW corner of Town Green. Loc. of new MH determined - will be installed not May 16, 2001 but week of May 21.

Re: Sanitary Sewer Overflow

Dear Mr. Finger:

On 5-15-01 Duke's with DEP permit applied root killer foam (Diquat) to approx 140' of this sewer line.

Thank you for bringing the recent sewer overflow to the Borough attention. As you know, the sewer blockage was corrected shortly following our notification on 5/11/01. From conversations with town employees the sanitary sewer in the manhole next to 42 Meadow Street was sealed in 1998 and apparently reopened some time thereafter to flush the sewers.

The street department has cemented a metal plate over the sewer line opening thus eliminating the potential for any sewer over flows in that location.

The Street Department will be installing a new manhole for cleaning and inspection purposes Wednesday, May 16. The Borough will immediately begin cleaning and repairing the line. We will also TV the line within the next 30 days and inspect the manholes in the area to ensure that no other similar manholes exist.

Please notify me if there are any other items that need to be completed to future overflows.

Sincerely,

James R. Stewart, P.E.

Borough Supervisory Engineer

File: Water
Naugatuck Town
Mis-

COMPLAINT NUMBER: _____

STATE OF CONNECTICUT
DEPARTMENT OF ENVIRONMENTAL PROTECTION
COMPLAINT FORM
BUREAU OF WATER MANAGEMENT

TOWN: Naugatuck DATE: 12-22-04
COMPLAINANT: Wayne Tourine
TELEPHONE NUMBER: (203) 723-9385
LOCATION OF SITE: Long Meadow Brook

STATEMENT OF COMPLAINT

Noticed foam in Long Meadow Brook at Rubber Ave.
Extension.

Doug Zimmerman
COMPLAINT RECEIVED BY

Ed Fingst
COMPLAINT REFERRED TO

12-23-04
DATE

INVESTIGATION REPORT:

CONTACT NAME: _____

PHONE: _____

DESCRIPTION: (Include Diagram if Necessary)

Long Meadow Pond Brook was inspected on 1-3-05 from Woodruff St west to Crofut St and along Rubber Ave Extension. Small amounts of white foam was observed in areas downstream of riffle areas - natural foam.

Storm drain pipes and storm CB were checked with no evidence of soap/detergent discharges.

No evidence of illegal discharge in the area.

RECEIVING STREAM: Long Meadow Pond Brook WATERSHED: Naugatuck River

ACTION TO BE TAKEN AND/OR NEEDED TO ALLEVIATE CONDITIONS:

Foam observed during inspection was natural; no sources of soap/detergent were observed.

INVESTIGATED BY: Ed FingerDATE(S): 01-03-05

APPENDIX F
MUNICIPAL FILE DOCUMENTATION

BOROUGH OF NAUGATUCK
DEMOLITION PERMIT

No. 899

Date April 1, 1985

To the Office of Building Inspector

The undersigned hereby applies for permission to demolish
Buildings Between Cedar
St - Maple St Maple St - Rubber Ave
At Free Municipal Secured demolition contractor
Street

Signed

Permit No. 899 Fee \$5,000.00

Donald E. Carls
Building Inspector

No 899

BOROUGH OF NAUGATUCK
DEMOLITION PERMIT

Date April 1, 1985

To the Office of Building Inspector

The undersigned hereby applies for permission to demolish Buildings Between Cedar

St - Maple St Maple St - Rubber Ave
Subject to licensed demolition contractor #500
at Fire Marshal Street

BIG APPLE WRECKING CORP

119 OLD BROOKFIELD ROAD DANBURY CT Signed

Permit No. 899 Fee \$ 5,000.00

Donald T. Casby
Building Inspector



BOROUGH OF NAUGATUCK

OFFICE OF THE BUILDING INSPECTOR

229 CHURCH STREET
NAUGATUCK, CT 06770
203/729-4571

May 16, 1986

Mr. Edward Brown
Facility Manager
General Data Comm Industries, Inc.
1579 Straits Turnpike
Middlebury, CT 06762


RE: Big Apple Wrecking Corporation

Dear Mr. Brown:

The demolition stop work order of November 24, 1985 is rescinded, with the following conditions: the removal of buried wood, replacement with suitable non-organic material where illegal excavation has taken place.

All Local, State Statutes, and DEP requirements have to be followed.

Very truly yours,


Sebastian Salafia
Building Official

SS/mp

cc: Mayor
file

OLD FIREHOUSE ROAD

DATE 2/21 19 89

No. 1603

BOROUGH OF NAUGATUCK PERMIT TO INSTALL

HEATING - OIL BURNERS - TANKS - AIR CONDITIONING - SOLAR - STOVE

Naugatuck Fire Marshal Office

Signature

Estimated Cost \$ 15,000.00
FEE \$ 127.00

This permit is granted to

To install

Located at

As described in application of

Owner of Building

Address

THIS PERMIT IS GRANTED, SUBJECT TO COMPLIANCE WITH THE LAWS OF THE
STATE OF CONNECTICUT.

Note: When work is ready for inspection, notify the Building Official.

Granted

Building Official

Weather permitting, on site work is scheduled to begin on Friday, March 6, 1992

OLD FIREHOUSE ROAD

DATE 4/21 19 89

No. 1603

BOROUGH OF NAUGATUCK APPLICATION TO INSTALL

HEATING ☐ / OIL BURNER ☐ / AIR CONDITIONING ☐ / SOLAR ☐ / TANKS ☒ / STOVE ☐ / ☐

Estimated Cost \$ 15,000

FEE \$ 127.00

The undersigned, hereby applies for a permit to install

Heating ☐ ☐ According to the following specifications.

Job Location

Owner of Building

Contractor

Address

Kind of installation — Heating ☐

Burner & Boiler

Make

Furnace

Type of system

BTU/HR Capacity

Designed Condition

Building Heat loss BTU/HR

Remarks

GENERAL DATACOM


NAUGATUCK, CONNECTICUT

TANK REMOVAL PROJECT

August 21-23, 1989

Top to Bottom:

1. Site before start of project
2. Checking each tank for volatile organics.
3. Transport truck to remove water from the tanks.





GENERAL DATACOM

TANK REMOVAL PROJECT

Top to Bottom:

1. Starting to excavate top of tanks.
2. Vacuum truck to remove water & product.
3. Tops of tanks exposed. Vacuum truck being used to remove water/product.




GENERAL DATACOM

NAUGATUCK, CONNECTICUT

TANK REMOVAL PROJECT

Top to Bottom:

1. Tanks being removed.
2. Tanks being loaded onto disposal truck.
3. Tanks being loaded onto disposal truck.






GENERAL DATACOM

TANK REMOVAL PROJECT

Top to Bottom:

1. Soil at tank bottom. The soil was clean.
2. Samples taken to document the condition of the soil.
3. Tanks being loaded onto transport truck for off-site disposal.



Naugatuck Fire Department

Oil Tank Removal

Date of Removal: 7/31/07

Location: GENERAL DATACOM PARKING LOT
OLD FIREHOUSE RD SIDE ACROSS FROM NORTH
END OF MUNICIPAL PARKING LOT

Homeowner: GDC NAUGATUCK INC.

Company Removing Tank: EXCAVATION TECHNOLOGIES, INC

Company Address: 135 COMMERCE COURT

Company Address: CHESHIRE, CT 06410

Company Phone #: (203) 271-2233

Company Representative: TIM SLATER

Condition of Grave: APPEARED GOOD

Condition of Tank: APPEARED GOOD

Product in Tank: WASTE WATER + LUB OIL

Disposition of Tank: _____

FMO Representative: William P. Scorton

Samples Taken: ☒ **Yes** ☐ **NO**

Comments:

10,000 GAL TANK REMOVED FROM OLD FIREHOUSE
ROAD SIDE OF GDC PARKING LOT ACROSS FROM NORTH
SIDE OF MUNICIPAL PARKING LOT. AWAITING RESULTS
OF SAMPLES. PICTURES TAKEN

CONSTRUCTION DETAIL				CONSTRUCTION DETAIL (CONTINUED)			
Element	Cd	Ch	Description	Element	Cd	Ch	Description
Style	41		Research/Devel				
Model	96		Ind/Comm				
Grade	04		C+				
Stories	4						
Occupancy	2						
Exterior Wall 1	17		Stucco				
Exterior Wall 2	20		Brick				
Roof Structure	01		Flat				
Roof Cover	04		T+G/Rubber				
Interior Wall 1	01		Minim/Masonry				
Interior Wall 2	05		Drywall				
Interior Floor 1	03		Concrete				
Interior Floor 2	14		Carpet				
Heating Fuel	03		Gas				
Heating Type	06		Steam				
AC Type	04		Unit/AC				
Bldg Use	4000		INDUSTRIAL				
Total Rooms	00						
Total Bedrms	00						
Total Baths	0						
Heat/AC	02		HEAT/AC SPLIT				
Frame Type	04		REINF. CONCR				
Baths/Plumbing	02		AVERAGE				
Ceiling/Wall	03		SUS-CEIL/MIN WL				
Rooms/Prns	03		ABOVE AVERAGE				
Wall Height	16						
% Conn Wall	0						

OB-OUTBUILDING & YARD ITEMS(L) / XF-BUILDING EXTRA FEATURES(B)												
Code	Description	Sub	Sub Descript	L/B	Units	Unit Price	Yr	Gde	Dp Rt	Cnd	%Cnd	Apr Value
SHD3	Shed Metal			L	144	5,00	2000	0			50	360
PAY1	Paving Asphalt			L	39,242.50		2000	0			16	15,700
L12	W/DOUBLE L			L	2	1,500.00	2000	0			20	600
L11	Lights (1)			L	4	1,125.00	2000	0			15	680
LDL1	Load Lvr Pwr			B	8	3,500.00	1969	1			100	11,760
SPR1	Sprinkler - Wet			B	375.6	1.00	1969	1			100	157,760
ELV2	Freight Elev			B	15,000.00		1969	1			100	31,500
ELV1	Passngr Elev			B	20,000.00		1969	1			100	42,000
ELV1	Passngr Elev			B	4	20,000.00	1969	1			100	33,600
BUILDING SUB-AREA SUMMARY SECTION												
Code	Description			Living Area	Gross Area	Eff. Area		Unit Cost	Undeprc. Value			
AOE	Office			118,987	118,987			68.16	8,110,211			
BAS	First Floor			70,525	70,525			48.69	3,433,580			
CAN	Canopy			0	298			9.80	2,921			
CLP	Loading Platform, Finished			0	5,782			14.61	84,470			
FBM	Basement, Finished			24,850	35,500			34.08	1,209,847			
FEP	Porch, Enclosed			0	182			24.34	4,430			
FHS	Half Story, Finished			10,875	10,875			34.08	370,647			
FUS	Upper Story, Finished			55,888	55,888			46.25	2,584,934			
UST	Utility, Storage, Unfinished			38,063	76,125			19.47	1,482,489			
Ttl. Gross Liv/Lease Area:				319,188	374,162				17,283,530			



Property Location: 6 RUBBER AVE
 Vision ID: 4022 Account #024-8205

MAP ID: 3/2/23W2///	Bldg Name:				State Use: 4000
	Bldg #: 1 of 1	Sec #: 1	Card 1	of 1	Print Date: 06/24/2010 10:44

CURRENT OWNER	TOPO.	UTILITIES	STRT./ROAD	LOCATION
GDC NAUGATUCK INC 6 RUBBER AVE NAUGATUCK, CT 06770 Additional Owners:				
SUPPLEMENTAL DATA				
Other ID: Elderly Acct Elderly Acct Baa Changes Survey Map Survey Map GIS ID:	3/2-23W2	Census Tract 345300		
		ASSOC PID#		
RECORD OF OWNERSHIP		BK-VOL/PAGE	SALE DATE q/u w/i	SALE PRICE V.C.
GDC NAUGATUCK INC GENERAL-LORD REALTY CORP		382/ 346 294/ 678	09/30/1993 U I	7,287,500 0
		Total:		
EXEMPTIONS				
Year	Type	Description	Amount	Code Description Number Amount Comm. Int.
Total:				
NBHID/ SUB J/A	NBHID NAME	STREET INDEX NAME TRACING	BATCH	
NOTES				
-4TH FL UNFIN STGE USE) ELEV PASS 150 FPM3500 FREIGHT1=75FPM17000 FREIGHT2=100FPM16000 SEE 0 MAPLE ST NOTES				
1-GENERAL DATA COM 2-VITAL NETWORK SVCS (1-ST FL ALL MFG 2ND FL MFG + OFFCS W/ 84% OPEN STGE 3RD FL R+D/STGE 50/50				
BUILDING PERMIT RECORD				
Permit ID	Issue Date	Type	Description	Amount Insp. Date % Comp. Date Comp. Comments
VISIT/ CHANGE HISTORY				
Date	Type	ID Cd	Purpose/Result	
1/9/2003 RT TM	41 00	Hearing Change Measur+Listed		
LAND LINE VALUATION SECTION				
Zone D II	Frontage	Depth	Units 3.90 AC	I Factor S.A. 1.00 I C. Factor 1.00 J Adj. 1.25 APP W/2-2W1 Notes-Adj Special Pricing
Unit Price 100,000.00				
Total Card Land Units: 3.90 AC Parcel Total Land Area:3.9 AC				
Total Land Value: 487,500				

CURRENT OWNER			TOPO.	UTILITIES	STRT./ROAD	LOCATION	CURRENT ASSESSMENT		
GDC NAUGATUCK INC							Description	Code	Appraised Value
6 RUBBER AVE							IND LAND	3-1	968,750
NAUGATUCK, CT 06770							IND BLDG	3-2	15,080
Additional Owners:							IND IMPR	3-3	119,040
			SUPPLEMENTAL DATA						6088
			Other ID: 2-2W1						NAUGATUCK, CT
			Elderly Acct						
			Elderly Acct						
			Baa Changes						
			Survey Map						
			Survey Map						
			GIS ID:						
			ASSOC PID#						

RECORD OF OWNERSHIP			BK-VOL/PAGE	SALE DATE	q/u	w/i	SALE PRICE	V.C.	PREVIOUS ASSESSMENTS (HISTORY)		
GDC NAUGATUCK INC			382/ 346	09/30/1993			7,287,500		Yr.	Code	Assessed Value
									2007	3-1	678,130
									2007	3-2	10,560
									2007	3-3	83,330
			Total:				772,020		Total:		
							280,630				

EXEMPTIONS			Amount	Code	Description	Number	Amount	Comm. Int.	APPRAISED VALUE SUMMARY		
Year	Type	Description							Appraised Bldg. Value (Card)		15,080
									Appraised XF (B) Value (Bldg)		0
									Appraised OB (L) Value (Bldg)		119,040
									Appraised Land Value (Bldg)		968,750
									Special Land Value		0
									Total Appraised Parcel Value		1,102,870
									Valuation Method:		C
									Adjustment:		0
									Net Total Appraised Parcel Value		1,102,870


NBHD/SUB			ASSESSING NEIGHBORHOOD			NOTES		
J/A			STREET INDEX NAME			0 MAPLE ST & 6 RUBBER AVE		
			TRACING			IS 6.2 MILLION		
			BATCH					

BUILDING PERMIT RECORD			Permit ID	Issue Date	Type	Description	Amount	Insp. Date	% Comp.	Date Comp.	Comments	Date	Type	IS	ID	Cd.	Purpose/Result
												1/9/2003			RT	40	Hearing-No Change
												4/26/1999			JS	00	Measur-Listed

BUILDING PERMIT RECORD										VISIT/ CHANGE HISTORY				
Permit ID	Issue Date	Type	Description	Amount	Insp. Date	% Comp.	Date Comp.	Comments	Date	Type	IS	ID	Cd	Purpose/Result
									1/9/2003 4/26/1999			RT JS	40 00	Hearing-No Change Measur+Listed

Total Card Land Units:										7.75	AC	Parcel Total Land Area: 7.75 AC									
										Total Land Value:										968,750	

CONSTRUCTION DETAIL				CONSTRUCTION DETAIL (CONTINUED)			
Element	Cd.	Ch.	Description	Element	Cd.	Ch.	Description
Style	25		Service Shop				
Model	96		Ind/Comm				
Grade	03		C				
Stories	1						
Occupancy	1						
Exterior Wall 1	20		Brick				
Exterior Wall 2							
Roof Structure	01		Flat				
Roof Cover	04		T+G/Rubber				
Interior Wall 1	01		Minim/Masonry				
Interior Wall 2							
Interior Floor 1	03		Concrete				
Interior Floor 2							
Heating Fuel	07		None				
Heating Type	01		None				
AC Type	01		None				
Bldg Use	4030		ACCLND MFG				
Total Rooms							
Total Bedrms	00						
Total Baths	0						
Heat/AC	00		NONE				
Frame Type	03		MASONRY				
Baths/Plumbing	04		EXTENSIVE				
Ceiling/Wall	00		NONE				
Rooms/Prtns	02		AVERAGE				
Wall Height	24						
% Conn Wall	0						
OB-OUTBUILDING & YARD ITEMS(L) / XF-BUILDING EXTRA FEATURES(B)				OB-OUTBUILDING & YARD ITEMS(L) / XF-BUILDING EXTRA FEATURES(B)			
Code	Description	Sub	Sub Descript	L/B Units	Unit Price	Yr	Gde Dp Rt Cnd %Cnd Apr Value
FAV1	Paving Asphalt			L 300,012.50	2000		0 15 112,500
LT2	W/DOUBLE L			L 13 1,500.00	2000		0 20 3,900
FN3	Fence 6 ft			L 1,100 12.00	2000		0 20 2,640
BUILDING SUB-AREA SUMMARY SECTION				BUILDING SUB-AREA SUMMARY SECTION			
Code	Description	Living Area	Gross Area	Eff. Area	Unit Cost	Undeprec. Value	
BAS	First Floor	400	400	400	107.73	43,092	
Tot. Gross Liv/Lease Area:				400	400		43,092



No Photo On Record

APPENDIX G
PREVIOUS ENVIRONMENTAL REPORTS

PHASE II SUBSURFACE INVESTIGATION

6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT 06770

CES No. 010098



ENVIRONMENTAL &
ENGINEERING CONSULTANTS

GENERAL CONSOLIDATED INDUSTRIES, INC.

PHASE II SUBSURFACE INVESTIGATION

**6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT 06770**

CES No. 010098

GCI Project No. 2001127

Prepared for:

**The Chase Manhattan Bank
380 Madison Avenue
New York, New York 10017-2591**

Subsurface Investigation Date: June 20 and 21, 2001

Report Date: July 12, 2001

Prepared by:

**General Consolidated Industries, Inc. (GCI)
Two Stamford Landing
Stamford, Connecticut 06902
1-800-842-5073**

INDEX

- 1. Executive Summary**
- 2. Introduction**
- 3. Site Description**
- 4. Field Investigation**
- 5. Analytical Results**
- 6. Conclusions & Recommendations**
- 7. Appendices**
- 8. Photographs**

EXECUTIVE SUMMARY

The subject site is located at 6 Rubber Avenue, Naugatuck, Connecticut. A Phase II Subsurface Investigation was conducted at the subject site on June 20 - 21, 2001. The purpose of the investigation was to assess the environmental concerns revealed upon the completion of a Phase I Environmental Site Assessment (Phase I ESA), prepared by GCI, dated May 21, 2001.

The interior lavatory sinks were dye tested in order to confirm their discharge location. The results of the dye tests confirmed that the interior lavatory sinks are presently discharging to the municipal sewer system.

The one (1) trench drain designated as TD-1 located at the northeast corner of the subject building was inspected. It was determined that the trench is a non-leaching structure, which collects storm water and then discharges the water through one (1) effluent pipe located at the east end of the trench. A dye test was conducted on TD-1. The presence of the dye could not be discerned in any of the on-site subsurface structures. It was reported by Mr. Steve Furman that TD-1 discharges to an underground stream which flows beneath the subject building. There are two (2) large flood pumps located in the vicinity of TD-1 which are reportedly utilized during flood periods of the subsurface stream. The one (1) floor drain designated as FD-1 located in the basement of the subject building was inspected. It was determined that FD-1 is constructed of a solid concrete non-leaching basin with one (1) effluent discharge pipe. The floor drain was dye tested. The presence of the dye could not be observed in any of the on-site subsurface structures. It was further reported by Mr. Furman that FD-1 discharges to the underground stream. Please note that due to the fact that the stream is located below the foundation of the subject building, an inspection of the stream could not be conducted. Based upon the site observations and data collected, it appears that TD-1 and FD-1 are not presently discharging to any known on-site subsurface leaching structures.

There are three (3) catch basins located in the loading bay area along the south side of the subject building. The basins were noted to be completely clogged with sand and leaves at the time of the site inspection. An inspection of the catch basins revealed that they are constructed of solid non-leaching concrete. There is one (1) trench drain designated as TD-2 located in the south side loading dock area. An inspection revealed that TD-2 is a solid concrete non-leaching structure with one (1) effluent discharge line. A dye test was conducted on TD-2. The dye was not noted in any of the on-site subsurface structures. The effluent discharge line was noted to be directed towards the municipal storm water collection system. Based upon the field data collected it was determined that TD-2 does not discharge to any known on-site subsurface leaching structures.

A Geophysical Investigation of the subject site was conducted throughout the subject site in an attempt to identify any undocumented underground storage tanks (USTs) which may be present at the site. The areas investigated consisted of a fifteen (15) foot perimeter around the current subject building, as well as throughout the northern parking areas. The investigation was conducted utilizing a TM-808 magnetometer. The results of the investigation revealed the presence of seven (7) subsurface magnetic anomalies. The magnetic anomalies were rectangular in shape and varied in size from twenty-four (24) square feet to one-hundred eight (108) square feet. Based upon the field data collected during the investigation, it appears that the seven (7) anomalous areas are representative of possible undocumented USTs. The anomalous areas were marked out for possible future investigation and/or excavation.

There are several open-grate manhole covers, as well as solid steel manhole covers located throughout the subject property. There was a concern that the manhole covers may be representative of on-site subsurface drainage structures. An inspection of the on-site manhole covers revealed that they there are non-leaching structures utilized for accessing the storm water collection system and the municipal sewer system. There were no subsurface leaching structures identified during the inspection of the manhole covers.

A total of twelve (12) borings designated as B-1 through B-12 were installed at the subject site in order to assess the quality of the subsurface soil and groundwater. The borings were installed utilizing a Geoprobe® drill rig. Please note that competent bedrock was encountered at varying depths throughout the site, therefore soil sampling was limited in some areas and groundwater samples could not be collected from all of the borings.

Soil samples were collected utilizing a forty-eight (48) inch long, 2-inch outer diameter macro-core sampling sheath and drive point. Continuous soil samples were retained for subsequent inspection and/or analysis. The soil samples were relatively homogenous throughout the site. The subsurface lithology from grade to four (4) feet below land surface was comprised of demolition debris such as wood, concrete, bricks, asphalt, glass, etc. The lithology was then noted to change to a light brown silty sand. Competent bedrock was present at varying depths throughout the site and consisted of a micaceous schist. There was no apparent visual or olfactory evidence of contamination noted in any of the soil samples. In order to characterize the soil quality throughout the subject site, it was determined that the soil samples collected from ground surface to a depth of approximately four (4) feet below grade would be submitted for laboratory analysis. The soil samples collected from B-3, B-5, B-7 and B-12 were submitted for analysis of volatile organic

compounds (VOCs), semi-volatile organic compounds (SVOCs), total petroleum hydrocarbons (TPH), the eight (8) RCRA metals and for PCBs. The analytical results were compared to the Criteria listed in the State of Connecticut Department of Environmental Protection (DEP) Remediation Standard. The analytical results for the samples obtained from borings B-3, B-5 and B-7 did not reveal the presence of any contaminants which were elevated above their respective Connecticut DEP Criteria. The analytical results for the sample collected from B-12 revealed that there were no VOCs, SVOCs, TPH or PCBs detected above their respective Connecticut DEP Criteria. However, the metals analysis for B-12 revealed that arsenic was detected at a concentration of 11.4 parts per million (ppm), which is above the Connecticut Criteria of 10 ppm. The presence of arsenic is believed to be related to the decomposition of possible CCA (copper, chromium and arsenic) treated lumber which was noted in many of shallow soil samples as a result of the former demolition activities. Based upon the analytical results, it appears that the soil quality in the vicinity of B-3, B-5, B-7 and B-12 has not been adversely impacted at this time.

A total of three (3) groundwater samples were able to be collected at the subject site. Groundwater was collected from boring B-10 which was installed directly down-gradient of the hazardous waste storage shed, as well as from borings B-11 and B-12, which were installed along the upgradient (west) side of the current subject building. The groundwater samples were submitted for analysis of VOCs, SVOCs, TPH, the eight (8) RCRA metals and PCBs. The analytical results for all three (3) groundwater samples revealed that there were no contaminants detected above their respective laboratory analytical method detection limit in any of the samples. Based upon the analytical results, it appears that the groundwater quality in the vicinity of B-10, B-11 and B-12 has not been adversely impacted at this time.

TABLE OF CONTENTS

LIST OF TABLES	i-2
LIST OF FIGURES	i-2
LIST OF APPENDICES	i-2
REPORT SPECIFICATIONS	i-3
1.0 <u>INTRODUCTION</u>	1
1.1 Objectives / Scope of Work	3
1.2 Methodology	4
2.0 <u>SITE CHARACTERIZATION</u>	6
2.1 Site Description	6
2.2 Site Topography	6
2.3 Hydrogeologic Setting	7
3.0 <u>SUBSURFACE INVESTIGATION</u>	8
3.1 Dye Testing	8
3.2 Geophysical Investigation	9
3.3 Manhole Cover Investigation	10
3.4 Soil/Groundwater Boring Installation	11
3.5 Soil Characterization	12
3.6 Groundwater Characterization	13
3.7 Quality Assurance and Control	14
4.0 <u>ANALYTICAL RESULTS</u>	15
4.1 Soil Analytical Data	15
4.2 Groundwater Analytical Data	26
5.0 <u>CONCLUSIONS and RECOMMENDATIONS</u>	35
5.1 Conclusions	35
5.2 Recommendations	38
5.3 Limitations	39

LIST OF TABLES

Analytical Data - Soil Samples:

Volatile Organic Compounds (VOCs) - EPA Method 8260	Table 1
Semi-volatile Organic Compounds (SVOCs) - EPA Method 8270	Table 2
Poly-Chlorinated Biphenyls (PCBs) - EPA Method 8080	Table 3
Eight (8) RCRA Metals - SW-846 Method 6010	Table 4
Total Petroleum Hydrocarbons (TPH) - EPA Method 8015	Table 5

Analytical Data - Groundwater Samples:

Volatile Organic Compounds (VOCs) - EPA Method 624	Table 6
Semi-volatile Organic Compounds (SVOCs) - EPA Method 625	Table 7
Poly-Chlorinated Biphenyls (PCBs) - EPA Method 608	Table 8
Eight (8) RCRA Metals - SW-846 Series 7000	Table 9
Total Petroleum Hydrocarbons (TPH) - EPA Method 8015	Table 10

LIST OF FIGURES

Location Map	Figure 1.0
Site Plan	Figure 2.0

LIST OF APPENDICES

Geological Boring Logs	Appendix A
Laboratory Analytical Data Package & Chain of Custody	Appendix B
Photographs	Appendix C

REPORT SPECIFICATIONS

This report contains forty-one (41) pages of text.

Copies and circulation of this report are as follows:

- Six (6) Bound original reports to Mr. Judah W. Bernstein, Vice President, The Chase Manhattan Bank.
- One (1) Unbound original report to Mr. Judah W. Bernstein, Vice President, The Chase Manhattan Bank.
- One (1) Draft report to Mr. Judah W. Bernstein, Vice President, The Chase Manhattan Bank.
- One (1) Bound original report in the confidential client file at General Consolidated Industries, Inc. (GCI).
- One (1) Copy on security protected computer disk at General Consolidated Industries, Inc. (GCI).

This report is prepared for the exclusive use of parties noted above and is considered private and strictly confidential. General Consolidated Industries, Inc. (GCI) shall not release this report or any of the findings of this report to any person or agency except with the authorization of the principal parties noted above.

1.0 INTRODUCTION

General Consolidated Industries, Inc. (GCI) has been retained to prepare a Phase II Subsurface Investigation for the subject site: 6 Rubber Avenue, Borough of Naugatuck, New Haven County, Connecticut. The subject property is depicted on Figure 1.0 - Site Location Map. The investigation was predicated upon the findings of the Phase I Environmental Site Assessment (ESA) report prepared by GCI, dated May 21, 2001. The subsurface investigation was conducted at the subject property on June 20 - 21, 2001.

Based upon the findings of the Phase I ESA report, the following recognized environmental concerns were noted to require further assessment:

1. The Borough of Naugatuck Sewer Department reported that the subject building is connected to the municipal sewer system. Although no permit numbers or connection dates were available. There is one (1) storm water trench drain located at the northeast basement entrance to the building. There are multiple solid manhole covers, as well as open grate manhole covers throughout the site which are believed to be utilized for the on-site drainage system and sewer system. There are lavatory sinks located within the lavatories. There is one (1) long trench drain and three (3) floor drains located within the south loading bay area. There is one (1) floor drain located adjacent to the cold water chamber in the basement of the subject building. The drain reportedly discharges to the storm water culvert.

Based on the present and historical uses of the subject site, which have entailed hazardous materials and hazardous wastes, there is a concern that any accidental spills or illegal discharges to the trench drains, the floor drains, the suspect drywells or the lavatory sinks may have caused subsurface soil and/or groundwater contamination.

2. There were no storage tanks observed at the time of the site inspection. There was no evidence of storage tanks observed, such as fill ports, vent lines, etc. The Connecticut State Department of Environmental Protection (CT DEP) Petroleum Bulk Storage (PBS) records indicated that the site has a history which entailed the use of multiple underground storage tanks (USTs).

Based on the historical use of the subject site, specifically at the north parking lot, as well as the presence of undocumented storage tanks located at the subject site, there is a concern that additional undocumented USTs may still be located at the site.

3. The subject site has been utilized for manufacturing operations since the late 1800s, specifically by "Goodyear." A review of Sanborn Fire Insurance Maps indicated that these operations included benzene storage, an acid house, cutting, vanishing, printing, paints, curing, wood working, a machine shop, lumber storage, dying, milling, etc.

Based upon the historical use of the site, there is a concern that discharges of hazardous materials may have impacted the subsurface soil and/or groundwater throughout the site.

1.1 Objectives / Scope of Work

The objectives of this Phase II Subsurface Investigation were as follows:

1. To dye test the interior sinks, floor drains, catch basins and trench drains in order to determine the respective discharge points.
2. To collect representative samples from any on-site subsurface drainage structures which may be identified.
3. To inspect the manhole covers and their associated subsurface structures located throughout the subject site in order to determine their use.
4. To perform a Geophysical Investigation throughout the site for possible undocumented USTs.
5. To install soil/groundwater borings throughout the site for the purpose of characterizing the on-site soil and groundwater.

The locations of the above noted concerns are depicted on Figure 2.0 - Site Plan. Photographs were taken to document the recent Phase II activities conducted at the site and are included as Appendix C.

The scope of work was designed in accordance with all applicable regulatory and industry standards regarding subsurface investigations. The scope of work performed at the site will provide the necessary information to determine whether or not there has been an impact to the subject property as a result of the operations conducted at the site.

1.2 Methodology

To complete the Phase II Subsurface Investigation, the following procedures were conducted:

- 1) A detailed field inspection of the subject site was performed including the property grounds and site perimeter.
- 2) A dye test was performed by mixing EPA approved biodegradable dye tablets and water and introducing the mixture into the interior sinks, floor drains, catch basins and trench drains.
- 3) A Geophysical Investigation was conducted throughout the accessible areas of the entire site. The areas of concern were investigated using a TM-808 magnetometer. Any anomalous areas identified were marked out for further investigation.
- 4) A Geoprobe[®] drill rig was utilized to install a total of twelve (12) soil/groundwater borings throughout the subject property. Representative soil samples were collected from each of the borings. Due to the presence of competent bedrock throughout a majority of the site, groundwater samples were not able to be collected from all of the borings. Representative soil and groundwater samples were submitted for analysis of volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), the eight (8) RCRA metals, total petroleum hydrocarbons (TPH) and Poly-Chlorinated Biphenyls (PCBs).
- 5) Neighboring property utilization was evaluated to determine potential impact on the subject site.
- 6) A search was made for sensitive ecological areas in the vicinity of the subject site.


Conclusions and recommendations are submitted based on the careful consideration of the results of the above work. Recommendations are formulated with respect for maintaining the collateral value of the property. This report is intended to assess the threat to human health or collateral value of the property.

The accuracy of presenting the findings of this investigation was considered of paramount importance during the formulation of this report. However, the report's accuracy is limited to the information available from interviews, records, files and plans released by the property owner and/or his representatives and/or the respective regulatory agencies, their attorneys and information officers. The above mentioned parties interest in issues presented herein is unknown to GCI.

GCI expressly reserves its common law copyright and other property rights in this report. This report is not to be reproduced, changed or copied in any form or manner whatsoever, nor is it to be assigned to any third party without first obtaining the express written permission and consent of GCI.



Matthew Boeckel
Senior Hydrogeologist
General Consolidated Industries, Inc.



Tom P. Smyth
President
General Consolidated Industries, Inc.



2.0 SITE DESCRIPTION / SITE CHARACTERIZATION

2.1 Site Description

The subject site, 6 Rubber Avenue, is located on the east side of Rubber Avenue, Naugatuck, Connecticut. The subject site is a multiple lot parcel, which irregular in shape and measures approximately 492,228 square feet or 11.3 acres. The subject property is improved with one (1) four (4) story office building.

The subject site is accessed via one (1) curb cut located on Rubber Avenue. There are parking areas located along the north, south and east sides of the subject property. There was minimal natural vegetation noted on the subject property. The exterior facade of the building is comprised of a combination of decorative brick and concrete. The first floor of the building is divided into office areas and electronic assembly areas. The second floor of the building is divided into vacant areas, office areas and a cafeteria. The third floor is divided into office areas and vacant areas and the fourth floor is utilized for storage. The office areas are finished with carpeted floors, sheetrock walls and dropped acoustical tile and steel deck ceilings. The cafeteria, the assembly areas and the storage areas are finished with resilient tiled or concrete floors; brick, concrete block or sheetrock walls and a sheetrock or concrete ceiling.

The surrounding properties immediately adjacent to the subject site are primarily composed of retail, commercial and industrial buildings. The building, as well as the property are in relatively good condition.

2.2 Site Topography

The subject site is nearly level throughout the northern side of the subject property. There is an elevation difference of approximately eight (8) feet along the east side of the subject building. The remainder consists of paved parking areas and loading bay areas. The upgradient drainage area consists of vegetated land and railroad tracks. The down-gradient drainage area consists of retail properties.

2.3 Hydrogeologic Setting

According to a soil survey of New Haven County, Connecticut, the subject site is located in the Western Highlands physiographic province which is characterized by wide valleys and grand plateaus, or low rolling hills, with some sections of ridges and flat coastal plains. In addition, a review of the Bedrock Geological Map of Connecticut, which was prepared by the United States Geological Survey (USGS) and the Connecticut Department of Environmental Protection (CT DEP), it was determined that the site is underlain by a bedrock formation known as the Wallomsac Schist. A schist consists of a light, silvery to dark layered rock, which is primarily composed of mica, quartz and feldspar, and occasionally spotted with garnets.

Based upon the field data obtained, the depth to groundwater at the site was determined to be approximately eighteen (18) feet below grade. Groundwater generally flows east, towards the Naugatuck River. Based upon a review of the CT DEP "Water Quality Classifications Map of Connecticut", it was determined that the groundwater beneath the site is classified as GB. This classification is assigned to groundwaters within highly urbanized areas of intense industrial activity and where public water supply is available. The groundwater in these areas may not be suitable for direct human consumption due to discharge of wastes, spills or leaks of chemicals, or land use impacts. The goal in these areas is to prevent any further discharges from impacting the subsurface.

3.0 SUBSURFACE INVESTIGATION

3.1 Dye Testing

The interior lavatory sinks were dye tested utilizing a US EPA approved biodegradable dye. The dye tablets are mixed with water and introduced to the individual sink. The on-site subsurface structures, as well as the municipal sewer and storm water systems were subsequently inspected for the presence of the dye. The interior lavatory sinks were confirmed to be presently discharging to the municipal sewer system.

There is one (1) trench drain located at the northeast corner of the subject building designated as TD-1. The steel open-grate cover for TD-1 was removed so as to allow for an interior inspection. Upon inspection it was determined that TD-1 is completed as a non-leaching, solid concrete collection trench with one (1) effluent pipe located at the east end. A dye test was performed on TD-1. The results of the dye test revealed that presence of the dye was not noted in any of the on-site subsurface features, or the municipal storm water and sewer systems. It was reported by Mr. Steve Furman, who is a maintenance engineer at the subject building, that TD-1 discharges to an underground stream that is located below the subject building. It was noted at this time that there are two (2) large flood pumps located in the area. Mr. Furman reported that the pumps are utilized for removing flood waters from the basement during periods of high discharge in the stream. Based upon the fact that the presence of the dye was not noted in any of the known on-site structures and the fact that there are two (2) large flood pumps located in the basement, it appears that discharges from TD-1 are directed to the reported underground stream.

There is one (1) floor drain located in the basement area of the subject building designated as FD-1. The steel open-grate manhole cover was removed from FD-1. An inspection of FD-1 revealed that it is completed as a non-leaching concrete basin with one (1) effluent discharge pipe. A dye test was performed on FD-1. The results of the dye test revealed that presence of the dye was not noted in any of the on-site subsurface features, or the municipal storm water and sewer systems. It was reported by Mr. Furman that FD-1 discharges to an underground stream that is located below the subject building. Based upon the fact that the presence of the dye was not noted in any of the known on-site structures and the fact that there are two (2) large flood pumps located in the basement, it appears that discharges from FD-1 are directed to the reported underground stream.

There are three (3) open-grate catch basins located in the loading dock area along the south side of the subject building. The catch basins were noted to be completely clogged with sediment, leaves and other particulate matter. An inspection of the three (3) catch basins was attempted. It was determined that the catch basins are completed as non-leaching concrete basins which appear to be piped to the municipal storm water collection system. However due to the fact that the catch basins were completely clogged, a successful dye test could not be conducted. The catch basins do not appear to discharge to any known on-site subsurface leaching structures. In addition, there is one (1) trench drain designated as TD-2 located in the south side loading dock area. The steel open-grate cover for TD-2 was removed. An inspection revealed that TD-2 is completed as a non-leaching collection trench with one (1) effluent discharge line located at the west side. The effluent line was almost completely clogged, therefore an accurate dye test was not able to be conducted. The effluent line was noted to be directed towards the municipal storm water trunk line in the area. Based upon the fact that the presence of the dye was not noted in any of the known on-site subsurface structures and the fact that the effluent discharge line is directed towards the municipal storm water trunk line, it appears that discharges from TD-2 and the three (3) catch basins are directed to the municipal storm water collection system.

3.2 Geophysical Investigation

A Geophysical Investigation was conducted throughout the accessible portions of the subject property, specifically in the vicinity of where suspected undocumented underground storage tanks (USTs) may be located.

The specific areas of concern (AOC) which were investigated at the site include the following:

- Area 1: A rectangular perimeter surrounding the current subject building. The total area of investigation measured approximately 9,000 square feet.
- Area 2: The paved parking areas located along the northern portion of the subject property, specifically throughout the areas which were formerly occupied by "Goodyear Inc.". The total area of investigation measured approximately seven (7) acres or 311,920 square feet.

The equipment selected for this investigation included a TM-808 magnetometer. The control unit transmits a signal into the subsurface and then a receiver obtains the reflected signal. In the subsurface, reflections of the pulse occur at the boundaries where there is a dielectric contrast (void, steel, soil type). The reflected portion of the signal travels back to the antenna and the control unit and is subsequently presented as an audible tone. The magnetometer control unit was carried along traverses spaced approximately two (2) feet apart, both parallel and perpendicular throughout each AOC in an attempt to identify any buried structures that may be present. Any suspect anomalies were marked out for further investigation.

The results of the investigation revealed the presence of seven (7) subsurface magnetic anomalies. The magnetic anomalies were rectangular in shape and varied in size from twenty-four (24) square feet to one-hundred eight (108) square feet. Based upon the field data collected during the investigation, it appears that the seven (7) anomalous areas are representative of possible undocumented USTs. The anomalous areas were marked out for further investigation and/or excavation.

3.3 Manhole Cover Investigation

There are steel open-grate manhole covers, as well as solid manhole covers located throughout the subject property. All accessible known manhole covers were removed so as to allow for an interior inspection of each associated subsurface structure.

There are several open-grate manhole covers located throughout the northern and southern parking areas of the subject property. Upon removal of the open-grate covers it was determined that the subsurface structures in these areas are utilized for storm water collection. The structures were noted to be completed as solid non-leaching catch basins which are interconnected via large diameter discharge lines. The catch basins direct the storm water runoff at the site to the municipal storm water collection system. There were no subsurface leaching structures identified with relation to the on-site storm water collection system.

There are solid steel closed manhole covers located along the front (north) side of the subject building, as well as along the east side of the subject property. An inspection of the closed cover manholes revealed that they are utilized for accessing the municipal sewer service trunk lines located in these areas. There were no subsurface leaching structures identified on-site in relation to the municipal sewer system.

Based upon an inspection of all known manhole covers at the site, it was determined that the manhole covers are representative of the municipal storm water collection system, as well as the municipal sewer system. There were no on-site subsurface leaching structures identified during the investigation of the on-site manhole cover system.

3.4 Soil/Groundwater Boring Installation

A total of twelve (12) soil / groundwater borings hereafter referred to as B-1 through B-12, were installed throughout various areas of the subject property in order to characterize the nature of the subsurface. Please note that the original scope of work entailed the collection of soil and groundwater samples from each of the borings. However due to the presence of bedrock at varying depths throughout the site, groundwater was only able to be collected from borings B-10 through B-12. Furthermore, please note that due to the presence of bedrock at very shallow depths, a total of four (4) separate boring attempts were completed at each sampling location in order to obtain the maximum site data possible. The field data collected from the deepest boring completed in a specific area was utilized in the formulation of this report. The borings were installed utilizing a Geoprobe® drilling unit. The Geoprobe® is a hydraulically powered probing unit which can facilitate the collection of solid and aqueous samples from the subsurface environment. The probing system applies both static force and hydraulically powered percussion hammers for tool placement. The static down forces can reach up to 3,000 pounds combined with percussion hammers of eight (8) horsepower continuous output. The locations of the soil / groundwater borings are depicted on Figure 2 - Site Plan.

3.5 Soil Characterization

Representative soil samples were collected from each of the borings utilizing the Macro-Core® Soil Sampler. The sampler consists of a 1.5 inch diameter by forty-eight (48) inch long metal sampling sheath. The soil samples are collected in continuous four (4) foot intervals starting at ground surface. The soil enters a disposable acetate liner as the sampler core is advanced downward. Discrete samples were secured at the desired depths and retrieved for subsequent inspection. The subsurface lithology encountered during the investigation was relatively homogeneous throughout the entire site, although refusal was encountered at depths varying from two (2) feet to sixteen (16) feet below grade. The subsurface soil from the ground surface to a depth of four (4) feet was typically noted to consist of demolition debris and backfill such as concrete, brick, glass, asphalt and wood.

The collected soil samples were field screened with a Perkin-Elmer Model 2020 photo-ionization detector (PID) for the presence of volatile organic compounds (VOCs). A representative portion of the collected sample is stored in an air-tight medium and agitated for a period of sixty (60) seconds in order to allow for volatilization of any organic vapors which may be present in the sample. A positive air flow sampling probe is then inserted into the medium and the PID readings are recorded. The results are reported in parts per million (ppm). There were no elevated PID readings detected in any of the soil samples collected from borings B-1 through B-12. In addition, the soil samples were also visually inspected for the presence of contamination. There was no distinct evidence of petroleum contamination, such as odor and staining noted in any of the samples obtained from SGB-1 through SGB-4. There was no visual or olfactory evidence of contamination noted in any of the soil samples, other than the presence of demolition debris. A summary of the subsurface lithology and PID readings are provided in Appendix A - Geologic Boring Logs.

Based upon boring location and the field data collected, representative soil samples were collected for laboratory analysis in order to characterize the nature of the subsurface soil at the site and determine if the former operations have impacted the background soil quality. A total of four (4) soil samples obtained from ground surface to a depth of approximately four (4) feet below grade were submitted for laboratory analysis. The soil samples collected from borings B-3, B-5, B-7 and B-12 were submitted for analysis of volatile organic compounds (VOCs) utilizing EPA Method 8260, semi-volatile organic compounds (SVOCs) utilizing EPA Method 8270 base/neutrals, total petroleum hydrocarbons (TPH) utilizing EPA Method 8015, the eight (8) RCRA metals utilizing SW-846 Method 6010 and for Poly-Chlorinated Biphenyls (PCBs) utilizing EPA Method 8080.

3.6 Groundwater Sampling & Characterization

Due to the presence of competent bedrock at various depths throughout the site, groundwater samples were only able to be collected from borings B-10, B-11 and B-12. Groundwater was encountered at a depth of approximately eighteen (18) feet below grade. The collection of aqueous samples was accomplished by using the Geoprobe® Screen Point 15 sampling system, which is designed to obtain groundwater samples at discrete intervals in the subsurface. The groundwater sampling system utilizes a screen with a standard slot size of 0.004 inches, which is sealed inside a 1.5-inch inner diameter steel sheath. The screen is sealed inside the sheath with Neoprene O-rings which prevent infiltration of formation fluids until the desired depth is attained. Once the screen has been driven to the appropriate sampling depth, a series of extension rods are utilized to hold the screen in-place while the driving rods are retracted. A total of 41.5 inches of screen is left in contact with the surrounding formation. The groundwater samples are then extracted utilizing disposable lengths of polyethylene hose and a bottom check valve. The tubing is oscillated in an up and down manner which allows for groundwater to be drawn to the surface and placed in laboratory supplied glassware. Individual lengths of hose were discarded between sampling locations to eliminate potential cross contamination. Reusable components of the sampler were decontaminated using an Alconox and tap water wash followed by a series of methanol and distilled water rinses.

The groundwater samples were visually inspected for the presence of contamination. There was no distinct evidence of petroleum contamination, such as staining and/or odor noted in any of the samples obtained from B-10, B-11 and B-12.

In order to document the groundwater quality at the site, as well as determine the extent of a possible on-site contamination plume, it was determined that the three (3) groundwater samples obtained from B-10, B-11 and B-12 would be submitted for laboratory analysis. The groundwater samples were analyzed for volatile organic compounds (VOCs) utilizing EPA Method 624, semi-volatile organic compounds (SVOCs) utilizing EPA Method 625, total petroleum hydrocarbons (TPH) utilizing EPA Method 8015, the eight (8) RCRA metals using SW-846 Series 7000 and for Poly-Chlorinated Biphenyls (PCBs) utilizing EPA Method 608.

3.7 Quality Assurance and Control

To avoid contamination and cross-contamination of groundwater samples, all sampling equipment was cleaned before each sample was collected. The following procedures were followed in decontaminating the sampling equipment:

- Scrub all parts with a bristle brush using Alconox detergent and water.
- Rinse with water.
- Let all equipment air dry.
- Rinse with water and let air dry.

A chain-of-custody record is kept for the samples at all times. This record documents the location, sampler, time and date of each sample.

In addition, one (1) QA/QC sample was obtained during the investigation. A total of one (1) trip blank was prepared for shipping with the cooler and groundwater samples. The trip blank results were reviewed to evaluate the potential for field or laboratory contamination and will attest to the quality of the decontamination procedures. Based upon the review of the lab data, it was determined that the laboratory data could be considered sound and that there was no cross-contamination of samples.

4.0 ANALYTICAL RESULTS

All soil and groundwater samples were immediately stored on ice and delivered to a United States Environmental Protection Agency (US EPA) certified laboratory for analysis. The laboratory received the samples within forty-eight (48) hours of collection. The laboratory chosen for this investigation was Long Island Analytical Laboratories Inc., which is located in Holbrook, Long Island, New York. The National Environmental Laboratory Approval Program (NELAP) certification number for the laboratory is NY01273.

4.1 Soil Analytical Data

The analytical results for the soil samples were compared to the Criteria listed in the Connecticut Remediation Standard Regulations, Sections 22a-133k-1 through 22a-133k-3 of the Regulations of the Connecticut Department of Environmental Protection (CT DEP).

Boring Location B-3

The analytical results for the shallow soil sample collected from boring B-3 revealed a TPH concentration of 115 parts per million (ppm) which is well below the CT DEP Criteria of 500 ppm. It is believed that the low TPH concentration which was detected may be related to the decomposition of asphalt which was prevalent in many areas of the subject site. In addition, the results revealed that there were no VOCs, SVOCs, metals or PCBs detected at concentrations which exceeded their respective regulatory Criteria.

Boring Location B-5

The TPH results for the shallow soil sample collected from boring B-5 were non-detectable above the respective laboratory analytical method detection limit of 10 ppm. In addition, the results revealed that there were no VOCs, SVOCs, metals or PCBs detected at concentrations which exceeded their respective regulatory Criteria.

Boring Location B-7

The TPH results for the shallow soil sample collected from boring B-7 were non-detectable above the respective laboratory analytical method detection limit of 10 ppm. In addition, the results revealed that there were no VOCs, SVOCs, metals or PCBs detected at concentrations which exceeded their respective regulatory Criteria.

Boring Location B-12

The TPH results for the shallow soil sample collected from boring B-12 were non-detectable above the respective laboratory analytical method detection limit of 10 ppm. In addition, the results revealed that there were no VOCs, SVOCs or PCBs detected at concentrations which exceeded their respective regulatory Criteria. However, the metals analysis revealed that arsenic was detected at a concentration of 11.4 parts per million (ppm), which is above the CT DEP Criteria of 10 ppm. The presence of arsenic is believed to be related to the decomposition of possible CCA (copper, chromium and arsenic) treated lumber which was noted in many of shallow soil samples as a result of the former demolition activities.

The results of the soil sampling activities at the subject site revealed that there were no elevated levels of contaminants found in the soil samples, with the exception of arsenic in one (1) sample. Furthermore, the detected concentration of arsenic was only slightly over the CT DEP Criteria. Based upon the analytical results, it appears that the soil quality in the vicinity of B-12 has not been adversely impacted at this time. Please note that there were SVOCs detected in some of the soil samples, this is believed to be related to breakdown compounds associated with asphalt which was encountered in the subsurface along with other demolition debris.

The analytical results for the soil samples obtained from B-3, B-5, B-7 and B-10 are summarized in Table 1, Table 2, Table 3, Table 4 and Table 5. The laboratory analytical data packages and the chain of custody are included as Appendix B.

Table 1
Soil Quality Analytical Data
Volatile Organic Compounds - EPA Method 8260

Analytical Parameter	Residential Direct Exposure Criteria	Industrial/ Commercial Criteria	B-3 0-4 ft.	B-5 0-4 ft.	B-7 0-4 ft.	B-12 0-4 ft.
Benzene	21	200	ND	ND	ND	ND
Bromobenzene	NL	NL	ND	ND	ND	ND
Bromochloromethane	NL	NL	ND	ND	ND	ND
Bromodichloromethane	NL	NL	ND	ND	ND	ND
Bromoform	78	720	ND	ND	ND	ND
Bromomethane	NL	NL	ND	ND	ND	ND
n-Butylbenzene	NL	NL	ND	ND	ND	ND
sec-Butylbenzene	NL	NL	ND	ND	ND	ND
tert-Butylbenzene	NL	NL	ND	ND	ND	ND
Carbon Tetrachloride	4.7	44	ND	ND	ND	ND
Chlorobenzene	500	1,000	ND	ND	ND	ND
Chlorodibromomethane	NL	NL	ND	ND	ND	ND
Chloroethane	NL	NL	ND	ND	ND	ND
Chloroform	100	940	ND	ND	ND	ND
Chloromethane	NL	NL	ND	ND	ND	ND
2-Chlorotoluene	NL	NL	ND	ND	ND	ND
4-Chlorotoluene	NL	NL	ND	ND	ND	ND
1,2-Dibromo-3-Chloropropane	NL	NL	ND	ND	ND	ND
1,2-Dibromoethane	NL	NL	ND	ND	ND	ND
Dibromomethane	NL	NL	ND	ND	ND	ND
1,2-Dichlorobenzene	500	1,000	ND	ND	ND	ND
1,3-Dichlorobenzene	500	1,000	ND	ND	ND	ND
1,4-Dichlorobenzene	26	240	ND	ND	ND	ND
Dichlorodifluoromethane	NL	NL	ND	ND	ND	ND
1,1-Dichloroethane	500	1,000	ND	ND	ND	ND

Table 1
Soil Quality Analytical Data
Volatile Organic Compounds - EPA Method 8260

Analytical Parameter	Residential Direct Exposure Criteria	Industrial/ Commercial Criteria	B-3 0-4 ft.	B-5 0-4 ft.	B-7 0-4 ft.	B-12 0-4 ft.
1,2-Dichloroethane	6.7	63	ND	ND	ND	ND
1,1-Dichloroethene	1	9.5	ND	ND	ND	ND
cis-1,2-Dichloroethene	500	1,000	ND	ND	ND	ND
trans-1,2-Dichloroethene	500	1,000	ND	ND	ND	ND
1,2-Dichloropropane	9	84	ND	ND	ND	ND
1,3-Dichloropropane	NL	NL	ND	ND	ND	ND
2,2-Dichloropropane	NL	NL	ND	ND	ND	ND
1,1-Dichloropropene	NL	NL	ND	ND	ND	ND
Ethylbenzene	500	1,000	ND	ND	ND	ND
Hexachlorobutadiene	NL	NL	ND	ND	ND	ND
Isopropylbenzene	NL	NL	ND	ND	ND	ND
p-Isopropyltoluene	NL	NL	ND	ND	ND	ND
Methylene Chloride	82	760	ND	ND	ND	ND
Naphthalene	NL	NL	ND	ND	ND	ND
n-Propylbenzene	NL	NL	ND	ND	ND	ND
Styrene	500	1,000	ND	ND	ND	ND
1,1,1,2-Tetrachloroethane	24	220	ND	ND	ND	ND
1,1,2,2-Tetrachloroethane	3.1	29	ND	ND	ND	ND
Tetrachloroethene	NL	NL	ND	ND	ND	ND
Toluene	500	1,000	ND	ND	ND	ND
1,2,3-Trichlorobenzene	NL	NL	ND	ND	ND	ND
1,2,4-Trichlorobenzene	NL	NL	ND	ND	ND	ND
1,1,1-Trichloroethane	500	1,000	ND	ND	ND	ND
1,1,2-Trichloroethane	11	100	ND	ND	ND	ND
Trichloroethene	56	520	ND	ND	ND	ND

Table 1
Soil Quality Analytical Data
Volatile Organic Compounds - EPA Method 8260

Analytical Parameter	Residential Direct Exposure Criteria	Industrial/ Commercial Criteria	B-3 0-4 ft.	B-5 0-4 ft.	B-7 0-4 ft.	B-12 0-4 ft.
Trichlorofluoromethane	NL	NL	ND	ND	ND	ND
1,2,3-Trichloropropane	NL	NL	ND	ND	ND	ND
1,3,5-Trimethylbenzene	NL	NL	ND	ND	ND	ND
1,2,4-Trimethylbenzene	NL	NL	ND	ND	ND	ND
Vinyl Chloride	0.32	3	ND	ND	ND	ND
Acetone	500	1,000	ND	ND	ND	ND
Carbon Disulfide	NL	NL	ND	ND	ND	ND
2-Butanone (MEK)	500	1,000	ND	ND	ND	ND
Vinyl Acetate	NL	NL	ND	ND	ND	ND
2-Hexanone	NL	NL	ND	ND	ND	ND
p & m-Xylene	NL	NL	ND	ND	ND	ND
o-Xylene	NL	NL	ND	ND	ND	ND

- Notes: 1. All laboratory results are in ug/Kg (parts per billion - ppb).
2. Soil Criteria are listed in the Connecticut Department of Environmental Protection (CT DEP) Remediation Standard Regulations, Sections 22a-133k-1 through 22a-133k-3. Criteria are in parts per million (ppm).
3. NL = No Criteria listed by the CT DEP.
4. ND = Non-detectable above respective laboratory analytical method detection limit.

Table 2
Soil Quality Analytical Data
Semi-Volatile Organic Compounds - EPA Method 8270

Analytical Parameter	Residential Direct Exposure Criteria	Industrial/ Commercial Criteria	B-3 0-4 ft.	B-5 0-4 ft.	B-7 0-4 ft.	B-12 0-4 ft.
Bis(2-Chloroethyl)Ether	1	5.2	ND	ND	ND	ND
Phenol	1,000	2,500	ND	ND	ND	ND
2-Chlorophenol	340	2,500	ND	ND	ND	ND
1,3-Dichlorobenzene	NL	NL	ND	ND	ND	ND
1,4-Dichlorobenzene	NL	NL	ND	ND	ND	ND
1,2-Dichlorobenzene	NL	NL	ND	ND	ND	ND
Bis(2-Chloroisopropyl)Ether	8.8	82	ND	ND	ND	ND
2-Methylphenol	NL	NL	ND	ND	ND	ND
Hexachloroethane	44	410	ND	ND	ND	ND
N-Nitrosodi-n-Propyl Amine	NL	NL	ND	ND	ND	ND
4-Methylphenol	NL	NL	ND	ND	ND	ND
Nitrobenzene	NL	NL	ND	ND	ND	ND
Isophorone	NL	NL	ND	ND	ND	ND
2-Nitrophenol	NL	NL	ND	ND	ND	ND
2,4-Dimethylphenol	200	2,500	ND	ND	ND	ND
Bis(2-Chloroethoxy)Methane	NL	NL	ND	ND	ND	ND
2,4-dichlorophenol	200	2,500	ND	ND	ND	ND
1,2,4-Trichlorobenzene	NL	NL	ND	ND	ND	ND
Naphthalene	1,000	2,500	ND	.096	ND	ND
4-Chloroaniline	NL	NL	ND	ND	ND	ND
Hexachlorobutadiene	NL	NL	ND	ND	ND	ND
4-Chloro-3-Methylphenol	NL	NL	ND	ND	ND	ND
2-Methylnaphthalene	NL	NL	ND	ND	ND	ND
Hexachlorocyclopentadiene	NL	NL	ND	ND	ND	ND

Table 2
Soil Quality Analytical Data
Semi-Volatile Organic Compounds - EPA Method 8270

Analytical Parameter	Residential Direct Exposure Criteria	Industrial/ Commercial Criteria	B-3 0-4 ft.	B-5 0-4 ft.	B-7 0-4 ft.	B-12 0-4 ft.
2,4,6-Trichlorophenol	NL	NL	ND	ND	ND	ND
2,4,5-Trichlorophenol	NL	NL	ND	ND	ND	ND
2-Chloronaphthalene	NL	NL	ND	ND	ND	ND
2-Nitroaniline	NL	NL	ND	ND	ND	ND
Acenaphthylene	1,000	2,500	ND	ND	ND	ND
Dimethylphthalate	NL	NL	ND	ND	ND	ND
2,6-Dinitrotoluene	NL	NL	ND	ND	ND	ND
Acenaphthene	NL	NL	ND	ND	ND	ND
3-Nitroaniline	NL	NL	ND	ND	ND	ND
2,4-Dinitrophenol	NL	NL	ND	ND	ND	ND
Dibenxofuran	NL	NL	ND	ND	ND	ND
2,4-Dinitrotoluene	NL	NL	ND	ND	ND	ND
4-Nitrophenol	NL	NL	ND	ND	ND	ND
Fluorene	1000	2,500	ND	ND	ND	ND
4-Chlorophenyl Phenyl Ether	NL	NL	ND	ND	ND	ND
Diethylphthalate	NL	NL	ND	ND	ND	ND
4-Nitroaniline	NL	NL	ND	ND	ND	ND
4,6-Dinitro-2-Methylphenol	NL	NL	ND	ND	ND	ND
N-Nitrosodiphenylamine	NL	NL	ND	ND	ND	ND
4-Bromophenyl-Phenyl Ether	NL	NL	ND	ND	ND	ND
Hexachlorobenzene	1	3.6	ND	ND	ND	ND
Pentachlorophenol	5.1	48	ND	ND	ND	ND
Phenanthrene	1,000	2,500	ND	.046	ND	ND
Anthracene	1,000	2,500	ND	ND	ND	ND

Table 2
Soil Quality Analytical Data
Semi-Volatile Organic Compounds - EPA Method 8270

Analytical Parameter	Residential Direct Exposure Criteria	Industrial/ Commercial Criteria	B-3 0-4 ft.	B-5 0-4 ft.	B-7 0-4 ft.	B-12 0-4 ft.
Di-n-Butylphthalate	1,000	2,500	ND	ND	ND	ND
Fluoranthene	NL	NL	.570	.172	ND	ND
Pyrene	1,000	2,500	.573	.197	ND	ND
Butylbenzylphthalate	1,000	2,500	ND	ND	ND	ND
3,3-Dichlorobenzidine	NL	NL	ND	ND	ND	ND
Benzo-a-Anthracene	1	7.8	.324	.180	ND	ND
Chrysene	NL	NL	.422	.188	ND	ND
Bis(2-Ethylexyl)Phtalate	44	410	ND	.838	.203	ND
Di-n-Octylphthalate	1,000	2,500	ND	ND	ND	ND
Benzo-b-Fluoroanthene	1	7.8	.313	.208	ND	ND
Benzo-k-Fluoroanthene	8.4	78	.372	.280	ND	ND
Benzo-a-Pyrene	1	1	.374	.291	ND	ND
Indeno-(1,2,3-c,d)Pyrene	NL	NL	ND	.204	ND	ND
Dibenzo-a,h-Anthracene	NL	NL	ND	.048	ND	ND
Benzo-g,h,i-Perylene	NL	NL	ND	.182	ND	ND

- Notes: 1. All laboratory results are in ug/Kg (parts per billion - ppb).
2. Soil Criteria are listed in the Connecticut Department of Environmental Protection (CT DEP) Remediation Standard Regulations, Sections 22a-133k-1 through 22a-133k-3. Criteria are in parts per million (ppm).
3. NL = No Criteria listed by the CT DEP.
4. ND = Non-detectable above respective laboratory analytical method detection limit.

Table 3
Soil Analytical Data
Polychlorinated Biphenyls (PCBs) - EPA Method 8080

Analytical Parameter	Residential Direct Exposure Criteria	Industrial/ Commercial Criteria	B-3 0-4 ft.	B-5 0-4 ft.	B-7 0-4 ft.	B-12 0-4 ft.
Arochlor-1016	1	10	ND	ND	ND	ND
Arochlor-1221	1	10	ND	ND	ND	ND
Arochlor-1232	1	10	ND	ND	ND	ND
Arochlor-1242	1	10	ND	ND	ND	ND
Arochlor-1248	1	10	ND	ND	ND	ND
Arochlor-1245	1	10	ND	ND	ND	ND
Arochlor-1260	1	10	ND	ND	ND	ND

- Notes: 1. All laboratory results are in mg/Kg (parts per million - ppm).
2. Soil Criteria are listed in the Connecticut Department of Environmental Protection (CT DEP) Remediation Standard Regulations, Sections 22a-133k-1 through 22a-133k-3. Criteria are in parts per million (ppm).
3. NL = No Criteria listed by the CT DEP.
4. ND = Non-detectable above respective laboratory analytical method detection limit.

Table 4
Soil Analytical Data
Eight (8) RCRA Metals - SW-846 Method 6010

Analytical Parameter	Residential Direct Exposure Criteria	Industrial/ Commercial Criteria	B-3 0-4 ft.	B-5 0-4 ft.	B-7 0-4 ft.	B-12 0-4 ft.
Silver, Ag	340	10,000	<1.65	<1.65	<1.65	<1.65
Barium, Ba	4,700	14,000	39.7	116	26.2	24.5
Cadmium, Cd	34	1,000	<1.65	<1.65	<1.65	<1.65
Selenium, Se	340	10,000	<1.65	<1.65	<1.65	<1.65
Lead, Pb	500	1,000	12.9	155	6.82	16.3
Mercury, Hg	20	610	0.05	0.89	0.05	0.03
Arsenic, As	10	10	<6.60	<6.60	6.64	11.4
Chromium, Cr	100	100	6.24	6.08	5.81	8.70

- Notes: 1. All laboratory results are in mg/Kg (parts per million - ppm).
2. Soil Criteria are listed in the Connecticut Department of Environmental Protection (CT DEP) Remediation Standard Regulations, Sections 22a-133k-1 through 22a-133k-3. Criteria are in parts per million (ppm).

Table 5 Soil Analytical Data Total Petroleum Hydrocarbons (TPH) - EPA Method 8015			
Sample Location	Residential Direct Exposure Criteria	Industrial/Commercial Criteria	TPH
B-3	500	2,500	115
B-5	500	2,500	<10
B-7	500	2,500	<10
B-12	500	2,500	<10

Note: 1. All results are in mg/Kg (parts per million - ppm).

4.1 Groundwater Analytical Data

The analytical results for the groundwater samples obtained from borings B-10 through B-12 were compared to the Criteria listed in the Connecticut Department of Environmental Protection (CT DEP) Water Quality Standards, 1997.

Boring Location B-10

The TPH results for the groundwater sample collected from boring B-10 were non-detectable above the respective laboratory analytical method detection limit of 0.6 ppm. In addition, the results revealed that there were no VOCs, SVOCs, metals or PCBs detected at concentrations which exceeded their respective laboratory analytical method detection limit.

Boring Location B-11

The TPH results for the groundwater sample collected from boring B-11 were non-detectable above the respective laboratory analytical method detection limit of 0.6 ppm. In addition, the results revealed that there were no VOCs, SVOCs, metals or PCBs detected at concentrations which exceeded their respective laboratory analytical method detection limit.

Boring Location B-12

The TPH results for the groundwater sample collected from boring B-12 were non-detectable above the respective laboratory analytical method detection limit of 0.6 ppm. In addition, the results revealed that there were no VOCs, SVOCs, metals or PCBs detected at concentrations which exceeded their respective laboratory analytical method detection limit.

The results of the groundwater sampling activities at the subject site revealed that there were no elevated levels of contaminants found in any of the groundwater samples. Based upon the analytical results, it appears that the groundwater quality in the vicinity of B-10, B-11 and B-12 has not been adversely impacted at this time.

The analytical results for the groundwater samples obtained from B-10 through B-12 are summarized in Table 6, Table 7, Table 8, Table 9 and Table 10. The laboratory analytical data packages and the chain of custody are included as Appendix B.

Table 6
Groundwater Analytical Data
Volatile Organic Compounds - EPA Method 624

Analytical Parameter	Water Quality Criteria for Organisms Only	Water Quality Criteria for Water & Organisms	B-10	B-11	B-12
MTBE	NL	NL	ND	ND	ND
Benzene	71	1.2	ND	ND	ND
Bromodichloromethane	NL	NL	ND	ND	ND
Bromoform	360	4.3	ND	ND	ND
Bromomethane	NL	NL	ND	ND	ND
Carbon Tetrachloride	4.4	.25	ND	ND	ND
Chlorobenzene	21,000	680	ND	ND	ND
Chloroethane	NL	NL	ND	ND	ND
2-Chloroethylvinyl Ether	NL	NL	ND	ND	ND
Chloroform	470	5.7	ND	ND	ND
Chloromethane	NL	NL	ND	ND	ND
Dibromochloromethane	22	.27	ND	ND	ND
1,2-Dichlorobenzene	17,000	2,700	ND	ND	ND
1,3-Dichlorobenzene	2,600	400	ND	ND	ND
1,4-Dichlorobenzene	2,600	400	ND	ND	ND
1,1-Dichloroethane	NL	NL	ND	ND	ND
1,2-Dichloroethane	99	.38	ND	ND	ND
1,1-Dichloroethylene	3.2	0.057	ND	ND	ND
trans-1,2-Dichloroethylene	NL	NL	ND	ND	ND
1,2-Dichloropropane	39	0.52	ND	ND	ND
cis-1,3-Dichloropropene	NL	NL	ND	ND	ND
trans-1,3-Dichloropropene	NL	NL	ND	ND	ND
Ethyl Benzene	29,000	3,100	ND	ND	ND
Methylene Chloride	470	5.7	ND	ND	ND
1,1,2,2,-Tetrachloroethane	NL	NL	ND	ND	ND

Table 6
Groundwater Analytical Data
Volatile Organic Compounds - EPA Method 624

Analytical Parameter	Water Quality Criteria for Organisms Only	Water Quality Criteria for Water & Organisms	B-10	B-11	B-12
Tetrachloroethene	NL	NL	ND	ND	ND
Toluene	200,000	6,800	ND	ND	ND
1,1,1-Trichloroethane	NL	NL	ND	ND	ND
1,1,2-Trichloroethane	NL	NL	ND	ND	ND
Trichloroethene	NL	NL	ND	ND	ND
Trichlorofluoromethane	NL	NL	ND	ND	ND
Vinyl Chloride	NL	NL	ND	ND	ND
p & m -Xylenes	NL	NL	ND	ND	ND
O-Xylene	NL	NL	ND	ND	ND

- Notes: 1. All results are in ug/L (parts per billion - ppb).
2. Groundwater Criteria are listed in the Connecticut Department of Environmental Protection (CT DEP) Water Quality Standards.
3. NL = No Criteria listed by the CT DEP.
4. ND = Non-detectable above respective laboratory analytical method detection limit.

Table 7
Groundwater Analytical Data
Semi-Volatile Organic Compounds (SVOC) - EPA Method 625

Analytical Parameter	Water Quality Criteria for Organisms Only	Water Quality Criteria for Water & Organisms	B-10	B-11	B-12
Acenaphthylene	0.31	.0028	ND	ND	ND
Bis(2-Chloroethyl)Ether	1.4	.031	ND	ND	ND
1,3-dichlorobenzene	2,600	400	ND	ND	ND
1,4-Dichlorobenzene	2,600	400	ND	ND	ND
1,2-Dichlorobenzene	17,000	2,700	ND	ND	ND
Bis(2-Chloroisopropyl)Ether	170,000	1,400	ND	ND	ND
Bis(2-Chloroethoxy)Methane	NL	NL	ND	ND	ND
o-Cresol	NL	NL	ND	ND	ND
m,p, Cresol	NL	NL	ND	ND	ND
Fluorene	14,000	1,300	ND	ND	ND
N-Nitroso-di-n-Propyl Amine	1.4	0.005	ND	ND	ND
Hexachloroethane	8.9	1.9	ND	ND	ND
Nitrobenzene	1,900	17	ND	ND	ND
Isophorone	600	8.4	ND	ND	ND
1,2,4-Trichlorobenzene	NL	NL	ND	ND	ND
Naphthalene	NL	NL	ND	ND	ND
Hexachlorobutadiene	50	.44	ND	ND	ND
2-Chloronaphthalene	4,300	1,700	ND	ND	ND
Dimethylphtalate	2,900,000	313,000	ND	ND	ND
Acenaphthylene	.031	.0028	ND	ND	ND
2,6-Dinitrotoluene	NL	NL	ND	ND	ND
2,4-Dintrotoluene	9.1	.11	ND	ND	ND
Diethylphtalate	120,000	23,000	ND	ND	ND
4-Chlorophenyl Ether	NL	NL	ND	ND	ND
4-Bromophenyl Ether	NL	NL	ND	ND	ND

Table 7
Groundwater Analytical Data
Semi-Volatile Organic Compounds (SVOC) - EPA Method 625

Analytical Parameter	Water Quality Criteria for Organisms Only	Water Quality Criteria for Water & Organisms	B-10	B-11	B-12
Hexachlorobenzene	.00077	.00075	ND	ND	ND
Phenanthrene	.031	.0028	ND	ND	ND
Anthracene	NL	NL	ND	ND	ND
Di-n-Butylphthalate	12,000	2,700	ND	ND	ND
Fluoranthene	370	300	ND	ND	ND
Pyrene	11,000	960	ND	ND	ND
Burylbenzylphthalate	5,200	3,000	ND	ND	ND
Benzo-a-Anthracene	.031	.0028	ND	ND	ND
3,3-Dichlorobenzidine	.077	.04	ND	ND	ND
Chrysene	.031	.0028	ND	ND	ND
Bis(2-Ethylhexyl)Phtalate	5.9	1.8	ND	ND	ND
Di-n-Octylphthalate	12,000	2,700	ND	ND	ND
Benzo-b-Fluoroanthene	.031	.0028	ND	ND	ND
Benzo-k-Fluoroanthene	.031	.0028	ND	ND	ND
Benzo-a-Pyrene	.031	.0028	ND	ND	ND
Indeno(1,2,3-c,d)Pyrene	.031	.0028	ND	ND	ND
Dibenzo-a,h-Anthracene	.031	.0028	ND	ND	ND
Benzo-g,h,i-Perylene	.031	.0028	ND	ND	ND
4-Chloro-3-Methylphenol	NL	NL	ND	ND	ND
2-Chlorophenol	2,300	540	ND	ND	ND
2,4-Dichlorophenol	790	93	ND	ND	ND
2,4-Dimethylphenol	NL	NL	ND	ND	ND
2,4-Dinitrophenol	14,000	70	ND	ND	ND
2-Methyl-4,6-Dinitrophenol	765	13.4	ND	ND	ND
2-Nitrophenol	NL	NL	ND	ND	ND

Table 7
Groundwater Analytical Data
Semi-Volatile Organic Compounds (SVOC) - EPA Method 625

Analytical Parameter	Water Quality Criteria for Organisms Only	Water Quality Criteria for Water & Organisms	B-10	B-11	B-12
4-Nitrophenol	NL	NL	ND	ND	ND
Pentachlorophenol	8.2	.28	ND	ND	ND
Phenol	4,600,000	21,000	ND	ND	ND
2,4,6-Trichlorophenol	6.5	2.1	ND	ND	ND

- Notes:
1. All results are in ug/L (parts per billion - ppb).
 2. Groundwater Criteria are listed in the Connecticut Department of Environmental Protection (CT DEP) Water Quality Standards.
 3. NL = No Criteria listed by the CT DEP.
 4. ND = Non-detectable above respective laboratory analytical method detection limit.

Table 8 Groundwater Analytical Data Polychlorinated Biphenyls (PCBs) - EPA Method 608				
Analytical Parameter	Water Quality Criteria	B-10	B-11	B-12
Arochlor-1016	NL	ND	ND	ND
Arochlor-1221	NL	ND	ND	ND
Arochlor-1232	NL	ND	ND	ND
Arochlor-1242	NL	ND	ND	ND
Arochlor-1248	NL	ND	ND	ND
Arochlor-1245	NL	ND	ND	ND
Arochlor-1260	NL	ND	ND	ND

- Notes:
1. All results are in ug/L (parts per billion - ppb).
 2. Groundwater Criteria are listed in the Connecticut Department of Environmental Protection (CT DEP) Water Quality Standards.
 3. NL = No Criteria listed by the CT DEP.
 4. ND = Non-detectable above respective laboratory analytical method detection limit.

<p align="center">Table 9 Groundwater Analytical Data Eight (8) RCRA Metals - SW-846 Method 6010</p>					
Analytical Parameter	Water Quality Criteria for Organisms Only	Water Quality Criteria for Water & Organisms	B-10	B-11	B-12
Silver, Ag	65,000	105	ND	ND	ND
Barium, Ba	NL	NL	ND	ND	ND
Cadmium, Cd	170	16	ND	ND	ND
Selenium, Se	6,800	100	ND	ND	ND
Lead, Pb	NL	50	ND	ND	ND
Mercury, HG	.15	.14	ND	ND	ND
Arsenic, As	.14	.018	ND	ND	ND
Chromium, Cr	3,400	170	ND	ND	ND

- Notes:
1. All laboratory results are in ug/L (parts per billion - ppb).
 2. Groundwater Criteria are listed in the Connecticut Department of Environmental Protection (CT DEP) Water Quality Standards (parts per million - ppm).
 3. NL = No Criteria listed by the CT DEP.
 4. ND = Non-detectable above respective laboratory analytical method detection limit.

Table 10 Groundwater Analytical Data Total Petroleum Hydrocarbons (TPH) - EPA Method 8015		
Sample Location	Date	TPH
B-10	6/21/01	<0.6
B-11	6/21/01	<0.6
B-12	6/21/01	<0.6

Note: 1. All results are in mg/L (parts per million - ppm).

5.0 CONCLUSIONS & RECOMMENDATIONS

5.1 Conclusions:

Based on the completion of the Phase II Subsurface Investigation of the subject site, GCI has come to the following conclusions:

The interior lavatory sinks were dye tested in order to confirm their discharge location. The results of the dye tests confirmed that the interior lavatory sinks are presently discharging to the municipal sewer system.

The one (1) trench drain designated as TD-1 located at the northeast corner of the subject building was inspected. It was determined that the trench is a non-leaching structure, which collects storm water and then discharges the water through one (1) effluent pipe located at the east end of the trench. A dye test was conducted on TD-1. The presence of the dye could not be discerned in any of the on-site subsurface structures. It was reported by Mr. Steve Furman that TD-1 discharges to an underground stream which flows beneath the subject building. There are two (2) large flood pumps located in the vicinity of TD-1 which are reportedly utilized during flood periods of the subsurface stream. The one (1) floor drain designated as FD-1 located in the basement of the subject building was inspected. It was determined that FD-1 is constructed of a solid concrete non-leaching basin with one (1) effluent discharge pipe. The floor drain was dye tested. The presence of the dye could not be observed in any of the on-site subsurface structures. It was further reported by Mr. Furman that FD-1 discharges to the underground stream. Please note that due to the fact that the stream is located below the foundation of the subject building, an inspection of the stream could not be conducted. Based upon the site observations and data collected, it appears that TD-1 and FD-1 are not presently discharging to any known on-site subsurface leaching structures.

There are three (3) catch basins located in the loading bay area along the south side of the subject building. The basins were noted to be completely clogged with sand and leaves at the time of the site inspection. An inspection of the catch basins revealed that they are constructed of solid non-leaching concrete. There is one (1) trench drain designated as TD-2 located in the south side loading dock area. An inspection revealed that TD-2 is a solid concrete non-leaching structure with one (1) effluent discharge line. A dye test was conducted on TD-2. The dye was not noted in any of the on-site subsurface structures. The effluent discharge line was noted to be directed towards the municipal storm water collection system. Based upon the field data collected it was determined that TD-2 does not discharge to any known on-site subsurface leaching structures.

A Geophysical Investigation of the subject site was conducted throughout the subject site in an attempt to identify any undocumented underground storage tanks (USTs) which may be present at the site. The areas investigated consisted of a fifteen (15) foot perimeter around the current subject building, as well as throughout the northern parking areas. The investigation was conducted utilizing a TM-808 magnetometer. The results of the investigation revealed the presence of seven (7) subsurface magnetic anomalies. The magnetic anomalies were rectangular in shape and varied in size from twenty-four (24) square feet to one-hundred eight (108) square feet. Based upon the field data collected during the investigation, it appears that the seven (7) anomalous areas are representative of possible undocumented USTs. The anomalous areas were marked out for possible future investigation and/or excavation.

There are several open-grate manhole covers, as well as solid steel manhole covers located throughout the subject property. There was a concern that the manhole covers may be representative of on-site subsurface drainage structures. An inspection of the on-site manhole covers revealed that they there are non-leaching structures utilized for accessing the storm water collection system and the municipal sewer system. There were no subsurface leaching structures identified during the inspection of the manhole covers.

A total of twelve (12) borings designated as B-1 through B-12 were installed at the subject site in order to assess the quality of the subsurface soil and groundwater. The borings were installed utilizing a Geoprobe® drill rig. Please note that competent bedrock was encountered at varying depths throughout the site, therefore soil sampling was limited in some areas and groundwater samples could not be collected from all of the borings.

Soil samples were collected utilizing a forty-eight (48) inch long, 2-inch outer diameter macro-core sampling sheath and drive point. Continuous soil samples were retained for subsequent inspection and/or analysis. The soil samples were relatively homogenous throughout the site. The subsurface lithology from grade to four (4) feet below land surface was comprised of demolition debris such as wood, concrete, bricks, asphalt, glass, etc. The lithology was then noted to change to a light brown silty sand. Competent bedrock was present at varying depths throughout the site and consisted of a micaceous schist. There was no apparent visual or olfactory evidence of contamination noted in any of the soil samples. In order to characterize the soil quality throughout the subject site, it was determined that the soil samples collected from ground surface to a depth of approximately four (4) feet below grade would be submitted for laboratory analysis. The soil samples collected from B-3, B-5, B-7 and B-12 were submitted for analysis of volatile organic

compounds (VOCs), semi-volatile organic compounds (SVOCs), total petroleum hydrocarbons (TPH), the eight (8) RCRA metals and for PCBs. The analytical results were compared to the Criteria listed in the State of Connecticut Department of Environmental Protection (DEP) Remediation Standard. The analytical results for the samples obtained from borings B-3, B-5 and B-7 did not reveal the presence of any contaminants which were elevated above their respective Connecticut DEP Criteria. The analytical results for the sample collected from B-12 revealed that there were no VOCs, SVOCs, TPH or PCBs detected above their respective Connecticut DEP Criteria. However, the metals analysis for B-12 revealed that arsenic was detected at a concentration of 11.4 parts per million (ppm), which is above the Connecticut Criteria of 10 ppm. The presence of arsenic is believed to be related to the decomposition of possible CCA (copper, chromium and arsenic) treated lumber which was noted in many of shallow soil samples as a result of the former demolition activities. Based upon the analytical results, it appears that the soil quality in the vicinity of B-3, B-5, B-7 and B-12 has not been adversely impacted at this time.

A total of three (3) groundwater samples were able to be collected at the subject site. Groundwater was collected from boring B-10 which was installed directly down-gradient of the hazardous waste storage shed, as well as from borings B-11 and B-12, which were installed along the upgradient (west) side of the current subject building. The groundwater samples were submitted for analysis of VOCs, SVOCs, TPH, the eight (8) RCRA metals and PCBs. The analytical results for all three (3) groundwater samples revealed that there were no contaminants detected above their respective laboratory analytical method detection limit in any of the samples. Based upon the analytical results, it appears that the groundwater quality in the vicinity of B-10, B-11 and B-12 has not been adversely impacted at this time.

5.2 Recommendations:

Based on the above conclusions, the following actions are recommended:

1. The soil sampling revealed the slightly elevated presence of arsenic in one (1) sample. The groundwater beneath the site is classified as GB. This classification is assigned to groundwaters within highly urbanized areas of intense industrial activity and where public water supply is available. Based upon the fact that the site is located in an industrial area where the groundwater has been classified as GB, and the fact that the on-going operations do not produce arsenic, there is minimal concern for additional impact to the quality of the subsurface soils at the subject site. In order to obtain a formal determination, the findings of this Phase II Subsurface Investigation report should be forwarded to the CT DEP regional office for review.
2. The results of the Geophysical Investigation revealed the presence of seven (7) magnetic anomalies which appear to be indicative of undocumented underground storage tanks (USTs). These areas may warrant further investigation. Please note that the soil sampling analytical data which was obtained in the vicinity of several of the magnetic anomalies did not reveal the presence of elevated levels of hydrocarbon based contaminants. As such, it would appear that if undocumented USTs are present, the current soil data indicates that there has not been any significant releases in the vicinity of the magnetic anomalies.

5.3 Limitation

The purpose of this investigation was to identify potential sources of contamination. The findings and conclusions set forth in this report are based upon information that was available to General Consolidated Industries, Inc. (GCI), during its inspection of the property and after review of selected records and documents. If new information becomes available concerning the property after this date, or if the property is used in a manner other than that which is identified in this report, the findings and conclusions contained herein may have to be modified. Additionally, while this investigation was performed in accordance with good commercial and customary practice and generally accepted protocols within the consulting industry, General Consolidated Industries, Inc. (GCI) can not guarantee that the property is completely free of hazardous substances or other materials or conditions that could subject the owner and/or operator to potential liability. Future events and/or investigation could change the findings stated herein. Should additional investigations encounter differing conditions, sections of this report may require modification.

Limiting Conditions:

The preceding Environmental Assessment is subject to the following conditions and to such other conditions and limiting conditions as are set forth in the report.


1. General Consolidated Industries, Inc. (GCI) assumes no responsibility for hidden or latent conditions or misrepresentation by the property owner, his/her representatives, public information officials or any authority consulted in connection with the compilation of this report.
2. This report is prepared for the sole and explicit purpose for assessing the potential liability with respect to the presence of hazardous materials that may pose a potential health or environmental threat and for evaluating collateral risk associated with the same. This report is not intended to have any direct bearing on the value of the property.
3. The Environmental Assessment is for the sole use of the principal parties. No disclosure or reproduction shall be made of the preceding report without the prior written consent of General Consolidated Industries, Inc. (GCI).
4. General Consolidated Industries, Inc. (GCI) or any representative of General Consolidated Industries, Inc. (GCI) is not required to give testimony with reference to the opinions expressed herein without prior written arrangement.

Disclaimer:

This report is for the use by the client as a guide in determining the possible presence of toxic materials on the subject property at the time of the inspection. This report is based on the review of historic records (which may be incomplete), relating to past occupants, and upon a visual inspection of the surrounding properties at the time of inspection, and makes no determinations with respect to portions of the surrounding properties which were not inspected.

Any and all liability on the part of General Consolidated Industries, Inc. (GCI) shall be limited solely to the cost of this environmental assessment. General Consolidated Industries, Inc. (GCI) shall have no liability for any damages, whether consequential, compensatory, punitive, or special, arising out of, incidental to, or as a result of, this assessment and report. General Consolidated Industries, Inc. (GCI) shall have no liability for any cleanup and/or response costs, or any other incidental, or consequential, punitive, or special costs arising out of, incidental to, or as a result of any action against the client brought by any federal, state, or local government agency. General Consolidated Industries, Inc. (GCI) assumes no liability for the use of this assessment and report by any person or entity other than the client for whom it has been prepared.


LOCATION MAP



SUBJECT SITE

6 Rubber Avenue
Naugatuck, Connecticut

SITE PLAN



LEGEND

- FENCE LINE
- PROPERTY LINE
- TRENCH DRAIN
- CATCH BASIN
- SID./GROUNDWATER BORING LOCATION
- 200' GRID (HORIZALLY)



SITE LOCATION

GENERAL CONSOLIDATED INDUSTRIES INC.
TWO STAMFORD LANDING, STAMFORD, CONNECTICUT 06902
1-800-842-5073
Environmental & Engineering Consultants

FIGURE 2.0 - SITE PLAN	
GENERAL DATACOMM & VITAL SERVICES NAUGATUCK, CONNECTICUT 06902	
CLIENT	THE CHASE MANHATTAN BANK
DESIGNED BY	MS
CHECKED BY	TS
DATE	7/8/01
PROJECT NO.	2001127
DRAWING NO.	2001127-ENV-02
DATE	7/8/01
SCALE	N/A
SHEET 1 OF 1	

GROUNDWATER FLOW: EAST
DEPTH TO WATER 16' B.S.

GEOLOGICAL BORING LOGS

SOIL BORING LOG B-1

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No. : 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist

Hauppauge, New York

Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID	
0' 0"	4' 0"	50 %	0.0 ppm	Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.
4' 0"	6' 0"	75 %	0.0 ppm	Fine, silty sand with some backfill and demolition debris. Competent mica rich schist.
				* Refusal encountered at 6 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups	Typical Soil Names
GM	Silty Gravels, Gravel-Sand-Silt Mixture
GC	Clayey Gravels, Gravel-Sand-Clay Mixture
SC	Clayey Sands, Sand-Clay Mixtures
SM	Silty Sands, Sand-Silt Mixtures

SOIL BORING LOG B-2

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No.: 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries
Hauppauge, New York

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist
Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID	
0' 0"	4' 0"	50 %	0.0 ppm	Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.
				* Refusal encountered at 4 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups	Typical Soil Names
GM	Silty Gravels, Gravel-Sand-Silt Mixture
GC	Clayey Gravels, Gravel-Sand-Clay Mixture
SC	Clayey Sands, Sand-Clay Mixtures
SM	Silty Sands, Sand-Silt Mixtures

SOIL BORING LOG B-3

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No. : 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist

Hauppauge, New York

Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID
0' 0"	4' 0"	100 %	0.0 ppm
4' 0"	6' 0"	100 %	0.0 ppm

Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.

Fine, silty sand with some backfill and demolition debris. Competent mica rich schist.

* Refusal encountered at 6 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups	Typical Soil Names
GM	Silty Gravels, Gravel-Sand-Silt Mixture
GC	Clayey Gravels, Gravel-Sand-Clay Mixture
SC	Clayey Sands, Sand-Clay Mixtures
SM	Silty Sands, Sand-Silt Mixtures

SOIL BORING LOG B-4

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No.: 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist

Hauppauge, New York

Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID	
0' 0"	4' 0"	100 %	0.0 ppm	Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.
4' 0"	8' 0"	100 %	0.0 ppm	Fine, silty sand with some backfill and demolition debris.
8' 0"	12' 0"	50 %	0.0 ppm	Fine silty sand underlain by mica rich schist.
				* Refusal encountered at 12 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups	Typical Soil Names
GM	Silty Gravels, Gravel-Sand-Silt Mixture
GC	Clayey Gravels, Gravel-Sand-Clay Mixture
SC	Clayey Sands, Sand-Clay Mixtures
SM	Silty Sands, Sand-Silt Mixtures

SOIL BORING LOG B-5

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No.: 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries
Hauppauge, New York

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist
Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID
-------	-----	------------	-----

0' 0"	4' 0"	100 %	0.0 ppm
-------	-------	-------	---------

Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.

4' 0"	8' 0"	100 %	0.0 ppm
-------	-------	-------	---------

Fine, silty sand with some backfill and demolition debris. Competent mica rich schist.

* Refusal encountered at 8 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups	Typical Soil Names
-------------	--------------------

GM	Silty Gravels, Gravel-Sand-Silt Mixture
----	-----------------------------------------

GC	Clayey Gravels, Gravel-Sand-Clay Mixture
----	------------------------------------------

SC	Clayey Sands, Sand-Clay Mixtures
----	----------------------------------

SM	Silty Sands, Sand-Silt Mixtures
----	---------------------------------

SOIL BORING LOG B-6

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No.: 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries
Hauppauge, New York

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist
Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID
0' 0"	4' 0"	50 %	0.0 ppm
4' 0"	5' 0"	75 %	0.0 ppm

Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.

Fine, silty sand with some backfill and demolition debris. Competent mica rich schist.

* Refusal encountered at 5 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups	Typical Soil Names
GM	Silty Gravels, Gravel-Sand-Silt Mixture
GC	Clayey Gravels, Gravel-Sand-Clay Mixture
SC	Clayey Sands, Sand-Clay Mixtures
SM	Silty Sands, Sand-Silt Mixtures

SOIL BORING LOG B-7

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No.: 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries
Hauppauge, New York

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist
Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID
0' 0"	4' 0"	100 %	0.0 ppm
4' 0"	8' 0"	100 %	0.0 ppm

Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.

Fine, silty sand with some backfill and demolition debris. Competent mica rich schist.

* Refusal encountered at 8 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups

Typical Soil Names

GM

Silty Gravels, Gravel-Sand-Silt Mixture

GC

Clayey Gravels, Gravel-Sand-Clay Mixture

SC

Clayey Sands, Sand-Clay Mixtures

SM

Silty Sands, Sand-Silt Mixtures

SOIL BORING LOG B-8

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No.: 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries
Hauppauge, New York

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist
Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID	
0' 0"	4' 0"	100 %	0.0 ppm	Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.
4' 0"	8' 0"	100 %	0.0 ppm	Fine, silty sand with some backfill and demolition debris.
8' 0"	12' 0"	100 %	0.0 ppm	Fine, silty sand with some mica.
12' 0"	16' 0"	100 %	0.0 ppm	Fine silty sand underlain by mica rich schist.
				* Refusal encountered at 16 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups	Typical Soil Names
GM	Silty Gravels, Gravel-Sand-Silt Mixture
GC	Clayey Gravels, Gravel-Sand-Clay Mixture
SC	Clayey Sands, Sand-Clay Mixtures
SM	Silty Sands, Sand-Silt Mixtures

SOIL BORING LOG B-9

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No.: 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist

Hauppauge, New York

Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID	
0' 0"	4' 0"	100 %	0.0 ppm	Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.
4' 0"	8' 0"	100 %	0.0 ppm	Fine, silty sand with some backfill and demolition debris.
8' 0"	12' 0"	100 %	0.0 ppm	Fine, silty sand with some mica.
12' 0"	16' 0"	100 %	0.0 ppm	Fine silty sand underlain by mica rich schist.
				* Refusal encountered at 16 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups	Typical Soil Names
GM	Silty Gravels, Gravel-Sand-Silt Mixture
GC	Clayey Gravels, Gravel-Sand-Clay Mixture
SC	Clayey Sands, Sand-Clay Mixtures
SM	Silty Sands, Sand-Silt Mixtures

SOIL BORING LOG B-10

GCI

Environmental & Engineering Consultants

2 Stamford Landing

Stamford, Connecticut 06902

Phone: (203) 921-0364

Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut

Drill Date: June 20 - 21, 2001

Project No.: 2001127

Client: Chase Manhattan Bank

Hydrogeologist: Mr. Matthew Boeckel

Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist

Hauppauge, New York

Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start

End

% Recovery

PID

0' 0"

4' 0"

100 %

0.0 ppm

Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.

4' 0"

8' 0"

100 %

0.0 ppm

Fine, silty sand with some backfill and demolition debris.

8' 0"

12' 0"

100 %

0.0 ppm

Fine, silty sand with some mica.

12' 0"

16' 0"

100 %

0.0 ppm

Fine silty sand with some mica.

* Groundwater encountered at 17 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups

Typical Soil Names

GM

Silty Gravels, Gravel-Sand-Silt Mixture

GC

Clayey Gravels, Gravel-Sand-Clay Mixture

SC

Clayey Sands, Sand-Clay Mixtures

SM

Silty Sands, Sand-Silt Mixtures

SOIL BORING LOG B-11

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No.: 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist

Hauppauge, New York

Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID	
0' 0"	4' 0"	100 %	0.0 ppm	Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.
4' 0"	8' 0"	100 %	0.0 ppm	Fine, silty sand with some backfill and demolition debris.
8' 0"	12' 0"	100 %	0.0 ppm	Fine, silty sand with some mica.
12' 0"	16' 0"	100 %	0.0 ppm	Fine silty sand with some mica.
				* Groundwater encountered at 17 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups	Typical Soil Names
GM	Silty Gravels, Gravel-Sand-Silt Mixture
GC	Clayey Gravels, Gravel-Sand-Clay Mixture
SC	Clayey Sands, Sand-Clay Mixtures
SM	Silty Sands, Sand-Silt Mixtures

SOIL BORING LOG B-12

GCI

Environmental & Engineering Consultants
2 Stamford Landing
Stamford, Connecticut 06902
Phone: (203) 921-0364
Fax: (203) 975-1110

Location: 6 Rubber Ave, Naugatuck, Connecticut
Drill Date: June 20 - 21, 2001
Project No.: 2001127
Client: Chase Manhattan Bank
Hydrogeologist: Mr. Matthew Boeckel
Boring Location: See Figure 2.0 - Site Plan.

Drilling Co.: General Consolidated Industries
Hauppauge, New York

Driller: Mr. Matthew Boeckel - Sr. Hydrogeologist
Drill Rig: Geoprobe® 550 Van-Mounted

Total Well Depth (ft.): Not Applicable

Screen (ft.): Not Applicable

Riser (ft.): Not Applicable

Filter Pack: Not Applicable

Annular Seal: Not Applicable

Well Head: Not Applicable

Sample Depth (ft.)

LITHOLOGICAL DESCRIPTION

Start	End	% Recovery	PID	
0' 0"	4' 0"	100 %	0.0 ppm	Fine silty-sand with backfill and demolition debris such as glass, brick, concrete, asphalt, wood, etc.
4' 0"	8' 0"	100 %	0.0 ppm	Fine, silty sand with some backfill and demolition debris.
8' 0"	12' 0"	100 %	0.0 ppm	Fine, silty sand with some mica.
12' 0"	16' 0"	100 %	0.0 ppm	Fine silty sand with mica.
				* Groundwater encountered at 17 feet below grade.

PID: Perkin-Elmer Model 2020

Weather Conditions: Sunny, 85 degrees Fahrenheit

Drilling Time: 1.0 hours.

Miscellaneous Site Conditions: No other pertinent site information.

APPLICABLE UNIFIED SOIL CLASSIFICATION

Soil Groups	Typical Soil Names
GM	Silty Gravels, Gravel-Sand-Silt Mixture
GC	Clayey Gravels, Gravel-Sand-Clay Mixture
SC	Clayey Sands, Sand-Clay Mixtures
SM	Silty Sands, Sand-Silt Mixtures

LABORATORY ANALYSIS RESULTS

Client: GCI	Client ID: 2001127 (B-3 {0-4})
Date received: 6/21/01	Laboratory ID: 0116135
Date extracted: 6/21/01	Matrix: Soil
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5



Client: GCI	Client ID: 2001127 (B-3 {0-4})
Date received: 6/21/01	Laboratory ID: 0116135
Date extracted: 6/21/01	Matrix: Soil
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	<50
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE (MEK)	78-93-3	<10
VINYL ACETATE	108-05-4	<5
2-HEXANONE	591-78-6	<5
p & m-XYLENE	1330-20-7	<10
o-XYLENE	1330-20-7	<5

Michael Vernald

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Client: GCI	Client ID: 2001127 (B-3 {0-4})
Date received: 6/21/01	Laboratory ID: 0116135
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	<300
PHENOL	108-95-1	<300
2-CHLOROPHENOL	95-57-8	<300
1,3-DICHLOROBENZENE	541-73-1	<300
1,4-DICHLOROBENZENE	106-46-7	<300
1,2-DICHLOROBENZENE	95-50-1	<300
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<300
2-METHYLPHENOL	95-48-7	<300
HEXACHLOROETHANE	67-72-1	<300
N-NITROSODI-n-PROPYL AMINE	621-64-7	<300
4-METHYLPHENOL	106-44-5	<300
NITROBENZENE	98-95-3	<300
ISOPHORONE	78-59-1	<300
2-NITROPHENOL	88-75-5	<300
2,4-DIMETHYLPHENOL	105-67-9	<300
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<300
2,4-DICHLOROPHENOL	102-83-2	<300
1,2,4-TRICHLOROBENZENE	120-82-1	<300
NAPHTHALENE	91-20-3	<300
4-CHLOROANILINE	106-47-8	<300
HEXACHLOROBUTADIENE	87-68-3	<300
4-CHLORO-3-METHYLPHENOL	59-50-7	<300
2-METHYLNAPHTHALENE	91-57-6	<300
HEXACHLOROCYCLOPENTADIENE	77-47-4	<300
2,4,6-TRICHLOROPHENOL	88-06-2	<300
2,4,5-TRICHLOROPHENOL	95-95-4	<300
2-CHLORONAPHTHALENE	91-58-7	<300
2-NITROANILINE	88-74-4	<300
ACENAPHTHYLENE	208-96-8	<300
DIMETHYLPHTHALATE	131-11-3	<300
2,6-DINITROTOLUENE	606-20-2	<300
ACENAPHTHENE	83-32-9	<300

Note: MDL's are raised due to matrix interference.



Client: GCI	Client ID: 2001127 (B-3 {0-4})
Date received: 6/21/01	Laboratory ID: 0116135
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
3-NITROANILINE	99-09-2	<300
2,4-DINITROPHENOL	51-28-5	<300
DIBENZOFURAN	132-64-9	<300
2,4-DINITROTOLUENE	121-14-2	<300
4-NITROPHENOL	100-02-7	<300
FLUORENE	86-73-7	<300
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<300
DIETHYLPHTHALATE	84-66-2	<300
4-NITROANILINE	100-01-6	<300
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<300
N-NITROSODIPHENYLAMINE	86-30-6	<300
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<300
HEXACHLOROBENZENE	118-74-1	<300
PENTACHLOROPHENOL	87-86-5	<300
PHENANTHRENE	85-01-8	<300
ANTHRACENE	120-12-7	<300
Di-n-BUTYLPHTHALATE	84-74-2	<300
FLUORANTHENE	206-44-0	570
PYRENE	129-00-0	573
BUTYLBENZYLPHTHALATE	85-68-7	<300
3,3-DICHLOROBENZIDINE	91-94-1	<300
BENZO-a-ANTHRACENE	56-55-3	324
CHRYSENE	218-01-9	422
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	<300
DI-n-OCTYLPHTHALATE	117-84-0	<300
BENZO-b-FLUOROANTHENE	205-99-2	313
BENZO-k- FLUOROANTHENE	207-08-9	372
BENZO-a-PYRENE	50-32-8	374
INDENO(1,2,3-c,d)PYRENE	193-39-5	<300
DIBENZO-a,h-ANTHRACENE	53-70-3	<300
BENZO-g,h,i-PERYLENE	191-24-2	<300

Note: MDL's are raised due to matrix interference.

Michael Vernald

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741


"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 470-2400 • Fax (631) 470-2505

Client: GCI	Client ID: 2001127 (B-3 {0-4})
Date received: 6/21/01	Laboratory ID: 0116135
Date extracted: 6/26/01	Matrix: Soil
Date analyzed: 6/26/01	ELAP #: 11693

EPA METHOD 608/8080 AROCHLORS

PARAMETER	CAS No.	RESULTS ug/kg
AROCHLOR-1016	12674-11-2	<200
AROCHLOR-1221	1104-28-2	<200
AROCHLOR-1232	11141-16-5	<200
AROCHLOR-1242	53469-21-9	<200
AROCHLOR-1248	12672-29-6	<200
AROCHLOR-1254	11097-69-1	<200
AROCHLOR-1260	11096-82-5	<200



Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Client: GCI	Client ID: 2001127 (B-3 {0-4})
Date received: 6/21/01	Laboratory ID: 0116135
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	39.7
CADMIUM, Cd	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
LEAD, Pb	1.65 mg/kg	12.9
MERCURY, Hg	0.020 mg/kg	0.05
ARSENIC, As	6.60 mg/kg	<6.60
CHROMIUM, Cr	1.65 mg/kg	6.24

Performed by SW-846 Method 6010

Michael Venzel

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

MORROW'S ANALYTICAL SOLUTIONS TODAY Phone (631) 478-8100 • Fax (631) 478-8555 • E-Mail: info@longislandanalytical.com

Client: GCI	Client ID: 2001127 (B-5 {0-4})
Date received: 6/21/01	Laboratory ID: 0116136
Date extracted: 6/21/01	Matrix: Soil
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5



Client: GCI	Client ID: 2001127 (B-5 {0-4})
Date received: 6/21/01	Laboratory ID: 0116136
Date extracted: 6/21/01	Matrix: Soil
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	<50
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE (MEK)	78-93-3	<10
VINYL ACETATE	108-05-4	<5
2-HEXANONE	591-78-6	<5
p & m-XYLENE	1330-20-7	<10
o-XYLENE	1330-20-7	<5

Michael Venzel

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Client: GCI	Client ID: 2001127 (B-5 {0-4})
Date received: 6/21/01	Laboratory ID: 0116136
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	<40
4-METHYLPHENOL	106-44-5	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	96
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHTHALATE	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40
ACENAPHTHENE	83-32-9	<40



Client: GCI	Client ID: 2001127 (B-5 (0-4))
Date received: 6/21/01	Laboratory ID: 0116136
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<40
DIBENZOFURAN	132-64-9	<40
2,4-DINITROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<40
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
DIETHYLPHTHALATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSODIPHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<40
PHENANTHRENE	85-01-8	46
ANTHRACENE	120-12-7	<40
Di-n-BUTYLPHTHALATE	84-74-2	<40
FLUORANTHENE	206-44-0	172
PYRENE	129-00-0	197
BUTYLBENZYLPHTHALATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-a-ANTHRACENE	56-55-3	180
CHRYSENE	218-01-9	188
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	838
DI-n-OCTYLPHTHALATE	117-84-0	<40
BENZO-b-FLUOROANTHENE	205-99-2	208
BENZO-k- FLUOROANTHENE	207-08-9	280
BENZO-a-PYRENE	50-32-8	291
INDENO(1,2,3-c,d)PYRENE	193-39-5	204
DIBENZO-a,h-ANTHRACENE	53-70-3	48
BENZO-g,h,i-PERYLENE	191-24-2	182

Michael Venzel

Laboratory Director




**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Client: GCI	Client ID: 2001127 (B-5 {0-4})
Date received: 6/21/01	Laboratory ID: 0116136
Date extracted: 6/26/01	Matrix: Soil
Date analyzed: 6/26/01	ELAP #: 11693

EPA METHOD 608/8080 AROCHLORS

PARAMETER	CAS No.	RESULTS ug/kg
AROCHLOR-1016	12674-11-2	<200
AROCHLOR-1221	1104-28-2	<200
AROCHLOR-1232	11141-16-5	<200
AROCHLOR-1242	53469-21-9	<200
AROCHLOR-1248	12672-29-6	<200
AROCHLOR-1254	11097-69-1	<200
AROCHLOR-1260	11096-82-5	<200



Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127 (B-5 {0-4})
Date received: 6/21/01	Laboratory ID: 0116136
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	116
CADMIUM, Cd	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
LEAD, Pb	1.65 mg/kg	155
MERCURY, Hg	0.020 mg/kg	0.89
ARSENIC, As	6.60 mg/kg	<6.60
CHROMIUM, Cr	1.65 mg/kg	6.08

Performed by SW-846 Method 6010

Michael Vennard

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 470-8400 • Fax (631) 470-8505 • E-mail: LIAL@lialinc.com

Client: GCI	Client ID: 2001127 (B-7 {0-4})
Date received: 6/21/01	Laboratory ID: 0116137
Date extracted: 6/21/01	Matrix: Soil
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5



Client: GCI	Client ID: 2001127 (B-7 {0-4})
Date received: 6/21/01	Laboratory ID: 0116137
Date extracted: 6/21/01	Matrix: Soil
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,1,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	103-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	<50
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE (MEK)	78-93-3	<10
VINYL ACETATE	108-05-4	<5
2-HEXANONE	591-78-6	<5
p & m-XYLENE	1330-20-7	<10
o-XYLENE	1330-20-7	<5

Michael Versaldi

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127 (B-6 {0-4})
Date received: 6/21/01	Laboratory ID: 0116137
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	<40
4-METHYLPHENOL	106-44-5	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHTHALATE	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40
ACENAPHTHENE	83-32-9	<40



Client: GCI	Client ID: 2001127 (B-7 {0-4})
Date received: 6/21/01	Laboratory ID: 0116137
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<40
DIBENZOFURAN	132-64-9	<40
2,4-DINITROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<40
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
DIETHYLPHTHALATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSODIPHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<40
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
Di-n-BUTYLPHTHALATE	84-74-2	<40
FLUORANTHENE	206-44-0	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHTHALATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-a-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	203
Di-n-OCTYLPHTHALATE	117-84-0	<40
BENZO-b-FLUOROANTHENE	205-99-2	<40
BENZO-k- FLUOROANTHENE	207-08-9	<40
BENZO-a-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	<40
BENZO-g,h,i-PERYLENE	191-24-2	<40

Michael Veraldi

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127 (B-7 {0-4})
Date received: 6/21/01	Laboratory ID: 0116137
Date extracted: 6/26/01	Matrix: Soil
Date analyzed: 6/26/01	ELAP #: 11693

EPA METHOD 608/8080 AROCHLORS

PARAMETER	CAS No.	RESULTS ug/kg
AROCHLOR-1016	12674-11-2	<200
AROCHLOR-1221	1104-28-2	<200
AROCHLOR-1232	11141-16-5	<200
AROCHLOR-1242	53469-21-9	<200
AROCHLOR-1248	12672-29-6	<200
AROCHLOR-1254	11097-69-1	<200
AROCHLOR-1260	11096-82-5	<200

Michael Vernald

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

TEL: (609) 426-1100 FAX: (609) 426-8505 E-MAIL: LIAI@lialinc.com

Client: GCI	Client ID: 2001127 (B-7 (0-4))
Date received: 6/21/01	Laboratory ID: 0116137
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	26.2
CADMIUM, Cd	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
LEAD, Pb	1.65 mg/kg	6.82
MERCURY, Hg	0.020 mg/kg	0.05
ARSENIC, As	6.60 mg/kg	6.64
CHROMIUM, Cr	1.65 mg/kg	5.81

Performed by SW-846 Method 6010

Michael Vernald

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127 (B-12 (0-4))
Date received: 6/21/01	Laboratory ID: 0116138
Date extracted: 6/21/01	Matrix: Soil
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
BENZENE	71-43-2	<5
BROMOBENZENE	108-86-1	<5
BROMOCHLOROMETHANE	74-97-5	<5
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
n-BUTYLBENZENE	104-51-8	<5
sec-BUTYLBENZENE	135-98-8	<5
tert-BUTYLBENZENE	98-06-6	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLORODIBROMOMETHANE	124-48-1	<5
CHLOROETHANE	75-00-3	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
2-CHLOROTOLUENE	95-49-8	<5
4-CHLOROTOLUENE	106-43-4	<5
1,2-DIBROMO-3-CHLOROPROPANE	96-12-8	<5
1,2-DIBROMOETHANE	106-93-4	<5
DIBROMOMETHANE	74-95-3	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
DICHLORODIFLUOROMETHANE	75-71-8	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
cis-1,2-DICHLOROETHENE	156-59-2	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5



Client: GCI	Client ID: 2001127 (B-12 {0-4})
Date received: 6/21/01	Laboratory ID: 0116138
Date extracted: 6/21/01	Matrix: Soil
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 8260

Parameter	CAS No.	Results ug/kg
1,2-DICHLOROPROPANE	78-87-5	<5
1,3-DICHLOROPROPANE	142-28-9	<5
2,2-DICHLOROPROPANE	594-20-7	<5
1,1-DICHLOROPROPENE	563-58-6	<5
ETHYLBENZENE	100-41-4	<5
HEXACHLOROBUTADIENE	87-68-3	<5
ISOPROPYLBENZENE	98-82-8	<5
p-ISOPROPYLTOLUENE	99-87-6	<5
METHYLENE CHLORIDE	75-09-2	<5
NAPHTHALENE	91-20-3	<5
n-PROPYLBENZENE	103-65-1	<5
STYRENE	100-42-5	<5
1,1,1,2-TETRACHLOROETHANE	630-20-6	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,2,3-TRICHLOROBENZENE	87-61-6	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
1,2,3-TRICHLOROPROPANE	96-18-4	<5
1,3,5-TRIMETHYLBENZENE	108-67-8	<5
1,2,4-TRIMETHYLBENZENE	95-63-6	<5
VINYL CHLORIDE	75-01-4	<5
ACETONE	62-64-1	<50
CARBON DISULFIDE	75-15-0	<5
2-BUTANONE (MEK)	78-93-3	<10
VINYL ACETATE	108-05-4	<5
2-HEXANONE	591-78-6	<5
p & m-XYLENE	1330-20-7	<10
o-XYLENE	1330-20-7	<5

Michael Veraldi

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127 (B-12 {0-4})
Date received: 6/21/01	Laboratory ID: 0116138
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
Bis(2-CHLOROETHYL)ETHER	111-44-4	<40
PHENOL	108-95-1	<40
2-CHLOROPHENOL	95-57-8	<40
1,3-DICHLOROBENZENE	541-73-1	<40
1,4-DICHLOROBENZENE	106-46-7	<40
1,2-DICHLOROBENZENE	95-50-1	<40
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<40
2-METHYLPHENOL	95-48-7	<40
HEXACHLOROETHANE	67-72-1	<40
N-NITROSODI-n-PROPYL AMINE	621-64-7	<40
4-METHYLPHENOL	106-44-5	<40
NITROBENZENE	98-95-3	<40
ISOPHORONE	78-59-1	<40
2-NITROPHENOL	88-75-5	<40
2,4-DIMETHYLPHENOL	105-67-9	<40
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<40
2,4-DICHLOROPHENOL	102-83-2	<40
1,2,4-TRICHLOROBENZENE	120-82-1	<40
NAPHTHALENE	91-20-3	<40
4-CHLOROANILINE	106-47-8	<40
HEXACHLOROBUTADIENE	87-68-3	<40
4-CHLORO-3-METHYLPHENOL	59-50-7	<40
2-METHYLNAPHTHALENE	91-57-6	<40
HEXACHLOROCYCLOPENTADIENE	77-47-4	<40
2,4,6-TRICHLOROPHENOL	88-06-2	<40
2,4,5-TRICHLOROPHENOL	95-95-4	<40
2-CHLORONAPHTHALENE	91-58-7	<40
2-NITROANILINE	88-74-4	<40
ACENAPHTHYLENE	208-96-8	<40
DIMETHYLPHTHALATE	131-11-3	<40
2,6-DINITROTOLUENE	606-20-2	<40
ACENAPHTHENE	83-32-9	<40



Client: GCI	Client ID: 2001127 (B-12 {0-4})
Date received: 6/21/01	Laboratory ID: 0116138
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 8270

Parameter	CAS No.	Results ug/kg
3-NITROANILINE	99-09-2	<40
2,4-DINITROPHENOL	51-28-5	<40
DIBENZOFURAN	132-64-9	<40
2,4-DINITROTOLUENE	121-14-2	<40
4-NITROPHENOL	100-02-7	<40
FLUORENE	86-73-7	<40
4-CHLOROPHENYL PHENYL ETHER	7005-72-3	<40
DIETHYLPHTHALATE	84-66-2	<40
4-NITROANILINE	100-01-6	<40
4,6-DINITRO-2-METHYLPHENOL	534-52-1	<40
N-NITROSODIPHENYLAMINE	86-30-6	<40
4-BROMOPHENYL-PHENYL ETHER	101-55-3	<40
HEXACHLOROBENZENE	118-74-1	<40
PENTACHLOROPHENOL	87-86-5	<40
PHENANTHRENE	85-01-8	<40
ANTHRACENE	120-12-7	<40
Di-n-BUTYLPHTHALATE	84-74-2	<40
FLUORANTHENE	206-44-0	<40
PYRENE	129-00-0	<40
BUTYLBENZYLPHTHALATE	85-68-7	<40
3,3-DICHLOROBENZIDINE	91-94-1	<40
BENZO-a-ANTHRACENE	56-55-3	<40
CHRYSENE	218-01-9	<40
Bis(2-ETHYLEXYL)PHTALATE	117-81-7	<40
Di-n-OCTYLPHTHALATE	117-84-0	<40
BENZO-b-FLUOROANTHENE	205-99-2	<40
BENZO-k- FLUOROANTHENE	207-08-9	<40
BENZO-a-PYRENE	50-32-8	<40
INDENO(1,2,3-c,d)PYRENE	193-39-5	<40
DIBENZO-a,h-ANTHRACENE	53-70-3	<40
BENZO-g,h,i-PERYLENE	191-24-2	<40

Michael Venable

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone: (631) 472-2400 • Fax: (631) 472-8505 • Email: LIAL@lialinc.com

Client: GCI	Client ID: 2001127 (B-12 {0-4})
Date received: 6/21/01	Laboratory ID: 0116138
Date extracted: 6/26/01	Matrix: Soil
Date analyzed: 6/26/01	ELAP #: 11693

EPA METHOD 608/8080 AROCHLORS

PARAMETER	CAS No.	RESULTS ug/kg
AROCHLOR-1016	12674-11-2	<200
AROCHLOR-1221	1104-28-2	<200
AROCHLOR-1232	11141-16-5	<200
AROCHLOR-1242	53469-21-9	<200
AROCHLOR-1248	12672-29-6	<200
AROCHLOR-1254	11097-69-1	<200
AROCHLOR-1260	11096-82-5	<200

Michael Versaldi

Laboratory Director




Client: GCI	Client ID: 2001127 (B-12 {0-4})
Date received: 6/21/01	Laboratory ID: 0116138
Date extracted: 6/25/01	Matrix: Soil
Date analyzed: 6/25/01	ELAP #: 11693

METALS ANALYSIS 8 RCRA

Parameter	MDL	Results mg/kg
SILVER, Ag	1.65 mg/kg	<1.65
BARIUM, Ba	3.33 mg/kg	24.5
CADMIUM, Cd	1.65 mg/kg	<1.65
SELENIUM, Se	1.65 mg/kg	<1.65
LEAD, Pb	1.65 mg/kg	16.3
MERCURY, Hg	0.020 mg/kg	0.03
ARSENIC, As	6.60 mg/kg	11.4
CHROMIUM, Cr	1.65 mg/kg	8.70

Preformed by SW-846 Method 6010



Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127
Date received: 6/21/01	Laboratory ID: 0116135-0116138
Date extracted: 6/22/01	Matrix: Soil
Date analyzed: 6/22/01	ELAP #: 11693

TPH 8015 ANALYSIS

Lab ID#	Client ID	Results mg/kg
0116135	B-3 {0-4}	115 ^{*1}
0116136	B-5 {0-4}	<10
0116137	B-7 {0-4}	<10
0116138	B-2 {0-4}	<10

*1 Unknown Composite

Michael Vernaldi

Laboratory Director



Client: GCI	Client ID: 2001127 (Trip Blank)
Date received: 6/21/01	Laboratory ID: 0116139
Date extracted: 6/21/01	Matrix: Liquid
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 624

Parameter	CAS No.	Results ug/L
MTBE	1634-04-4	<5
BENZENE	71-43-2	<0.7
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLOROETHANE	75-00-3	<5
2-CHLOROETHYL VINYL ETHER	110-75-8	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
DIBROMOCHLOROMETHANE	124-48-1	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5
1,2-DICHLOROPROPANE	78-87-5	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	<5
ETHYL BENZENE	100-41-4	<5
METHYLENE CHLORIDE	75-09-2	<5
1,1,2,2,-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
VINYL CHLORIDE	75-01-4	<5
p & m -XYLENES	1330-20-7	<10
o-XYLENE	1330-20-7	<5

Michael Versaldi

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127 (Trip Blank)
Date received: 6/21/01	Laboratory ID: 0116139
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 625


Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
o-CRESOL	95-48-7	<5
m,p, CRESOL	108-39-4	<5
FLUORENE	86-73-7	<5
N-NITROSO-di-n-PROPYL AMINE	621-64-7	<5
HEXACHLOROETHANE	67-72-1	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
HEXACHLOROBUTADIENE	87-68-3	<5
2-CHLORONAPHTHALENE	91-58-7	<5
DIMETHYLPHTHALATE	131-11-3	<5
ACENAPHTHYLENE	83-32-9	<5
2,6-DINITROTOLUENE	606-20-2	<5
2,4-DINITROTOLUENE	121-14-2	<5
DIETHYLPHTHALATE	84-66-2	<5
4-CHLOROPHENYL ETHER	7005-72-3	<5
4-BROMOPHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5



Client: GCI	Client ID: 2001127 (Trip Blank)
Date received: 6/21/01	Laboratory ID: 0116139
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 625

Parameter	CAS No.	Results ug/L
Di-n-BUTYLPHthalate	84-74-2	<5
FLUORANTHENE	206-44-0	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHthalate	85-68-7	<5
BENZO-a-ANTHRACENE	56-55-3	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTHALATE	117-81-7	<5
DI-n-OCTYLPHthalate	117-84-0	<5
BENZO-b-FLUOROANTHENE	205-99-2	<5
BENZO-k- FLUOROANTHENE	207-08-9	<5
BENZO-a-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-a,h-ANTHRACENE	53-70-3	<5
BENZO-g,h,i-PERYLENE	191-24-2	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-CHLOROPHENOL	95-57-8	<5
2,4-DICHLOROPHENOL	120-83-2	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
2,4-DINITROPHENOL	51-28-5	<5
2-METHYL-4,6-DINITROPHENOL	534-52-1	<5
2-NITROPHENOL	88-75-5	<5
4-NITROPHENOL	100-02-7	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENOL	108-95-2	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5



Laboratory Director




**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127 (Trip Blank)
Date received: 6/21/01	Laboratory ID: 0116139
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 608/8080 AROCHLORS

PARAMETER	CAS No.	RESULTS ug/L
AROCHLOR-1016	12674-11-2	<20
AROCHLOR-1221	1104-28-2	<20
AROCHLOR-1232	11141-16-5	<20
AROCHLOR-1242	53469-21-9	<20
AROCHLOR-1248	12672-29-6	<20
AROCHLOR-1254	11097-69-1	<20
AROCHLOR-1260	11096-82-5	<20



Laboratory Director



Client: GCI	Client ID: 2001127 (Trip Blank)
Date received: 6/21/01	Laboratory ID: 0116139
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

METALS ANALYSIS 8 RCRA

PARAMETER	MDL	RESULTS mg/L
SILVER, Ag	0.05 mg/L	0.10
BARIUM, Ba	1.00 mg/L	<1.00
CADMIUM, Cd	0.05 mg/L	<0.05
SELENIUM, Se	0.05 mg/L	<0.05
LEAD, Pb	0.05 mg/L	<0.05
MERCURY, Hg	0.002 mg/L	<0.002
ARSENIC, As	0.05 mg/L	<0.05
CHROMIUM, Cr	0.05 mg/L	<0.05

Method: SW846, 7000 series analysis

Michael Venzel

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone: (631) 472-2400 • Fax: (631) 472-8505 • Email: LIAL@lialinc.com

Client: GCI	Client ID: 2001127
Date received: 6/21/01	Laboratory ID: 0116139
Date extracted: 6/22/01	Matrix: Liquid
Date analyzed: 6/22/01	ELAP #: 11693

TPH 8015 ANALYSIS

Lab ID#	Client ID	Results mg/L
0116139	Trip Blank	<10


Laboratory Director



Client: GCI	Client ID: 2001127 (B-10)
Date received: 6/21/01	Laboratory ID: 0116132
Date extracted: 6/21/01	Matrix: Liquid
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 624

Parameter	CAS No.	Results ug/L
MTBE	1634-04-4	<5
BENZENE	71-43-2	<0.7
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLOROETHANE	75-00-3	<5
2-CHLOROETHYL VINYL ETHER	110-75-8	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
DIBROMOCHLOROMETHANE	124-48-1	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5
1,2-DICHLOROPROPANE	78-87-5	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	<5
ETHYL BENZENE	100-41-4	<5
METHYLENE CHLORIDE	75-09-2	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
VINYL CHLORIDE	75-01-4	<5
p & m -XYLENES	1330-20-7	<10
o-XYLENE	1330-20-7	<5

Michael Versaldi

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone: (516) 642-1100 Fax: (516) 472-8505 E-mail: LIAL@lialinc.com

Client: GCI	Client ID: 2001127 (B-10)
Date received: 6/21/01	Laboratory ID: 0116132
Date extracted: 6/21/01	Matrix: Liquid
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 625

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
o-CRESOL	95-48-7	<5
m,p, CRESOL	108-39-4	<5
FLUORENE	86-73-7	<5
N-NITROSO-di-n-PROPYL AMINE	621-64-7	<5
HEXACHLOROETHANE	67-72-1	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
HEXACHLOROBUTADIENE	87-68-3	<5
2-CHLORONAPHTHALENE	91-58-7	<5
DIMETHYLPHTHALATE	131-11-3	<5
ACENAPHTHYLENE	83-32-9	<5
2,6-DINITROTOLUENE	606-20-2	<5
2,4-DINITROTOLUENE	121-14-2	<5
DIETHYLPHTHALATE	84-66-2	<5
4-CHLOROPHENYL ETHER	7005-72-3	<5
4-BROMOPHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5



Client: GCI	Client ID: 2001127 (B-10)
Date received: 6/21/01	Laboratory ID: 0116132
Date extracted: 6/21/01	Matrix: Liquid
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 625

Parameter	CAS No.	Results ug/L
Di-n-BUTYLPHthalate	84-74-2	<5
FLUORANTHENE	206-44-0	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHthalate	85-68-7	<5
BENZO-a-ANTHRACENE	56-55-3	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTALATE	117-81-7	<5
DI-n-OCTYLPHthalate	117-84-0	<5
BENZO-b-FLUOROANTHENE	205-99-2	<5
BENZO-k- FLUOROANTHENE	207-08-9	<5
BENZO-a-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-a,h-ANTHRACENE	53-70-3	<5
BENZO-g,h,i-PERYLENE	191-24-2	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-CHLOROPHENOL	95-57-8	<5
2,4-DICHLOROPHENOL	120-83-2	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
2,4-DINITROPHENOL	51-28-5	<5
2-METHYL-4,6-DINITROPHENOL	534-52-1	<5
2-NITROPHENOL	88-75-5	<5
4-NITROPHENOL	100-02-7	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENOL	108-95-2	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5

Michael Veraldi

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone: (631) 472-3400 • Fax: (631) 472-8505 • Email: LIAL@lialinc.com

Client: GCI	Client ID: 2001127 (B-10)
Date received: 6/21/01	Laboratory ID: 0116132
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 608/8080 AROCHLORS

PARAMETER	CAS No.	RESULTS ug/L
AROCHLOR-1016	12674-11-2	<200
AROCHLOR-1221	1104-28-2	<200
AROCHLOR-1232	11141-16-5	<200
AROCHLOR-1242	53469-21-9	<200
AROCHLOR-1248	12672-29-6	<200
AROCHLOR-1254	11097-69-1	<200
AROCHLOR-1260	11096-82-5	<200

Michael Veraldi

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone: (631) 472-8400 • Fax: (631) 472-8505 • Email: LIAL@lialinc.com

Client: GCI	Client ID: 2001127 (B-10)
Date received: 6/21/01	Laboratory ID: 0116132
Date extracted: 6/22/01	Matrix: Liquid
Date analyzed: 6/22/01	ELAP #: 11693

METALS ANALYSIS 8 RCRA

PARAMETER	MDL	RESULTS mg/L
SILVER, Ag	0.05 mg/L	<0.05
BARIUM, Ba	1.00 mg/L	<1.00
CADMIUM, Cd	0.05 mg/L	<0.05
SELENIUM, Se	0.05 mg/L	<0.05
LEAD, Pb	0.05 mg/L	<0.05
MERCURY, Hg	0.002 mg/L	<0.002
ARSENIC, As	0.05 mg/L	<0.05
CHROMIUM, Cr	0.05 mg/L	<0.05

Method: SW846, 7000 series analysis

Michael Venzel

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

TOMORROW'S ANALYTICAL SOLUTIONS TODAY Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: GCI	Client ID: 2001127 (B-11)
Date received: 6/21/01	Laboratory ID: 0116133
Date extracted: 6/21/01	Matrix: Liquid
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 624

Parameter	CAS No.	Results ug/L
MTBE	1634-04-4	<5
BENZENE	71-43-2	<0.7
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLOROETHANE	75-00-3	<5
2-CHLOROETHYL VINYL ETHER	110-75-8	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
DIBROMOCHLOROMETHANE	124-48-1	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5
1,2-DICHLOROPROPANE	78-87-5	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	<5
ETHYL BENZENE	100-41-4	<5
METHYLENE CHLORIDE	75-09-2	<5
1,1,2,2-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
VINYL CHLORIDE	75-01-4	<5
p & m -XYLENES	1330-20-7	<10
o-XYLENE	1330-20-7	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Michael Versaldi

Laboratory Director

101-4 Colin Drive • Holbrook, New York 11741

Client: GCI	Client ID: 2001127 (B-11)
Date received: 6/21/01	Laboratory ID: 0116133
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 625

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
o-CRESOL	95-48-7	<5
m,p, CRESOL	108-39-4	<5
FLUORENE	86-73-7	<5
N-NITROSO-di-n-PROPYL AMINE	621-64-7	<5
HEXACHLOROETHANE	67-72-1	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
HEXACHLOROBUTADIENE	87-68-3	<5
2-CHLORONAPHTHALENE	91-58-7	<5
DIMETHYLPHTHALATE	131-11-3	<5
ACENAPHTHYLENE	83-32-9	<5
2,6-DINITROTOLUENE	606-20-2	<5
2,4-DINITROTOLUENE	121-14-2	<5
DIETHYLPHTHALATE	84-66-2	<5
4-CHLOROPHENYL ETHER	7005-72-3	<5
4-BROMOPHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: GCI	Client ID: 2001127 (B-11)
Date received: 6/21/01	Laboratory ID: 0116133
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 625

Parameter	CAS No.	Results ug/L
Di-n-BUTYLPHthalate	84-74-2	<5
FLUORANTHENE	206-44-0	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHthalate	85-68-7	<5
BENZO-a-ANTHRACENE	56-55-3	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTALATE	117-81-7	<5
DI-n-OCTYLPHthalate	117-84-0	<5
BENZO-b-FLUOROANTHENE	205-99-2	<5
BENZO-k- FLUOROANTHENE	207-08-9	<5
BENZO-a-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-a,h-ANTHRACENE	53-70-3	<5
BENZO-g,h,i-PERYLENE	191-24-2	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-CHLOROPHENOL	95-57-8	<5
2,4-DICHLOROPHENOL	120-83-2	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
2,4-DINITROPHENOL	51-28-5	<5
2-METHYL-4,6-DINITROPHENOL	534-52-1	<5
2-NITROPHENOL	88-75-5	<5
4-NITROPHENOL	100-02-7	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENOL	108-95-2	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5

Michael Vennard
Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

"TOMORROW'S ANALYTICAL SOLUTIONS TODAY"

101-4 Colin Drive • Holbrook, New York 11741

Phone (631) 472-3400 • Fax (631) 472-8505 • Email: LIAL@lialinc.com

Client: GCI	Client ID: 2001127 (B-11)
Date received: 6/21/01	Laboratory ID: 0116133
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 608/8080 AROCHLORS

PARAMETER	CAS No.	RESULTS ug/L
AROCHLOR-1016	12674-11-2	<200
AROCHLOR-1221	1104-28-2	<200
AROCHLOR-1232	11141-16-5	<200
AROCHLOR-1242	53469-21-9	<200
AROCHLOR-1248	12672-29-6	<200
AROCHLOR-1254	11097-69-1	<200
AROCHLOR-1260	11096-82-5	<200

Michael Veraldi

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Client: GCI	Client ID: 2001127 (B-12)
Date received: 6/21/01	Laboratory ID: 0116134
Date extracted: 6/21/01	Matrix: Liquid
Date analyzed: 6/21/01	ELAP #: 11693

EPA METHOD 624

Parameter	CAS No.	Results ug/L
MTBE	1634-04-4	<5
BENZENE	71-43-2	<0.7
BROMODICHLOROMETHANE	75-27-4	<5
BROMOFORM	75-25-2	<5
BROMOMETHANE	74-83-9	<5
CARBON TETRACHLORIDE	56-23-5	<5
CHLOROBENZENE	108-90-7	<5
CHLOROETHANE	75-00-3	<5
2-CHLOROETHYL VINYL ETHER	110-75-8	<5
CHLOROFORM	67-66-3	<5
CHLOROMETHANE	74-87-3	<5
DIBROMOCHLOROMETHANE	124-48-1	<5
1,2-DICHLOROBENZENE	95-50-1	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,1-DICHLOROETHANE	75-34-3	<5
1,2-DICHLOROETHANE	107-06-2	<5
1,1-DICHLOROETHENE	75-35-4	<5
trans-1,2-DICHLOROETHENE	156-60-5	<5
1,2-DICHLOROPROPANE	78-87-5	<5
cis-1,3-DICHLOROPROPENE	10061-01-5	<5
trans-1,3-DICHLOROPROPENE	10061-02-6	<5
ETHYL BENZENE	100-41-4	<5
METHYLENE CHLORIDE	75-09-2	<5
1,1,2,2,-TETRACHLOROETHANE	79-34-5	<5
TETRACHLOROETHENE	127-18-4	<5
TOLUENE	108-88-3	<5
1,1,1-TRICHLOROETHANE	71-55-6	<5
1,1,2-TRICHLOROETHANE	79-00-5	<5
TRICHLOROETHENE	79-01-6	<5
TRICHLOROFLUOROMETHANE	75-69-4	<5
VINYL CHLORIDE	75-01-4	<5
p & m -XYLENES	1330-20-7	<10
o-XYLENE	1330-20-7	<5

Michael Veraldi

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone: (631) 472-2400 • Fax: (631) 472-8505 • E-mail: LIAL@lialinc.com

Client: GCI	Client ID: 2001127 (B-12)
Date received: 6/21/01	Laboratory ID: 0116134
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 625

Parameter	CAS No.	Results ug/L
ACENAPHTHENE	83-32-9	<5
Bis(2-CHLOROETHYL)ETHER	111-44-4	<5
1,3-DICHLOROBENZENE	541-73-1	<5
1,4-DICHLOROBENZENE	106-46-7	<5
1,2-DICHLOROBENZENE	95-50-1	<5
Bis(2-CHLOROISOPROPYL)ETHER	108-60-1	<5
Bis(2-CHLOROETHOXY)METHANE	111-91-1	<5
o-CRESOL	95-48-7	<5
m,p, CRESOL	108-39-4	<5
FLUORENE	86-73-7	<5
N-NITROSO-di-n-PROPYL AMINE	621-64-7	<5
HEXACHLOROETHANE	67-72-1	<5
NITROBENZENE	98-95-3	<5
ISOPHORONE	78-59-1	<5
1,2,4-TRICHLOROBENZENE	120-82-1	<5
NAPHTHALENE	91-20-3	<5
HEXACHLOROBUTADIENE	87-68-3	<5
2-CHLORONAPHTHALENE	91-58-7	<5
DIMETHYLPHTHALATE	131-11-3	<5
ACENAPHTHYLENE	83-32-9	<5
2,6-DINITROTOLUENE	606-20-2	<5
2,4-DINITROTOLUENE	121-14-2	<5
DIETHYLPHTHALATE	84-66-2	<5
4-CHLOROPHENYL ETHER	7005-72-3	<5
4-BROMOPHENYL ETHER	101-55-3	<5
HEXACHLOROBENZENE	118-74-1	<5
PHENANTHRENE	85-01-8	<5
ANTHRACENE	120-12-7	<5



Client: GCI	Client ID: 2001127 (B-12)
Date received: 6/21/01	Laboratory ID: 0116134
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 625

Parameter	CAS No.	Results ug/L
Di-n-BUTYLPHthalate	84-74-2	<5
FLUORANTHENE	206-44-0	<5
PYRENE	129-00-0	<5
BUTYLBENZYLPHthalate	85-68-7	<5
BENZO-a-ANTHRACENE	56-55-3	<5
3,3-DICHLOROBENZIDINE	91-94-1	<5
CHRYSENE	218-01-9	<5
Bis(2-ETHYLHEXYL)PHTALATE	117-81-7	<5
DI-n-OCTYLPHthalate	117-84-0	<5
BENZO-b-FLUOROANTHENE	205-99-2	<5
BENZO-k- FLUOROANTHENE	207-08-9	<5
BENZO-a-PYRENE	50-32-8	<5
INDENO(1,2,3-c,d)PYRENE	193-39-5	<5
DIBENZO-a,h-ANTHRACENE	53-70-3	<5
BENZO-g,h,i-PERYLENE	191-24-2	<5
4-CHLORO-3-METHYLPHENOL	59-50-7	<5
2-CHLOROPHENOL	95-57-8	<5
2,4-DICHLOROPHENOL	120-83-2	<5
2,4-DIMETHYLPHENOL	105-67-9	<5
2,4-DINITROPHENOL	51-28-5	<5
2-METHYL-4,6-DINITROPHENOL	534-52-1	<5
2-NITROPHENOL	88-75-5	<5
4-NITROPHENOL	100-02-7	<5
PENTACHLOROPHENOL	87-86-5	<5
PHENOL	108-95-2	<5
2,4,6-TRICHLOROPHENOL	88-06-2	<5

Michael V...
Laboratory Director




**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127 (B-12)
Date received: 6/21/01	Laboratory ID: 0116134
Date extracted: 6/25/01	Matrix: Liquid
Date analyzed: 6/25/01	ELAP #: 11693

EPA METHOD 608/8080 AROCHLORS

PARAMETER	CAS No.	RESULTS ug/L
AROCHLOR-1016	12674-11-2	<200
AROCHLOR-1221	1104-28-2	<200
AROCHLOR-1232	11141-16-5	<200
AROCHLOR-1242	53469-21-9	<200
AROCHLOR-1248	12672-29-6	<200
AROCHLOR-1254	11097-69-1	<200
AROCHLOR-1260	11096-82-5	<200



Laboratory Director

**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127 (B-12)
Date received: 6/21/01	Laboratory ID: 0116134
Date extracted: 6/22/01	Matrix: Liquid
Date analyzed: 6/22/01	ELAP #: 11693

METALS ANALYSIS 8 RCRA

PARAMETER	MDL	RESULTS mg/L
SILVER, Ag	0.05 mg/L	<0.05
BARIUM, Ba	1.00 mg/L	<1.00
CADMIUM, Cd	0.05 mg/L	<0.05
SELENIUM, Se	0.05 mg/L	<0.05
LEAD, Pb	0.05 mg/L	<0.05
MERCURY, Hg	0.002 mg/L	<0.002
ARSENIC, As	0.05 mg/L	<0.05
CHROMIUM, Cr	0.05 mg/L	<0.05

Method: SW846, 7000 series analysis

Michael Veraldi

Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

Client: GCI	Client ID: 2001127
Date received: 6/21/01	Laboratory ID: 0116132-0116134
Date extracted: 6/22/01	Matrix: Liquid
Date analyzed: 6/22/01	ELAP #: 11693

TPH 8015 ANALYSIS

Lab ID#	Client ID	Results mg/L
0116132	B-10	<0.6
0116133	B-11	<0.6
0116134	B-12	<0.6

Michael Versaldi


Laboratory Director



**LONG
ISLAND
ANALYTICAL
LABORATORIES INC.**

101-4 Colin Drive • Holbrook, New York 11741

Phone: (631) 472-2400 • Fax: (631) 472-8505 • Email: LIAI@lialinc.com



STANDARDIZATION AND QUALITY ASSURANCE


CHAIN OF CUSTODY / REQUEST FOR ANALYSIS DOCUMENT

[illegible]

SITE PHOTOGRAPHS



1. View of a typical storm water catch basin located at the site.



2. View of the interior of a typical storm water catch basin.

**SUBSURFACE EXPLORATIONS
6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT
PROJECT #274**

AER ADVANCED
ENVIRONMENTAL
REDEVELOPMENT, LLC

04 Madison Avenue - Room 213, Bridgeport, Connecticut 06606

Tel: 203-333-2767 Fax: 203-333-4770

AER

ADVANCED
ENVIRONMENTAL
REDEVELOPMENT, LLC

904 Madison Avenue - Room 213, Bridgeport, Connecticut 06606


Tel: 203-333-2767 Fax: 203-333-4770

**SUBSURFACE EXPLORATIONS
6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT
PROJECT #274**

Prepared for:
Mr. Douglas Cohen
Brown Rudnick Berlack Israels LLP
City Place I
185 Asylum Street
Hartford, Connecticut

Prepared by:
ADVANCED ENVIRONMENTAL REDEVELOPMENT
904 Madison Avenue, Suite 213
Bridgeport, Connecticut

September 2002



Christopher J. Kopley, LEP, PG
Principal

TABLE OF CONTENTS

1.0 INTRODUCTION.....	1
2.0 FIELD ACTIVITIES.....	1
2.1 TEST PIT INSTALLATION.....	1
2.2 SOIL SAMPLING	1
3.0 SOIL ANALYTICAL RESULTS.....	2
4.0 CONCLUSIONS	2
5.0 LIMITATIONS.....	2

TABLES

Table 1 – Summary of Detected Compounds in Soil

FIGURES

Figure 1 – Site Location and Plan

APPENDICES

Appendix A – Photographic Documentation

Appendix B – Test Pit Logs

Appendix C – Analytical Results

1.0 INTRODUCTION

ADVANCED ENVIRONMENTAL REDEVELOPMENT is pleased to submit this report concerning subsurface explorations and testing at the 6 Rubber Avenue site in Naugatuck, Connecticut where shown on Figure 1. The site had been used for manufacturing purposes, including the production of rubber sneakers, since the late 1800's. Most of the manufacturing buildings were demolished in the 1980's.

AER notes that the site is not currently under CTDEP order or included in any CTDEP investigation or clean-up programs. Therefore the Remediation Standard Regulations including individual parameter standards do not directly apply to this site. Therefore site remediation would not be required by the CTDEP Remediation Standard Regulations. The goal of AER's test pitting activities was to identify the type and quantity of subsurface materials present at the property.

2.0 FIELD ACTIVITIES

2.1 Test Pit Installation

On September 12, 2001, AER installed ten test pits at 6 Rubber Avenue in Naugatuck, Connecticut, in areas where former manufacturing operations had taken place. Test pit locations are identified on Figure 1. These locations were chosen to identify the quantity of subsurface materials across the former manufacturing facility.

Test pits were excavated using a Bobcat X333 tracked excavator to a depth of approximately 10 feet below grade after first saw cutting the asphalt surface. Soils encountered during excavation consisted of brown, fine to coarse sand and gravel, and demolition debris including brick, metal and wood. Demolition debris materials were noted in the northern parking areas only. Photographs documenting site activities are located in Appendix A. Test pit logs are located in Appendix B.

2.2 Soil Sampling

One soil sample was collected from each test pit at a depth of approximately four to five feet below grade. This sample depth was chosen due to the homogeneity of the subsurface materials encountered in each excavation. The soil samples were analyzed by Complete Environmental Testing of Stratford, Connecticut, a State of Connecticut certified laboratory, for extractable total petroleum hydrocarbons and semi-volatile organic compounds (EPA Method 8270, PAH's only).

3.0 SOIL ANALYTICAL RESULTS

ETPH and semi-volatile organic compounds were detected in several of the soil samples analyzed at levels typical for historic manufacturing facilities. None of the reported values exceed the CTDEP Significant Environmental Hazard Condition Notification Threshold Concentrations. Soil analytical results are tabulated in Table 1. Laboratory analytical results are provided in Appendix C.

4.0 CONCLUSIONS

Subsurface exploration and testing activities were conducted at the 6 Rubber Avenue property located in Naugatuck, Connecticut. Ten test pits were installed in areas where former manufacturing operations had been located. AER installed test pits and collected soil samples in order to assess soil conditions at the property, and compare these results to those previously presented by others.

ETPH and semi-volatile organic compounds were detected in several of the soil samples at levels typical for former manufacturing facilities. Demolition debris was noted in the northern portion of the property. The levels detected did not exceed the Significant Environmental Hazard Condition Notification Threshold Concentrations.

AER notes that the site is not currently under CTDEP order or included in any CTDEP investigation or clean-up programs. Therefore the Remediation Standard Regulations including individual parameter standards do not directly apply to this site. Therefore site remediation would not be required by the CTDEP Remediation Standard Regulations. The goal of AER's test pitting activities was to identify the type and quantity of subsurface materials present at the property.

5.0 LIMITATIONS

The purpose of this investigation was to convey a professional opinion about the potential presence or absence of contamination, or possible sources of contamination on the property, and to identify existing and/or potential environmental problems associated with the property. AER personnel performed this work in accordance with our General Terms and Conditions.

TABLES

TABLES

TABLE 1
SUMMARY OF DETECTED COMPOUNDS IN SOIL
6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT

Location Parameter	TP-1	TP-2	TP-3	TP-4	TP-5	TP-6	TP-7	TP-8	TP-9	TP-10
Polynuclear Aromatics (mg/kg)										
Acenaphthene	ND	ND	ND	ND	ND	ND	ND	ND	ND	0.31
Anthracene	ND	ND	ND	3.5	3.6	ND	ND	ND	0.33	0.81
Benzo[a]anthracene	ND	ND	ND	13.0	12.0	1.2	1.0	0.4	1.6	1.6
Benzo[a]pyrene	ND	ND	ND	15.0	13.0	1.2	1.3	0.44	1.7	1.8
Benzo[b]fluoranthene	ND	ND	0.22	20.0	16.0	1.5	1.8	0.66	2.2	2.2
Benzo[g,h,i]perylene	ND	ND	ND	5.8	3.6	ND	ND	0.22	0.5	0.51
Benzo[k]fluoranthene	ND	ND	ND	7.7	6.2	ND	ND	0.28	0.89	0.88
Chrysene	ND	ND	ND	14.0	11.0	ND	ND	0.4	1.2	1.4
Dibenz[a,h]anthracene	ND	ND	ND	1.7	1.3	ND	ND	ND	ND	ND
Fluoranthene	ND	ND	ND	26.0	32.0	1.5	1.8	0.76	3.3	4.3
Flourene	ND	ND	ND	ND	ND	ND	ND	ND	ND	ND
Indeno[1,2,3-cd]pyrene	ND	ND	ND	6.9	4.7	ND	ND	0.26	0.6	0.31
Phenanthrene	ND	ND	0.22	12.0	17.0	ND	ND	0.39	1.4	0.67
Pyrene	ND	ND	ND	21.0	30.0	1.2	1.3	0.58	2.8	4.0
CTETPH (mg/kg)	ND	ND	ND	1100	540	ND	ND	58	510	100

PL 012 18 1994

84
400
17.8
1
1
1
100
84
1
1
100
56
56
1
5.1
1000
40

Notes:

mg/kg - milligrams per kilogram

TP-1 - Test pit soil sample


CTETPH - Connecticut Extractable Total Petroleum Hydrocarbons

ND - Not Detected

NS - No Standard

FIGURES

FIGURES



SITE LOCATOR

APPROXIMATE SCALE: 1" = 1,500'

LEGEND

IP-2  APPROXIMATE LOCATION OF TEST PIT INSTALLED BY AER

--- APPROXIMATE LOCATION OF PROPERTY LINE




APPENDIX A

APPENDIX A
PHOTOGRAPHIC DOCUMENTATION

TEST PIT INSTALLATION
6 Rubber Avenue, Naugatuck, Connecticut



Saw cutting of test pit TP-2




Excavating test pit TP-8 including demolition debris



Typical excavated test pit



Backfilling test pit TP-5



LEGEND

TP-2 APPROXIMATE LOCATION OF TEST PIT INSTALLED BY AER

--- APPROXIMATE LOCATION OF PROPERTY LINE



SITE LOCATOR
 APPROXIMATE SCALE: 1" = 1,500'

APPENDIX B

APPENDIX B
TEST PIT LOGS

AER/ADVANCED ENVIRONMENTAL REDEVELOPMENT, LLC

904 Madison Avenue, Room 213, Bridgeport, CT 06606

Tel: 203-333-2767

Fax: 203-333-4770

TEST PIT LOG

Log Number/Location: TP-1

Date: 9/12/02

Excavator: JRP

Equipment: Bobcat X337

Bucket size: 1/4 yard

Test Pit Logged By: TMS

DEPTH IN FEET	MATERIALS ENCOUNTERED	PID	OTHER*
0	Asphalt 0.0-0.3		
1			
2			
3			
4	Dark brown, fine to coarse SAND and SILT, some Gravel*		
5			
6			
7			
8	Brown, fine to coarse SAND and SILT, some Gravel		
9			
10			E.O.P. ±10'
11			
12			
13			
14			

NOTES: * Sample collected for laboratory analysis

AER/ADVANCED ENVIRONMENTAL REDEVELOPMENT, LLC

904 Madison Avenue, Room 213, Bridgeport, CT 06606

Tel: 203-333-2767

Fax: 203-333-4770

TEST PIT LOG

Log Number/Location: TP-2

Date: 9/13/02

Excavator: JRP

Equipment: Bobcat X337

Bucket size: 1/4 yard

Test Pit Logged By: TMS

DEPTH IN FEET	MATERIALS ENCOUNTERED	PID	OTHER*
0	Asphalt 0.0-0.3		
1			
2			
3			
4	Light brown, fine to coarse SAND and SILT, some Gravel*		
5			
6			
7			
8	Brown, fine to coarse SAND and SILT, some Gravel		
9			
10			E.O.P. ±10'
11			
12			
13			
14			

NOTES: * Sample collected for laboratory analysis

AER/ADVANCED ENVIRONMENTAL REDEVELOPMENT, LLC

904 Madison Avenue, Room 213, Bridgeport, CT 06606

Tel: 203-333-2767

Fax: 203-333-4770

TEST PIT LOG

Log Number/Location: TP-3

Date: 9/13/02

Excavator: JRP

Equipment: Bobcat X337

Bucket size: 1/4 yard

Test Pit Logged By: TMS

DEPTH IN FEET	MATERIALS ENCOUNTERED	PID	OTHER*
0	Asphalt 0.0-0.3		
1			
2			
3			
4	Light brown, fine to coarse SAND and SILT, some Gravel*		
5			
6			
7			
8	Brown, fine to coarse SAND and SILT, some Gravel		
9			
10			E.O.P. ±10'
11			
12			
13			
14			

NOTES: * Sample collected for laboratory analysis

AER/ADVANCED ENVIRONMENTAL REDEVELOPMENT, LLC

904 Madison Avenue, Room 213, Bridgeport, CT 06606

Tel: 203-333-2767

Fax: 203-333-4770

TEST PIT LOG

Log Number/Location: TP-4

Date: 9/13/02

Excavator: JRP

Equipment: Bobcat X337

Bucket size: 1/4 yard

Test Pit Logged By: TMS

DEPTH IN FEET	MATERIALS ENCOUNTERED	PID	OTHER*
0	Asphalt 0.0-0.3		
1			
2			
3			
4	Light brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick*		
5			
6			
7			
8	Light brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick		
9			
10			E.O.P. ±10'
11			
12			
13			
14			

NOTES: * Sample collected for laboratory analysis

AER/ADVANCED ENVIRONMENTAL REDEVELOPMENT, LLC

904 Madison Avenue, Room 213, Bridgeport, CT 06606

Tel: 203-333-2767

Fax: 203-333-4770

TEST PIT LOG

Log Number/Location: TP-5

Date: 9/13/02

Excavator: JRP

Equipment: Bobcat X337

Bucket size: 1/4 yard

Test Pit Logged By: TMS

DEPTH IN FEET	MATERIALS ENCOUNTERED	PID	OTHER*
0	Asphalt 0.0-0.3		
1			
2			
3			
4	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick*		
5			
6			
7			
8	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick		
9			
10			E.O.P. ±10'
11			
12			
13			
14			

NOTES: * Sample collected for laboratory analysis

AER/ADVANCED ENVIRONMENTAL REDEVELOPMENT, LLC

904 Madison Avenue, Room 213, Bridgeport, CT 06606

Tel: 203-333-2767

Fax: 203-333-4770

TEST PIT LOG

Log Number/Location: TP-6

Date: 9/13/02

Excavator: JRP

Equipment: Bobcat X337

Bucket size: 1/4 yard

Test Pit Logged By: TMS

DEPTH IN FEET	MATERIALS ENCOUNTERED	PID	OTHER*
0	Asphalt 0.0-0.3		
1	Brown, fine to coarse SAND and Gravel		
2	Asphalt 0.0-0.3		
3			
4	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick*		
5			
6			
7			
8	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick		
9			
10			E.O.P. ±10'
11			
12			
13			
14			

NOTES: * Sample collected for laboratory analysis

AER/ADVANCED ENVIRONMENTAL REDEVELOPMENT, LLC

904 Madison Avenue, Room 213, Bridgeport, CT 06606

Tel: 203-333-2767

Fax: 203-333-4770

TEST PIT LOG

Log Number/Location: TP-7

Date: 9/13/02

Excavator: JRP

Equipment: Bobcat X337

Bucket size: 1/4 yard

Test Pit Logged By: TMS

DEPTH IN FEET	MATERIALS ENCOUNTERED	PID	OTHER*
0	Asphalt 0.0-0.3		
1			
2			
3			
4	Brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick*		
5			
6			
7			
8	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick		
9			
10			E.O.P.±10'
11			
12			
13			
14			

NOTES: * Sample collected for laboratory analysis

AER/ADVANCED ENVIRONMENTAL REDEVELOPMENT, LLC

904 Madison Avenue, Room 213, Bridgeport, CT 06606

Tel: 203-333-2767

Fax: 203-333-4770

TEST PIT LOG

Log Number/Location: TP-8

Date: 9/13/02

Excavator: JRP

Equipment: Bobcat X337

Bucket size: 1/4 yard

Test Pit Logged By: TMS

DEPTH IN FEET	MATERIALS ENCOUNTERED	PID	OTHER*
0	Asphalt 0.0-0.3		
1			
2			
3			
4	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick*		
5			
6			
7			
8	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick		
9			
10			E.O.P. ±10'
11			
12			
13			
14			

NOTES: * Sample collected for laboratory analysis

AER/ADVANCED ENVIRONMENTAL REDEVELOPMENT, LLC

904 Madison Avenue, Room 213, Bridgeport, CT 06606

Tel: 203-333-2767

Fax: 203-333-4770

TEST PIT LOG

Log Number/Location: TP-9

Date: 9/13/02

Excavator: JRP

Equipment: Bobcat X337

Bucket size: 1/4 yard

Test Pit Logged By: TMS

DEPTH IN FEET	MATERIALS ENCOUNTERED	PID	OTHER*
0	Asphalt 0.0-0.3		
1			
2			
3			
4	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick*		
5			
6			
7			
8	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick		
9			
10			E.O.P. ±10'
11			
12			
13			
14			

NOTES: * Sample collected for laboratory analysis

AER/ADVANCED ENVIRONMENTAL REDEVELOPMENT, LLC

904 Madison Avenue, Room 213, Bridgeport, CT 06606

Tel: 203-333-2767

Fax: 203-333-4770

TEST PIT LOG

Log Number/Location: TP-10

Date: 9/13/02

Excavator: JRP

Equipment: Bobcat X337

Bucket size: 1/4 yard

Test Pit Logged By: TMS

DEPTH IN FEET	MATERIALS ENCOUNTERED	PID	OTHER*
0	Asphalt 0.0-0.3		
1			
2			
3			
4	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick*		
5			
6			
7			
8	Dark brown, fine to coarse SAND and SILT, some Gravel with wood, metal and brick		
9			
10			E.O.P.±10'
11			
12			
13			
14			

NOTES: * Sample collected for laboratory analysis

APPENDIX C
ANALYTICAL RESULTS



80 Lupes Drive
Stratford, CT 06615

Tel: (203) 377-9984
Fax: (203) 377-9952
e-mail: cet@cetlabs.com

September 17, 2002

Mr. Todd Snowden
Advanced Envir. Redevelopment
904 Madison Avenue - Room 213
Bridgeport, CT 06606

Project: Naugatuck
CET #: 02090410
Soil: TP-1; TP-10; TP-2; TP-3; TP-4; TP-5; TP-6; TP-7; TP-8; TP-9
Collection Date(s): 9/13/02

PREP ANALYSIS:

Accelerated Solvent Extraction [EPA 3545]

	TP-1	TP-2	TP-3	TP-4	TP-5	TP-6
Accelerated Solvent Extraction	Completed [9/13/02]	Completed [9/13/02]	Completed [9/13/02]	Completed [9/13/02]	Completed [9/13/02]	Completed [9/13/02]

Accelerated Solvent Extraction [EPA 3545]

	TP-7	TP-8	TP-9	TP-10
Accelerated Solvent Extraction	Completed [9/13/02]	Completed [9/13/02]	Completed [9/13/02]	Completed [9/13/02]

ANALYSIS:

Conn. Extractable TPH [CT DEP] Units: mg/kg dry wt. Analysis Date: 9/17/02

	TP-1	TP-2	TP-3	TP-4	TP-5	TP-6
Conn. Extractable TPH	ND < 50	ND < 50	ND < 50	1100*	540*	ND < 50

NOTES:

[] Indicates Date Prep Test Completed; ND is Not Detected.

Connecticut Laboratory Certification PH 0116
Massachusetts Laboratory Certification M-CT903
Rhode Island Laboratory Certification 199

September 17, 2002

Cet#: 02090410
Project: Naugatuck

Conn. Extractable TPH [CT DEP] Units: mg/kg dry wt. Analysis Date: 9/17/02

	TP-7	TP-8	TP-9	TP-10
Conn. Extractable TPH	ND < 50	58*	510*	100*

*C₁₆-C₃₆ may be PNA related

Total Solids [EPA 160.3] Units: percent Analysis Date: 9/16/02

	TP-1	TP-2	TP-3	TP-4	TP-5	TP-6
Total Solids	98	96	89	77	83	90

Total Solids [EPA 160.3] Units: percent Analysis Date: 9/16/02

	TP-7	TP-8	TP-9	TP-10
Total Solids	90	85	76	92

EPA 8270C Polynuclear Aromatics [EPA 8270C] Units: ug/kg (Dry Wt) Analysis Date: 9/16/02

	TP-1	TP-2	TP-3	TP-4	TP-5	TP-6
Naphthalene	ND < 200	ND < 200	ND < 200	ND < 1000	ND < 1000	ND < 1000
Acenaphthylene	ND < 200	ND < 200	ND < 200	ND < 1000	ND < 1000	ND < 1000
Acenaphthene	ND < 200	ND < 200	ND < 200	ND < 1000	ND < 1000	ND < 1000
Fluorene	ND < 200	ND < 200	ND < 200	ND < 1000	ND < 1000	ND < 1000
Phenanthrene	ND < 200	ND < 200	220	12000	17000	ND < 1000
Anthracene	ND < 200	ND < 200	ND < 200	3500	3600	ND < 1000
Fluoranthene	ND < 200	ND < 200	ND < 200	26000	32000	1500
Pyrene	ND < 200	ND < 200	ND < 200	21000	30000	1200
Benzo[a]anthracene	ND < 200	ND < 200	ND < 200	13000	12000	1200
Chrysene	ND < 200	ND < 200	ND < 200	11000	11000	ND < 1000
Benzo[b]fluoranthene	ND < 200	ND < 200	220	20000	16000	1500
Benzo[k]fluoranthene	ND < 200	ND < 200	ND < 200	7700	6200	ND < 1000
Benzo[a]pyrene	ND < 200	ND < 200	ND < 200	15000	13000	1200
Indeno[1,2,3-cd]pyrene	ND < 200	ND < 200	ND < 200	6900	4700	ND < 1000
Dibenz[a,h]anthracene	ND < 200	ND < 200	ND < 200	1700	1300	ND < 1000
Benzo[g,h,i]perylene	ND < 200	ND < 200	ND < 200	5800	3600	ND < 1000

Notes:

[] Indicates Date Prep Test Completed; ND is Not Detected.


September 17, 2002

Cet#: 02090410
Project: Naugatuck

EPA 8270C Polynuclear Aromatics [EPA 8270C] Units: ug/kg (Dry Wt) Analysis Date: 9/16/02

	TP-7	TP-8	TP-9	TP-10
Naphthalene	ND < 1000	ND < 200	ND < 200	ND < 200
Acenaphthylene	ND < 1000	ND < 200	ND < 200	ND < 200
Acenaphthene	ND < 1000	ND < 200	ND < 200	310
Fluorene	ND < 1000	ND < 200	ND < 200	310
Phenanthrene	1000	390	1400	4000
Anthracene	ND < 1000	ND < 200	330	810
Fluoranthene	1800	760	3300	4300
Pyrene	1300	580	2800	3300
Benzo[a]anthracene	1000	400	1600	1600
Chrysene	ND < 1000	400	1200	1400
Benzo[b]fluoranthene	1800	660	2200	2200
Benzo[k]fluoranthene	ND < 1000	280	890	880
Benzo[a]pyrene	1300	440	1700	1800
Indeno[1,2,3-cd]pyrene	ND < 1000	260	600	670
Dibenz[a,h]anthracene	ND < 1000	ND < 200	ND < 200	ND < 200
Benzo[g,h,i]perylene	ND < 1000	220	500	510

Sincerely,



David Ditta
Laboratory Director

Notes:

[] Indicates Date Prep Test Completed; ND is Not Detected.



**80 Lupes Drive
Stratford, CT 06615
Tel (203) 377-9984
Fax (203) 377-9952**

COMPLETE ENVIRONMENTAL TESTING, INC.

COMPANY NAME AND ADDRESS						REPORT TO:	PROJECT #:	PROJECT LOCATION:	PURCHASE ORDER #:	SAMPLED BY:
A.E.R.						Toss Smolder		Navygrade		THS
RELINQUISHED BY:						ANALYSIS REQUIRED				
DATE		TIME		RECEIVED BY:		DATE		TIME		
9/13/12		1750		C. Manning		9/13/12		1750		
DATE		TIME		RECEIVED BY:		DATE		TIME		
DATE		TIME		RECEIVED BY:		DATE		TIME		
SAMPLE I.D.	DATE	TIME	SAMPLE MATRIX	PRIORITY TURNAROUND		STANDARD TURNAROUND	# OF CONTAINERS			
TP-1	9/13		Soil	SAME DAY	24 HR	X				
TP-2										
TP-3										
TP-4										
TP-5										
TP-6										
TP-7										
TP-8										
TP-9										
SPECIAL INSTRUCTIONS						COMMENTS				
						E791 8270 (HATS)				


REPORT ON
SUBSURFACE INVESTIGATIONS
AT
GENERAL DATACOMM
6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT

HRP #CHA-4094.P2


September 23, 2002

PREPARED FOR: PAUL LEVINE
VICE PRESIDENT
JPMORGAN CHASE
1166 AVENUE OF THE AMERICAS - 14TH FLOOR
NEW YORK, NY 10036

PREPARED BY: HRP ASSOCIATES, INC.
ENGINEERING AND GEOLOGY
167 NEW BRITAIN AVENUE
PLAINVILLE, CT 06062



Kevin S. Bogue
Sr. Project Hydrogeologist



Michael R. Ainsworth, LEP
Senior Project Manager

TABLE OF CONTENTS

SECTION	PAGE
1.0 INTRODUCTION.....	1
1.1 Site History	1
1.2 Work Plan	2
2.0 REGULATORY REMEDIATION CRITERIA	4
2.1 Soils	4
2.2 Ground Water	5
3.0 GROUND WATER INVESTIGATION	6
3.1 Methods	6
3.2 July 2002 Ground Water Sampling Event	6
3.3 Ground Water Flow Characteristics	7
3.4 Sampling Results	7
4.0 SOILS EVALUATION	8
4.1 Methods	8
4.2 Soil Testing	9
4.3 Results	9
5.0 GROUND PENETRATING RADAR SURVEY	11
6.0 DISCUSSION OF RESULTS	13
7.0 CONCLUSIONS AND RECOMMENDATIONS	15
8.0 LIMITATIONS ON WORK PRODUCT	17

LIST OF TABLES

1	Monitoring Well Summary	(follows text)
2	Ground Water Analytical Summary	(follows text)
3	Soils Summary – ETPH, PCB's and VOC's	(follows text)
4	Soils Analytical Summary – SVOC's	(follows text)
5	Soils Analytical Summary – SPLP Metals and SVOC's	(follows text)

LIST OF FIGURES

1	Site Location Map	(follows text)
2	Site Plan	(follows text)
3	Site Features Map	(follows text)
4	Boring Location Boring Map	(follows text)
5	Groundwater Flow Map	(follows text)
6	Soil Exceedance Map	(follows text)
7	GPR Evaluation Map	(follows text)

TABLE OF CONTENTS
(continued)

LIST OF APPENDICES

- A Sanborn Fire Insurance Maps
- B Soil Boring and Well Logs
- C Ground Water Analytical Results
- D Soil Analytical Results

1.0 INTRODUCTION

This report presents the results of subsurface investigations conducted by HRP Associates, Inc. (HRP) at the General DataComm (GDC) facility located at 6 Rubber Avenue, Naugatuck, Connecticut (Figures 1 and 2). This work was authorized by JPMorgan Chase in order to evaluate the general environmental condition in areas with potential for historical contamination. Previous investigations have been conducted at the site by others. HRP used the following reports provided by JPMorgan Chase in designing the work plan for this investigation:

- "Phase I Environmental Site Assessment, General DataComm, 6 Rubber Avenue, Naugatuck, Connecticut", General Consolidated Industries, Inc. (GCI), May 21, 2001. This report identified the engineered drainage systems and undocumented spills of raw or waste materials along with the historical use of the site since the late 1800's as recognized environmental conditions at the site.
- "Phase II Subsurface Investigation, 6 Rubber Avenue, Naugatuck", GCI, July 12, 2001. GCI's subsurface investigation included installation of twelve Geoprobe borings. Soil samples from four locations were submitted for laboratory analysis. Ground water grab samples were also collected from three borings. Analytical testing indicated that no contaminants were detected in ground water and only arsenic was detected in soil at one boring location. GCI's magnetometer survey of the parking area identified seven "magnetic anomalies," which were not previously investigated.

HRP also reviewed file information from limited remedial actions conducted by HRP for GDC. This work (1994) involved excavation and off-site disposal of 20 yards of soil from three small subsidence areas in the parking lot north of the building. Soil testing indicated that excavated soil contained no VOCs, however leachable lead and TPH concentrations above remedial criteria, were noted.

In addition, HRP spoke with GCI personnel regarding their investigations at the site. HRP also reviewed available site maps on file at GDC and provided by others.

1.1 Site History

The site is presently improved by a four-story office/industrial building with a basement constructed in 1960. General DataComm (GDC) presently occupies the building along with a tenant. GDC has been on-site since around 1985. GDC is a global server of communications. GDC has been listed with the USEPA as a RCRA Small Quantity Generator of Hazardous Waste since 1990 (USEPA I.D. No. CTD981071822). A Form III property transfer filing pursuant to Connecticut's "Transfer Act" (CGS Section 22a-134) was filed for the site in

1993, the basis for which is unclear. No further action has been taken to resolve this filing.

The site has had a long industrial history prior to GDC's occupancy. Numerous buildings were formerly present on the property, including those occupied by Goodyear Rubber (1887 – 1923), T.F. McDonald Livery (stables, circa 1904), Mutual Risk Manufacturing Company (circa 1910), U.S. Rubber Company, and Naugatuck Manufacturing (circa 1960). The GDC site was formerly part of a larger industrial complex involved in the manufacture of various materials including rubber gloves and shoes. The site location and site plan are noted in Figures 1 and 2.

1.2 Work Plan

The results of the previous site investigations were used to formulate the work plan for this investigation. HRP focused on areas of potential historical and current concern. HRP utilized Sanborn Fire Insurance Maps and historical site maps provided by GDC personnel and others to determine the approximate locations of historical site features such as boilers, acid house, machine shops, and grinding locations. No surface expressions for most of these features were evident. HRP therefore performed a survey to approximately locate borings in these areas, based on the historical maps. Appendix A contains reduced copies of the Sanborn Maps used during this investigation. Figure 3 depicts significant areas noted on the Sanborn Maps along with other features targeted for investigations.

HRP conducted two site inspections of the site prior to initiating subsurface investigations. Site visits included an initial site reconnaissance and subsequent visit to perform the utility mark-out for the proposed boring locations.

HRP installed twenty-one (21) test borings and five (5) ground water monitoring wells as part of this investigation (Figure 4) HRP also performed a Ground Penetrating Radar (GPR) study of exterior portions of the subject site to evaluate subsurface conditions where previous geophysical testing found magnetic anomalies. GPR was also conducted in an area where historical maps depicted an underground storage tank (UST).

A private utility locating service was contracted to clear the boring locations in addition to Connecticut's Call-Before-You-Dig service. HRP also met with GDC personnel prior to implementation of the field work and contacted GDC prior to all field activities pursuant to the "Access Agreement" between JPMorgan Chase and GDC.

Soil samples collected during this investigation were examined for physical evidence of contamination and screened for volatile organic compounds in the field using a photoionization detector (PID). HRP selected twenty-two (22) soil samples for laboratory analysis to evaluate subsurface conditions. An elevation survey and ground water sampling of the five monitoring wells was conducted in order to determine ground water flow direction and evaluate ground water quality on the site, respectively. Laboratory data was evaluated with respect to the relevant criteria of the CT DEP's Remediation Standard Regulations (RSRs) (RCSA 22a-133k) applicable to the subject site.

2.0 REGULATORY REMEDIATION CRITERIA

This site would be considered an "establishment" under Connecticut's "Transfer Act" (P.A. 95-183 and subsequent revisions; Section 22a-134 OF THE Connecticut General Statutes) due to the current and historical generation of hazardous waste. In the event of a transfer of ownership, a filing under the Transfer Act would be required. Such a filing took place in 1993 (i.e., Form III). Because the site is an "establishment," any remedial actions are subject to the Remediation Standard Regulation (RCSA 22a-133k), therefore soils and ground water must be shown to be in compliance with remedial criteria listed in the RSR. In order to determine that a site is compliant with the RSRs, it is first necessary to demonstrate that the site has been adequately investigated to identify all known or potential release areas (current and historical) and determine the full degree and extent of any contamination detected. The data collected in each potential release area must then be compared to appropriate numeric remediation criteria listed in the RSRs. A demonstration must be made that the soil and ground water in these areas meet the applicable RSR criteria.

2.1 Soils

To demonstrate compliance with the RSRs, soils on this site must be compared to the Direct Exposure Criteria (DEC) and the GB Pollutant Mobility Criteria (GB PMC). The DEP has established Residential and Industrial/Commercial DEC. Total concentrations are appropriate for DEC evaluations, whereas a leaching procedure, (SPLP or TCLP) is used in evaluating the PMC.

Soils must meet the DEC in the uppermost 2 feet in paved areas or the uppermost 4 feet in unpaved areas. However, the DEC apply to soils to a depth of 15 feet regardless of the depth to water. Soils exceeding the DEC can remain in place with no remediation required, provided that an Environmental Land Use Restriction (ELUR) is obtained. On industrial or commercial properties, soils exceeding the Residential DEC (RDEC) but not the Industrial/Commercial DEC (I/C DEC), can remain in place with an ELUR prohibiting residential use and possibly other activities on the property as long as those levels are present. An exemption is allowed under the RSR for "inaccessible soils", such as soils beneath buildings, provided an ELUR is filed that would ensure that those soils remain inaccessible.

The PMC were established to prevent degradation of ground water quality by leaching of contaminants from soil. The PMC apply to soils down to the seasonal high water table in GB ground water class areas such as the subject site. An exemption to the PMC is allowed in the RSR for soils in "environmentally isolated" areas, such as beneath buildings or an approved impermeable engineering control, provided that an ELUR is in place.

2.2 Ground Water

For GB ground water classified areas such as the subject site, the RSR criteria applicable to ground water include the Volatilization Criteria (VC), and the Surface Water Protection Criteria (SWPC). The Ground Water Protection Criteria (GWPC) are not applicable to this site due to the "GB" ground water classification of the site and surrounding area. Ground water is generally classified "GB" in urbanized or industrial/commercial areas where municipal water is available.

The SWPC are applicable to ground water at the point it discharges to a surface water body. The furthest downgradient monitoring wells are therefore used in evaluating the SWPC.

Volatilization Criteria (VC) have been established for both Residential and Industrial/Commercial sites. The Industrial/Commercial VC can be used to show compliance with the RSR, provided that an ELUR is obtained that would prohibit residential use of the property. An ELUR can also be used to prohibit construction of an occupied permanent structure over a contaminant plume. The volatilization criteria can also be evaluated by sampling the soil vapors beneath permanent structures into which ground water contaminants may be volatilizing

3.0 GROUND WATER INVESTIGATION

3.1 Methods

Glacier Drilling installed five (5) shallow ground water monitoring wells (MW-1 through MW-5) on the GDC property under the supervision of HRP geologists on July 13 and 14, 2002 (Figure 4). For the purposes of locating wells, HRP assumed the general ground water flow direction to be easterly towards the Naugatuck River, which was an appropriate assumption. The monitoring wells were positioned within and downgradient of potential release areas identified for the site, as well as to provide adequate spatial coverage for determination of ground water quality and flow across the entire site. The 11.3-acre site is long and narrow in a direction perpendicular to ground water flow. Earlier attempts to drill to groundwater were limited by geoprobe refusal, therefore, HRP utilized a hollow stem auger rig during this investigation.

During installation of well MW-2, a private water line used for fire suppression was broken. The Call-Before-You-Dig and the private utility locating services did not detect this line and it was not depicted on available maps. HRP subsequently contacted a contractor for the repair of the line and coordinated this effort with local Fire Department and Water Company personnel. The water line was repaired and reactivated on an emergency basis the following day.

The monitoring wells were installed by advancing 4¼-inch I.D. hollow stem augers. The wells were completed with 2.0-inch outer diameter PVC pipe containing 10 feet of 0.01-inch slotted screen. The well screens span the water table interface. In some cases where concrete or boulders were encountered prior to reaching the desired depth, a roller bit was used to advance the well. All of the wells were completed in overburden materials. Table 1 summarizes well details for the newly installed wells located on the site. Drilling logs with well completion details were recorded in the field and are included in Appendix B.

3.2 July 2002 Ground Water Sampling Event

A ground water monitoring event was conducted by HRP at the site on July 29, 2002. All five wells were gauged for water levels, and then developed and sampled. Development consisted of removal of six well volumes of water from each well. All sampling and development was performed using dedicated disposable bailers. No product or unusual odors were noted in development wa-

ter. All site wells were surveyed by HRP's Chief of Survey for both location and elevation in order to provide relative elevation data for construction of a ground water flow map. Table 1 summarizes the well elevation data and depth to water measurements.

Ground water samples were collected by HRP personnel and submitted to a Connecticut-certified laboratory for analysis. Analysis of ground water samples included Volatile Organic Compounds (VOC's) by EPA Method 8260B, Semi-Volatile Organic Compounds (SVOC's) by EPA Method 8270C dissolved RCRA 8 Metals, PCB's (EPA Method 8081) and ETPH (Extractable Total Petroleum Hydrocarbons). Laboratory reports for the ground water sampling event are included in Appendix C. Table 2 summarizes the ground water analytical results for this monitoring event.

3.3 Ground Water Flow Characteristics

Survey and depth to water data collected during the monitoring event were used to calculate the elevation of the water table and determine the inferred ground water flow direction. Ground water was encountered in the wells between 12 and 15 feet below grade. Ground water was determined to flow in a southeasterly direction with an average horizontal hydraulic gradient of 0.025 ft/ft (Figure 5). This flow direction is consistent with the general topography of the site area and the location of the nearby Naugatuck River. Ground water was encountered in the overburden aquifer at all monitoring well locations.

3.4 Sampling Results

No detectable concentrations of PCB's, RCRA 8 Metals (dissolved), SVOC's, or ETPH were detected in any of the monitoring wells. Trace to low levels of VOC's was noted in four of the five site monitoring wells. Well MW-4 contained the only exceedance of applicable remedial criteria for ground water at the site (5 ppb of 11-Dichloroethylene). The Residential VC for this compound is 1 ppb and the Industrial/Commercial VC is 6 ppb; consequently, the latter criteria were not exceeded. Low levels of related chlorinated solvents were also detected in this well at concentrations below applicable RSR criteria. No exceedances of the SWPC were noted in ground water.

4.0 SOILS EVALUATION

4.1 Methods

Glacier Drilling installed twenty-one (21) test borings on the site under the supervision of HRP geologists on July 27 and 28, 2002 (Figures 3 and 4). HRP's Chief of Survey surveyed the boring locations prior to installation in order to accurately position the borings in relation to potential areas of concern, including former buildings and areas of certain historical features. The test borings were advanced using 4¼-inch I.D. hollow stem augers to depths of up to 15 feet below grade. Ground water was encountered between 12 and 15 feet below grade. Boring logs are included in Appendix B.

Split spoon soil samples were collected in two-foot increments generally at 5-foot intervals or more frequently. In generally, attempts were made to collect continuous samples at least over the uppermost four feet of material and every 5 feet thereafter. The split spoon sampler was decontaminated after each use by successively washing with soapy water and then rinsed with deionized water to prevent cross-contamination of the samples. Soil samples were placed into 8 oz. glass containers and stored on ice pending submission for laboratory analysis under chain of custody.

The subsurface soils encountered on the site consisted predominantly of brown silty sand with varying amounts of gravel. Abundant debris was observed in fill materials, including brick, concrete, metal, and wire. Bedrock was not encountered during the drilling operations. Drilling conditions on this site were extremely difficult, resulting in numerous shallow auger and sampler refusals on buried obstacles (i.e., concrete and other rubble from former buildings, metal, rock, brick, etc.). These conditions limited advancement of borings in many locations and often resulted in poor sample recovery.

Some limited evidence of staining or odors was noted in soils during the boring and well installations. Borings MW-5, TB-5 and TB-6 encountered a thin layer of black sand down to four feet below grade. Creosote-type odors were noted in soils in borings TB-6 and TB-16. Selected samples from these borings were submitted for laboratory analysis including samples of the black sand and soils containing a creosote odor.

Soil samples collected were screened with a Photoionization Detector (PID), which detects volatile organic compounds in the part per million (ppm) range relative to a 100 ppm standard (v/v) of isobutylene. A total of fifty-five (55) samples were screened with a PID; levels of VOCs were detected in seventeen (17) of these samples ranging between 0.1 and 46.2 ppm. Screening results are tabulated on the boring logs (Appendix B).

4.2 Soil Testing

Twenty-one (21) soil samples were submitted for a suite of laboratory analyses that included:

- Extractable Total Petroleum Hydrocarbons by the CT DEP ETPH Method
- Total RCRA 8 Metals
- VOC's (Volatile Organic Compounds) by EPA Method 8260B
- SVOC's (Semi-Volatile Organic Compounds) by EPA Method 8270C
- PCB's by EPA Method 8081

In general, sample and analytical selection was based on the potential release mechanism for that AOC and evidence of possible contamination, including staining, odors, and PID readings. Samples were also selected to provide optimum spatial coverage across the property within the limits of the array of testing locations and the project budget. Samples with higher PID screening values were generally submitted for laboratory analysis. Based on the initial laboratory results, additional leachability analyses (i.e., SPLP extraction) for SVOC's and metals were conducted on selected samples in order to characterize pollutant mobility characteristics. It is noted that due to subsurface conditions, sample recovery was poor and resulted in insufficient sample volume to perform follow-up SPLP analysis on a few of the samples that HRP requested the lab to test. Analytical results for soils are summarized in Tables 3 through 5. Figure 4 shows the testing locations. Laboratory reports for soils are included in Appendix D.

4.3 Results

The following exceedances of applicable remedial criteria for soil were detected:

- Borings TB-2 (0-2'), TB-16 (2-4') and TB-21 (2-4') contained exceedances of the Res DEC (500 mg/kg or ppm) for ETPH. The ETPH levels in these samples ranged from 1342 to 2750 ppm. Low levels (27 to 301 ppm) of ETPH were also detected in several other soil samples (Table 3). Concen-

trations of ETPH also exceeded the I/C DEC and GBPMC (2,500 mg/kg) in Boring TB-2 (0-2') at 2,750 ppm, which was the highest level detected. Boring TB-2 is located near the former boiler house; Borings TB-16 and TB-21 are located in the vicinity of the former machine shop.

- Borings TB-12 (0-1'), TB-13 (5-7') and TB-18 (2-4') exceeded the RDEC and I/CDEC for various SVOC's. The SVOCs detected were primarily Polynuclear Aromatic hydrocarbons (PAHs). The levels of individual SVOCs detected above the DEC ranged up to 6800 ppm; other SVOCs detected, below the DEC, ranged up to 18,000 ppm (Table 4). Borings TB-12 and TB-13 are located in the central portion of the site; Boring TB-18 is located near the former coal storage area.
- Borings TB-16 (2-4) contained an exceedance (548 ppm) of the RDEC of 500 mg/kg for lead (Table 3). Elevated levels of lead, but below the DEC, ranged from around 200 to 485 ppm were also detected in several other samples. Low (background) levels of lead (100 ppm or less) were detected in soils throughout the site. Boring TB-16 is located in the southern portion of the parking lot. There were no exceedances of the GB PMC for lead or any other metals. Due to inadequate sample volume, the 2-4 ft sample from TB-16, which had the highest level of lead, could not be retested by SPLP. However, the sample with the second highest lead level (TB 4, 2-4 ft at 485 ppm Pb) and the 0-2 ft sample from TB-16 showed no exceedance of the GB PMC for lead.

There was inadequate sample volume and/or excess holding times in order to allow evaluation of potential remedial criteria by follow-up additional analyses for some samples. Locations where this was encountered include:

- Boring TB-18 (2-4) contained exceedances of the GBPMC for SVOC, based on a mass analysis.
- Borings TB-16 (2-4') and TB-21 (2-4') contained exceedances of the PMC for various metals, based on the results of a mass analysis.

Samples containing exceedances for SVOC's by mass analysis were run by SPLP extraction. In all of these samples, no leachable SVOC's were detected. Similarly, retests of other metal exceedances by SPLP extraction did not detect any leachable metals over the GB PMC. Analytical results are summarized in Figure 6.

5.0 GROUND PENETRATING RADAR SURVEY

The Phase II Environmental Site Investigation conducted by General Consolidated Industries, Inc. (GCI) included a magnetometer survey that was performed in the paved parking area north of the General DataComm building. The results of their survey identified seven "magnetic anomalies" in the parking area, as identified on Figure 7. During HRP's initial site visit, an attempt was made to locate these anomalies. However, the ground areas marked (painted) by GCI showing the locations of the anomalies were no longer visible. HRP contacted GCI and had them visit the site to re-mark the seven anomalies on the ground. It is noted that the figure depicting the locations of these magnetic anomalies included in the GCI report was not to scale and provides a distorted configuration of the property. HRP redrafted the approximate locations of these anomalies onto the site plan constructed by HRP from site property maps included in this report. The locations of these anomalies relative to the building and other site features therefore may appear different from those on the GCI maps.

HRP conducted a ground penetrating radar (GPR) survey in the vicinity of these anomalies in order to further evaluate these areas. HRP also performed GPR in the area of a suspected UST located along the western property boundary depicted on an historical site plan. John Goodno, HRP's Chief Geophysicist, conducted the GPR surveys on June 19 and July 31, 2002.

Ground penetrating radar involves scanning the subsurface with a device that emits and records the return signals of electromagnetic energy in the radar wavelength. Due to variable attenuation and reflectance characteristics of the subsurface materials, the variation in return signals produces a continuous two-dimensional cross-sectional image of the subsurface. The signal will penetrate asphalt, and to a certain extent, concrete and reflect from targets such as underground steel tanks, pipes, and utility lines. It is noted that certain natural and/or man-made conditions can affect the results of a GPR survey, including reinforced concrete, soils with high clay or silt content, uneven terrain covered with brush, debris, etc., and other stored items or bulky wastes. In severe cases, these conditions can limit the effectiveness of GPR and complicate identification of an underground tank.

GPR data was collected from the subject site using a Geophysical Survey Systems, Inc. Subsurface Interface Radar System Model 3 coupled with a 500 MHz antenna. A survey grid, designed to completely cover the magnetic anomalies was established. These

anomalies were previously identified in the field and located with marking paint by GCI. Each survey grid extended at least 30 feet beyond the identified edges of the anomalies in each direction. All data was collected along survey lines that were spaced no greater than 5 feet apart. Such spacing should allow for detection of tanks with 275-gallon volumetric capacity or greater. Perpendicular cross-lines were added to further define the survey area.

Analysis of the GPR data indicated that no reflections indicative of a buried steel tank were detected in the seven areas where magnetic anomalies were reported by GCI. The GPR data did indicate the possible presence of buried concrete and rubble in the near subsurface in these areas. This conclusion is consistent with information from GDC, who has claimed that the historically removed USTs were offsite. The surveyed areas are shown on Figure 7.

Following the initial survey in June 2002, an underground tank was identified on a historic map reviewed by HRP. This mapped tank was located just south of HRP's boring TB-7. To confirm whether a tank is still present below the ground surface in that area, HRP conducted GPR in the vicinity of this mapped feature on July 31, 2002 using the same equipment and line spacing. An anomaly indicative of a possible buried steel tank was identified approximately as mapped by the GPR data. The anomaly measured approximately 22' long and its approximate location is shown on Figure 7. A diameter could not be determined because a portion of the suspected tank is located very close to or possibly underneath the chain link fence along the sidewalk near the eastern property boundary. Based on the measured length and range of typical diameters for a tank of that length, the capacity of this suspected tank could range between 5,000 and 8,000 gallons. The edges of the anomaly were marked on the asphalt by HRP with white marking paint.

6.0 DISCUSSION OF RESULTS

Soils

Site soils have been identified as containing exceedances of the Res DEC for lead (one location), ETPH (three locations) and SVOC's (three locations). The Res DEC and I/C DEC for SVOC's are the same for those SVOC compounds that were detected above remedial criteria. Therefore, the Res DEC exceedances for SVOCs also exceed the I/C DEC. At one of the three locations where ETPH exceedances were detected (TB-2), concentrations of ETPH exceeded both the I/C DEC and GB PMC of 2,500 ppm. Exceedances for ETPH were noted in the general vicinity of a former machine shop and a boiler house depicted on historical site plans and maps.

The SVOCs above remedial criteria were generally detected in borings located in the central portion of the site. The SVOCs detected were primarily Polynuclear Aromatic Hydrocarbons (PAHs). This area is in the general vicinity of the former boiler house and coal storage areas. The depth of contamination by SVOCs is generally greater than two feet below grade, although exceedances in the upper two feet were noted only in two of the seven locations tested. SVOC concentrations appeared to diminish with depth. One of the soil samples from 5-7 feet below grade contained lower concentrations than those noted at shallower depth. The other 5-7 foot soil sample and the deepest sample (TB-9, and 10 to 12) did not detect any SVOCs.

Boring TB-10, located approximately 10 feet from the UST identified by HRP's geophysical survey and historical maps, did not identify contamination. However, this boring is in an upgradient ground water flow direction from the UST and was not able to be advanced deep enough to collect a sample from below the water table (due to refusal).

Observations made and data collected during the installation of test borings indicates that there are fill materials on the site containing abundant man-made materials, including asphalt, concrete, brick, and metal. Test pits installed previously on the site also encountered these materials. Abundant rubble, likely from the presence and demolition of former buildings, is present in subsurface materials throughout the site, particularly in the uppermost 5 to 10 ft of material. The physical characteristics of this material are extremely variable. Laboratory testing data indicates that the chemical composition of these materials is also variable, resulting in sporadic occurrences of certain contaminants, although no "hot spot" areas of gross contamination were detected.

In general, ETPH and SVOCs were more prevalent on the northern and central portions of the large parking lot area in the general vicinity of former boiler house and coal storage areas. ETPH was also detected around a former machine shop. It is uncertain if the source can be attributed to historical operations or merely coincident with the presence of fill in these areas.

Ground Water

No detectable concentrations of SVOC's, metals, PCB's or ETPH were noted in ground water in any of the site wells. The Residential Volatilization Criteria for 1,1 - DCE (1 ppb) was exceeded in well MW-4 with a concentration of 5 ppb. The Industrial/Commercial Volatilization Criteria of 6 ppb was not exceeded. Overall, the data from the five monitoring wells indicate that ground water quality is not highly degraded at the site from current or historical activities. No product or odors were noted during the monitoring event. The lack of significant ground water contamination suggests that there are no significant active sources of contamination at the site and that there has been no severe residual degradation despite the property's long history of industrial use. HRP's results are consistent with conclusions reached by other investigations of the former Goodyear facility.

7.0 CONCLUSIONS AND RECOMMENDATIONS

Conclusions

1. Subsurface materials on this site consist of fill up to approximately 10-15 feet below grade. The fill is underlain by a well-sorted sand and gravel. The fill contains abundant man-made materials, including brick, concrete, and metal and wood in a fine sand and silt matrix.
2. Contamination from historical operations was detected in several areas at the site. Exceedances of the Direct Exposure Criteria (DEC) for SVOCs (PAHs), ETPH, and lead were detected in fill materials in the large parking lot north of the site building where numerous historical buildings were formerly located. These substances may be present in soils sporadically throughout the fill on the site due to the heterogeneous nature of these fill material. Ground water sampling indicated only trace to low levels of contamination, with only one VOC (1,1-DCE), slightly exceeding remedial criteria (i.e., the Volatilization Criteria). No evidence of product or severe degradation of ground water was found.
3. HRP's geophysical survey of previously identified anomalies did not identify any reflections that would indicate buried objects (i.e., USTs) at these locations. This is consistent with the claim that the historical USTs removed from the former Goodyear facility were not located within the boundaries of the GDC property.
4. HRP confirmed the presence of a UST that was shown on historical maps. The UST is located near boring TB-10, although this boring did not detect contamination the distance (approximately 10 feet) is not near enough to adequately determine if this UST has historically had releases to the environment.
5. This investigation did not reveal the presence of widespread, high-level soil contamination. However, sporadic exceedances of the DEC for SVOCs and ETPH were detected in soils in several areas on the site, particularly in the upper 4 ft of material. One location exceeded the DEC for lead, whereas another also exceeded the GB PMC for ETPH. As noted above, because of the heterogeneity of the fill, the presence of these substances may be sporadic and further evaluation might be required to delineate these areas pursuant to the RSR. It appears likely, however, that much of this contamination could be dealt with by rendering these areas inaccessible beneath two feet of clean soil and pavement since they are in areas presently used for parking. This would also require placement of an Environmental Land Use Restriction (ELUR). Some removal of soil may also be required in areas where ETPH exceeds the GB PMC.

Recommendations

1. If the site were to be transferred under Connecticut's Transfer Act, additional investigations might be required to investigate all potential release areas and the

extent of contamination, particularly, in areas where soil contains exceedances of remedial criteria. Additional testing might also be needed in order to define the degree and extent of contamination in ground water. The DEP has retained oversight of this site and, therefore, must approve work plans used to demonstrate compliance with the RSRs.

2. The UST identified by HRP's geophysical survey should be removed and properly disposed. Soil testing of the tank grave should be performed according to guidelines established by the DEP. An Underground Storage Tank Notification Form should be updated accordingly and submitted to the DEP.


8.0 LIMITATIONS ON WORK PRODUCT

All work product and reports provided by HRP in connection with the performance of any phase of Environmental Site Assessments, and any services related to remedial action, including all work performed under this Agreement for Professional Services and any follow-up work is subject to the following limitations.

- A. The observations described in the Project Report(s) are made under the stated conditions. The conclusions presented in the Report(s) are based solely upon the indicated services, and not on scientific tasks or procedures beyond the scope of described services or the time and budgetary constraints imposed by the Client. The work described in Project Report(s) is carried out in accordance with the Agreement for Professional Services.
- B. In preparing Project Reports, HRP relies on certain information provided by state and local officials and information and representations made by other parties referenced therein, and on information contained in the files of state and/or local agencies made available to HRP at the time of the site assessment. To the extent that such files are missing, incomplete or not provided to HRP, HRP is not responsible. Although there may be some degree of overlap in the information provided by these various sources, HRP does not attempt to independently verify the accuracy or completeness of all information reviewed or received during the course of this site assessment.
- C. Observations are made of the site and of structures on the site as indicated within the Project Report(s). Where access to portions of the site or to structures on the site is unavailable or limited, HRP renders no opinion as to the presence of potential contamination by hazardous substances, wastes or petroleum and chemical products and wastes. In addition, HRP renders no opinion as to the presence of indirect evidence relating to potential contamination by hazardous substances, wastes or petroleum and chemical products or wastes where direct observation of the interior walls, floors, or ceilings of a structure on a site is obstructed by objects or coverings on or over these surfaces.
- D. Unless otherwise specified in the Project Report(s), HRP does not perform testing or analyses to determine the presence or concentration of asbestos or polychlorinated biphenyls (PCBs), lead paint, urea formaldehyde foam insulation (UFFI), or radon at the site or in the environment of the site.
- E. The purpose of the Project Report(s) is to assess the physical characteristics of the subject site with respect to the potential presence in the site soil, ground water or surface water environment of contamination by hazardous substances, hazardous waste or petroleum and chemical products and wastes. HRP has not confirmed the compliance of present or past owners or operators of the site with federal, state, or local laws and regulations, environmental or otherwise.

- F. If the conclusions and recommendations contained in the Project Report(s) are based in part upon the data obtained from a limited number of soil, ground water, or surface water samples obtained from widely spaced surface or subsurface explorations; then the nature and extent of variations between these explorations may not become evident until further exploration. If variations or other latent conditions then appear evident, it will be necessary to re-evaluate the conclusions and recommendations of the Project Report(s).
- G. If water level readings are made in test pits, borings, and/or observation wells; these observations are made at the times and under the conditions stated on the test pit or boring logs or in the Project Report(s). However, it must be noted that fluctuations in the level of ground water may occur due to variations in rainfall, passage of time and other factors. Should additional data become available in the future, these data may alter the basis of conclusions and recommendations presented in the Project Report(s).
- H. Except as noted within the text of the Project Report(s), no quantitative laboratory testing is performed as part of the site assessment. Where such analyses have been conducted by an outside laboratory, HRP has relied upon the data provided, and has not conducted an independent evaluation of the reliability of these tests.
- I. If the conclusions and recommendations contained in the Project Report(s) are based, in part, upon various types of chemical data, then the conclusions and recommendations are contingent upon the validity of such data. These data (if obtained) are reviewed and interpretations made in the Project Report(s). If indicated within the Project Report(s), some of these data may be preliminary "screening" level data and should be confirmed with quantitative analyses if more specific information is necessary. Moreover, it should be noted that variations in the types and concentrations of contaminants and variations in their flow paths may occur due to seasonal water table fluctuations, past disposal practices, the passage of time, and other factors. Should additional chemical data become available in the future, these data may alter the basis of the conclusions and recommendations presented in the Project Report(s).
- J. Chemical analyses may be performed for specific parameters during the course of this site assessment, as described in the text of the Project Report(s). However, it is understood that additional chemical constituents not searched for during the current study may be present in soil, ground water, or surface water at the site.
- K. It is recommended that HRP be retained to provide further hydrogeologic and engineering services during the conduct of further exploration or the construction and/or implementation of any remedial measures recommended in HRP's Project Report(s). This is to allow HRP and the Client to observe consistency with the concepts and recommendations contained therein, and to allow the development of changes to the remedial program in the event that subsurface conditions or other conditions differ from those anticipated.

FIGURES



NAUGATUCK, CONN
 41073-D1-TF-024
 1964
 PHOTOREVISED 1984
 DMA 6366 I NE-SERIES V816

Figure 1
 Site Location Map
 General DataComm
 6 Rubber Avenue
 Naugatuck, CT 06770
 HRP# CHA4094.P2
 06 September 02



PROJECT - GRADE SEPARATION WORK ON RUBBER AVE. NAUGATUCK, CT. PREPARED BY ADRIAN G. GILMAN, INC.
DATE 11/17/09/06/2002 02:35:17 PM





FIGURE 2
SITE PLAN
GENERAL DATACOMM
6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT
HRP # CHA4094.P2
SCALE 1" = 120'±

HRP
ASSOCIATES, INC.
167 New Britain Avenue
Plainville, CT 06062
(860) 793-6899
FAX: (860) 793-6871

- LEGEND
- * -LIGHT POLE/TELEPHONE POLE
 - *MH -MANHOLE
 - CB -CATCH BASIN







FIGURE 3
SITE FEATURES MAP
GENERAL DATACOMM
6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT
HRP # CHA4094.P2
SCALE 1" = 120'±

HRP
ASSOCIATES, INC.
 167 New Britain Avenue
 Plainville, CT 06062
 (860) 793-6899
 FAX: (860) 793-6871


C:\CH4094.P2\CAC\BORING LOCATIONS.dwg, 12/05/04 11:17, 09/11/2002 10:32:51 AM



LEGEND:

- ◆ - MONITORING WELL
- - TEST BORING
- ☆ - LIGHT POLE/TELEPHONE POLE
- *MH - MANHOLE
- CB - CATCH BASIN

FIGURE 4
BORING LOCATION MAP
GENERAL DATACOMM
6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT
HRP # CHA4094.P2
SCALE 1" = 120'±



HRP
ASSOCIATES, INC.
167 New Britain Avenue
Plainville, CT 06062
(860) 793-6899
FAX: (860) 793-6871







FIGURE 5
 GROUNDWATER FLOW MAP
 GENERAL DATACOMM
 6 RUBBER AVENUE
 NAUGATUCK, CONNECTICUT
 HRP # CHA4094.P2
 SCALE 1" = 120'±

HRP
 ASSOCIATES, INC.
 167 New Britain Avenue
 Plainville, CT 06062
 (860) 793-6899
 FAX: (860) 793-6871



LEGEND


- ⊕ -- MONITORING WELL
- -- TEST BORING
- ☆ -- LIGHT POLE/TELEPHONE POLE
- *MH -- MANHOLE
- =CB -- CATCH BASIN

DEPTH (ft)	COMPOUND	CRITERIA EXCEEDED
------------	----------	-------------------

RDEC -- RESIDENTIAL DIRECT EXPOSURE CRITERIA
I/C DEC -- INDUSTRIAL/COMMERCIAL DIRECT EXPOSURE CRITERIA
GBPMC -- GB POLLUTANT MOBILITY CRITERIA
ETPH -- EXTRACTABLE TOTAL PETROLEUM HYDROCARBONS
SVOC -- SEMI-VOLATILE ORGANIC COMPOUNDS

FIGURE 6
RSR EXCEEDANCE MAP - SOILS
GENERAL DATACOMM
6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT
HRP # CHA4094.P2
SCALE 1" = 120'±

HRP
ASSOCIATES, INC.
167 New Britain Avenue
Plainville, CT 06062
(860) 793-6899
FAX: (860) 793-6871



LEGEND

- ◆ - MONITORING WELL
- - TEST BORING
- ⊠ - MAGNETIC ANOMALIES (GCI)
- * - LIGHT POLE/TELEPHONE POLE
- *MH - MANHOLE
- CB - CATCH BASIN
- ▨ - APPROXIMATE EXTENT OF GPR EVALUATION (HRP)

FIGURE 7
GPR EVALUATION
GENERAL DATACOMM
6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT
HRP # CHA4094.P2
SCALE 1" = 120'±

HRP
ASSOCIATES, INC.

167 New Britain Avenue
Plainville, CT 06062
(860) 793-6899
FAX: (860) 793-6871

1" = 120'
120 80 40 0 60 120 240
APPROXIMATE SCALE IN FEET

TABLES


Table 1 Monitoring Well Summary 6 Rubber Avenue Naugatuck, Connecticut						
	Location	Elevation of Well (ft)	Elevation of PVC (ft)	Depth to Water (ft)	Screened Interval (ft-bg)	Elevation of Ground Water (ft)
MW-1	Downgradient of Hazardous Waste Shed	96.31	95.84	14.88	7-22	80.96
MW-2	Downgradient of Site Building	100.61	100.28	19.09	10-25	81.19
MW-3	Central Portion of Site	97.34	96.89	14.67	7-22	82.22
MW-4	Downgradient of Historical Buildings	94.85	94.56	12.30	7-22	82.26
MW-5	Northwest Corner, downgradient of former boiler house	97.20	96.81	14.16	7-22	82.65
Elevations are relative to arbitrary 100 foot datum Depth to Water measured from PVC ft = feet bg = below grade						

Table 2 Ground Water Analytical Summary 6 Rubber Avenue Naugatuck, Connecticut								
	11DCE	t12DCE	c12DCE	CFM	111TCA	TCE	12DCP	PCE
MW-1	BDL	BDL	BDL	3.0	BDL	BDL	BDL	BDL
MW-2	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
MW-3	BDL	BDL	BDL	2.0	2.0	BDL	BDL	BDL
MW-4	5.0	7.0	15.0	BDL	10.0	5.0	2.0	9.0
MW-5	BDL	BDL	BDL	BDL	5.0	BDL	BDL	BDL
SWPC	96	NE	NE	14,100	62,000	2,340	NE	88
Res VC	1	NE	NE	287	20,400	219	14	1,500
I/C VC	6	NE	NE	710	50,000	540	60	3,820
No detectable concentration of ETPH, RCRA 8 Metals, PCB's or SVOC's were detected units are ppb Exceedances of one or more standards are highlighted NE = Not Established BDL = Below Detection Limits SWPC = Surface Water Protection Criteria Res VC = Residential Volatization Criteria I/C VC = Industrial/Commercial Volatization Criteria 11DCE = 1,1-Dichloroethene t12DCE = trans,1-2,Dichloroethene c12DCE = cis,1-2,Dichloroethene CFM = Chloroform TCE = Trichloroethene 12DCP = 1,2-dichloropropane PCE = Tetrachloroethene 111TCA = 1,1,1-trichloroethane								

Table 3 Soils Summary - Metals, ETPH, PCB's and VOC's 6 Rubber Avenue Naugatuck, Connecticut												
ID	Depth (ft)	Total (mg/kg)								ETPH (mg/kg)	PCB (ppm)	VOC's
		As	Ba	Cd	Cr	Pb	Hg	Se	Ag			
TB1	0-2	BDL	39	BDL	8.4	29.3	0.006	BDL	BDL	96	BDL	BDL
TB2	2-4	3.8	193	BDL	8.2	138	0.39	BDL	BDL	2,750	BDL	BDL
TB3	0-2	2.4	96	BDL	10.2	95.1	1.36	BDL	BDL	BDL	BDL	BDL
TB4	2-4	2.3	49	0.8	9.8	485	16.6	BDL	BDL	BDL	BDL	BDL
TB4	5-7	2.6	34	12.8	23.2	1.55	BDL	BDL	BDL	BDL	BDL	BDL
TB5	3	5.5	196	0.7	9.6	111	1	BDL	BDL	BDL	BDL	BDL
TB6	2-4	5.8	62	BDL	6.8	237	1.28	BDL	BDL	BDL	BDL	BDL
TB7	0-2	6.8	271	0.9	12.3	256	4.22	BDL	BDL	148	BDL	BDL
TB9	5-7	1.8	63	BDL	10.9	10.8	0.07	BDL	BDL	30	BDL	BDL
TB9	10-12	1.7	35	BDL	15.2	5.8	BDL	BDL	BDL	BDL	BDL	BDL
TB10	5-7	BDL	34	BDL	11.4	16.1	0.14	BDL	BDL	BDL	BDL	BDL
TB11	0-2	2.4	124	BDL	6.7	32	0.07	BDL	0.5	272	BDL	BDL
TB12	0-1	2.4	366	0.9	15.6	196	0.72	BDL	0.4	76	BDL	BDL
TB13	5-7	4.3	50	BDL	7.4	39.2	0.08	BDL	BDL	27	BDL	BDL
TB14	0-2	1.6	75	BDL	13.3	12.1	BDL	BDL	BDL	301	BDL	BDL
TB15	5-7	3.3	81	BDL	9.4	13.7	0.09	BDL	BDL	BDL	BDL	BDL
TB16	0-2	-	95	BDL	18.1	38.9	-	-	-	BDL	-	-
TB16	2-4	3	466	1.3	13.7	578	1	BDL	0.2	1,574	BDL	BDL
TB17	5-7	3.4	61	8.4	168 (BDL/8.4)	0.46	BDL	BDL	BDL	BDL	BDL	BDL
TB18	2-4	3	225	0.7	11.3	183	0.21	BDL	0.3	56	BDL	BDL
TB19	2-4	5	382	BDL	8	43.3	0.43	BDL	0.4	149	BDL	BDL
TB21	2-4	2.7	129	BDL	11.7	98.6	0.7	BDL	BDL	1,342	BDL	BDL
RDEC		10	4,700	34	100/3900	500	20	340	340	500	1	NA
I/C DEC		10	140,000	1,000	100/51,000	1,000	610	10,000	10,000	2,500	10	NA
GBPMC		0.5	10	0.05	0.5	0.15	0.02	0.5	0.36	2,500	0.005	NA
20XPMC		10	200	1	10	3	0.4	10	7.2	NA	NA	NA
BDL = Below Detection Limits Exceedances of DEC are highlighted Exceedances of 20 times GBPMC for metals by mass analysis were analyzed by SPLP (if enough sample volume) NA = Not Applicable - = not analyzed NE = Not Established RDEC = Residential Direct Exposure Criteria I/C DEC = Industrial/Commercial Direct Exposure Criteria GB PMC = GB Pollutant Mobility Criteria VOC's = Volatile Organic Compounds by EPA Method 8260B ETPH = Extractable Total Petroleum Hydrocarbons Note: Standards for Chromium are listed as hexavalent/trivalent chromium. Sample results for Boring TB-17 (5-7) are for total chromium (hex/tri). Results are entirely trivalent chromium and therefore below remedial criteria.												


Table 4 Soils Summary - SVOC's 6 Rubber Avenue Naugatuck, Connecticut																								
Sample ID Depth (feet)	RDEC	I/C DEC	GBPMC	TB1 0-2	TB2 2-4	TB3 0-2	TB4 2-4	TB4 5-7	TB5 3	TB6 2-4	TB7 0-2	TB9 5-7	TB9 10-12	TB10 5-7	TB11 0-2	TB12 0-1	TB13 5-7	TB14 0-2	TB15 5-7	TB16 2-4	TB17 5-7	TB18 2-4	TB19 2-4	TB21 2-4
Napthalene	1,000,000	2,500,000	56,000	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	23	908	81	BDL
Acenaphthylene	1,000,000	2,500,000	84,000	BDL	BDL	BDL	44	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	65	BDL	BDL	117	12	254	BDL	BDL
Acenaphthene	1,000,000	2,500,000	84,000	BDL	BDL	34	23	BDL	BDL	15	BDL	BDL	BDL	BDL	BDL	14	55	BDL	BDL	193	41	2,481	105	202
Fluorene	1,000,000	2,500,000	56,000	BDL	BDL	26	27	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	122	BDL	BDL	153	53	3,361	123	182
Phenanthrene	1,000,000	2,500,000	40,000	BDL	BDL	368	449	31	99	148	27	BDL	BDL	24	634	1,333	1,967	27	BDL	625	499	19,435	840	757
Anthracene	1,000,000	2,500,000	400,000	BDL	BDL	74	94	BDL	18	26	BDL	BDL	BDL	BDL	179	338	766	BDL	BDL	196	112	5,339	218	220
Fluoranthene	1,000,000	2,500,000	56,000	BDL	103	618	923	90	152	270	49	BDL	BDL	46	821	3,546	4,493	56	BDL	1,051	514	18,491	885	581
Pyrene	1,000,000	2,500,000	40,000	BDL	BDL	512	727	64	137	250	45	BDL	BDL	42	785	3,086	3,901	47	BDL	924	400	15,010	672	449
Benzo(a)anthracene	1,000	7,800	1,000	BDL	BDL	272	384	27	58	119	19	BDL	BDL	20	357	1,453	1,791	19	BDL	322	221	6,874	367	180
Chrysene	84,000	780,000	1,000	BDL	BDL	282	393	32	70	133	24	BDL	BDL	24	422	1,546	1,734	23	BDL	464	251	6,770	360	191
Benzo(b)fluoranthene	1,000	7,800	1,000	BDL	133	255	282	22	82	117	22	BDL	BDL	18	321	1,301	1,932	12	BDL	366	208	5,137	254	146
Benzo(k)fluoranthene	8,400	78,000	1,000	BDL	BDL	214	261	24	59	112	18	BDL	BDL	17	279	1,128	1,067	12	BDL	257	185	4,039	214	110
Benzo(a)pyrene	1,000	1,000	1,000	BDL	102	297	245	20	82	92	21	BDL	BDL	25	320	1,439	1,159	17	BDL	341	202	5,033	334	132
Indeno(1,2,3-cd)Pyrene	1,000	7,800	1,000	BDL	BDL	193	166	BDL	59	BDL	BDL	BDL	BDL	BDL	BDL	900	661	BDL	BDL	BDL	164	2,825	171	BDL
Dibenzo(a,h)Anthracene	1,000	1,000	1,000	BDL	BDL	BDL	BDL	BDL	BDL	72	BDL	BDL	BDL	BDL	BDL	BDL	239	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Benzo(g,h,i)Perylene	1,000,000	2,500,000	42,000	BDL	BDL	143	111	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	639	374	BDL	BDL	BDL	111	1,934	120	BDL
Benzo(j)fluoranthene	NE	NE	NE	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Dibenzo(a,h)acridine	NE	NE	NE	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
Dibenzo(a,j)acridine	NE	NE	NE	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
7H-Dibenzo(c,g)carbazole	NE	NE	NE	BDL	BDL	BDL	60	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	95	BDL	BDL	BDL	62	1,524	136	BDL
3-Methylcholanthrene	NE	NE	NE	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL	BDL
BDL = Below Detection Limit				RDEC = Residential Direct Exposure Criteria																				
All units are ppb				I/C DEC = Industrial/Commercial Direct Exposure Criteria																				
Exceedances of applicable criteria are highlighted				GB PMC = GB Pollutant Mobility Criteria																				
NE = Not Established by CTDEP																								

APPENDIX A
SANBORN FIRE INSURANCE MAP




Nov. 1910
NAUGATUCK
CONN.

Scale of Feet.



SANBORN MAPS™ by E R I S


1904



Environmental Risk Information & Imaging Services, Inc.

THE REPRODUCTION OF THIS SANBORN FIRE INSURANCE MAP HAS BEEN MADE BY PERMISSION OF SANBORN MAPPING & GEOGRAPHIC INFORMATION SERVICE, THE COPYRIGHT HOLDER, IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF AN AGREEMENT BETWEEN ENVIRONMENTAL RISK INFORMATION & IMAGING SERVICES AND SANBORN MAPPING & GEOGRAPHIC INFORMATION SERVICE DATED AUGUST 1, 1991.

1027




Environmental Risk Information & Imaging Services, Inc.

1421 Prince Street, Suite 230, Alexandria, VA 22314, (703) 836-0402, FAX (703) 836-0400

THE REPRODUCTION OF THIS SANBORN FIRE INSURANCE MAP HAS BEEN MADE BY PERMISSION OF SANBORN MAPPING & GEOGRAPHIC INFORMATION SERVICE, THE COPYRIGHT HOLDER, IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF AN AGREEMENT BETWEEN ENVIRONMENTAL RISK INFORMATION & IMAGING SERVICES AND SANBORN MAPPING & GEOGRAPHIC INFORMATION SERVICE DATED AUGUST 1, 1991.

1892



Environmental Risk Information & Imaging Services, Inc.
 1421 Prince Street ■ Suite 230 ■ Alexandria, VA 22314 ■ (703) 836-8822 ■ FAX (703) 836-0468

SANBORN MAPS™ by E R I S

THE REPRODUCTION OF THIS SANBORN FIRE INSURANCE MAP HAS BEEN MADE BY PERMISSION OF SANBORN MAPPING & GEOGRAPHIC INFORMATION SERVICE, THE COPYRIGHT HOLDER, IN ACCORDANCE WITH THE TERMS AND CONDITIONS OF AN AGREEMENT BETWEEN ENVIRONMENTAL RISK INFORMATION & IMAGING SERVICES AND SANBORN MAPPING & GEOGRAPHIC INFORMATION SERVICE DATED AUGUST 1, 1991.

APPENDIX B
SOIL BORING AND WELL LOGS

Soil Sampling Log

Date Started 7-13-02Date Finish 7-13-02Weight Of Hammer ☒ 140 ☐ 300Hammer Fall ☒ 30' ☐ 24"

Ground Water Observations

Date _____ Time _____ Depth _____

Sampler O.D. 2" I.D. 1 5/8"Type Of Rig Truck Mounted Rig-D-50

78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Sheet 1 Of 1

PG#A4094.P2

Location 6 Rubber Ave.Naugatuck, CT

Offset _____

Ground Elevation _____

Hole No. MW - 1

Casing HSA Sampler SS Core Barrel
Type HSA SS

Size I.D. 4 1/4" 1 5/8"

Dept. Below Surface	Sample No. Depths Elev. Ft.	Type Of Sample	Blows Per 5" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils		Sample				PID
			From 0-6	To						No.	Pen	Rec		
				6-12	12-18									
	0-2	SS	23	22	18	Dense Dry		Brown medium - fine sand with some gravel, little silt. No petro. or chem. odor.		1	2.0'	1.0'	1.2	
					13									
	4-6	SS	5	6	12	Dense Dry		Tan fine sand with trace rock fragments. No petro. or chem. odor.		2	2.0'	1.0'	0.4	
					21									
	9-11	SS	13	13	13	Dense Moist	10.0'	Tan fine - medium sand, tan fine - medium sand with darker brown - orange section of material.		3	2.0'	2.0'	1.4	
					18		11.0'	Tan medium - coarse sand. No odor.						
	14-16	SS	10	5	7	Med. Comp. Wet@14.5'	15.5'	Tan coarse - very coarse sand and gravel, tan medium - coarse sand. No odor.		4	2.0'	2.0'	1.5	
					9			Augered to 22.0'.						

Driller: Tim SaboAssistant: Oliver PrivottSoils Engineer: Robin

Proportions used trace = 0.10%, lime = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
UP = Undisturbed Piston

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:
Earth Boring 22.0 Ft.
Rock Coring _____ Ft.



GLACIER DRILLING

Plainville, CT 06062

Total Footage:		
Earth Boring	6.0	Ft.
Rock Coring		Ft.

GLACIER  **DRILLING**

Total Footage:	
Earth Boring 25.0	Ft.
Rock Coring	Ft.

Soil Sampling Log



78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Sheet 1 Of 1

P0HN4094.P2

Location 6 Rubber Ave.

Naugatuck, CT

Date Started 7-13-02

Date Finish 7-13-02

Weight Of Hammer 140 300

Hammer Fall 30' 24"

Ground Water Observations

Date Time Depth

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck Mounted Rig: CME-75

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Offset

Ground Elevation

Hole No. MW-3

Casing Sampler Core
Type HSA SS Barrel

Size I.D. 4 1/4" 1 5/8"

Dept. Below Surface	Sample No. Depths Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample			PID
			From 0-6	To					No.	Pen	Rec	
				6-12	12-18							
	0-2	SS	23	37	36	Dense		4 1/2" Asphalt.	1	2.0'	20"	4.4
					31	-	0 - 6"	Red sand and gravel. (sampled 0 - 6")				
							6 - 15"	Crushed concrete and gravel.				
	2-4	SS	19	12	16	Dense		Concrete, crushed and bits of rock. No sample collected.	2	2.0'	8"	-
					35	-						
	5-7	SS	3	50/0"		Dense		0 - 3 1/2" full with sand and gravel.	3	6"	4"	5.6
						-		3 1/2" - 6" concrete plug, very little soil.				
								Only screened sample collected.				
	6-8	SS	5	50/1"		Dense		0 - 2" crushed rock.	4	7"	6"	4.3
						-		2" - 6" brown sand and gravel. (screened sample only).				
								4" - 6" rock.				
							10.0'	Refusal, offset 20' south.				
	12-14	SS	43	57	47	Dense		0 - 12" crushed rock.	5	2.0'	24"	
								12" - 24" brown sand and gravel.				
	17-19	SS				-		Coarse sand and gravel.	6	-	-	-
						Wet		Augered to 22.0'.				
							22.0'	B.O.B., set a 2' PVC Monitoring Well using:				
								1 Threaded Plug				
								15.0' Screen, .010 slot (7 - 22.0')				
								7' Riser				
								500 lbs Sand				
								1 bag Bentonite Chips				
								2 bags Concrete Mix				
							</					

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Driller: Mark Schock
Assistant: Robert Quagliaroli
Soils Engineer: Kevin Bogue

Sample Type:
C = Cored W = Washed
SS = Split Spoon
UP = Undisturbed Piston
Cohesionless Density:
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:
Earth Boring 22.0 Ft.
Rock Coring Ft.

Ski Dr.

GLACIER DRILLING

ITP = Undisturbed Piston 30-5

Size I.D. 4 1/4" 1 5/8"

Type Of Rig Truck Mounted Rig: D-50

Total Footage:		
Earth Boring	22.0	Ft.
Rock Coring		Ft.

78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Total Footage:
Earth Boring 22.0 Ft.
Rock Coring Ft.

Soil Sampling Log

Date Started 7-28-02

Date Finish 7-28-02

Weight Of Hammer 140 300

Hammer Fall 30' 24"

Ground Water Observations

Date Time Depth

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck Mounted Rig D-50



78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Sheet 1 Of 1

Project 4094.P2

Location 6 Rubber Ave.

Naugatuck, CT

Offset

Ground Elevation

Hole No. TB-1

Casing Sampler Core
Type HSA SS Barrel

Size I.D. 4 1/4" 1 5/8"

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Dept. Below Surface	Sample No. Depth Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample			PID
			From 0-6	To					No.	Pen	Rec	
				6-12	12-18							
	0-2	SS	18	23	28	Dense Dry		2" Asphalt.	1	24"	8"	0.2
					21			0 - 2" Red sand with bits of asphalt and gravel.				
								2" - 9" Lite brown sand and gravel with bits of crushed rock.				
	2-4	SS	6	6	4	Loose Dry		0 - 4" Brown sand with plastic, brick, glass and gravel.	2	24"	6"	0
					3							
							5.0' - 7.0'	Driller reports 2.0' void.				
	7-9	SS	50/5"			Dense Moist		Brown sand and wood, trace metal fragments.	3	5"	5"	0
							7-5"	B.O.B.				

Driller: Terry Bell

Assistant: Oliver Privott

Soils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
UP = Undisturbed Piston

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:
Earth Boring 7.5' Ft.
Rock Coring Ft.

78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Date Started 7-28-02

Date Finish 7-28-02

Weight Of Hammer	X	140	300
------------------	--------------	-----	-----

Hammer Fall	X	30'		24"
-------------	--------------	-----	--	-----

Ground Water Observations

Date	Time	Depth
------	------	-------

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck Mounted Rig: D-50

Sheet 1 Of 1

PROJ4094.P2

Location 6 Rubber Ave.

Naugatuck, CT

Offset

Ground Elevation _____

Hole No. TB - 2

Type	Casing <u>HSA</u>	Sampler <u>SS</u>	Barrel <u></u>
------	----------------------	----------------------	-------------------

Size I.D. 4 1/4" 1 5/8"

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

[illegible]

Driller: Terry Bell
Assistant: Oliver Privott
Soils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:	Cohesionless Density
C = Cored W = Washed	0-10 Loose
SS = Split Spoon	10-30 Med. Comp.
UP = Undisturbed Piston	30-50 Dense

Total Footage:		
Earth Boring	5.0	Ft.
Rock Coring		Ft.

THE SKI DOCTOR

Total Footage:
Earth Boring 2.5 Ft.
Rock Coring Ft.

THE ROOF DOCTOR

GLACIER DRILLING

Sheet 1 Of 1

Protein 4094.P2

Hammer Fall	X	30'		24"
-------------	---	-----	--	-----

Ground Water Observations

Date	Time	Depth
------	------	-------

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck Mounted Rig: D-50

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Location 6 Rubber Ave.

Naugatuck, CT

Offset

Ground Elevation

Hole No. TB - 4

Type	Casing	Sampler.	Cole Barrel
	HSA	SS	

Size I.D. 4 1/4" 1 5/8"

Driller: Terry Bell

Assistant: Oliver Privott

Soils Engineer: Kevin Boque

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
UP = Undisturbed Piston

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:		
Earth Boring	12.0	Ft.
Rock Coring		Ft.

Soil Sampling Log

Date Started 7-28-02

Sheet 1 Of 1

Date Finish 7-28-02

PROJ#4094.P2

Weight Of Hammer ☒ 140 ☐ 300Hammer Fall ☒ 30' ☐ 24"

Ground Water Observations

Date Time Depth



78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Location 6 Rubber Ave.

Naugatuck, CT

Offset

Ground Elevation

Hole No. TB-5

Core

Casing Sampler Core
Type HSA SS Barrel

Size I.D. 4 1/4" 1 5/8"

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck Mounted Rig: D-50

Dept. Below Surface	Sample No. Depth Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample			PID
			From 0-6	To 6-12	To 12-18				No.	Pen	Rec	
	0-2	SS	11	50/5"		Dense Dry	0 - 1" 1" - 5" 5" - 6" 1.5'	2" Asphalt. Red sand and gravel. Wood and black sand and gravel with concrete. Brick. Refusal, offset 5.0' south.	1	11"	6"	0
	2-4	SS	7	6	3 4	Loose		Black sand and gravel - noted from auger cuttings (sampled).	2	24"	0	0
	5-7	SS	50/0			Dense Dry	5.0'	B.O.B., refusal.	3	0	0	0

Driller: Terry Bell

Assistant: Oliver Privott

Soils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
UP = Undisturbed Piston

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:

Earth Boring 50

Rock Coring

Ft.

Ft.

CIER DR

Total Footage:		
Earth Boring	7.0	Ft.
Rock Coring		Ft.

Soil Sampling Log

Date Started 7-28-02

Sheet 1 of 1

Date Finish 7-28-02

PGHN4094.P2

Weight Of Hammer 140 300

Hammer Fall 30' 24"

Ground Water Observations

Date Time Depth

Sampler O.D. 2" I.D. 1-5/8"

Type Of Rig Truck Mounted Rig: D-50



78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Location 6 Rubber Ave.

Naugatuck, CT

Offset

Ground Elevation

Hole No. TB-7

Casing Sampler Core
Type HSA SS Barrel

Size I.D. 4 1/4" 1 5/8"

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Dept. Below Surface	Sample No. Depths Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample				PID
			From	To					No.	Pen	Rec		
	0-2	SS	10	11	13	Dense Dry	0 - 2"	2" Asphalt. Dark brown fine - medium sand with gravel.	1	24"	13"	0	
					19		2" - 3"	Concrete.					
							3" - 13"	Brick, concrete in tip. Crushed rock, no sample.					
	2-4	SS	24	22	57	Dense Dry			2	24"	4"	-	
					24								
	5-7	SS	50	3"		Dense Dry		Dark brown sand, no sample	3	3"	1"	-	
							5' 3"	B.O.B.					

Driller: Terry Bell
Assistant: Oliver Privott
Soils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
UP = Undisturbed Piston

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:
Earth Boring 9' 3" Ft.
Rock Coring Ft.

CIER DR

GLACIER DRILLING

PX01N4094.P2

Naugatuck, CT

Ground Elevation

	Casing	Sampler	Core Barrel
Type	HSA	SS	

Size I.D. 4 1/4" 1 5/8"

Date Finish 7-28-02

Weight Of Hammer	X	140	300
------------------	--------------	-----	-----

Hammer Fall	<input checked="" type="checkbox"/>	30'		24"
-------------	-------------------------------------	-----	--	-----

Ground Water Observations

Date	Time	Depth
------	------	-------

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck Mounted Rig: D-50

167 New Britain Ave.

Plainville, CT 06062

Driller: Terry Bell

Assistant: Oliver Privott

Soils Engineer: Kevin Boone

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%.

Sample Type:

C = Cored W = Washed

SS = Split Spoon

UP = Undisturbed Piston

Cohesionless Density

0-10 Loose

10-30 Med Comp.

30-50 Dense

Total Footage:

Earth Boring 7.0

Rock Coring		Ft.
-------------	--	-----

Soil Sampling Log

Date Started 7-28-02

Date Finish 7-28-02

Weight Of Hammer 140 300

Hammer Fall 30' 24"

Ground Water Observations

Date Time Depth

Sampler O.D. 2" I.D. 1-5/8"

Type Of Rig Truck Mounted Rig: D-50



78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Sheet 1 Of 1

PROJECT: 4094.P2

Location 6 Rubber Ave.

Naugatuck, CT

Offset

Ground Elevation

Hole No. TB-9

Casing Sampler Core
Type HSA SS Barrel

Size I.D. 4 1/4" 1 5/8"

Dept. Below Surface	Sample No. Depths Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample				PID
			From	To					No.	Pen	Rec		
				0-6	6-12							12-18	
	0-2	SS	16	38	51	Dense Dry		2" Asphalt. 0 - 5" Red medium sand, well sorted. 5" - 9" Brown fine - medium sand with brick and bits of wood. (sampled 0 - 9") 9" - 12" Crushed rock. 12" - 15" Dark brown fine - medium sand with gravel.	1	24"	15"	0	
	2-4	SS	7	6	8 6	Med. Comp. Dry		Dark brown fine - medium sand (poorly sorted), with gravel.	2	24"	4"	0	
	5-7	SS	18	50/2"		Dense Dry		Medium brown sand and gravel and crushed rock.	3	7"	5"	0	
	10-12	SS	26	50/2"		Dense Dry	10' 7"	Lite brown sand and gravel, crushed rock. B.O.B., refusal.	4	7"	4"	0	

Driller: Terry Bell

Assistant: Oliver Privott

Soils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
UP = Undisturbed Piece

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:
Earth Boring 10' 7" Ft.
Rock Core 0' 0" Ft.

Soil Sampling Log



78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Date Started 7-28-02Date Finish 7-28-02Weight Of Hammer ☒ 140 ☐ 300Hammer Fall ☒ 30' ☐ 24"Sheet 1 Of 1Project 4094.P2Location 6 Rubber Ave.Naugatuck, CT

Ground Water Observations

Date _____ Time _____ Depth _____

Sampler O.D. 2" I.D. 1 5/8"Type Of Rig Truck Mounted Rig-D-50

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Offset _____

Ground Elevation _____

Hole No. TB-10

Casing	Sampler	Core Barrel
Type <u>HSA</u>	<u>SS</u>	

Size I.D. 4 1/4" 1 5/8"

Dept. Below Surface	Sample No. Depths Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils		Sample			PID
			From	To						No.	Pen	Rec	
			0-6	6-12	12-18			Remarks					
	0-2	SS	26	50/2"		Dense Dry		2" Asphalt. Red well sorted medium sand and gravel. Augered to 2.0'.		1	8"	6"	0
	2-4	SS	16	8	7 4	Med. Comp. Dry		No sample.		2	24"	0	0
	5-7	SS	47	32	31 28	Dense Dry	0 - 3" 3" - 13"	Dark brown fine - medium sand and gravel. Lite brown medium - coarse sand and gravel with crushed rock.		3	24"	13"	0
	10-12	SS	50/0			Dense Dry		No sample		4	0	0	0
							14.5'	B.O.B., refusal.					

Driller: Terry Bell
Assistant: Oliver Privett
Soils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
UP = Undisturbed Piston

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:
Earth Boring 14.5 Ft.
Rock Coring _____ Ft.



GLACIER DRILLING

Protein 4094.P2

Naugatuck, CT

Ground Elevation

Type	Casing	Sampler	Barrel
	HSA	SS	

Size I.D. 4 1/4" 1 5/8"

Date Finish 7-28-02

Weight Of Hammer	X	140	300
------------------	--------------	-----	-----

Hammer Fall		30'	24"
-------------	-----------------------------------------------------------------------------------	-----	-----

Ground Water Observations

Date	Time	Depth
------	------	-------

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck Mounted Rig: D-50

167 New Britain Ave.

Plainville, CT 06062

Driller: Terry Bell
Assistant: Oliver Privott
Soils Engineer: Kevin Bogue

Proportions used brace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%.

Sample Type:	Cohesionless Density
C = Cored W = Washed	0-10 Loose
SS = Split Spoon	10-30 Med. Comp.
UP = Undisturbed Piston	30-50 Dense

Total Footage:	
Earth Boring	3.0 Ft.
Rock Coring	Ft.

Soil Sampling Log

Date Started 7-27-02

Date Finish 7-27-02

Weight Of Hammer 140 300

Hammer Fall 30' 24"

Ground Water Observations

Date Time Depth



78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Sheet 1 Of 1

Project 094.P2

Location 6 Rubber Ave.

Naugatuck, CT

Offset

Ground Elevation

Hole No. TB-12

Casing Sampler Core
Type HSA SS Barrel

Size I.D. 4 1/4" 1 5/8"

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck-Mounted Rig-D-50

Dept. Below Surface	Sample No. Depth Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample			PID
			From 0-6	To 6-12	To 12-18				No.	Pen	Rec	
	0-2	SS	26	50/3"		Very Dense Moist	1.0'	1 - 1.5" Asphalt. Reddish brown to dark brown to brown fine - coarse sand, little silt, trace fine - very coarse gravel (fill). Auger refusal (presumed concrete). Offset 5' to the west.	1	2"	5'	0.0
	0-5"	SS	50/5"			Very Dense Moist	2.0'	Concrete debris, little reddish brown soil and brown fine - coarse sand and fine - coarse gravel, trace brick fragments (fill). Auger refusal. Offset 12' south of offset # 1.	2	5"	0.4'	0.0
	0-11"	SS	16	50/5"		Very Dense Moist	2.5'	Same as previous offset and woody fragments (fill). B.O.B., auger refusal.	3	11"	0.9'	0.0

Driller: Terry Bell

Assistant: Oliver Privott

Soils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
IM = Intermediate

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-60 D.

Total Footage:
Earth Boring 2.5 Ft.
Back Coring

Soil Sampling Log

Date Started 7-27-02

Date Finish 7-27-02

Weight Of Hammer 140 300

Hammer Fall 30' 24"

Ground Water Observations

Date Time Depth

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck Mounted Rig: D-50



78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Sheet 1 Of 1

Project: 4094.P2

Location 6 Rubber Ave

Naugatuck, CT

Offset

Ground Elevation

Hole No. TB-13

Casing Sampler Core
Type HSA SS Barrel

Size I.D. 4 1/4" 1 5/8"

Dept. Below Surface	Sample No. Depths Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample				PID	
			From	To					No.	Pen	Rec			
				0-6	6-12									12-18
	0-2	SS	15	21	18	Dense Dry	0 - .4' .4' - .7' .7' - 1.4'	1 - 1.5" Asphalt.	1	2.0'	1.4'	0.0		
					19			Reddish brown silt and fine - medium sand, trace fine - medium silt and tan gravel.						
								Dark broen fine - medium sand, well sorted, trace fine - medium gravel.						
								Tan fine sand, little medium sand.						
	2-4	SS	13	10	11	Med. Comp. Dry		Same as above.	2	2.0'	1.5'	0.0		
					8									
	5-7	SS	7	10	13	Med. Comp. Dry	5.3' - 10'	Very dark brown fine - coarse sand, little silt.	3	2.0'	0.7'	0.0		
					12			Brown fine sand, trace fine - very coarse gravel.						
	10'-	SS	50/1"			Very Dense		Rock debris in tip.	3	1"	-	-		
	10.5'-	SS	69/6"			Very Dense Moist		Brown fine - medium sand, little coarse sand and fine - medium gravel.	4	0.5'	0.5'	0.0		
	14.0'-	SS	50/0"			Very Dense	14.0'	No recovery.	5	0	0	-		
								B.O.B.						

Driller: Terry Bell

Assistant: Oliver Pivott

Soils Engineer: Kevin Bogus

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
UP = Undisturbed Piston

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:
Earth Boring 14.0 Ft.
Rock Coring Ft.

Soil Sampling Log

Date Started 7-27-02Date Finish 7-27-02Weight Of Hammer 140 300Hammer Fall 30' 24"

Ground Water Observations

Date Time Depth

Sampler O.D. 2" I.D. 1 5/8"Type Of Rig Truck Mounted Rig: D-50

78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Sheet 1 Of 1Project MA094.P2Location 6 Rubber Ave.Naugatuck, CTOffset "Ground Elevation "Hole No. TB-14

Casing HSA Sampler SS Core Barrel "

Size I.D. 4 1/4" 1 5/8"

Dept. Below Surface	Sample No. Depth Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample				PID
			From 0-6	To					No.	Pen	Rec		
				6-12	12-18								
	0 - 1' 11"	SS	10	8	7	Dense Dry		1" Asphalt. Reddish brown silt, fine - medium sand, trace fine - medium gravel, (siltstone). ~ 1/2 jar filled. Rock fragment in tip. Same as above.	1	23"	0.4'	0.0	
					50/5"								
	2-4	SS	5	2	2	Loose Moist			2	2.0'	0.3'	-	
					4								
	5-7	SS	6	9	9	Med. Comp. Dry		Same as above. 0 - .2' of recovery woody fragments. No sample.	2	2.0'	1.5'	0.0	
					8			Brick fragments in tip.					
	5-7	SS	6	9	9	Med. Comp. Dry		Red brick fragments.	3	2.0'	0.3'	-	
					6								
							7.0'	B.O.B., refusal.					
								Note; 2 - 4, 5 - 7 no soil for sampling.					

Driller: Terry Bell
Assistant: Oliver Privott
Soils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon

Cohesionless Density
0-10 Loose
10-30 Med. Comp.

Total Footage:
Earth Boring 7.0
Rock Coring "

Ft.
Ct.

Soil Sampling Log

Date Started 7-27-02

Date Finish 7-27-02

Weight Of Hammer 140 300

Hammer Fall 30' 24"

Ground Water Observations

Date Time Depth

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck Mounted Rig D-50



78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Sheet 1 Of 1

Project CHA094.P2

Location 6 Rubber Ave

Naugatuck, CT

Offset

Ground Elevation

Hole No. TB-15

Casing Sampler Core
Type HSA SS Barrel

Size I.D. 4 1/4" 1 5/8"

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Dept. Below Surface	Sample No. Depth Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample			PID
			From 0-6	To 6-12	To 12-18				No.	Pen	Rec	
	0-2	SS	15	15	8	Med. Comp. Dry	0 - .5'	1 - 1.5" Asphalt. Reddish silt and fine - medium sand, trace very fine - very coarse gravel (siltstone).	1	2.0'	0.9'	1.2
					5		0.5' - 0.7'	Dark brown silt and fine sand and wood fragments.				
							0.7' -	Reddish silt and fine - medium sand as above.				
	2-4	SS	7	5	5	Med. Comp. Moist		Nearly all wood fragments, trace soil.	2	2.0'	0.8'	2.2
					7							
	5-7	SS	49	37	25	Dense Dry	5.8' - 10.0'	Concrete debris, trace brick fragments. Orange to pale green fine - medium sand, trace silt (jar 1/2 filled).	3	2.0'	1.2'	6.4
					52							
	10.0'	SS				Very Dense	10.5'	Concrete debris in tip. B.O.B., auger refusal.	4	0	0	-

Driller: Terry Bell

Assistant: Oliver Privott

Soils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
UP = Undisturbed Piston

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:
Earth Boring 10.5 Ft.
Rock Coring Ft.

HIER DR

GLACIER DRILLING

Total Footage:		
Earth Boring	4.0	Ft.
Rock Coring		Ft.

Soil Sampling Log



78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Date Started 7-27-02

Date Finish 7-27-02

Weight Of Hammer 140 300

Hammer Fall 30' 24"

Ground Water Observations

Date Time Depth

Sampler O.D. 2" I.D. 1 5/8"

Type Of Rig Truck Mounted Rig: D-50

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Sheet 1 Of 1

Project: N4094.P2

Location 6 Rubber Ave.

Naugatuck, CT

Offset

Ground Elevation

Hole No. TB - 17

Casing Sampler Core
Type HSA SS Barrel

Size I.D. 4 1/4" 1 5/8"

Dept. Below Surface	Sample No. Depths Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample			PID
			From 0-6	6-12	To 12-18				No.	Pen	Rec	
	0-2	SS	11	7	9 5	Med. Comp. Dry		2" Asphalt. Reddish brown silt and fine - medium sand, trace fine - medium siltstone, gravel. Brown wood fragments, trace silt and fine - medium sand. Red brick fragments towards bottom of recovery. * PID = 0.0 (soil); PID = 8.8 (wood).	1	2.0'	1.1'	*
							0.4'					
	2-4	SS	1	1	1 2	Loose		No recovery.	2	2.0'	0	0.0
	5-7	SS	1	2	1 8	Loose Moist		Brown fine sand little medium sand to medium gravel, trace concrete debris.	3	2.0'	0.5'	0.0
	10-11' 4"	SS	61	53	50 1/4"	Very Dense Moist		Same as above. Brown fine - medium sand, trace fractured cobble.	4	16"	0.8'	0.0
							14.0'	B.O.B., refusal.				
			</									

Driller: Terry Bell
Assistant: Oliver Pivott
Soils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:
C = Cored W = Washed
SS = Split Spoon
IP = Indurated Pile

Cohesionless Density
0-10 Loose
10-30 Med. Comp.
30-50 Dense

Total Footage:
Earth Boring 14.0 Ft
Rock Coring Ft

Soil Sampling Log

Date Started 7-27-02Sheet 1 Of 1Date Finish 7-27-02Project 4094.P2Weight Of Hammer ☒ 140 ☐ 300Hammer Fall ☒ 30' ☐ 24"

Ground Water Observations

Date _____ Time _____ Depth _____

Sampler O.D. 2" I.D. 1 5/8"Type Of Rig Truck Mounted Rig-D-50

78 Golden St.
Meriden, CT 06450
Phone/Fax 860-645-1304

Location 6 Rubber Ave.Naugatuck, CT

Offset _____

Ground Elevation _____

Hole No. TB-18

Casing Sampler Core
Type HSA SS Barrel

Size I.D. 4 1/4" 1 5/8"

HRP ASSOCIATES, INC.

167 New Britain Ave.

Plainville, CT 06062

Dept. Below Surface	Sample No. Depth Elev. Ft.	Type Of Sample	Blows Per 6" On Sample			Density Or Consist Moisture	Profile Change Depth Elev.	Field Identification Of Soils Remarks	Sample			PID
			From 0-6	To 6-12	To 12-18				No.	Pen	Rec	
	0-2	SS	5	12	14	Med. Comp. Dry		2" Asphalt.	1	2.0'	1.0'	0.0
					19			Reddish brown silt and fine - medium sand, little fine - medium siltstone, gravel.				
							0.3'	Brown to reddish brown fine - coarse sand, little silt and fine - coarse gravel. Woody fragments and concrete in Split Spoon tip.				
	2-4	SS	20	7	8	Med. Comp. Moist		Weathered concrete.	2	2.0'	1.2'	3.2
					5			Very dark brown woody fragments, little fine - medium sand and silt.				
							4.0'	B.O.B.				

Driller: Tony BellAssistant: Oliver PivottSoils Engineer: Kevin Bogue

Proportions used trace = 0.10%, little = 10.20%, some = 20.35%, and = 35.50%

Sample Type:

C = Cored W = Washed

SS = Split Spoon

LTP = Undisturbed Piston

Cohesionless Density

0-10 Loose

10-30 Med. Comp.

30-50 Dense

Total Footage:

Earth Boring 4.0

Rock Coring

Ft.

Ft.



Plainville, CT 06062

Size I.D. 4 1/4" 1 5/8"

Total Footage:		
Earth Boring	4.0	Ft.
Rock Coring		Ft.

CIER DR

GLACIER DRILLING

Plainville, CT 06062

Type Of Rig Truck Mounted Rig: D-50

Size I.D. 4 1/4" 1 5/8"

Total Footage:	
Earth Boring	Ft.
Rock Coring	Ft.



Plainville, CT 06062

ProJN4094.P2

Naugatuck, CT

Ground Elevation

Hole No. TB-21

	Casing	Sampler	Cole Barrel
Type	HSA	SS	

Size I.D. 4 1/4" 1 5/8"

Date Finish 7-27-02

Weight Of Hammer

140

300

Hammer Fall

30'

24ⁿ

Ground Water Observations

Date	Time	Depth
------	------	-------

Sampler O.D. 2" I.D. 1 5/8"


Type Of Rig Truck Mounted Rig: D-50

Total Footage:		
Earth Boring	10.0	Ft.
Rock Coring		Ft.

APPENDIX C
SOILS ANALYTICAL RESULTS

August 16, 2002

HRP Associates, Inc.
167 New Britain Avenue
Plainville, CT 06062
Attn: Ms. Mary Jane Mamed



Please find attached laboratory report(s) for the samples submitted on:
August 01, 2002.


RESUBMITTED CASE NARRATIVE WITH CORRECTED DATE RECEIVED ON
AUGUST 20, 2002.

All pertinent information for this analysis is located on the report. Should it be necessary
to contact us regarding billing or the test results, please have the following information
readily available:

Lab No. : 0802008
PO/Job No. : CHA4094.P2
Invoice No. : 119718
Customer No. : 350

Please contact us if you have any questions.

Very truly yours,


Stephen J. Franco
Laboratory Director
PH-0547



STEPHEN J. FRANCO
Laboratory Director


PHONE 203/634-3731

www.ctl-web.com / ctestlab@erols.com

165 GRACEY AVENUE MERIDEN, CT 06451

CASE NARRATIVE

Connecticut Testing Laboratories, Inc.



Prepared for:

HRP Associates, Inc.
167 New Britain Avenue
Plainville, CT 06062

Order#: 0802008
Project: CHA4094.P2

The following samples were received as indicated below and on the attached Chain of Custody record. All analyses were performed within the holding time and with acceptable quality control results unless otherwise noted.

SAMPLE ID	LAB ID	MATRIX	Date Collected	Date Received
TB-1 (0-2)	0000012-603	SOIL	07/28/2002	08/01/2002
TB-2 (2-4)	0000012-604	SOIL	07/28/2002	08/01/2002
TB-3 (0-2)	0000012-605	SOIL	07/28/2002	08/01/2002
TB-4 (5-7)	0000012-606	SOIL	07/28/2002	08/01/2002
TB-5 (Auger)	0000012-607	SOIL	07/28/2002	08/01/2002
TB-6 (2-4)	0000012-608	SOIL	07/28/2002	08/01/2002
TB-7 (0-2)	0000012-609	SOIL	07/28/2002	08/01/2002
TB-21 (2-4)	0000012-610	SOIL	07/28/2002	08/01/2002
TB-9 (5-7)	0000012-611	SOIL	07/28/2002	08/01/2002
TB-9 (10-12)	0000012-612	SOIL	07/28/2002	08/01/2002
TB-10 (5-7)	0000012-613	SOIL	07/28/2002	08/01/2002
TB-11 (0-2)	0000012-614	SOIL	07/28/2002	08/01/2002
TB-12 (0-1)	0000012-615	SOIL	07/28/2002	08/01/2002
TB-13 (5-7)	0000012-616	SOIL	07/28/2002	08/01/2002
TB-14 (0-2)	0000012-617	SOIL	07/28/2002	08/01/2002
TB-15 (5-7)	0000012-618	SOIL	07/28/2002	08/01/2002
TB-16 (2-4)	0000012-619	SOIL	07/28/2002	08/01/2002
TB-17 (5-7)	0000012-620	SOIL	07/28/2002	08/01/2002
TB-18 (2-4)	0000012-621	SOIL	07/28/2002	08/01/2002
TB-19 (2-4)	0000012-622	SOIL	07/28/2002	08/01/2002
TB-2 (0-2)	0000012-706	SOIL	07/28/2002	08/01/2002
TB-4 (2-4)	0000012-707	SOIL	07/28/2002	08/01/2002
TB-6 (5.5-7)	0000012-708	SOIL	07/28/2002	08/01/2002
TB-21 (5-6', 11")	0000012-709	SOIL	07/28/2002	08/01/2002
TB-10 (5-5.5)	0000012-710	SOIL	07/28/2002	08/01/2002
TB-12 (0-9)	0000012-711	SOIL	07/28/2002	08/01/2002
TB-13 (2-4)	0000012-712	SOIL	07/28/2002	08/01/2002
TB-14 (5-7)	0000012-713	SOIL	07/28/2002	08/01/2002

CASE NARRATIVE

Connecticut Testing Laboratories, Inc.

Prepared for:

HRP Associates, Inc.
167 New Britain Avenue
Plainville, CT 06062

Order#: 0802008

Project: CHA4094.P2

The following samples were received as indicated below and on the attached Chain of Custody record. All analyses were performed within the holding time and with acceptable quality control results unless otherwise noted.

TB-15 (2-4)	0000012-714	SOIL	07/28/2002	08/01/2002
TB-16 (0-2)	0000012-715	SOIL	07/28/2002	08/01/2002
TB-17 (10-11',4")	0000012-716	SOIL	07/28/2002	08/01/2002
TB-19 (0-2)	0000012-717	SOIL	07/28/2002	08/01/2002

The following samples have minimum detectable limits 10 times higher than those listed for all PAH analytes; TB-1 (0-2'), TB-2 (2-4'), TB-21 (2-4'), TB-11 (0-2'), TB-12 (0-1), TB-16 (2-4) & TB-18 (2-4).

CTL sample numbers 12706 and 12708 through 12717 were not analyzed.


The enclosed results of analyses are representative of the samples as received by the laboratory. Connecticut Testing Laboratories, Inc. makes no representations or certifications as to the methods of sample collection, sample identification, or transportation handling procedures used prior to our receipt of samples. To the best of my knowledge, the information contained in this report is accurate and complete.

Approved By: _____

Connecticut Testing Laboratories, Inc.

Date: _____

8/14/02



August 16, 2002

HRP Associates, Inc.
167 New Britain Avenue
Plainville, CT 06062
Attn: Ms. Mary Jane Mamed


Please find attached laboratory report(s) for the samples submitted on:
August 01, 2002.

All pertinent information for this analysis is located on the report. Should it be necessary to contact us regarding billing or the test results, please have the following information readily available:

Lab No. : 0802008
PO/Job No. : CHA4094.P2
Invoice No. : 119718
Customer No. : 350

Please contact us if you have any questions.

Very truly yours,



Stephen J. Franco
Laboratory Director
PH-0547



STEPHEN J. FRANCO
Laboratory Director
PHONE 203/634-3731
www.ctl-web.com / ctestlab@erols.com
165 GRACEY AVENUE MERIDEN, CT 06451

CASE NARRATIVE

Connecticut Testing Laboratories, Inc.



Prepared for:

HRP Associates, Inc.
167 New Britain Avenue
Plainville, CT 06062

Order#: 0802008

Project: CHA4094.P2

The following samples were received as indicated below and on the attached Chain of Custody record. All analyses were performed within the holding time and with acceptable quality control results unless otherwise noted.

SAMPLE ID	LAB ID	MATRIX	Date Collected	Date Received
TB-1 (0-2)	0000012-603	SOIL	07/31/2002	08/01/2002
TB-2 (2-4)	0000012-604	SOIL	07/31/2002	08/01/2002
TB-3 (0-2)	0000012-605	SOIL	07/31/2002	08/01/2002
TB-4 (5-7)	0000012-606	SOIL	07/31/2002	08/01/2002
TB-5 (Auger)	0000012-607	SOIL	07/31/2002	08/01/2002
TB-6 (2-4)	0000012-608	SOIL	07/31/2002	08/01/2002
TB-7 (0-2)	0000012-609	SOIL	07/31/2002	08/01/2002
TB-21 (2-4)	0000012-610	SOIL	07/31/2002	08/01/2002
TB-9 (5-7)	0000012-611	SOIL	07/31/2002	08/01/2002
TB-9 (10-12)	0000012-612	SOIL	07/31/2002	08/01/2002
TB-10 (5-7)	0000012-613	SOIL	07/31/2002	08/01/2002
TB-11 (0-2)	0000012-614	SOIL	07/31/2002	08/01/2002
TB-12 (0-1)	0000012-615	SOIL	07/31/2002	08/01/2002
TB-13 (5-7)	0000012-616	SOIL	07/31/2002	08/01/2002
TB-14 (0-2)	0000012-617	SOIL	07/31/2002	08/01/2002
TB-15 (5-7)	0000012-618	SOIL	07/31/2002	08/01/2002
TB-16 (2-4)	0000012-619	SOIL	07/31/2002	08/01/2002
TB-17 (5-7)	0000012-620	SOIL	07/31/2002	08/01/2002
TB-18 (2-4)	0000012-621	SOIL	07/31/2002	08/01/2002
TB-19 (2-4)	0000012-622	SOIL	07/31/2002	08/01/2002
TB-2 (0-2)	0000012-706	SOIL	07/28/2002	08/01/2002
TB-4 (2-4)	0000012-707	SOIL	07/28/2002	08/01/2002
TB-6 (5.5-7)	0000012-708	SOIL	07/28/2002	08/01/2002
TB-21 (5-6', 11")	0000012-709	SOIL	07/28/2002	08/01/2002
TB-10 (5-5.5)	0000012-710	SOIL	07/28/2002	08/01/2002
TB-12 (0-9)	0000012-711	SOIL	07/28/2002	08/01/2002
TB-13 (2-4)	0000012-712	SOIL	07/28/2002	08/01/2002
TB-14 (5-7)	0000012-713	SOIL	07/28/2002	08/01/2002

CASE NARRATIVE

Connecticut Testing Laboratories, Inc.

Prepared for:

HRP Associates, Inc.
167 New Britain Avenue
Plainville, CT 06062

Order#: 0802008

Project: CHA4094.P2


The following samples were received as indicated below and on the attached Chain of Custody record. All analyses were performed within the holding time and with acceptable quality control results unless otherwise noted.

TB-15 (2-4)	0000012-714	SOIL	07/28/2002	08/01/2002
TB-16 (0-2)	0000012-715	SOIL	07/28/2002	08/01/2002
TB-17 (10-11', 4")	0000012-716	SOIL	07/28/2002	08/01/2002
TB-19 (0-2)	0000012-717	SOIL	07/28/2002	08/01/2002

The following samples have minimum detectable limits 10 times higher than those listed for all PAH analytes; TB-1 (0-2'), TB-2 (2-4'), TB-21 (2-4'), TB-11 (0-2'), TB-12 (0-1), TB-16 (2-4) & TB-18 (2-4).

CTL sample numbers 12706 and 12708 through 12717 were not analyzed.

The enclosed results of analyses are representative of the samples as received by the laboratory. Connecticut Testing Laboratories, Inc. makes no representations or certifications as to the methods of sample collection, sample identification, or transportation handling procedures used prior to our receipt of samples. To the best of my knowledge, the information contained in this report is accurate and complete.

Approved By: 


Connecticut Testing Laboratories, Inc.

Date: 

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002



CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: CP

RESULTS OF ANALYSIS

8 RCRA Metals -Total

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12603	12604	12605	12606
Field ID:	TB-1 (0-2)	TB-2 (2-4)	TB-3 (0-2)	TB4 (5-7)
Date Analyzed:	08/09/2002	08/09/2002	08/09/2002	08/09/2002

Parameters	Units	MDL						Method #
Arsenic, Total	mg/kg	1.0	BDL	3.8	2.4	2.6		7060A
Barium, Total	mg/kg	5	39	193	96	34		6010B
Cadmium, Total	mg/kg	0.5	BDL	BDL	BDL	BDL		6010B
Chromium, Total	mg/kg	0.5	8.4	8.2	10.2	12.8		6010B
Lead, Total	mg/kg	0.5	29.3	138	95.1	23.2		6010B
Mercury, Total	mg/kg	0.02	0.06	0.39	1.36	1.55		7470A
Selenium, Total	mg/kg	0.5	BDL	BDL	BDL	BDL		7740
Silver, Total	mg/kg	0.2	BDL	BDL	BDL	BDL		6010B

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: CP

RESULTS OF ANALYSIS

8 RCRA Metals -Total

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12607	12608	12609	12610
Field ID:	TB-5 (Auger)	TB-6 (2-4)	TB-7 (0-2)	TB-21 (2-4)
Date Analyzed:	08/12/2002	08/09/2002	08/09/2002	08/09/2002

Parameters	Units	MDL					Method #
Arsenic, Total	mg/kg	1.0	5.5	5.8	6.8	2.7	7060A
Barium, Total	mg/kg	5	196	62	271	129	6010B
Cadmium, Total	mg/kg	0.5	0.7	BDL	0.9	BDL	6010B
Chromium, Total	mg/kg	0.5	9.6	6.8	12.3	11.7	6010B
Lead, Total	mg/kg	0.5	111	237	256	98.6	6010B
Mercury, Total	mg/kg	0.02	1.00	1.28	4.22	0.70	7470A
Selenium, Total	mg/kg	0.5	BDL	BDL	BDL	BDL	7740
Silver, Total	mg/kg	0.2	BDL	BDL	BDL	BDL	6010B

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: CP

RESULTS OF ANALYSIS

8 RCRA Metals -Total

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12611	12612	12613	12614
Field ID:	TB-9 (5-7)	TB-9 (10-12)	TB-10 (5-7)	TB-11 (0-2)
Date Analyzed:	08/09/2002	08/09/2002	08/09/2002	08/09/2002

Parameters	Units	MDL					Method #
Arsenic, Total	mg/kg	1.0	1.8	1.7	BDL	2.4	7060A
Barium, Total	mg/kg	5	63	35	34	124	6010B
Cadmium, Total	mg/kg	0.5	BDL	BDL	BDL	BDL	6010B
Chromium, Total	mg/kg	0.5	10.9	15.2	11.4	6.7	6010B
Lead, Total	mg/kg	0.5	10.8	5.8	16.1	32.0	6010B
Mercury, Total	mg/kg	0.02	0.07	BDL	0.14	0.07	7470A
Selenium, Total	mg/kg	0.5	BDL	BDL	BDL	BDL	7740
Silver, Total	mg/kg	0.2	BDL	BDL	BDL	0.5	6010B

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451

(203) 634-3731 (Fax) 630-1336

Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: CP

RESULTS OF ANALYSIS

8 RCRA Metals -Total

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12615	12616	12617	12618
Field ID:	TB-12 (0-1)	TB-13 (5-7)	TB-14 (0-2)	TB-15 (5-7)
Date Analyzed:	08/09/2002	08/09/2002	08/09/2002	08/09/2002

Parameters	Units	MDL					Method #
Arsenic, Total	mg/kg	1.0	2.4	4.3	1.6	3.3	7060A
Barium, Total	mg/kg	5	366	50	75	81	6010B
Cadmium, Total	mg/kg	0.5	0.9	BDL	BDL	BDL	6010B
Chromium, Total	mg/kg	0.5	15.6	7.4	13.3	9.4	6010B
Lead, Total	mg/kg	0.5	196	39.2	12.1	13.7	6010B
Mercury, Total	mg/kg	0.02	0.72	0.08	BDL	0.09	7470A
Selenium, Total	mg/kg	0.5	BDL	BDL	BDL	BDL	7740
Silver, Total	mg/kg	0.2	0.4	BDL	BDL	BDL	6010B

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: CP

RESULTS OF ANALYSIS

8 RCRA Metals -Total

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12619	12620	12621	12622
Field ID:	TB-16 (2-4)	TB-17 (5-7)	TB-18 (2-4)	TB-19 (2-4)
Date Analyzed:	08/09/2002	08/09/2002	08/09/2002	08/09/2002

Parameters	Units	MDL					Method #
Arsenic, Total	mg/kg	1.0	3.0	3.4	3.0	5.0	7060A
Barium, Total	mg/kg	5	466	61	225	382	6010B
Cadmium, Total	mg/kg	0.5	1.3	BDL	0.7	BDL	6010B
Chromium, Total	mg/kg	0.5	13.7	8.4	11.3	8.0	6010B
Lead, Total	mg/kg	0.5	578	168	183	43.3	6010B
Mercury, Total	mg/kg	0.02	1.00	0.46	0.21	0.43	7470A
Selenium, Total	mg/kg	0.5	BDL	BDL	BDL	BDL	7740
Silver, Total	mg/kg	0.2	0.2	BDL	0.3	0.4	6010B

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification: CT-BH0547 / MA-CT025

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: CP

RESULTS OF ANALYSIS

8 RCRA Metals -Total

Matrix Type: SOIL
CTL Sample No.: 12707
Field ID: TB-4 (2-4)
Date Analyzed: 08/12/2002

Parameters	Units	MDL					Method :
Arsenic, Total	mg/kg	1.0	2.3	--	--	--	7060A
Barium, Total	mg/kg	5	49	--	--	--	6010B
Cadmium, Total	mg/kg	0.5	0.8	--	--	--	6010B
Chromium, Total	mg/kg	0.5	9.8	--	--	--	6010B
Lead, Total	mg/kg	0.5	485	--	--	--	6010B
Mercury, Total	mg/kg	0.02	16.6	--	--	--	7470A
Selenium, Total	mg/kg	0.5	BDL	--	--	--	7740
Silver, Total	mg/kg	0.2	BDL	--	--	--	6010B

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: MP

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12603	12604	12605	12606
Field ID:	TB-1 (0-2)	TB-2 (2-4)	TB-3 (0-2)	TB4 (5-7)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002

Parameters	Units	MDL				Method #	
CT ETPH	mg/kg	25	96	2,750	BDL	BDL	GC-FID

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: MO

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12607	12608	12609	12610
Field ID:	TB-5 (Auger)	TB-6 (2-4)	TB-7 (0-2)	TB-21 (2-4)
Date Analyzed:	08/09/2002	08/08/2002	08/08/2002	08/08/2002

Parameters	Units	MDL				Method #	
CT ETPH	mg/kg	25	BDL	BDL	148	1,342	GC-FID

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: MO

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12611	12612	12613	12614
Field ID:	TB-9 (5-7)	TB-9 (10-12)	TB-10 (5-7)	TB-11 (0-2)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002

Parameters	Units	MDL				Method #	
CT ETPH	mg/kg	25	30	BDL	BDL	272	GC-FID

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: MO

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12615	12616	12617	12618
Field ID:	TB-12 (0-1)	TB-13 (5-7)	TB-14 (0-2)	TB-15 (5-7)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002

Parameters	Units	MDL					Method #
CT ETPH	mg/kg	25	76	27	301	BDL	GC-FID

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: MO

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12619	12620	12621	12622
Field ID:	TB-16 (2-4)	TB-17 (5-7)	TB-18 (2-4)	TB-19 (2-4)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002

Parameters	Units	MDL					Method #
CT ETPH	mg/kg	25	1,574	BDL	56	149	GC-FID

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: MP

RESULTS OF ANALYSIS

Matrix Type: SOIL
CTL Sample No.: 12707
Field ID: TB-4 (2-4)
Date Analyzed: 08/08/2002

Parameters	Units	MDL					Method #
CT ETPH	mg/kg	25	BDL	—	—	—	GC-FID

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12603	12604	12605	12606
Field ID:	TB-1 (0-2)	TB-2 (2-4)	TB-3 (0-2)	TB4 (5-7)
Date Analyzed:	08/06/2002	08/06/2002	08/06/2002	08/06/2002
Date Extracted:	08/06/2002	08/06/2002	08/06/2002	08/06/2002

Parameters	Units	MDL				
Dichlorodifluoromethane	ppb	10	BDL	BDL	BDL	BDL
Chloromethane	ppb	10	BDL	BDL	BDL	BDL
Vinyl chloride	ppb	10	BDL	BDL	BDL	BDL
Chloroethane	ppb	10	BDL	BDL	BDL	BDL
Bromomethane	ppb	10	BDL	BDL	BDL	BDL
Trichlorofluoromethane	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
Methylene chloride	ppb	10	BDL	BDL	BDL	BDL
trans-1,2-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloroethane	ppb	10	BDL	BDL	BDL	BDL
2,2-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
cis-1,2-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
Chloroform	ppb	10	BDL	BDL	BDL	BDL
Bromochloromethane	ppb	10	BDL	BDL	BDL	BDL
1,1,1-Trichloroethane	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
Carbon tetrachloride	ppb	10	BDL	BDL	BDL	BDL
Benzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichloroethane	ppb	10	BDL	BDL	BDL	BDL
Trichloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
Bromodichloromethane	ppb	10	BDL	BDL	BDL	BDL
Dibromomethane	ppb	10	BDL	BDL	BDL	BDL
cis-1,3-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
Toluene	ppb	10	BDL	BDL	BDL	BDL
trans-1,3-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
1,1,2-Trichloroethane	ppb	10	BDL	BDL	BDL	BDL
Tetrachloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,3-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
Dibromochloromethane	ppb	10	BDL	BDL	BDL	BDL
1,2-Dibromoethane	ppb	10	BDL	BDL	BDL	BDL
Chlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Ethyl Benzene	ppb	10	BDL	BDL	BDL	BDL
1,1,1,2-Tetrachloroethane	ppb	10	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification: CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12603	12604	12605	12606
Field ID:	TB-1 (0-2)	TB-2 (2-4)	TB-3 (0-2)	TB4 (5-7)
Date Analyzed:	08/06/2002	08/06/2002	08/06/2002	08/06/2002
Date Extracted:	08/06/2002	08/06/2002	08/06/2002	08/06/2002

Parameters	Units	MDL				
p/m-Xylene	ppb	10	BDL	BDL	BDL	BDL
o-Xylene	ppb	10	BDL	BDL	BDL	BDL
Styrene	ppb	10	BDL	BDL	BDL	BDL
Bromoform	ppb	10	BDL	BDL	BDL	BDL
Isopropylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,1,2,2-Tetrachloroethane	ppb	10	BDL	BDL	BDL	BDL
Bromobenzene	ppb	10	BDL	BDL	BDL	BDL
1,2,3-Trichloropropane	ppb	10	BDL	BDL	BDL	BDL
n-Propylbenzene	ppb	10	BDL	BDL	BDL	BDL
2-Chlorotoluene	ppb	10	BDL	BDL	BDL	BDL
1,3,5-Trimethylbenzene	ppb	10	BDL	BDL	BDL	BDL
4-Chlorotoluene	ppb	10	BDL	BDL	BDL	BDL
tert-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,2,4-Trimethylbenzene	ppb	10	BDL	BDL	BDL	BDL
sec-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
p-Isopropyltoluene	ppb	10	BDL	BDL	BDL	BDL
1,3-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
1,4-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
n-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dibromo-3-chloropropane	ppb	10	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Hexachlorobutadiene	ppb	50	BDL	BDL	BDL	BDL
Naphthalene	ppb	50	BDL	BDL	BDL	BDL
1,2,3-Trichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Methyl ethyl ketone	ppb	50	BDL	BDL	BDL	BDL
MIBK	ppb	50	BDL	BDL	BDL	BDL
Methyl butyl ketone	ppb	50	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451

(203) 634-3731 (Fax) 630-1336

Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12607	12608	12609	12610
Field ID:	TB-5 (Auger)	TB-6 (2-4)	TB-7 (0-2)	TB-21 (2-4)
Date Analyzed:	08/06/2002	08/06/2002	08/06/2002	08/06/2002
Date Extracted:	08/06/2002	08/06/2002	08/06/2002	08/06/2002

Parameters	Units	MDL				
Dichlorodifluoromethane	ppb	10	BDL	BDL	BDL	BDL
Chloromethane	ppb	10	BDL	BDL	BDL	BDL
Vinyl chloride	ppb	10	BDL	BDL	BDL	BDL
Chloroethane	ppb	10	BDL	BDL	BDL	BDL
Bromomethane	ppb	10	BDL	BDL	BDL	BDL
Trichlorofluoromethane	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
Methylene chloride	ppb	10	BDL	BDL	BDL	BDL
trans-1,2-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloroethane	ppb	10	BDL	BDL	BDL	BDL
2,2-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
cis-1,2-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
Chloroform	ppb	10	BDL	BDL	BDL	BDL
Bromochloromethane	ppb	10	BDL	BDL	BDL	BDL
1,1,1-Trichloroethane	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
Carbon tetrachloride	ppb	10	BDL	BDL	BDL	BDL
Benzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichloroethane	ppb	10	BDL	BDL	BDL	BDL
Trichloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
Bromodichloromethane	ppb	10	BDL	BDL	BDL	BDL
Dibromomethane	ppb	10	BDL	BDL	BDL	BDL
cis-1,3-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
Toluene	ppb	10	BDL	BDL	BDL	BDL
trans-1,3-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
1,1,2-Trichloroethane	ppb	10	BDL	BDL	BDL	BDL
Tetrachloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,3-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
Dibromochloromethane	ppb	10	BDL	BDL	BDL	BDL
1,2-Dibromoethane	ppb	10	BDL	BDL	BDL	BDL
Chlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Ethyl Benzene	ppb	10	BDL	BDL	BDL	BDL
1,1,1,2-Tetrachloroethane	ppb	10	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12607	12608	12609	12610
Field ID:	TB-5 (Auger)	TB-6 (2-4)	TB-7 (0-2)	TB-21 (2-4)
Date Analyzed:	08/06/2002	08/06/2002	08/06/2002	08/06/2002
Date Extracted:	08/06/2002	08/06/2002	08/06/2002	08/06/2002

Parameters	Units	MDL				
p/m-Xylene	ppb	10	BDL	BDL	BDL	BDL
o-Xylene	ppb	10	BDL	BDL	BDL	BDL
Styrene	ppb	10	BDL	BDL	BDL	BDL
Bromoform	ppb	10	BDL	BDL	BDL	BDL
Isopropylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,1,2,2-Tetrachloroethane	ppb	10	BDL	BDL	BDL	BDL
Bromobenzene	ppb	10	BDL	BDL	BDL	BDL
1,2,3-Trichloropropane	ppb	10	BDL	BDL	BDL	BDL
n-Propylbenzene	ppb	10	BDL	BDL	BDL	BDL
2-Chlorotoluene	ppb	10	BDL	BDL	BDL	BDL
1,3,5-Trimethylbenzene	ppb	10	BDL	BDL	BDL	BDL
4-Chlorotoluene	ppb	10	BDL	BDL	BDL	BDL
tert-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,2,4-Trimethylbenzene	ppb	10	BDL	BDL	BDL	BDL
sec-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
p-Isopropyltoluene	ppb	10	BDL	BDL	BDL	BDL
1,3-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
1,4-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
n-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dibromo-3-chloropropane	ppb	10	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Hexachlorobutadiene	ppb	50	BDL	BDL	BDL	BDL
Naphthalene	ppb	50	BDL	BDL	BDL	BDL
1,2,3-Trichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Methyl ethyl ketone	ppb	50	BDL	BDL	BDL	BDL
MIBK	ppb	50	BDL	BDL	BDL	BDL
Methyl butyl ketone	ppb	50	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12611	12612	12613	12614
Field ID:	TB-9 (5-7)	TB-9 (10-12)	TB-10 (5-7)	TB-11 (0-2)
Date Analyzed:	08/06/2002	08/06/2002	08/06/2002	08/06/2002
Date Extracted:	08/06/2002	08/06/2002	08/06/2002	08/06/2002

Parameters	Units	MDL				
Dichlorodifluoromethane	ppb	10	BDL	BDL	BDL	BDL
Chloromethane	ppb	10	BDL	BDL	BDL	BDL
Vinyl chloride	ppb	10	BDL	BDL	BDL	BDL
Chloroethane	ppb	10	BDL	BDL	BDL	BDL
Bromomethane	ppb	10	BDL	BDL	BDL	BDL
Trichlorofluoromethane	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
Methylene chloride	ppb	10	BDL	BDL	BDL	BDL
trans-1,2-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloroethane	ppb	10	BDL	BDL	BDL	BDL
2,2-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
cis-1,2-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
Chloroform	ppb	10	BDL	BDL	BDL	BDL
Bromochloromethane	ppb	10	BDL	BDL	BDL	BDL
1,1,1-Trichloroethane	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
Carbon tetrachloride	ppb	10	BDL	BDL	BDL	BDL
Benzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichloroethane	ppb	10	BDL	BDL	BDL	BDL
Trichloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
Bromodichloromethane	ppb	10	BDL	BDL	BDL	BDL
Dibromomethane	ppb	10	BDL	BDL	BDL	BDL
cis-1,3-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
Toluene	ppb	10	BDL	BDL	BDL	BDL
trans-1,3-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
1,1,2-Trichloroethane	ppb	10	BDL	BDL	BDL	BDL
Tetrachloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,3-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
Dibromochloromethane	ppb	10	BDL	BDL	BDL	BDL
1,2-Dibromoethane	ppb	10	BDL	BDL	BDL	BDL
Chlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Ethyl Benzene	ppb	10	BDL	BDL	BDL	BDL
1,1,1,2-Tetrachloroethane	ppb	10	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12611	12612	12613	12614
Field ID:	TB-9 (5-7)	TB-9 (10-12)	TB-10 (5-7)	TB-11 (0-2)
Date Analyzed:	08/06/2002	08/06/2002	08/06/2002	08/06/2002
Date Extracted:	08/06/2002	08/06/2002	08/06/2002	08/06/2002

Parameters	Units	MDL				
p/m-Xylene	ppb	10	BDL	BDL	BDL	BDL
o-Xylene	ppb	10	BDL	BDL	BDL	BDL
Styrene	ppb	10	BDL	BDL	BDL	BDL
Bromoform	ppb	10	BDL	BDL	BDL	BDL
Isopropylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,1,2,2-Tetrachloroethane	ppb	10	BDL	BDL	BDL	BDL
Bromobenzene	ppb	10	BDL	BDL	BDL	BDL
1,2,3-Trichloropropane	ppb	10	BDL	BDL	BDL	BDL
n-Propylbenzene	ppb	10	BDL	BDL	BDL	BDL
2-Chlorotoluene	ppb	10	BDL	BDL	BDL	BDL
1,3,5-Trimethylbenzene	ppb	10	BDL	BDL	BDL	BDL
4-Chlorotoluene	ppb	10	BDL	BDL	BDL	BDL
tert-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,2,4-Trimethylbenzene	ppb	10	BDL	BDL	BDL	BDL
sec-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
p-Isopropyltoluene	ppb	10	BDL	BDL	BDL	BDL
1,3-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
1,4-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
n-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dibromo-3-chloropropane	ppb	10	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Hexachlorobutadiene	ppb	50	BDL	BDL	BDL	BDL
Naphthalene	ppb	50	BDL	BDL	BDL	BDL
1,2,3-Trichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Methyl ethyl ketone	ppb	50	BDL	BDL	BDL	BDL
MIBK	ppb	50	BDL	BDL	BDL	BDL
Methyl butyl ketone	ppb	50	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification: CT-PH0517 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12615	12616	12617	12618
Field ID:	TB-12 (0-1)	TB-13 (5-7)	TB-14 (0-2)	TB-15 (5-7)
Date Analyzed:	08/06/2002	08/06/2002	08/06/2002	08/06/2002
Date Extracted:	08/06/2002	08/06/2002	08/06/2002	08/06/2002

Parameters	Units	MDL				
Dichlorodifluoromethane	ppb	10	BDL	BDL	BDL	BDL
Chloromethane	ppb	10	BDL	BDL	BDL	BDL
Vinyl chloride	ppb	10	BDL	BDL	BDL	BDL
Chloroethane	ppb	10	BDL	BDL	BDL	BDL
Bromomethane	ppb	10	BDL	BDL	BDL	BDL
Trichlorofluoromethane	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
Methylene chloride	ppb	10	BDL	BDL	BDL	BDL
trans-1,2-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloroethane	ppb	10	BDL	BDL	BDL	BDL
2,2-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
cis-1,2-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
Chloroform	ppb	10	BDL	BDL	BDL	BDL
Bromochloromethane	ppb	10	BDL	BDL	BDL	BDL
1,1,1-Trichloroethane	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
Carbon tetrachloride	ppb	10	BDL	BDL	BDL	BDL
Benzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichloroethane	ppb	10	BDL	BDL	BDL	BDL
Trichloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
Bromodichloromethane	ppb	10	BDL	BDL	BDL	BDL
Dibromomethane	ppb	10	BDL	BDL	BDL	BDL
cis-1,3-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
Toluene	ppb	10	BDL	BDL	BDL	BDL
trans-1,3-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
1,1,2-Trichloroethane	ppb	10	BDL	BDL	BDL	BDL
Tetrachloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,3-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
Dibromochloromethane	ppb	10	BDL	BDL	BDL	BDL
1,2-Dibromoethane	ppb	10	BDL	BDL	BDL	BDL
Chlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Ethyl Benzene	ppb	10	BDL	BDL	BDL	BDL
1,1,1,2-Tetrachloroethane	ppb	10	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12615	12616	12617	12618
Field ID:	TB-12 (0-1)	TB-13 (5-7)	TB-14 (0-2)	TB-15 (5-7)
Date Analyzed:	08/06/2002	08/06/2002	08/06/2002	08/06/2002
Date Extracted:	08/06/2002	08/06/2002	08/06/2002	08/06/2002

Parameters	Units	MDL				
p/m-Xylene	ppb	10	BDL	BDL	BDL	BDL
o-Xylene	ppb	10	BDL	BDL	BDL	BDL
Styrene	ppb	10	BDL	BDL	BDL	BDL
Bromoform	ppb	10	BDL	BDL	BDL	BDL
Isopropylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,1,2,2-Tetrachloroethane	ppb	10	BDL	BDL	BDL	BDL
Bromobenzene	ppb	10	BDL	BDL	BDL	BDL
1,2,3-Trichloropropane	ppb	10	BDL	BDL	BDL	BDL
n-Propylbenzene	ppb	10	BDL	BDL	BDL	BDL
2-Chlorotoluene	ppb	10	BDL	BDL	BDL	BDL
1,3,5-Trimethylbenzene	ppb	10	BDL	BDL	BDL	BDL
4-Chlorotoluene	ppb	10	BDL	BDL	BDL	BDL
tert-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,2,4-Trimethylbenzene	ppb	10	BDL	BDL	BDL	BDL
sec-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
p-Isopropyltoluene	ppb	10	BDL	BDL	BDL	BDL
1,3-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
1,4-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
n-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dibromo-3-chloropropane	ppb	10	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Hexachlorobutadiene	ppb	50	BDL	BDL	BDL	BDL
Naphthalene	ppb	50	BDL	BDL	BDL	BDL
1,2,3-Trichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Methyl ethyl ketone	ppb	50	BDL	BDL	BDL	BDL
MIBK	ppb	50	BDL	BDL	BDL	BDL
Methyl butyl ketone	ppb	50	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12619	12620	12621	12622
Field ID:	TB-16 (2-4)	TB-17 (5-7)	TB-18 (2-4)	TB-19 (2-4)
Date Analyzed:	08/06/2002	08/06/2002	08/06/2002	08/06/2002
Date Extracted:	08/06/2002	08/06/2002	08/06/2002	08/06/2002

Parameters	Units	MDL				
Dichlorodifluoromethane	ppb	10	BDL	BDL	BDL	BDL
Chloromethane	ppb	10	BDL	BDL	BDL	BDL
Vinyl chloride	ppb	10	BDL	BDL	BDL	BDL
Chloroethane	ppb	10	BDL	BDL	BDL	BDL
Bromomethane	ppb	10	BDL	BDL	BDL	BDL
Trichlorofluoromethane	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
Methylene chloride	ppb	10	BDL	BDL	BDL	BDL
trans-1,2-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloroethane	ppb	10	BDL	BDL	BDL	BDL
2,2-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
cis-1,2-Dichloroethylene	ppb	10	BDL	BDL	BDL	BDL
Chloroform	ppb	10	BDL	BDL	BDL	BDL
Bromochloromethane	ppb	10	BDL	BDL	BDL	BDL
1,1,1-Trichloroethane	ppb	10	BDL	BDL	BDL	BDL
1,1-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
Carbon tetrachloride	ppb	10	BDL	BDL	BDL	BDL
Benzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichloroethane	ppb	10	BDL	BDL	BDL	BDL
Trichloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
Bromodichloromethane	ppb	10	BDL	BDL	BDL	BDL
Dibromomethane	ppb	10	BDL	BDL	BDL	BDL
cis-1,3-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
Toluene	ppb	10	BDL	BDL	BDL	BDL
trans-1,3-Dichloropropylene	ppb	10	BDL	BDL	BDL	BDL
1,1,2-Trichloroethane	ppb	10	BDL	BDL	BDL	BDL
Tetrachloroethylene	ppb	10	BDL	BDL	BDL	BDL
1,3-Dichloropropane	ppb	10	BDL	BDL	BDL	BDL
Dibromochloromethane	ppb	10	BDL	BDL	BDL	BDL
1,2-Dibromoethane	ppb	10	BDL	BDL	BDL	BDL
Chlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Ethyl Benzene	ppb	10	BDL	BDL	BDL	BDL
1,1,1,2-Tetrachloroethane	ppb	10	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12619	12620	12621	12622
Field ID:	TB-16 (2-4)	TB-17 (5-7)	TB-18 (2-4)	TB-19 (2-4)
Date Analyzed:	08/06/2002	08/06/2002	08/06/2002	08/06/2002
Date Extracted:	08/06/2002	08/06/2002	08/06/2002	08/06/2002

Parameters	Units	MDL				
p/m-Xylene	ppb	10	BDL	BDL	BDL	BDL
o-Xylene	ppb	10	BDL	BDL	BDL	BDL
Styrene	ppb	10	BDL	BDL	BDL	BDL
Bromoform	ppb	10	BDL	BDL	BDL	BDL
Isopropylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,1,2,2-Tetrachloroethane	ppb	10	BDL	BDL	BDL	BDL
Bromobenzene	ppb	10	BDL	BDL	BDL	BDL
1,2,3-Trichloropropane	ppb	10	BDL	BDL	BDL	BDL
n-Propylbenzene	ppb	10	BDL	BDL	BDL	BDL
2-Chlorotoluene	ppb	10	BDL	BDL	BDL	BDL
1,3,5-Trimethylbenzene	ppb	10	BDL	BDL	BDL	BDL
4-Chlorotoluene	ppb	10	BDL	BDL	BDL	BDL
tert-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,2,4-Trimethylbenzene	ppb	10	BDL	BDL	BDL	BDL
sec-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
p-Isopropyltoluene	ppb	10	BDL	BDL	BDL	BDL
1,3-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
1,4-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
n-Butylbenzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
1,2-Dibromo-3-chloropropane	ppb	10	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Hexachlorobutadiene	ppb	50	BDL	BDL	BDL	BDL
Naphthalene	ppb	50	BDL	BDL	BDL	BDL
1,2,3-Trichlorobenzene	ppb	10	BDL	BDL	BDL	BDL
Methyl ethyl ketone	ppb	50	BDL	BDL	BDL	BDL
MIBK	ppb	50	BDL	BDL	BDL	BDL
Methyl butyl ketone	ppb	50	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type: SOIL
CTL Sample No.: 12707
Field ID: TB-4 (2-4)
Date Analyzed: 08/06/2002
Date Extracted: 08/06/2002

Parameters	Units	MDL				
Dichlorodifluoromethane	ppb	10	BDL	--	--	--
Chloromethane	ppb	10	BDL	--	--	--
Vinyl chloride	ppb	10	BDL	--	--	--
Chloroethane	ppb	10	BDL	--	--	--
Bromomethane	ppb	10	BDL	--	--	--
Trichlorofluoromethane	ppb	10	BDL	--	--	--
1,1-Dichloroethylene	ppb	10	BDL	--	--	--
Methylene chloride	ppb	10	BDL	--	--	--
trans-1,2-Dichloroethylene	ppb	10	BDL	--	--	--
1,1-Dichloroethane	ppb	10	BDL	--	--	--
2,2-Dichloropropane	ppb	10	BDL	--	--	--
cis-1,2-Dichloroethylene	ppb	10	BDL	--	--	--
Chloroform	ppb	10	BDL	--	--	--
Bromochloromethane	ppb	10	BDL	--	--	--
1,1,1-Trichloroethane	ppb	10	BDL	--	--	--
1,1-Dichloropropylene	ppb	10	BDL	--	--	--
Carbon tetrachloride	ppb	10	BDL	--	--	--
Benzene	ppb	10	BDL	--	--	--
1,2-Dichloroethane	ppb	10	BDL	--	--	--
Trichloroethylene	ppb	10	BDL	--	--	--
1,2-Dichloropropane	ppb	10	BDL	--	--	--
Bromodichloromethane	ppb	10	BDL	--	--	--
Dibromomethane	ppb	10	BDL	--	--	--
cis-1,3-Dichloropropylene	ppb	10	BDL	--	--	--
Toluene	ppb	10	BDL	--	--	--
trans-1,3-Dichloropropylene	ppb	10	BDL	--	--	--
1,1,2-Trichloroethane	ppb	10	BDL	--	--	--
Tetrachloroethylene	ppb	10	BDL	--	--	--
1,3-Dichloropropane	ppb	10	BDL	--	--	--
Dibromochloromethane	ppb	10	BDL	--	--	--
1,2-Dibromoethane	ppb	10	BDL	--	--	--
Chlorobenzene	ppb	10	BDL	--	--	--
Ethyl Benzene	ppb	10	BDL	--	--	--
1,1,1,2-Tetrachloroethane	ppb	10	BDL	--	--	--

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type: SOIL
CTL Sample No.: 12707
Field ID: TB-4 (2-4)
Date Analyzed: 08/06/2002
Date Extracted: 08/06/2002

Parameters	Units	MDL				
p/m-Xylene	ppb	10	BDL	--	--	--
o-Xylene	ppb	10	BDL	--	--	--
Styrene	ppb	10	BDL	--	--	--
Bromoform	ppb	10	BDL	--	--	--
Isopropylbenzene	ppb	10	BDL	--	--	--
1,1,2,2-Tetrachloroethane	ppb	10	BDL	--	--	--
Bromobenzene	ppb	10	BDL	--	--	--
1,2,3-Trichloropropane	ppb	10	BDL	--	--	--
n-Propylbenzene	ppb	10	BDL	--	--	--
2-Chlorotoluene	ppb	10	BDL	--	--	--
1,3,5-Trimethylbenzene	ppb	10	BDL	--	--	--
4-Chlorotoluene	ppb	10	BDL	--	--	--
tert-Butylbenzene	ppb	10	BDL	--	--	--
1,2,4-Trimethylbenzene	ppb	10	BDL	--	--	--
sec-Butylbenzene	ppb	10	BDL	--	--	--
p-Isopropyltoluene	ppb	10	BDL	--	--	--
1,3-Dichlorobenzene	ppb	10	BDL	--	--	--
1,4-Dichlorobenzene	ppb	10	BDL	--	--	--
n-Butylbenzene	ppb	10	BDL	--	--	--
1,2-Dichlorobenzene	ppb	10	BDL	--	--	--
1,2-Dibromo-3-chloropropane	ppb	10	BDL	--	--	--
1,2,4-Trichlorobenzene	ppb	10	BDL	--	--	--
Hexachlorobutadiene	ppb	50	BDL	--	--	--
Naphthalene	ppb	50	BDL	--	--	--
1,2,3-Trichlorobenzene	ppb	10	BDL	--	--	--
Methyl ethyl ketone	ppb	50	BDL	--	--	--
MIBK	ppb	50	BDL	--	--	--
Methyl butyl ketone	ppb	50	BDL	--	--	--

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

PAH'S EPA Method 8270C

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12603	12604	12605	12606
Field ID:	TB-1 (0-2)	TB-2 (2-4)	TB-3 (0-2)	TB4 (5-7)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002
Date Extracted:	08/08/2002	08/08/2002	08/08/2002	08/08/2002

Parameters	Units	MDL				
Naphthalene	ppb	10	BDL	BDL	BDL	BDL
Acenaphthylene	ppb	10	BDL	BDL	BDL	BDL
Acenaphthene	ppb	10	BDL	BDL	34.0	BDL
Fluorene	ppb	10	BDL	BDL	26.0	BDL
Phenanthrene	ppb	10	BDL	BDL	368.0	31.0
Anthracene	ppb	10	BDL	BDL	74.0	BDL
Fluoranthene	ppb	10	BDL	103.0	618.0	90.0
Pyrene	ppb	10	BDL	BDL	512.0	64.0
Benzo(a)anthracene	ppb	10	BDL	BDL	272.0	27.0
Chrysene	ppb	10	BDL	BDL	282.0	32.0
Benzo(b)fluoranthene	ppb	10	BDL	133.0	255.0	22.0
Benzo(k)fluoranthene	ppb	10	BDL	BDL	214.0	24.0
Benzo(a)pyrene	ppb	10	BDL	102.0	297.0	20.0
Indeno(1,2,3-cd)Pyrene	ppb	50	BDL	BDL	193.0	BDL
Dibenzo(a,h)Anthracene	ppb	50	BDL	BDL	BDL	BDL
Benzo(g,h,i)Perylene	ppb	50	BDL	BDL	143.0	BDL
Benzo(j)fluoranthene	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,h)acridine	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,j)acridine	ppb	50	BDL	BDL	BDL	BDL
7H-Dibenzo(c,g)carbazole	ppb	50	BDL	BDL	BDL	BDL
3-Methylcholanthrene	ppb	50	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification GT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

PAH'S EPA Method 8270C

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12607	12608	12609	12610
Field ID:	TB-5 (Auger)	TB-6 (2-4)	TB-7 (0-2)	TB-21 (2-4)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002
Date Extracted:	08/08/2002	08/08/2002	08/08/2002	08/08/2002

Parameters	Units	MDL				
Naphthalene	ppb	10	BDL	BDL	BDL	BDL
Acenaphthylene	ppb	10	BDL	BDL	BDL	BDL
Acenaphthene	ppb	10	BDL	15.0	BDL	202.0
Fluorene	ppb	10	BDL	BDL	BDL	182.0
Phenanthrene	ppb	10	99.0	148.0	27.0	757.0
Anthracene	ppb	10	18.0	26.0	BDL	220.0
Fluoranthene	ppb	10	152.0	270.0	49.0	581.0
Pyrene	ppb	10	137.0	250.0	45.0	449.0
Benzo(a)anthracene	ppb	10	58.0	119.0	19.0	180.0
Chrysene	ppb	10	70.0	133.0	24.0	191.0
Benzo(b)fluoranthene	ppb	10	82.0	117.0	22.0	143.0
Benzo(k)fluoranthene	ppb	10	59.0	112.0	18.0	110.0
Benzo(a)pyrene	ppb	10	82.0	119.0	21.0	132.0
Indeno(1,2,3-cd)Pyrene	ppb	50	59.0	92.0	BDL	BDL
Dibenzo(a,h)Anthracene	ppb	50	BDL	BDL	BDL	BDL
Benzo(g,h,i)Perylene	ppb	50	BDL	72.0	BDL	BDL
Benzo(j)fluoranthene	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,h)acridine	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,i)acridine	ppb	50	BDL	BDL	BDL	BDL
7H-Dibenzo(c,g)carbazole	ppb	50	BDL	BDL	BDL	BDL
3-Methylcholanthrene	ppb	50	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

PAH'S EPA Method 8270C

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12611	12612	12613	12614
Field ID:	TB-9 (5-7)	TB-9 (10-12)	TB-10 (5-7)	TB-11 (0-2)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002
Date Extracted:	08/08/2002	08/08/2002	08/08/2002	08/08/2002

Parameters	Units	MDL				
Naphthalene	ppb	10	BDL	BDL	BDL	BDL
Acenaphthylene	ppb	10	BDL	BDL	BDL	BDL
Acenaphthene	ppb	10	BDL	BDL	BDL	BDL
Fluorene	ppb	10	BDL	BDL	BDL	BDL
Phenanthrene	ppb	10	BDL	BDL	24.0	634.0
Anthracene	ppb	10	BDL	BDL	BDL	179.0
Fluoranthene	ppb	10	BDL	BDL	46.0	821.0
Pyrene	ppb	10	BDL	BDL	42.0	785.0
Benzo(a)anthracene	ppb	10	BDL	BDL	20.0	357.0
Chrysene	ppb	10	BDL	BDL	24.0	422.0
Benzo(b)fluoranthene	ppb	10	BDL	BDL	18.0	321.0
Benzo(k)fluoranthene	ppb	10	BDL	BDL	17.0	279.0
Benzo(a)pyrene	ppb	10	BDL	BDL	25.0	320.0
Indeno(1,2,3-cd)Pyrene	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,h)Anthracene	ppb	50	BDL	BDL	BDL	BDL
Benzo(g,h,i)Perylene	ppb	50	BDL	BDL	BDL	BDL
Benzo(j)fluoranthene	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,h)acridine	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,j)acridine	ppb	50	BDL	BDL	BDL	BDL
7H-Dibenzo(c,g)carbazole	ppb	50	BDL	BDL	BDL	BDL
3-Methylcholanthrene	ppb	50	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

PAH'S EPA Method 8270C

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12615	12616	12617	12618
Field ID:	TB-12 (0-1)	TB-13 (5-7)	TB-14 (0-2)	TB-15 (5-7)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002
Date Extracted:	08/08/2002	08/08/2002	08/08/2002	08/08/2002

Parameters	Units	MDL				
Naphthalene	ppb	10	BDL	BDL	BDL	BDL
Acenaphthylene	ppb	10	BDL	65.0	BDL	BDL
Acenaphthene	ppb	10	104.0	55.0	BDL	BDL
Fluorene	ppb	10	BDL	122.0	BDL	BDL
Phenanthrene	ppb	10	1,333.0	1,967	27.0	BDL
Anthracene	ppb	10	338.0	766.0	BDL	BDL
Fluoranthene	ppb	10	3,546	4,493	56.0	BDL
Pyrene	ppb	10	3,086	3,901	47.0	BDL
Benzo(a)anthracene	ppb	10	1,453	1,791	19.0	BDL
Chrysene	ppb	10	1,546	1,734	23.0	BDL
Benzo(b)fluoranthene	ppb	10	1,301	932.0	12.0	BDL
Benzo(k)fluoranthene	ppb	10	1,128	1,067	12.0	BDL
Benzo(a)pyrene	ppb	10	1,439	1,159	17.0	BDL
Indeno(1,2,3-cd)Pyrene	ppb	50	900.0	661.0	BDL	BDL
Dibenzo(a,h)Anthracene	ppb	50	BDL	239.0	BDL	BDL
Benzo(g,h,i)Perylene	ppb	50	639.0	374.0	BDL	BDL
Benzo(j)fluoranthene	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,h)acridine	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,j)acridine	ppb	50	BDL	BDL	BDL	BDL
7H-Dibenzo(c,g)carbazole	ppb	50	BDL	95.0	BDL	BDL
3-Methylcholanthrene	ppb	50	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

PAH'S EPA Method 8270C

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12619	12620	12621	12622
Field ID:	TB-16 (2-4)	TB-17 (5-7)	TB-18 (2-4)	TB-19 (2-4)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002
Date Extracted:	08/08/2002	08/08/2002	08/08/2002	08/08/2002

Parameters	Units	MDL				
Naphthalene	ppb	10	BDL	23.0	908.0	81.0
Acenaphthylene	ppb	10	117.0	12.0	254.0	BDL
Acenaphthene	ppb	10	193.0	41.0	2,481	106.0
Fluorene	ppb	10	153.0	53.0	3,361	123.0
Phenanthrene	ppb	10	625.0	499.0	19,435	840.0
Anthracene	ppb	10	196.0	112.0	5,339	218.0
Fluoranthene	ppb	10	1,051	514.0	18,491	885.0
Pyrene	ppb	10	924.0	400.0	15,010	672.0
Benzo(a)anthracene	ppb	10	322.0	221.0	6,874	367.0
Chrysene	ppb	10	464.0	251.0	6,770	360.0
Benzo(b)fluoranthene	ppb	10	366.0	208.0	5,137	254.0
Benzo(k)fluoranthene	ppb	10	257.0	185.0	4,039	214.0
Benzo(a)pyrene	ppb	10	341.0	202.0	5,033	334.0
Indeno(1,2,3-cd)Pyrene	ppb	50	BDL	164.0	2,825	171.0
Dibenzo(a,h)Anthracene	ppb	50	BDL	BDL	BDL	BDL
Benzo(g,h,i)Perylene	ppb	50	BDL	111.0	1,934	120.0
Benzo(j)fluoranthene	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,h)acridine	ppb	50	BDL	BDL	BDL	BDL
Dibenzo(a,j)acridine	ppb	50	BDL	BDL	BDL	BDL
7H-Dibenzo(c,g)carbazole	ppb	50	BDL	62.0	1,524	136.0
3-Methylcholanthrene	ppb	50	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: SR

RESULTS OF ANALYSIS

PAH'S EPA Method 8270C

Matrix Type: SOIL
CTL Sample No.: 12707
Field ID: TB-4 (2-4)
Date Analyzed: 08/08/2002
Date Extracted: 08/08/2002

Parameters	Units	MDL				
Naphthalene	ppb	10	BDL	--	--	--
Acenaphthylene	ppb	10	44.0	--	--	--
Acenaphthene	ppb	10	23.0	--	--	--
Fluorene	ppb	10	27.0	--	--	--
Phenanthrene	ppb	10	449	--	--	--
Anthracene	ppb	10	94.0	--	--	--
Fluoranthene	ppb	10	923.0	--	--	--
Pyrene	ppb	10	727.0	--	--	--
Benzo(a)anthracene	ppb	10	384.0	--	--	--
Chrysene	ppb	10	393.0	--	--	--
Benzo(b)fluoranthene	ppb	10	282.0	--	--	--
Benzo(k)fluoranthene	ppb	10	261.0	--	--	--
Benzo(a)pyrene	ppb	10	245.0	--	--	--
Indeno(1,2,3-cd)Pyrene	ppb	50	166.0	--	--	--
Dibenzo(a,h)Anthracene	ppb	50	BDL	--	--	--
Benzo(g,h,i)Perylene	ppb	50	111.0	--	--	--
Benzo(j)fluoranthene	ppb	50	BDL	--	--	--
Dibenzo(a,h)acridine	ppb	50	BDL	--	--	--
Dibenzo(a,j)acridine	ppb	50	60.0	--	--	--
7H-Dibenzo(c,g)carbazole	ppb	50	BDL	--	--	--
3-Methylcholanthrene	ppb	50	BDL	--	--	--

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: MP

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12603	12604	12605	12606
Field ID:	TB-1 (0-2)	TB-2 (2-4)	TB-3 (0-2)	TB4 (5-7)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002
Date Extracted:	08/07/2002	08/07/2002	08/07/2002	08/07/2002

Parameters	Units	MDL				
PCBs, Total	ppm	1	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 08/14/2002

PO No: CHA4094.P2

Analyst: MO

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12607	12608	12609	12610
Field ID:	TB-5 (Auger)	TB-6 (2-4)	TB-7 (0-2)	TB-21 (2-4)
Date Analyzed:	08/09/2002	08/08/2002	08/08/2002	08/08/2002
Date Extracted:	08/07/2002	08/07/2002	08/07/2002	08/07/2002

Parameters	Units	MDL				
PCBs, Total	ppm	1	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: MO

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12619	12620	12621	12622
Field ID:	TB-16 (2-4)	TB-17 (5-7)	TB-18 (2-4)	TB-19 (2-4)
Date Analyzed:	08/08/2002	08/08/2002	08/08/2002	08/08/2002
Date Extracted:	08/07/2002	08/07/2002	08/07/2002	08/07/2002

Parameters	Units	MDL				
PCBs, Total	ppm	1	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 08/14/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: MP

RESULTS OF ANALYSIS

Matrix Type: SOIL
CTL Sample No.: 12707
Field ID: TB-4 (2-4)
Date Analyzed: 08/08/2002
Date Extracted: 08/07/2002

Parameters	Units	MDL				
PCBs, Total	ppm	1	BDL	—	—	—

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

S - SPLP Analysis:

Abbreviations: G - Glass P - Plastic A - Amber T - TCLP Analysis M - Mass Analysis S - SPLP Analysis

Abbreviations: G - Glass P - Plastic A - Amber T - TCLP Analysis M - Mass Analysis S - SPLP Analysis

HRP

CHAIN OF CUSTODY

Job Number CH44094.P2 (TG)

Project Manager *MRA*

Samplers Name (Signature)

Kent Byrne

Relinquished By (Signature) <i>Ken Boye</i>	Received By (Signature)	Date	Time
Relinquished By (Signature)	Received By (Signature)	Date	Time

Name & Address of Laboratory:

Remarks:	
----------	--

Abbreviations: G - Glass P - Plastic A - Amber T - TCLP Analysis M - Mass Analysis S - SPLP Analysis

167 New Britain Avenue
Plainville, CT 06062
Tel. 860-793-6899
Fax 860-793-6871

HRP Associates, Inc.

Fax

To: Maureen - CTL

From: Kevin Bogue

Fax: (203) 630-1336

Pages: 4

Comp:

Date: 8/19/2002

Re: SPLP Reactivation

HRP #: CHA4094.P2, T6


☐ Urgent ☒ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

• **Comments:**

Attached is a chain of custody (3 pages) indicating reactivation for SPLP Metals (selective) and SPLP SVOC's.

If you have any comments and/or questions, please contact HRP at (860)793-6899.

Sincerely,


Kevin Bogue

167 New Britain Avenue
Plainville, CT 06062
Tel. 860-793-6899
Fax 860-793-6871

HRP Associates, Inc.

Fax

To: Maureen

From: Kevin Bogue

Fax: (203) 630-1336

Pages: 4 2

Comp:

Date: 9/5/2002

Re: SPLP Reactivation

HRP #: CHA4094.P2, T6

☐ Urgent ☒ For Review ☐ Please Comment ☐ Please Reply ☐ Please Recycle

• **Comments:**

Attached is a chain of custody (1 page) indicating reactivation for Chromium and SPLP SVOC's.


If you have any comments and/or questions, please contact HRP at (860)793-6899.

Sincerely,

Kevin Bogue

Abbreviations: G - Glass P - Plastic A - Amber T - TCLP Analysis M - Mass Analysis S - SPLP Analysis

September 05, 2002



HRP Associates, Inc.
167 New Britain Avenue
Plainville, CT 06062

Attn: Ms. Mary Jane Mamed

Please find attached laboratory report(s) for the samples submitted on:
August 01, 2002.

All pertinent information for this analysis is located on the report. Should it be necessary to contact us regarding billing or the test results, please have the following information readily available:

Lab No. : 0802008
PO/Job No. : CHA4094.P2
Invoice No. : 119977
Customer No. : 350

Please contact us if you have any questions.

Very truly yours,

A handwritten signature in dark ink, appearing to read "Stephen J. Franco".

Stephen J. Franco
Laboratory Director
PH-0547



STEPHEN J. FRANCO
Laboratory Director
PHONE ■ 203/634-3731


www.ctl-web.com / ctestlab@erols.com

165 GRACEY AVENUE ■ MERIDEN, CT ■ 06451

Date Samples Received: 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 09/03/2002



CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: MO

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12603	12604	12605	12606
Field ID:	TB-1 (0-2)	TB-2 (2-4)	TB-3 (0-2)	TB4 (5-7)
Date Analyzed:	08/09/2002	08/09/2002	08/27/2002	08/27/2002

Parameters	Units	MDL					Method #
Barium - SPLP	mg/L		--	--	--	--	
Barium, Total	mg/kg		--	--	--	--	
Cadmium - SPLP	mg/L	0.005	--	--	--	BDL	200.7
Cadmium, Total	mg/kg		--	--	--	--	
Chromium, Hexavalent	mg/kg		--	--	--	--	
Chromium, Total	mg/kg		--	--	--	--	
Chromium, Total - SPLP	mg/L	0.05	--	--	BDL	BDL	200.7
Chromium, Trivalent	mg/kg		--	--	--	--	
CT ETPH	mg/kg	25	96	2,750	BDL	BDL	GC-FID
Lead - SPLP	mg/L	0.005	0.010	0.005	BDL	--	6010B
Lead, Total	mg/kg		--	--	--	--	
Mercury - SPLP	mg/L	0.002	--	--	BDL	--	245.2

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received: 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 09/03/2002

PO No: CHA4094.P2

Analyst: MH

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12607	12608	12609	12610
Field ID:	TB-5 (Auger)	TB-6 (2-4)	TB-7 (0-2)	TB-21 (2-4)
Date Analyzed:	08/09/2002	08/09/2002	08/09/2002	08/09/2002

Parameters	Units	MDL						Method #
Barium - SPLP	mg/L	0.5	--	--	BDL	--		200.7
Barium, Total	mg/kg		--	--	--	--		
Cadmium - SPLP	mg/L		--	--	--	--		
Cadmium, Total	mg/kg		--	--	--	--		
Chromium, Hexavalent	mg/kg		--	--	--	--		
Chromium, Total	mg/kg		--	--	--	--		
Chromium, Total - SPLP	mg/L	0.05	--	--	BDL	--		200.7
Chromium, Trivalent	mg/kg		--	--	--	--		
CT ETPH	mg/kg	25	BDL	BDL	148	1,342		GC-FID
Lead - SPLP	mg/L	0.005	0.016	0.021	0.012	--		60108
Lead, Total	mg/kg		--	--	--	--		
Mercury - SPLP	mg/L	0.002	BDL	BDL	BDL	--		245.2

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received: 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 09/03/2002

PO No: CHA4094.P2

Analyst: MH

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12611	12612	12613	12614
Field ID:	TB-9 (5-7)	TB-9 (10-12)	TB-10 (5-7)	TB-11 (0-2)
Date Analyzed:	08/08/2002	08/09/2002	08/09/2002	08/09/2002

Parameters	Units	MDL					Method #
Barium - SPLP	mg/L		--	--	--	--	
Barium, Total	mg/kg		--	--	--	--	
Cadmium - SPLP	mg/L		--	--	--	--	
Cadmium, Total	mg/kg		--	--	--	--	
Chromium, Hexavalent	mg/kg		--	--	--	--	
Chromium, Total	mg/kg		--	--	--	--	
Chromium, Total - SPLP	mg/L	0.05	BDL	BDL	BDL	--	200.7
Chromium, Trivalent	mg/kg		--	--	--	--	
CT ETPH	mg/kg	25	30	BDL	BDL	272	GC-FID
Lead - SPLP	mg/L	0.005	BDL	BDL	BDL	BDL	60108
Lead, Total	mg/kg		--	--	--	--	
Mercury - SPLP	mg/L		--	--	--	--	

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received: 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 09/03/2002

PO No: CHA4094.P2

Analyst: MH

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12615	12616	12617	12618
Field ID:	TB-12 (0-1)	TB-13 (5-7)	TB-14 (0-2)	TB-15 (5-7)
Date Analyzed:	08/09/2002	08/09/2002	08/09/2002	08/09/2002

Parameters	Units	MDL					Method #
Barium - SPLP	mg/L	0.5	BDL	--	--	--	200.7
Barium, Total	mg/kg		--	--	--	--	
Cadmium - SPLP	mg/L		--	--	--	--	
Cadmium, Total	mg/kg		--	--	--	--	
Chromium, Hexavalent	mg/kg		--	--	--	--	
Chromium, Total	mg/kg		--	--	--	--	
Chromium, Total - SPLP	mg/L	0.05	BDL	--	BDL	--	200.7
Chromium, Trivalent	mg/kg		--	--	--	--	
CT ETPH	mg/kg	25	76	27	301	BDL	GC-FID
Lead - SPLP	mg/L	0.005	BDL	BDL	BDL	BDL	6010B
Lead, Total	mg/kg		--	--	--	--	
Mercury - SPLP	mg/L	0.002	BDL	--	--	--	245.2

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451

(203) 634-3731 (Fax) 630-1336

Certification CT-PH0547 / MA-CT035

Date Samples Received: 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 09/03/2002

PO No: CHA4094.P2

Analyst: MH

RESULTS OF ANALYSIS

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12619	12620	12621	12622
Field ID:	TB-16 (2-4)	TB-17 (5-7)	TB-18 (2-4)	TB-19 (2-4)
Date Analyzed:	08/09/2002	08/09/2002	08/09/2002	08/09/2002

Parameters	Units	MDL					Method #
Barium - SPLP	mg/L	0.5	--	--	BDL	BDL	200.7
Barium, Total	mg/kg		--	--	--	--	
Cadmium - SPLP	mg/L	0.005	--	BDL	--	--	200.7
Cadmium, Total	mg/kg		--	--	--	--	
Chromium, Hexavalent	mg/kg	3	BDL	--	BDL	--	218.4
Chromium, Total	mg/kg		--	--	--	--	
Chromium, Total - SPLP	mg/L	0.05	--	BDL	BDL	--	200.7
Chromium, Trivalent	mg/kg	0.5	13.7	--	8.4	--	200.7
CT ETPH	mg/kg	25	1,574	BDL	56	149	GC-FID
Lead - SPLP	mg/L	0.005	--	--	BDL	BDL	6010B
Lead, Total	mg/kg		--	--	--	--	
Mercury - SPLP	mg/L	0.002	--	--	--	BDL	245.2

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received: 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 09/03/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: MH

RESULTS OF ANALYSIS

Matrix Type:

SOIL

SOIL

CTL Sample No.:

12707

12715

Field ID:

TB-4 (2-4)

TB-16 (0-2)

Date Analyzed:

08/08/2002

08/27/2002

Parameters	Units	MDL					Method #
Barium - SPLP	mg/L	0.5	--	BDL	--	--	200.7
Barium, Total	mg/kg	5	--	95	--	--	6010B
Cadmium - SPLP	mg/L	0.005	--	BDL	--	--	200.7
Cadmium, Total	mg/kg	0.5	--	BDL	--	--	6010B
Chromium, Total	mg/kg	0.5	--	18.1	--	--	6010B
Chromium, Total - SPLP	mg/L	0.05	--	BDL	--	--	200.7
CT ETPH	mg/kg	25	BDL	BDL	--	--	GC-FID
Lead - SPLP	mg/L	0.005	0.031	BDL	--	--	6010B
Lead, Total	mg/kg	0.5	--	38.9	--	--	6010B
Mercury - SPLP	mg/L	0.002	BDL	--	--	--	245.2

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received: 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 09/03/2002

PO No: CHA4094.P2

Analyst: YK

RESULTS OF ANALYSIS

SPLP PAH'S EPA Method 8270C

Matrix Type:	SOIL	SOIL	SOIL	SOIL
CTL Sample No.:	12605	12608	12614	12615
Field ID:	TB-3 (0-2)	TB-6 (2-4)	TB-11 (0-2)	TB-12 (0-1)
Date Analyzed:	08/28/2002	08/28/2002	08/28/2002	08/28/2002
Date Extracted:	08/26/2002	08/26/2002	08/26/2002	08/26/2002

Parameters	Units	MDL				
Naphthalene	ppb	2	BDL	BDL	BDL	BDL
Acenaphthylene	ppb	2	BDL	BDL	BDL	BDL
Acenaphthene	ppb	2	BDL	BDL	BDL	BDL
Fluorene	ppb	2	BDL	BDL	BDL	BDL
Phenanthrene	ppb	2	BDL	BDL	BDL	BDL
Anthracene	ppb	2	BDL	BDL	BDL	BDL
Fluoranthene	ppb	2	BDL	BDL	BDL	BDL
Pyrene	ppb	2	BDL	BDL	BDL	BDL
Benzo(a)anthracene	ppb	2	BDL	BDL	BDL	BDL
Chrysene	ppb	2	BDL	BDL	BDL	BDL
Benzo(b)fluoranthene	ppb	2	BDL	BDL	BDL	BDL
Benzo(k)fluoranthene	ppb	2	BDL	BDL	BDL	BDL
Benzo(a)pyrene	ppb	2	BDL	BDL	BDL	BDL
Indeno(1,2,3-cd)Pyrene	ppb	10	BDL	BDL	BDL	BDL
Dibenzo(a,h)Anthracene	ppb	10	BDL	BDL	BDL	BDL
Benzo(g,h,i)Perylene	ppb	10	BDL	BDL	BDL	BDL
Benzo(j)fluoranthene	ppb	10	BDL	BDL	BDL	BDL
Dibenzo(a,h)acridine	ppb	10	BDL	BDL	BDL	BDL
Dibenzo(a,j)acridine	ppb	10	BDL	BDL	BDL	BDL
7H-Dibenzo(c,g)carbazole	ppb	10	BDL	BDL	BDL	BDL
3-Methylcholanthrene	ppb	10	BDL	BDL	BDL	BDL
Acenaphthene-d10	%	----	108	102	109	119
Phenanthrene-d10	%	----	105	96	109	116

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received: 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 09/03/2002

CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: YK

RESULTS OF ANALYSIS

SPLP PAH'S EPA Method 8270C

Matrix Type:	SOIL	SOIL
CTL Sample No.:	12616	12707
Field ID:	TB-13 (5-7)	TB-4 (2-4)
Date Analyzed:	08/28/2002	08/28/2002
Date Extracted:	08/26/2002	08/26/2002

Parameters	Units	MDL				
Naphthalene	ppb	2	BDL	BDL	--	--
Acenaphthylene	ppb	2	BDL	BDL	--	--
Acenaphthene	ppb	2	BDL	BDL	--	--
Fluorene	ppb	2	BDL	BDL	--	--
Phenanthrene	ppb	2	BDL	BDL	--	--
Anthracene	ppb	2	BDL	BDL	--	--
Fluoranthene	ppb	2	BDL	BDL	--	--
Pyrene	ppb	2	BDL	BDL	--	--
Benzo(a)anthracene	ppb	2	BDL	BDL	--	--
Chrysene	ppb	2	BDL	BDL	--	--
Benzo(b)fluoranthene	ppb	2	BDL	BDL	--	--
Benzo(k)fluoranthene	ppb	2	BDL	BDL	--	--
Benzo(a)pyrene	ppb	2	BDL	BDL	--	--
Indeno(1,2,3-cd)Pyrene	ppb	10	BDL	BDL	--	--
Dibenzo(a,h)Anthracene	ppb	10	BDL	BDL	--	--
Benzo(g,h,i)Perylene	ppb	10	BDL	BDL	--	--
Benzo(j)fluoranthene	ppb	10	BDL	BDL	--	--
Dibenzo(a,h)acridine	ppb	10	BDL	BDL	--	--
Dibenzo(a,j)acridine	ppb	10	BDL	BDL	--	--
7H-Dibenzo(c,g)carbazole	ppb	10	BDL	BDL	--	--
3-Methylcholanthrene	ppb	10	BDL	BDL	--	--
Acenaphthene-d10	%	-----	104	106	--	--
Phenanthrene-d10	%	-----	100	105	--	--

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Abbreviations: G - Glass P - Plastic A - Amber T - TCLP Analysis M - Mass Analysis S - SPLP Analysis

Abbreviations: G - Glass P - Plastic A - Amber T - TCLP Analysis M - Mass Analysis S - SPLP Analysis

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0802008

Report Date: 09/10/2002

PO No: CHA4094.P2

Analyst: SJF

RESULTS OF ANALYSIS

Matrix Type:

SOIL

CTL Sample No.:

12620

Field ID:

TB-17 (5-7)

Date Analyzed:

09/10/2002

Parameters	Units	MDL					Method #
Cadmium - SPLP	mg/L	0.005	BDL	--	--	--	200.7
Chromium, Hexavalent	mg/kg	3	BDL	--	--	--	218.4
Chromium, Total - SPLP	mg/L	0.05	BDL	--	--	--	200.7
Chromium, Trivalent	mg/kg	0.5	8.4	--	--	--	200.7
CT ETPH	mg/kg	25	BDL	--	--	--	GC-FID

Post-it* Fax Note	7671	Date	9/11	# of pages	1
To	Kenny	From	JCF		
Co./Dept.	HRP	Co.	CT		
Phone #	CITA	Phone #			
Fax #	0802008	Fax #			

MDL = Minimum Detection Level BDL = Below Detection Level


Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification CT-PH0547 / MA-CT035

September 12, 2002

HRP Associates, Inc.
167 New Britain Avenue
Plainville, CT 06062

Attn: Ms. Mary Jane Mamed



Please find attached laboratory report(s) for the samples submitted on:
August 01, 2002.

All pertinent information for this analysis is located on the report. Should it be necessary to contact us regarding billing or the test results, please have the following information readily available:

Lab No. : 0802008
PO/Job No. : CHA4094.P2
Invoice No. : 120129
Customer No. : 350

Please contact us if you have any questions.

Very truly yours,

A handwritten signature in black ink, appearing to read "Stephen J. Franco".

Stephen J. Franco
Laboratory Director
PH-0547



STEPHEN J. FRANCO
Laboratory Director

PHONE ■ 203/634-3731


www.ctl-web.com / ctestlab@erols.com

165 GRACEY AVENUE ■ MERIDEN, CT ■ 06451

Date Samples Received 08/01/2002

Client Name: HRP Associates, Inc.

Report Date: 09/10/2002



CTL Lab No.: 0802008

PO No: CHA4094.P2

Analyst: MH

RESULTS OF ANALYSIS

Matrix Type:

SOIL

CTL Sample No.:

12620

Field ID:

TB-17 (5-7)

Date Analyzed:

08/27/2002

Parameters	Units	MDL					Method #
Cadmium - SPLP	mg/L	0.005	BDL	--	--	--	200.7
Chromium, Hexavalent	mg/kg	3	BDL	--	--	--	218.4
Chromium, Total - SPLP	mg/L	0.05	BDL	--	--	--	200.7
Chromium, Trivalent	mg/kg	0.5	8.4	--	--	--	200.7
CT ETPH	mg/kg	25	BDL	--	--	--	GC-FID

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336


APPENDIX D

GROUND WATER ANALYTICAL DATA

August 06, 2002

HRP Associates, Inc.
167 New Britain Avenue
Plainville, CT 06062

Attn: Ms. Mary Jane Mamed




Please find attached laboratory report(s) for the samples submitted on:
July 29, 2002.

All pertinent information for this analysis is located on the report. Should it be necessary to contact us regarding billing or the test results, please have the following information readily available:

Lab No. : 0702436
PO/Job No. : CHA4094.P2 T6
Invoice No. : 119540
Customer No. : 350

Please contact us if you have any questions.

Very truly yours,


Stephen J. Franco
Laboratory Director
PH-0547



STEPHEN J. FRANCO
Laboratory Director
PHONE 203/634-3731
www.ctl-web.com / ctestlab@erols.com
165 GRACEY AVENUE MERIDEN, CT 06451

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

Report Date: 08/05/2002

RECEIVED
AUG - 8 2002

CTL Lab No.: 0702436

PO No: CHA4094.P2 T6

Analyst: MO

RESULTS OF ANALYSIS

HRP ASSOCIATES, INC.

Matrix Type:	WATER	WATER	WATER	WATER
CTL Sample No.:	12339	12340	12341	12342
Field ID:	MW-1	MW-2	MW-3	MW-4
Date Analyzed:	08/05/2002	08/05/2002	08/05/2002	08/05/2002

Parameters	Units	MDL					Method #
CT ETPH	mg/L	0.10	BDL	BDL	BDL	BDL	GC-FID

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0702436

Report Date: 08/05/2002

PO No: CHA4094.P2 T6

Analyst: MO

RESULTS OF ANALYSIS

Matrix Type: WATER
CTL Sample No.: 12343
Field ID: MW-5
Date Analyzed: 08/05/2002

Parameters	Units	MDL				Method #
CT ETPH	mg/L	0.10	BDL	--	--	GC-FID

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification CT-PH0547 / MA-CT035

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0702436

Report Date: 08/05/2002

PO No: CHA4094.P2 T6

Analyst: MO

RESULTS OF ANALYSIS

Matrix Type:	WATER	WATER	WATER	WATER
CTL Sample No.:	12339	12340	12341	12342
Field ID:	MW-1	MW-2	MW-3	MW-4
Date Analyzed:	08/05/2002	08/05/2002	08/05/2002	08/05/2002
Date Extracted:	08/05/2002	08/05/2002	08/05/2002	08/05/2002

Parameters	Units	MDL				
PCBs, Total	ppb	1	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification CT-PH0547 / MMA-CT035

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0702436

Report Date: 08/05/2002

PO No: CHA4094.P2 T6

Analyst: MO

RESULTS OF ANALYSIS

Matrix Type: WATER
CTL Sample No.: 12343
Field ID: MW-5
Date Analyzed: 08/05/2002
Date Extracted: 08/05/2002

Parameters	Units	MDL				
PCBs, Total	ppb	1	BDL	—	—	—

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification CT-PH0547 / MA-CT035

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

Report Date: 08/05/2002

RECEIVED

AUG 20 2002

CTL Lab No.: 0702436

PO No: CHA4094.P2 T6

Analyst: YK

HRP ASSOCIATES, INC.

RESULTS OF ANALYSIS

8270C Modified Semivolatile Organics by GC/MS

Matrix Type:	WATER	WATER	WATER	WATER
CTL Sample No.:	12339	12340	12341	12342
Field ID:	MW-1	MW-2	MW-3	MW-4
Date Analyzed:	08/05/2002	08/05/2002	08/05/2002	08/05/2002
Date Extracted:				

Parameters	Units	MDL				
Hexachlorobenzene	ppb	5	BDL	BDL	BDL	BDL
Hexachlorobutadiene	ppb	5	BDL	BDL	BDL	BDL
Hexachlorocyclopentadiene	ppb	5	BDL	BDL	BDL	BDL
Hexachloroethane	ppb	5	BDL	BDL	BDL	BDL
Indeno(1,2,3-cd)Pyrene	ppb	20	BDL	BDL	BDL	BDL
Isophorone	ppb	5	BDL	BDL	BDL	BDL
2-Methylnaphthalene	ppb	5	BDL	BDL	BDL	BDL
Naphthalene	ppb	5	BDL	BDL	BDL	BDL
Nitrobenzene	ppb	5	BDL	BDL	BDL	BDL
N-Nitrosodimethylamine	ppb	5	BDL	BDL	BDL	BDL
N-Nitroso-di-n-propylamine	ppb	5	BDL	BDL	BDL	BDL
N-Nitrosodiphenylamine	ppb	5	BDL	BDL	BDL	BDL
Phenanthrene	ppb	5	BDL	BDL	BDL	BDL
Pyrene	ppb	5	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	ppb	5	BDL	BDL	BDL	BDL
2-Chlorophenol	ppb	20	BDL	BDL	BDL	BDL
2,4-Dichlorophenol	ppb	20	BDL	BDL	BDL	BDL
2,4-Dimethylphenol	ppb	20	BDL	BDL	BDL	BDL
4,6-Dinitro-2-methylphenol	ppb	20	BDL	BDL	BDL	BDL
2,4-Dinitrophenol	ppb	20	BDL	BDL	BDL	BDL
2-Nitrophenol	ppb	20	BDL	BDL	BDL	BDL
4-Nitrophenol	ppb	20	BDL	BDL	BDL	BDL
4-Chloro-3-methylphenol	ppb	20	BDL	BDL	BDL	BDL
Pentachlorophenol	ppb	20	BDL	BDL	BDL	BDL
Phenol	ppb	20	BDL	BDL	BDL	BDL
2,4,6-Trichlorophenol	ppb	20	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification: CT-PH0517 / MA-CT035

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

Report Date: 08/05/2002

CTL Lab No.: 0702436

PO No: CHA4094.P2 T6

Analyst: YK

RESULTS OF ANALYSIS

8270C Modified Semivolatile Organics by GC/MS

Matrix Type: WATER
CTL Sample No.: 12343
Field ID: MW-5
Date Analyzed: 08/05/2002
Date Extracted:

Parameters	Units	MDL				
Hexachlorobenzene	ppb	5	BDL	--	--	--
Hexachlorobutadiene	ppb	5	BDL	--	--	--
Hexachlorocyclopentadiene	ppb	5	BDL	--	--	--
Hexachloroethane	ppb	5	BDL	--	--	--
Indeno(1,2,3-cd)Pyrene	ppb	20	BDL	--	--	--
Isophorone	ppb	5	BDL	--	--	--
2-Methylnaphthalene	ppb	5	BDL	--	--	--
Naphthalene	ppb	5	BDL	--	--	--
Nitrobenzene	ppb	5	BDL	--	--	--
N-Nitrosodimethylamine	ppb	5	BDL	--	--	--
N-Nitroso-di-n-propylamine	ppb	5	BDL	--	--	--
N-Nitrosodiphenylamine	ppb	5	BDL	--	--	--
Phenanthrene	ppb	5	BDL	--	--	--
Pyrene	ppb	5	BDL	--	--	--
1,2,4-Trichlorobenzene	ppb	5	BDL	--	--	--
2-Chlorophenol	ppb	20	BDL	--	--	--
2,4-Dichlorophenol	ppb	20	BDL	--	--	--
2,4-Dimethylphenol	ppb	20	BDL	--	--	--
4,6-Dinitro-2-methylphenol	ppb	20	BDL	--	--	--
2,4-Dinitrophenol	ppb	20	BDL	--	--	--
2-Nitrophenol	ppb	20	BDL	--	--	--
4-Nitrophenol	ppb	20	BDL	--	--	--
4-Chloro-3-methylphenol	ppb	20	BDL	--	--	--
Pentachlorophenol	ppb	20	BDL	--	--	--
Phenol	ppb	20	BDL	--	--	--
2,4,6-Trichlorophenol	ppb	20	BDL	--	--	--

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification: CT-PH0547 / MA-CT035

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0702436

Report Date: 08/05/2002

PO No: CHA4094.P2 T6

Analyst: CP

RESULTS OF ANALYSIS

8 RCRA Metals - Dissolved

Matrix Type:	WATER	WATER	WATER	WATER
CTL Sample No.:	12339	12340	12341	12342
Field ID:	MW-1	MW-2	MW-3	MW-4
Date Analyzed:	08/05/2002	08/05/2002	08/05/2002	08/05/2002

Parameters	Units	MDL					Method #
Arsenic, Dissolved	mg/L	0.05	BDL	BDL	BDL	BDL	200.7
Barium, Dissolved	mg/L	0.5	BDL	BDL	BDL	BDL	200.7
Cadmium, Dissolved	mg/L	0.005	BDL	BDL	BDL	BDL	200.7
Chromium, Dissolved	mg/L	0.05	BDL	BDL	BDL	BDL	200.7
Lead, Dissolved	mg/L	0.005	BDL	BDL	BDL	BDL	200.7
Mercury, Dissolved	mg/L	0.002	BDL	BDL	BDL	BDL	245.2
Selenium, Dissolved	mg/L	0.01	BDL	BDL	BDL	BDL	270.2
Silver, Dissolved	mg/L	0.01	BDL	BDL	BDL	BDL	200.7

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0702436

Report Date: 08/05/2002

PO No: CHA4094.P2 T6

Analyst: CP

RESULTS OF ANALYSIS

8 RCRA Metals - Dissolved

Matrix Type: WATER
CTL Sample No.: 12343
Field ID: MW-5
Date Analyzed: 08/05/2002

Parameters	Units	MDL					Method #
Arsenic, Dissolved	mg/L	0.05	BDL	--	--	--	200.7
Barium, Dissolved	mg/L	0.5	BDL	--	--	--	200.7
Cadmium, Dissolved	mg/L	0.005	BDL	--	--	--	200.7
Chromium, Dissolved	mg/L	0.05	BDL	--	--	--	200.7
Lead, Dissolved	mg/L	0.005	BDL	--	--	--	200.7
Mercury, Dissolved	mg/L	0.002	BDL	--	--	--	245.2
Selenium, Dissolved	mg/L	0.01	BDL	--	--	--	270.2
Silver, Dissolved	mg/L	0.01	BDL	--	--	--	200.7

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.	CTL Lab No.: 0702436
Report Date: 08/05/2002	PO No: CHA4094.P2 T6
	Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	WATER	WATER	WATER	WATER
CTL Sample No.:	12339	12340	12341	12342
Field ID:	MW-1	MW-2	MW-3	MW-4
Date Analyzed:	07/31/2002	07/31/2002	07/31/2002	07/31/2002
Date Extracted:	07/31/2002	07/31/2002	07/31/2002	07/31/2002

Parameters	Units	MDL				
Dichlorodifluoromethane	ppb	1	BDL	BDL	BDL	BDL
Chloromethane	ppb	1	BDL	BDL	BDL	BDL
Vinyl chloride	ppb	1	BDL	BDL	BDL	BDL
Chloroethane	ppb	1	BDL	BDL	BDL	BDL
Bromomethane	ppb	1	BDL	BDL	BDL	BDL
Trichlorofluoromethane	ppb	1	BDL	BDL	BDL	BDL
1,1-Dichloroethylene	ppb	1	BDL	BDL	BDL	5.0
Methylene chloride	ppb	1	BDL	BDL	BDL	BDL
trans-1,2-Dichloroethylene	ppb	1	BDL	BDL	BDL	BDL
1,1-Dichloroethane	ppb	1	BDL	BDL	BDL	7.0
2,2-Dichloropropane	ppb	1	BDL	BDL	BDL	BDL
cis-1,2-Dichloroethylene	ppb	1	BDL	BDL	BDL	15.0
Chloroform	ppb	1	3.0	BDL	2.0	BDL
Bromochloromethane	ppb	1	BDL	BDL	BDL	BDL
1,1,1-Trichloroethane	ppb	1	BDL	BDL	2.0	10.0
1,1-Dichloropropylene	ppb	1	BDL	BDL	BDL	BDL
Carbon tetrachloride	ppb	1	BDL	BDL	BDL	BDL
Benzene	ppb	1	BDL	BDL	BDL	BDL
1,2-Dichloroethane	ppb	1	BDL	BDL	BDL	BDL
Trichloroethylene	ppb	1	BDL	BDL	BDL	5.0
1,2-Dichloropropane	ppb	1	BDL	BDL	BDL	2.0
Bromodichloromethane	ppb	1	BDL	BDL	BDL	BDL
Dibromomethane	ppb	1	BDL	BDL	BDL	BDL
cis-1,3-Dichloropropylene	ppb	1	BDL	BDL	BDL	BDL
Toluene	ppb	1	BDL	BDL	BDL	BDL
trans-1,3-Dichloropropylene	ppb	1	BDL	BDL	BDL	BDL
1,1,2-Trichloroethane	ppb	1	BDL	BDL	BDL	BDL
Tetrachloroethylene	ppb	1	BDL	BDL	BDL	9.0
1,3-Dichloropropane	ppb	1	BDL	BDL	BDL	BDL
Dibromochloromethane	ppb	1	BDL	BDL	BDL	BDL
1,2-Dibromoethane	ppb	1	BDL	BDL	BDL	BDL
Chlorobenzene	ppb	1	BDL	BDL	BDL	BDL
Ethyl Benzene	ppb	1	BDL	BDL	BDL	BDL
1,1,1,2-Tetrachloroethane	ppb	1	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336
Certification CT-PH0547 / MA-CT035

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

Report Date: 08/05/2002

CTL Lab No.: 0702436

PO No: CHA4094.P2 T6

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:	WATER	WATER	WATER	WATER
CTL Sample No.:	12339	12340	12341	12342
Field ID:	MW-1	MW-2	MW-3	MW-4
Date Analyzed:	07/31/2002	07/31/2002	07/31/2002	07/31/2002
Date Extracted:	07/31/2002	07/31/2002	07/31/2002	07/31/2002

Parameters	Units	MDL				
p/m-Xylene	ppb	1	BDL	BDL	BDL	BDL
o-Xylene	ppb	1	BDL	BDL	BDL	BDL
Styrene	ppb	1	BDL	BDL	BDL	BDL
Bromoform	ppb	1	BDL	BDL	BDL	BDL
Isopropylbenzene	ppb	1	BDL	BDL	BDL	BDL
1,1,2,2-Tetrachloroethane	ppb	1	BDL	BDL	BDL	BDL
Bromobenzene	ppb	1	BDL	BDL	BDL	BDL
1,2,3-Trichloropropane	ppb	1	BDL	BDL	BDL	BDL
n-Propylbenzene	ppb	1	BDL	BDL	BDL	BDL
2-Chlorotoluene	ppb	1	BDL	BDL	BDL	BDL
1,3,5-Trimethylbenzene	ppb	1	BDL	BDL	BDL	BDL
4-Chlorotoluene	ppb	1	BDL	BDL	BDL	BDL
tert-Butylbenzene	ppb	1	BDL	BDL	BDL	BDL
1,2,4-Trimethylbenzene	ppb	1	BDL	BDL	BDL	BDL
sec-Butylbenzene	ppb	1	BDL	BDL	BDL	BDL
p-Isopropyltoluene	ppb	1	BDL	BDL	BDL	BDL
1,3-Dichlorobenzene	ppb	1	BDL	BDL	BDL	BDL
1,4-Dichlorobenzene	ppb	1	BDL	BDL	BDL	BDL
n-Butylbenzene	ppb	1	BDL	BDL	BDL	BDL
1,2-Dichlorobenzene	ppb	1	BDL	BDL	BDL	BDL
1,2-Dibromo-3-chloropropane	ppb	1	BDL	BDL	BDL	BDL
1,2,4-Trichlorobenzene	ppb	1	BDL	BDL	BDL	BDL
Hexachlorobutadiene	ppb	10	BDL	BDL	BDL	BDL
Naphthalene	ppb	10	BDL	BDL	BDL	BDL
1,2,3-Trichlorobenzene	ppb	1	BDL	BDL	BDL	BDL
Methyl ethyl ketone	ppb	10	BDL	BDL	BDL	BDL
MIBK	ppb	10	BDL	BDL	BDL	BDL
Methyl butyl ketone	ppb	10	BDL	BDL	BDL	BDL

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification: CT 06451 / MA 07025

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

Report Date: 08/05/2002

CTL Lab No.: 0702436

PO No: CHA4094.P2 T6

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type:

WATER

CTL Sample No.:

12343

Field ID:

MW-5

Date Analyzed:

07/31/2002

Date Extracted:

07/31/2002

Parameters	Units	MDL				
Dichlorodifluoromethane	ppb	1	BDL	--	--	--
Chloromethane	ppb	1	BDL	--	--	--
Vinyl chloride	ppb	1	BDL	--	--	--
Chloroethane	ppb	1	BDL	--	--	--
Bromomethane	ppb	1	BDL	--	--	--
Trichlorofluoromethane	ppb	1	BDL	--	--	--
1,1-Dichloroethylene	ppb	1	BDL	--	--	--
Methylene chloride	ppb	1	BDL	--	--	--
trans-1,2-Dichloroethylene	ppb	1	BDL	--	--	--
1,1-Dichloroethane	ppb	1	BDL	--	--	--
2,2-Dichloropropane	ppb	1	BDL	--	--	--
cis-1,2-Dichloroethylene	ppb	1	BDL	--	--	--
Chloroform	ppb	1	BDL	--	--	--
Bromochloromethane	ppb	1	BDL	--	--	--
1,1,1-Trichloroethane	ppb	1	5.0	--	--	--
1,1-Dichloropropylene	ppb	1	BDL	--	--	--
Carbon tetrachloride	ppb	1	BDL	--	--	--
Benzene	ppb	1	BDL	--	--	--
1,2-Dichloroethane	ppb	1	BDL	--	--	--
Trichloroethylene	ppb	1	BDL	--	--	--
1,2-Dichloropropane	ppb	1	BDL	--	--	--
Bromodichloromethane	ppb	1	BDL	--	--	--
Dibromomethane	ppb	1	BDL	--	--	--
cis-1,3-Dichloropropylene	ppb	1	BDL	--	--	--
Toluene	ppb	1	BDL	--	--	--
trans-1,3-Dichloropropylene	ppb	1	BDL	--	--	--
1,1,2-Trichloroethane	ppb	1	BDL	--	--	--
Tetrachloroethylene	ppb	1	BDL	--	--	--
1,3-Dichloropropane	ppb	1	BDL	--	--	--
Dibromochloromethane	ppb	1	BDL	--	--	--
1,2-Dibromoethane	ppb	1	BDL	--	--	--
Chlorobenzene	ppb	1	BDL	--	--	--
Ethyl Benzene	ppb	1	BDL	--	--	--
1,1,1,2-Tetrachloroethane	ppb	1	BDL	--	--	--

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Date Samples Received 07/29/2002

Client Name: HRP Associates, Inc.

CTL Lab No.: 0702436

Report Date: 08/05/2002

PO No: CHA4094.P2 T6

Analyst: SR

RESULTS OF ANALYSIS

8260B Volatile Organics - GC/MS

Matrix Type: WATER
CTL Sample No.: 12343
Field ID: MW-5
Date Analyzed: 07/31/2002
Date Extracted: 07/31/2002

Parameters	Units	MDL				
p/m-Xylene	ppb	1	BDL	--	--	--
o-Xylene	ppb	1	BDL	--	--	--
Styrene	ppb	1	BDL	--	--	--
Bromoform	ppb	1	BDL	--	--	--
Isopropylbenzene	ppb	1	BDL	--	--	--
1,1,2,2-Tetrachloroethane	ppb	1	BDL	--	--	--
Bromobenzene	ppb	1	BDL	--	--	--
1,2,3-Trichloropropane	ppb	1	BDL	--	--	--
n-Propylbenzene	ppb	1	BDL	--	--	--
2-Chlorotoluene	ppb	1	BDL	--	--	--
1,3,5-Trimethylbenzene	ppb	1	BDL	--	--	--
4-Chlorotoluene	ppb	1	BDL	--	--	--
tert-Butylbenzene	ppb	1	BDL	--	--	--
1,2,4-Trimethylbenzene	ppb	1	BDL	--	--	--
sec-Butylbenzene	ppb	1	BDL	--	--	--
p-Isopropyltoluene	ppb	1	BDL	--	--	--
1,3-Dichlorobenzene	ppb	1	BDL	--	--	--
1,4-Dichlorobenzene	ppb	1	BDL	--	--	--
n-Butylbenzene	ppb	1	BDL	--	--	--
1,2-Dichlorobenzene	ppb	1	BDL	--	--	--
1,2-Dibromo-3-chloropropane	ppb	1	BDL	--	--	--
1,2,4-Trichlorobenzene	ppb	1	BDL	--	--	--
Hexachlorobutadiene	ppb	10	BDL	--	--	--
Naphthalene	ppb	10	BDL	--	--	--
1,2,3-Trichlorobenzene	ppb	1	BDL	--	--	--
Methyl ethyl ketone	ppb	10	BDL	--	--	--
MIBK	ppb	10	BDL	--	--	--
Methyl butyl ketone	ppb	10	BDL	--	--	--

MDL = Minimum Detection Level BDL = Below Detection Level

Connecticut Testing Laboratories, Inc.
165 Gracey Avenue / Meriden, CT 06451
(203) 634-3731 (Fax) 630-1336

Certification: CT-PH0547 / MA-CT035

HRP
070242
CHAIN OF CUSTODY

Job Number ~~CHA~~ 4094. P2 t2

Project Manager *MRA*

Samplers Name (Signature)

Naugatuck, CT

Matthew T. Stein

Relinquished By (Signature) <i>Matthew T. Stern</i>	Received By (Signature) <i>J. Anderson</i>	Date <i>7/29/02</i>	Time <i>4:00 pm</i>
Relinquished By (Signature)	Received By (Signature)	Date	Time
Name & Address of Laboratory: <i>CTC Meriden, CT</i>			

Remarks: * Dissolved - field filtered and preserved w/HNO₃

Abbreviations: G - Glass P - Plastic A - Amber T - TCLP Analysis M - Mass Analysis S - SPLP Analysis


PHASE I ENVIRONMENTAL SITE ASSESSMENT
ASTM E1527-05

6 RUBBER AVENUE
NAUGATUCK, CONNECTICUT


HRP #: GEN1032.P1

Prepared For: MR. WILLIAM G. HENRY
GENERAL DATACOMM, INC.
6 RUBBER AVENUE
NAUGATUCK, CT 06770

Prepared By: HRP Associates, Inc.
197 SCOTT SWAMP ROAD
FARMINGTON, CT 06032



Michael A. Varni
Project Geologist



Michael R. Ainsworth, LEP
Senior Project Manager

ISSUED ON: June 29, 2007

TABLE OF CONTENTS

SECTION	PAGE
1.0 EXECUTIVE SUMMARY.....	1
2.0 INTRODUCTION.....	3
2.1 Purpose.....	3
2.2 Scope of Services	3
2.3 Significant Assumptions	3
2.4 Limitations and Exceptions.....	4
2.5 User Reliance	4
3.0 SITE DESCRIPTION.....	6
3.1 Legal Description	6
3.2 Site Characteristics	6
3.3 Adjoining Properties	6
3.4 Physical Setting.....	7
4.0 USER PROVIDED INFORMATION.....	9
4.1 Recorded Land Title Records.....	9
4.2 Environmental Liens or Activity and Use Limitations (AULs)	9
4.3 Specialized Knowledge	9
4.4 Commonly Known or Reasonably Ascertainable Information	9
4.5 Valuation Reduction for Environmental Issues	9
4.6 Reasons for Performing Phase I	9
4.7 Other Questions Asked of the User In Relation to the User Questionnaire	9
5.0 STANDARD ENVIRONMENTAL RECORDS REVIEW	10
5.1 Federal National Priority List (NPL)	11
5.2 Federal De-listed NPL	11
5.3 Federal CERCLIS List.....	11
5.4 Federal CERCLIS NFRAP List.....	11
5.5 Federal RCRA TSD and RCRA CORRACTS TSD List	12
5.6 Federal RCRA Generators List	12
5.7 State and Federal Institutional/Engineering Control Registries	12
5.8 ERNS List	12
5.9 State Hazardous Waste Sites (SHWS)	12
5.10 Solid Waste Disposal and/or Landfill Facilities (SWD/LF)	13
5.11 Leaking Underground Storage Tank (LUST) Sites	13
5.12 State Registered Underground Storage Tank (UST) Sites	13
5.13 Voluntary Cleanup Sites (VCS)	13
5.14 State and Tribal Brownfield Sites	14
5.15 State Spills – 1990	14
5.16 Orphan Sites	14
5.17 Summary of Database Information.....	14
6.0 ADDITIONAL ENVIRONMENTAL RECORDS REVIEW	15
6.1 CT Department of Environmental Protection (DEP) Files.....	15
6.1.1 Bureau of Water Management	15
6.1.2 Bureau of Land and Waste Management	15
6.1.3 Bureau of Underground Storage Tank Management.....	17

TABLE OF CONTENTS

(continued)

SECTION	PAGE
6.2 Local Agencies.....	17
6.2.1 Fire Department or Fire Marshal File Review and/or Interviews	17
6.2.2 Building Department Files and/or Interviews	17
6.2.3 Naugatuck Valley Health Department Files and/or Interviews	18
6.2.4 Zoning ..	18
6.2.5 Tribal Records	18
6.2.6 Other Files and Interviews	18
7.0 SITE HISTORY	19
7.1 Aerial Photographs.....	19
7.2 Fire Insurance Maps	20
7.3 Tax Assessor Files and/or Interviews	21
7.4 City Directories.....	21
7.5 Historical Topographic Maps	21
7.6 Other Records.....	21
7.7 Summary of Site History.....	21
7.8 Reviewed Environmental Reports	22
8.0 SITE FEATURES	24
8.1 Site Operations	24
8.2 Raw Material Storage & Handling	24
8.3 Waste Generation & Handling	24
8.4 Storage Tank Summary	25
8.5 Other Site Features.....	25
9.0 SITE RECONNAISSANCE.....	27
9.1 Methodology and Limiting Conditions.....	27
9.2 Interior Observations	27
9.3 Exterior observations	27
9.4 Hazardous Substances and Petroleum Products Located On-Site	28
9.5 Evidence of Releases	28
9.6 Unidentified Substance Containers	28
10.0 INTERVIEWS.....	29
11.0 FINDINGS AND OPINIONS	30
11.1 On-Site Environmental Conditions	30
11.2 Off-Site Environmental Conditions	31
11.3 Previously Resolved Environmental Conditions	31
11.4 De Minimis Environmental Conditions.....	31
12.0 DATA GAPS.....	32
13.0 CONCLUSIONS.....	33
14.0 DEVIATIONS	34
15.0 ADDITIONAL SERVICES.....	35

TABLE OF CONTENTS
(continued)

<u>SECTION</u>	<u>PAGE</u>
16.0 REFERENCES.....	36
17.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS	38
18.0 QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS	39

List of Figures
(follows text)

- 1 Site Location
- 2 Site Plan

List of Appendices

- Appendix A City of Waterbury Assessor's Property Cards and Sanborn Maps
- Appendix B Site Photographs
- Appendix C User's Questionnaire
- Appendix D Chain of Title Documentation
- Appendix E FirstSearch Environmental Database Report
- Appendix F Connecticut Department of Environmental Protection Files
- Appendix G Resumes

1.0 EXECUTIVE SUMMARY

HRP Associates, Inc. completed a Phase I Environmental Site Assessment (Phase I ESA) for 6 Rubber Avenue, Naugatuck, New Haven County, Connecticut (herein referred to as the site). HRP completed this assessment in June 2007 in accordance with the American Society for Testing and Materials (ASTM) Standard Practice E1527-05.

Historically the site was occupied by multiple buildings and used for industrial purposes involving rubber and manufacturing. Two known tenants of the site were Goodyear and Uniroyal. Detailed information regarding specific practices and waste generation by these or other tenants before the mid 1980's has not been clearly resolved. Historic maps of the site indicate that some of the buildings formerly located on-site were used for chemical storage, manufacturing, warehouses, coal/naphtha storage, painting, vulcanizing, and laboratory/research.

Previous environmental investigations have been conducted at the site (2001 and 2002) and indicate that the subsurface soils and groundwater have been impacted, potentially from historical site uses or by fill. The 2002 investigation also revealed the possible existence of a UST along the eastern portion of the site. Documentation of this UST was not identified in files at the CT DEP.

HRP Associates, Inc. conducted a reconnaissance of the site on June 25, 2007. HRP inspected the entire site, which consists of one site building (approximately 400,000 square feet) and a parking lot. HRP interviewed the CFO of General DataComm and a maintenance manager as part of the site walkover.

Currently the site building is occupied by General DataComm (GDC) an electronics communications hardware distributor. There are no manufacturing processes currently being conducted on-site. Prior to 2000 GDC conducted manufacturing on-site of printed circuit boards (PCB). The manufacturing process generated hazardous waste and qualified GDC as a Small Quantity Generator (SQG) i.e., between 100 and 1,000 kg/month. Types of wastes generated included D001 (flammable), D002 (corrosive), D008 (lead), D009 (mercury), and F001 (spent halogenated solvents). The quantities of waste generated ranged from 1 gallon to 275 gallons and 30 pounds to 912 pounds. Manifests and generator waste tables provided by the site contact list the main types of waste as; solid waste wipes, flux, copier waste, Solutek Uni-Flux, Proclean, State regulated oil, Solutek Batch Developer, corrosive liquids, corrosive etch solution, trichloroethylene, iron chloride, isopropyl alcohol, hydrogen peroxide, and lamps (mercury). After August 2000 only mercury lamps are listed as having been removed from the site as a regulated waste. This corresponds with hazardous waste manifests identified at the site from 2000 to May 2005.

In the early 1990's a Notice of Violation (NOV) and Consent Order was issued against GDC regarding their hazardous waste practices. Both the NOV and the Order were satisfied in 1997 according to closure letters on file at the CT DEP.

HRP identified one recognized environmental condition (REC) in connection with the site during the Phase I ESA (see Section 11.1). Soils and groundwater beneath the site have been impacted by either historical operations or by fill as indicated during a 2002 subsurface investigation.

The subject site is an "establishment" pursuant to Connecticut's "Transfer Act" (CGS 22a-134). HRP recommends that legal counsel be obtained regarding the applicability of the Transfer Act to the site prior to transfer of ownership or sale.

2.0 INTRODUCTION

2.1 Purpose

HRP Associates, Inc. completed a Phase I Environmental Site Assessment (Phase I ESA) of a 3.90-acre parcel of land located at 5 Rubber Avenue, Naugatuck, Connecticut (herein referred to as the "site"). This assessment was prepared for General DataComm, Inc. (the "Client" or "User") as part of their due diligence.

This study was performed in accordance with the American Society for Testing and Materials (ASTM) Standard Practice E1527-05, which also satisfies the Standards and Practices for All Appropriate Inquiry (AAI) pursuant to 40 CFR, Part 312. The purpose of this Phase I ESA is to meet the provisions necessary to obtain protection from potential liability under CERCLA as an innocent landowner, a contiguous property owner, or a bona fide prospective purchaser by conducting all appropriate inquiries into the previous ownership and uses of a property. In addition, this report is consistent with the form and content recommended for a "Phase I Transfer Act Site Assessment" as described in the Connecticut Department of Environmental Protection (CTDEP) "Transfer Act Site Assessment Guidance Document" dated November 1991.

2.2 Scope of Services

In accordance with ASTM E1527-05, the scope of services for this assessment included the following components:

- A review of records including historical state, local, and federal regulatory agency records and historical land use information;
- A reconnaissance of the site;
- A review of the geologic and hydrogeologic characteristics of the site and its vicinity through field observations and available published data; and
- Interviews with the present owners and operators of the site, as well as local government officials.

HRP did not conduct any out-of-scope services as part of this assessment.

2.3 Significant Assumptions

No significant assumptions were made during completion of this assessment other than the normal reliance on the validity and/or accuracy of the information obtained pursuant to ASTM E1527-05.

2.4 Limitations and Exceptions

All work conducted by HRP in connection with the performance of this Phase I ESA, all work performed under the Terms and Conditions as outlined in HRP Proposal #P160.PR dated June 22, 2007, and any follow-up work is subject to the following limitations:

- The observations described in this report are made under the stated conditions. The conclusions presented in the report are based solely upon the indicated services, and not on scientific tasks or procedures beyond the scope of described services including those identified in Section 2.2.
- In performing this Phase I ESA, HRP relied on certain information provided by state and local officials and information and representations made by other parties referenced therein, and on information contained in the files of state and/or local agencies made available to HRP at the time of the site assessment. To the extent that such files are missing, incomplete or not provided to HRP, HRP is not responsible. Although there may be some degree of overlap in the information provided by these various sources, HRP does not attempt to independently verify the accuracy or completeness of all information reviewed or received during the course of this site assessment.
- A comprehensive subsurface investigation of the site was not completed as part of this assessment. As such, the geologic and hydrogeologic conditions of the site are based solely on visual observations and documentation of geologic conditions in the area of the site, which may vary considerably from the actual conditions. Actual data pertaining to the subsurface characteristics of the site can only be obtained through a subsurface investigation.

2.5 User Reliance

This report has been prepared by the staff of HRP Associates, Inc. for the Client (also identified as the User) under the professional supervision of the environmental professional(s) whose signature(s) appear hereon. Neither HRP Associates, Inc., nor any staff member assigned to this assessment has any interest or contemplated interest, financial or otherwise, in the site or surrounding properties, or in any entity which owns, leases, or occupies the site or surrounding properties or which may be responsible for environmental issues identified during the course of this assessment, and has no personal bias with respect to the parties involved.

The information contained in this report has received appropriate technical review and approval. The conclusions represent professional judgments and are founded upon the findings of the assessment identified in the report and the interpretation of such data based on our experience and expertise according to the existing standard of care. No other warranty or limitation exists, either expressed or implied.

This assessment was prepared in accordance with ASTM's Phase I Environmental Site Assessment E1527-05 scope of work for the use and benefit of the Client/User and its counsel. It is based, in part, upon documents, writings, and information owned, possessed, or secured by the Client/User. Neither this report, nor any information contained herein shall be used or relied upon for any purpose by any other person or entity without the express written consent of HRP Associates, Inc.

3.0 SITE DESCRIPTION

The following site and area-wide description is based on HRP's observations, interviews with knowledgeable parties, and research conducted at the Town of Naugatuck offices. Topographic, geologic and hydrogeologic information is based on HRP's review of the sources listed below. Figures 1 and 2 depict the site and area characteristics. Appendix B contains photographic documentation.

3.1 Legal Description

The site is located at 5 Rubber Avenue in Naugatuck, New Haven County, Connecticut. The site is located at approximately 41° 29' 13" N and 73° 03' 13" W. A complete legal description of the property is included in Appendix D of this report.

3.2 Site Characteristics

A. Site location, acreage and adjoining roads

The site is a parcel of land approximately 11.30 acres in size located in Naugatuck, Connecticut. The site abuts Old Fire House Road to the west and Rubber Avenue to the south. The eastern edge of the site is abutted by a public railway (Metro North). The north end of the site abuts Maple Street. The property has been subdivided in the past creating other nearby smaller parcels. This Phase I ESA only concerns the land currently designated as 6 Rubber Avenue.

B. Site buildings, roadways and parking areas

The site is currently occupied by a single four-story site building that is approximately 400,000 square feet in size. The site building is located at the southern end of the property. Parking areas are located on the remainder of the site extending to Maple Street (Figure 2).

C. Current Site Use

The site is currently used by General DataComm, Inc. for commercial purposes (telecommunications systems design, office activity).

3.3 Adjoining Properties

The site is bounded to the north by Maple Street, to the south by a trucking company, to the east by a railway, and to the west by Old Fire House Road. The land use and operations on adjoining properties are as follows:

North: Maple Street abuts the northern boundary of the site. Commercial businesses are located in this area.

- South: South of the site is a trucking and transportation business along with other small commercial businesses including a woodworking shop.
- East: The eastern edge of the site is bordered by an active railway used by Metro North, then the Naugatuck River.
- West: The western edge of the property runs along Old Fire House Road. Numerous commercial businesses including a bank, restaurants, convenience stores and the local fire department are located along this road.

3.4 Physical Setting

The site is located near the center of the Town of Naugatuck in New Haven County, Connecticut. The topographic, geologic, and other characteristics of the site are described below.

A. Site and Area Topography

The site elevation is approximately 180 feet above mean sea level (AMSL). The site is generally level with a very slight slope from west to east. A topographic map of the site and surrounding area is included as Figure 1.

B. Surficial Geology

According to the State Geological and Natural History Survey of Connecticut (SGNHS) Surficial Materials Map (Stone et al., 1992), the surficial materials on the site are primarily sand and gravel.

C. Bedrock Geology

The SGNHS Bedrock Geology Map (Rodgers, et al., 1985) indicates that the bedrock underlying the site is the Waterbury Gneiss, a grey fine to medium grained schist.

D. Soil Classification

According to the USDA Soil Survey of Naugatuck, Connecticut (issued 1978), the site is partly underlain by ice-contact stratified drift, which is characterized by poorly sorted sand and gravel.

E. Ground Water

The ground water classification of the site is GB.

A GB ground water classification is defined as follows:

Ground water within a historically highly urbanized area or an area of intense industrial activity and where public water supply service is typically available. Such ground water may not be suitable for human

consumption without treatment due to waste discharges, spills or leaks of chemicals or land use impacts.

Groundwater flow is influenced by a variety of pedologic, topographic, hydrologic, geologic, and cultural factors. In unconfined, unconsolidated aquifers (like that presumed to be present at shallow depths beneath the site), groundwater generally flows in the direction of the steepest downhill slope.

Based on available reports, shallow groundwater at the site flows primarily to the east toward the Naugatuck River. This flow direction is consistent with local and regional topography.

F. Surface Water

According to the site contact the Long Meadow Pond Brook flows through culverts underneath the site. The surface water classification of the Long Meadow Pond Brook, the nearest mapped surface water to the subject site is B.

This designation is defined as follows:

Surface water known or presumed to meet Water Quality Criteria which support designated uses, which may include recreational use; fish and wildlife habitat; agricultural and industrial supply and other legitimate uses including navigation.

It is presumed that this brook discharges to the Naugatuck River, which is designated as Class C/B.

This designation is defined as follows:

Presently not meeting Water Quality Criteria or not supporting one or more assigned designated uses due to pollution. The goal for such waters may be Class AA, A or Class B.

G. Flood Zone/Wetlands Information

A review of the Naugatuck, Connecticut Flood Zones map indicates that all but the northwest corner site is located in Zone B which is designated an area between the limits of the 100-year flood and 500-year flood; or certain areas subject to 100-year flooding with average depths less than one foot or where the contributing drainage area is less than one square mile; or areas protected by levees from the base flood. The northwest portion of the site is located in Zone C, an area of minimal flooding.

A wetlands delineation map observed at the Naugatuck Town Hall does not depict wetland soils on the subject site.

4.0 USER PROVIDED INFORMATION

Property data was obtained from the User by HRP through the User Questionnaire that was transmitted to the User by E-mail on June 23, 2007. The information that was completed by the User and returned to HRP during the site inspection on June 25, 2006 is summarized below. A copy of the questionnaire is included in Appendix C, as completed by the User. Additional information presented below was provided to HRP by others at the request of the User.

4.1 Recorded Land Title Records

A review of recorded land title records provided by the User was conducted by HRP pursuant to ASTM 1527E-05. A summary of the Chain of Title identified by the title search is provided in Appendix D (Title Commitment Documents, Schedules A & B).

A review of the title documents indicates that there are no environmental liens or limitations of land usage due to environmental conditions against the site.

4.2 Environmental Liens or Activity and Use Limitations (AULs)

According to the User there are no environmental liens, activity and use limitations, or Environmental Land Use Restrictions on file with federal, tribal, state, or local agencies. No such records were identified in the title search.

4.3 Specialized Knowledge

The User indicates that they have specialized knowledge and experience related to the property.

4.4 Commonly Known or Reasonably Ascertainable Information

The User is not aware of any commonly known or reasonably ascertainable information within the local community that is material to recognized environmental conditions in connection with the site. The User does have information related to the environmental condition at the site obtained from previously generated reports.

4.5 Valuation Reduction for Environmental Issues

The User is not involved in a purchase of the property.

4.6 Reasons for Performing Phase I

It is HRP's understanding that this assessment is part of the due diligence process for refinancing purposes.

4.7 Other Questions Asked of the User In Relation to the User Questionnaire

The User indicated that there were no obvious indicators of contamination on the property, and that the User was aware of previous environmental assessment or other environmental reports concerning the property.

5.0 STANDARD ENVIRONMENTAL RECORDS REVIEW

HRP obtained and reviewed available information from various files and databases maintained by state, federal, and local regulatory agencies concerning the site and properties in the surrounding area through FirstSearch Technology Corporation (FirstSearch). The information obtained via an June 25, 2007 database search from these sources is discussed in this section of the report.

Regulatory information from the following database sources for sites within the ASTM E1527-05 minimum search distance from the site and posing concern for possible recognized environmental conditions were reviewed (specific radii and the number of sites within each are listed in the table below). When warranted, HRP completed additional research of potential contamination from nearby, at-risk sites. Specific database listings and facilities within the appropriate search radii are discussed below where determined that a potential recognized environmental condition has resulted at the Property from the listed facilities. Please refer to Appendix E for excerpts of the Environmental FirstSearch Report.

Source	ASTM E1527-05 search radius criteria (miles)	Sites identified within radius
Federal		
Federal NPL	1.0	1
Federal De-listed NPL	0.5	0
Federal CERCLIS	0.5	0
Federal CERCLIS NFRAP Sites	0.5	1
Federal RCRA CORRACTS Facilities	1.0	1
Federal RCRA Non-CORRACTS TSD Facilities	1.0	1
Federal RCRA Generators	0.25	6
Federal Institutional / Engineering Control Registries	0.25	0
Federal ERNS	0.25	6
State and Tribal		
Hazardous Waste Sites – State	1.0	14
Hazardous Waste Sites – State and Tribal Equivalent CERCLIS	0.5	0
Solid Waste Disposal and/or Landfill Sites (SWD/LF)	0.5	0
Leaking Underground Storage Tanks (LUST)	0.5	18
Underground Storage Tanks UST	Property and adjoining properties (0.25)	12
State and Tribal Institutional / Engineering Control Registries	0.25	0
Voluntary Cleanup Sites (VCS)	0.5	1
State and Tribal Brownfield Sites	0.5	1
State Spills - 1990	0.25	207

5.1 Federal National Priority List (NPL)

The National Priority List (NPL) is the Environmental Protection Agency's (EPA's) list of highest priority Superfund sites. The NPL consists of CERCLIS sites identified by the EPA that are eligible for clean-up funds through the Federal Superfund program.

The site and adjoining properties are not included on the National Priority List (NPL) updated May 08, 2007, as extracted from the U.S. Environmental Protection Agency (EPA) Superfund Program by The FirstSearch Technology Corporation. One NPL site is located within one mile of the subject site; however it is not anticipated to impact the subject site.

5.2 Federal De-listed NPL

The Federal De-listed NPL contains sites that have been removed from the NPL as a result of investigations and/or remediation, which have reduced the severity attributed to real or perceived contamination.

The site, adjoining properties, and properties within a one-half mile radius of the Property are not included on the De-listed NPL updated August 08, 2006, as extracted from the U.S. EPA Superfund Program by The FirstSearch Technology Corporation.

5.3 Federal CERCLIS List

CERCLIS is the EPA's database of current and potential Superfund sites currently or previously under investigation where uncontrolled releases of hazardous wastes have, or may have, occurred.

The Property, adjoining properties, and properties within a one-half mile radius of the Property are not included on the CERCLIS List updated June 08, 2006 as extracted from the U.S. EPA by The FirstSearch Technology Corporation.

5.4 Federal CERCLIS NFRAP List

As of February 1995, CERCLIS sites designated "No Further Remedial Action Planned" (NFRAP) have been removed from CERCLIS. NFRAP sites may be sites where, following an initial investigation, no contamination was found, contamination was found, contamination was removed quickly without the need for the site to be placed on the NPL, or the contamination was not serious enough to require Federal Superfund Action or NPL consideration.

The Property is not included on the CERCLIS NFRAP List updated June 08, 2006 as extracted from the U.S. EPA by The FirstSearch Technology Corporation.

5.5 Federal RCRA TSD and RCRA CORRACTS TSD List

RCRA TSD identifies facilities that are involved with the treatment, storage, or disposal of hazardous wastes. CORRACTS identifies hazardous waste handlers with RCRA Corrective Action Activity.

A review of the TSD and CORRACTS lists, as provided by The FirstSearch Technology Corporation and dated June 6, 2006, has revealed that there is both a RCRA TSD and a CORRACTS TSD facility within one half mile of the subject site. It is not anticipated that activities or conditions at these off-site properties have the potential to impact the subject site.

5.6 Federal RCRA Generators List

The subject site is listed as a RCRA Generator (GEN) Facility located on the RCRA Hazardous Waste Handlers list for USEPA Region 1, and the state of Connecticut, most recently updated June 6, 2006. The site is listed as a Small Quantity Generator (SQG) of hazardous waste. Waste types listed include halogenated solvents and ignitable waste. The site is also listed as having had been issued a Notice of Violation (NOV), which has been resolved.

An additional five (5) RCRA Generators are listed as being within 0.25 miles of the subject site. However, they are not anticipated to impact the subject site given their topographical position relative to the subject site.

5.7 State and Federal Institutional/Engineering Control Registries

Institutional and Engineering Controls are activity and use limitations (AUL) imposed on a property to preclude or limit exposure to hazardous materials or hazardous conditions. Institutional controls are legal restrictions on the use of a property, typically included with recorded deeds or liens, while engineering controls are physical modifications to the site to reduce exposure (i.e. hardscape, impermeable barriers, fencing, etc).

Neither the site nor adjacent properties are listed within applicable Institutional/Engineering Control Registries updated May 2, 2007, and as provided by the FirstSearch report.

5.8 ERNS List

The Emergency Response Notification System (ERNS) is the EPA's database of EPA emergency response actions. No ERNS listings were identified for the site or abutting properties, in the most recent ERNS database dated December 31, 2006.

5.9 State Hazardous Waste Sites (SHWS)

The SHWS records are states' equivalent to NPL and CERCLIS. These sites may or may not already be listed on the federal NPL or CERCLIS list. Priority sites planned for cleanup using state funds (state equivalent of Superfund) are

identified along with sites where potentially responsible parties will pay for cleanup.

A review of the SHWS provided by The FirstSearch Technology Corporation and dated March 12, 2007 has revealed fourteen (14) state-listed sites located within a one-mile radius of the site. The site is listed in the SHWS database as having filed a Form III in 1993. However the database positions the property approximately 0.08 miles to the northwest.

Of the fourteen area state-listed sites, none are located on properties adjacent to the site.

5.10 Solid Waste Disposal and/or Landfill Facilities (SWD/LF)

Solid waste facilities records typically contain an inventory of solid waste disposal facilities or landfills in the state. These may be active or inactive facilities or open dumps that failed to meet RCRA Subtitle D Section 4004 criteria for solid waste landfills or disposal sites.

A review of the SWD/LF List provided by FirstSearch Technology Corporation and updated January 1, 2006 has revealed that there are no solid waste facilities located within a one-half mile radius of the site.

5.11 Leaking Underground Storage Tank (LUST) Sites

The site is not listed on the LUST database. However, there are eighteen (18) listed Leaking Underground Storage Tank (LUST) sites identified within one-half mile of the site on the CTDEP confirmed LUST sites Database dated April 05, 2007, as extracted from the FirstSearch Technology Corporation. None of these 18 sites are located immediately upgradient of the subject site, therefore, they are not expected to pose significant concern for contamination in the area of the site.

5.12 State Registered Underground Storage Tank (UST) Sites

There are ten State Registered Underground Storage Tanks (UST) listed for General DataComm on the Registered Underground Storage Tanks (USTs) database dated May 9, 2007. However, these tanks were formerly located on a parcel of land that was subdivided from the subject site. The ten tanks were removed in August 1989. Closure reports identified at the CT DEP indicated that no contamination was detected during the removal of the tanks either visually or analytically. Therefore, no environmental impact is expected from these tanks to the subject site.

5.13 Voluntary Cleanup Sites (VCS)

Voluntary Cleanup Sites are those sites that have voluntarily entered into an agreement with a state or local government agency to remediate a contaminated parcel(s). The subject site and the adjacent properties are not as Voluntary Cleanup Sites on the listing most recently updated May 9, 2007.

5.14 State and Tribal Brownfield Sites

A review of the Brownfields List provided by The FirstSearch Technology Corporation report dated May 9, 2007 as maintained by the CTDEP revealed that the site is not listed on the database. There is one Brownfield property within one-half mile of the site. It is not anticipated that this property will impact the environmental quality of the subject site.

5.15 State Spills – 1990

The FirstSearch Report searched the state of Connecticut Oil and Chemical Spills database, updated on April 19, 2007. The subject site does not appear on the database listing. Within 0.10 miles of the subject site there are approximately forty-three spills listed. However, upon review it is noted that the majority of these spills were minor (i.e., vehicle accidents) and all are listed as "closed" indicating no further action required by DEP.

5.16 Orphan Sites

Orphan sites are properties that, due to an inadequate or incomplete address in the government database or base map files, are not able to be geographically located (i.e., mapped or geocoded). This can occur for several reasons; no street number or no street name in the address given; the street address is given only as a post office box; or when there are inconsistencies in the address, (e.g., the street address does not exist in the zip code identified; and the street address in the record searched does not exist in the base map files).

The Environmental FirstSearch Technology Corporation did not identify any orphan sites associated with the databases listed above.

5.17 Summary of Database Information

The subject site is listed as a RCRA Gen and State site for the generation of hazardous waste, including chlorinated solvents and ignitable waste. General DataComm is also listed as a Registered UST site, however the listing pertains to former tanks that were located on an adjacent parcel of land that is no longer part of the subject site. None of the adjacent properties to the subject site are anticipated to impact the environmental quality (i.e., soils and groundwater) of the subject site.

6.0 ADDITIONAL ENVIRONMENTAL RECORDS REVIEW

6.1 CT Department of Environmental Protection (DEP) Files

HRP Associates personnel searched available records in the public file room of the CT DEP's Hartford headquarters on June 26, 2006. HRP requested files for known current or former occupants of the site building. Files were reviewed at the following DEP departments:

6.1.1 Bureau of Water Management

Four P-5 Industrial surveys were observed by HRP for what is believed to be the subject site. Two of the P-5 reports conducted in 1961 and 1966 are labeled as 58 Maple Street for the U.S. Rubber Company – Footwear Division established 1843. The other two P-5 reports also conducted in 1961 and 1966 have no addresses listed, and are labeled as U.S. Rubber Company – Chemical Division established 1903. Debriefing memos, described in Section 6.1.2, indicate that the Chemical Division is located at an off-site parcel in Naugatuck, Connecticut. None of the historical maps reviewed as part of this assessment indicated the presence of a Chemical Division on the subject site. U.S. Rubber was a former occupant of the subject site during a time when multiple site buildings occupied the property. The subject site was historically part of a larger group of buildings comprising the U. S. Rubber Company (a.k.a. Uniroyal) industrial complex.

The P5 reports list estimates of the volume of water used in industrial processes at the time of the inspections. Types of wastes listed include latex for the Footwear Division and rubber chemicals and insecticides for the Chemical Division. Sanitary facilities for the Footwear Division are listed as the municipal sewer system and for the Chemical Division a septic system. According to the site contact, the subject property has not utilized a septic system.

6.1.2 Bureau of Land and Waste Management

The following documents and correspondences were identified for the subject site in CT DEP files:

A set of three Debriefing Memos dated between the years 1985 to 1988 were identified. The memos are reports of inspection conducted by M. McDaniel and M. Dones in June 1985, M. McDaniel in August 1985, and B. Davis in April and June 1988. The recipient of the debriefing memos is unclear. The memos indicate that GDC was going to convert the area once occupied by the buildings occupied by Uniroyal into a parking lot. The memos indicate that Uniroyal left behind waste chemicals including chlorinated compounds and paint and paint related wastes. The memos indicate that there was no evidence of on-site disposal or potential for groundwater contamination.

CT DEP Order HM-532 dated September 1988 required two actions to be taken by GDC. The first was to bring all waste handling procedures and facilities into compliance with the State's Hazardous Waste Management Regulations. The second requirement was to remove and properly dispose of all hazardous, toxic, and other industrial waste located on-site observed during a June 1988 inspection. A letter dated August 1988 indicates that an Abatement Order was to be issued against GDC resultant from a June 1988 site inspection.

A Hazardous Waste Inspection Checklist dated June 1988 indicates that process conducted by GDC at the time included electronic assembly, hand cleaning using Freon, packaging (utilizing halogenated polymer compounds), and electronic testing. Waste chemicals listed include sodium hydroxide, epoxy, solvent (from InstaPak), and Freon. The report notes that GDC is likely a SQG of hazardous waste.

An EPA Notification of Hazardous Waste Activity filed in 1990 indicates that GDC was operating as a Small Quantity Generator (SQG) of hazardous waste. Waste types listed include F001 and D001.

A copy of a Form III filed in September 1993 under Connecticut's "Transfer Act" was identified. The Form III indicates the type of transfer is a "conveyance of real property and financing". The transferee is listed as James r. Arcara representing GDC Naugatuck, Inc. A letter dated November 1993 states that a completed Form III was received by the CT DEP for the subject site.

A RCRA Hazardous Waste Inspection Report conducted in February 1995 notes that GDC was still operating as a SQG of hazardous waste. Process conducted on-site included assembly, soldering, testing, and packaging. Hazardous wastes are listed as being stored in a waste storage shed. During the inspection wastes in the shed included waste flux (D001), solvent defluxer, Freon, and Brulinsolv 140.

A Notice of Violation (NOV No. 736) was issued against GDC in May 1995 based on hazardous waste handling practices and lack of personnel training. A NOV Closure Letter dated December 1998 for NOV No. 736 indicates that no further action will be taken by the CT DEP.

A copy of a Consent Order dated August 1997 lists the findings of the CT DEP from various inspections regarding hazardous waste practices conducted by GDC and actions to be taken. It is noted that this Consent Order supersedes the Order HM-532 issued on September 13, 1988. A "Memo to File/Closure of Order" dated September 1997 indicated that any remaining issues from Order No. HM-532 were to be addressed in Consent Order No. HM-815. It states that Order No. HM-532 was being closed. A Consent Order Closure Letter dated December 1998 for CO No. HM-815 indicates that no further action will be taken by the CT DEP.

A letter from the CT DEP to GDC dated December 1997 stated that if an Environmental Condition Assessment Form (ECAAF) is completed the site may be allowed to enter the LEP Verification Program. An ECAAF was not identified in DEP files.

A memorandum dated July 15, 2002 indicated that confidential documentation including a draft Consent Order, abbreviated enforcement action summaries, and penalty calculations are not located within the public files.

Phone records between Bob Buttler of GDC and Daniel White (CT DEP) from May 2005 included discussions regarding the 1993 Form III filing and any future filings that would be needed during a site transfer. It is noted that in 2005 GDC was no longer conducting manufacturing processes at the site building.

A Hazardous Waste Manifest Summary report was identified for GDC. The summary includes quantities of wastes shipped off-site and is further detailed in Section 8.3.

6.1.3 Bureau of Underground Storage Tank Management

Information regarding ten USTs located on an adjacent parcel that was a former portion of the CGC/Uniroyal site was identified. This area is designated as Parcel 4 on maps depicting the locations of the USTs, which was located on the west side of what is now South Water Street. According to the files the ten tanks were removed in 1989 and no contamination was detected at the time.

6.2 Local Agencies

On June 25, 2007 files were reviewed at the Town of Naugatuck offices for any available records for the site. Information requests were made at various town offices, including those identified in Section 16.0 of this report. The results of the file review have been incorporated into the applicable sections of this report.

6.2.1 Fire Department or Fire Marshal File Review and/or Interviews

HRP contacted the Town of Naugatuck Fire Marshal regarding the subject site via fax. As of the date of issuance of this Phase I ESA, a response has not been issued to HRP. Any pertinent information will be provided under separate cover upon receipt.

6.2.2 Building Department Files and/or Interviews

HRP searched available files at the Town of Naugatuck Building department. Other than general building permits, the only files on record were two permits for the removal of USTs. However, it was determined that these permits are for the USTs discussed in Section 6.1.3 and not for the subject site as it is currently configured.

6.2.3 Naugatuck Valley Health Department Files and/or Interviews

HRP requested available files via fax from the Naugatuck Valley Health Department. At the time of issuance of this Phase I ESA, a response has not be issued to HRP. Any pertinent information will be provided under separate cover upon receipt.

6.2.4 Zoning

According to the Town of Naugatuck Zoning Districts map, the site is zoned for industrial use.

6.2.5 Tribal Records

No tribal lands are present within the study area and, therefore, a review of tribal records was not conducted other than those records and databases available through FirstSearch (See Section 5.0).

6.2.6 Other Files and Interviews

No other files reviews or interviews were conducted for this Phase I ESA.

7.0 SITE HISTORY

The sources utilized to obtain information regarding the site history and the findings obtained from those sources are discussed in the following sections.

7.1 Aerial Photographs

Available aerial photographs showing the Property and surrounding area dated 1934, 1951, 1965, 1970, 1975, 1980, 1986, 1990 and 1995 were obtained from the Connecticut State Library State Archives on June 26, 2007. The photographs are discussed below:

Date: 1934
Scale: No scale available
Photo ID: 3291
Description: The site appears to be entirely developed with industrial buildings presumed to be part of the former Uniroyal complex. The existing site building (GDC) is not present. The observed site configuration corresponds with Sanborn Maps identified for the site. A water tower is observed on the eastern edge of the property. The surrounding area appears to be primarily commercial in use.

Date: 1951
Scale: Approximately 1" = 1,666'
Photo ID: #CNG-10H-81
Description: The site and vicinity appear very similar to the 1934 photograph.

Date: 1965
Scale: No scale available
Photo ID: 20-3945
Description: The subject site appears similar to the 1951 photograph. The site building as it is currently configured is present in this photograph. The surrounding area appears similar to the 1951 photograph.

Date: 1970
Scale: Approximately 1" = 1,000'
Photo ID: #33-2402
Description: The subject site and surrounding area appears similar to the 1965 aerial photograph.

Date: 1975
Scale: Approximately 1" = 1,000'
Photo ID: #33-5425
Description: The subject site and surrounding area appears similar to the 1970 photograph.

Date: 1980
Scale: Approximately 1" = 1,000'
Photo ID: #30-2829
Description: The subject site and surrounding area appears similar to the 1975 photograph. The site building is connected by what appears to be a skywalk or roofed terminal to an adjacent building to the north. The surrounding area appears similar to the 1975 photograph.

Date: 1986
Scale: Approximately 1" = 1000'
Photo ID: #30-2829
Description: Only the current site building remains on the property. The current parking lot area is completely unpaved. The surrounding area appears similar to the 1980 photograph.

Date: 1990
Scale: Approximately 1" = 1000'
Photo ID: #30-1579
Description: The subject building appears similar to the 1986 photograph. The parking area is paved and boxcars are observed off the south face of the site building.

Date: 1995
Scale: Approximately 1" = 1000'
Photo ID: #29-62
Description: The site and surrounding area appear similar to the present configuration.

7.2 Fire Insurance Maps

Sanborn Fire Insurance Maps depicting the subject site have been identified for the following years: 1887, 1892, 1897, and 1904.

1887: The subject site is labeled as the Goodyear India Rubber Glove Manufacturing Company. Numerous buildings are depicted on the site. Some of the buildings are labeled as the following; grinding, cutting, gum dying, storage, and spreader house. The surrounding area is predominantly commercial or industrial in use including a clothing mill and a coal/wood yard to the west.

1892: The subject site and surrounding area are similar to the 1887 map.

1897: The subject site is similar to the 1892 map. An acid house and grinding areas are observed at the north end of the site. A central area is labeled T.F. McDonald Livery. Formerly this area was designated as a wagon shed. The surrounding area is similar to the 1892 map. It is noted that the coal/wood yard has moved south of the clothing mill.

1904: The subject site's general layout is similar to the 1897 map. The livery observed in the 1897 map is now labeled a store house. The surrounding area is also similar.

7.3 Tax Assessor Files and/or Interviews

Available files from the Town of Naugatuck Tax Assessor's office have been incorporated into this report.

7.4 City Directories

City directories were available for Naugatuck, CT (as reviewed at the Connecticut State Library) for most years from 1936 to 2005. Selected city directories for the site and vicinity were reviewed back to 1936 in order to determine historical usage of the site. Listings were reviewed at approximate four-year intervals, as available. When listing changes were noted within an interval, the directories were reviewed year by year to determine the date(s) of the change(s).

Listed occupants of 5 Rubber Avenue or other applicable addresses:

Dates	5 Rubber Avenue (unless listed otherwise) - Directory Listing(s)
1936 to 1952	No listing
1952 to 1967	U.S. Rubber Company (24 or 28 Rubber Avenue)
1968 to 1979	UniRoyal (24 or 28 Rubber Avenue)
1982 to 1984	UniRoyal
1985	Naugatuck Footwear Factory Outlet, Naugatuck Renewal Associates
1988 to 1998	General Data Communications Inc.
1999 to 2002	General Data Communications Inc., Vital Network Services
2003 to 2005	General Data Communications Inc., E-Stream Solutions LLC

7.5 Historical Topographic Maps

HRP reviewed historical topographic maps for the site and vicinity dated 1947 and 1954. The site and surrounding area are shown on the map and appear very similar to aerial photographs of the same period. The site is occupied by numerous buildings.

7.6 Other Records

HRP reviewed reports of environmental investigations for the subject site. Information from these reports has been included in this report.

7.7 Summary of Site History

The site's history has been reviewed back to 1887 through the sources listed and described in the previous sections. Based on that information, it appears that the site was heavily developed for industrial use from at least 1887 until the mid 1980's. Afterwards only the site building remained and the formerly developed area was converted to a parking lot. The use of the site building from

the mid 1980's to the present has been for communications technology design, manufacturing, and distribution.

7.8 Reviewed Environmental Reports

Review of Data Concerning Contaminates Soil From 6 Rubber Avenue, Naugatuck, Connecticut. Prepared by HRP Associates for The American Reclamation Corporation, dated March 8, 1994.

The report notes that in 1994 HRP supervised the excavation and disposal of about 20 cubic yards of fill soil from four locations in the current parking lot area. The fill was characterized as containing broken asphalt and concrete, congealed rubber/rubber adhesive, and miscellaneous building debris. Laboratory reports revealed that soils excavated had elevated levels (16,500 to 217,000 parts per million) of Total Petroleum Hydrocarbons.

Phase I Environmental Site Assessment, General DataComm, 6 Rubber Avenue, Naugatuck, Connecticut. Prepared by General Consolidated Industries, Inc., dated May 21, 2001.

This report identified the engineered drainage systems and undocumented spills of raw or waste materials along with the historical use of the site since the late 1800's as recognized environmental conditions at the site.

Phase II Subsurface Investigation, 6 Rubber Avenue, Naugatuck, Connecticut. Prepared for Chase Manhattan Bank by General Consolidated Industries, Inc. (GCI), dated July 12, 2001.

This Phase II was conducted to assess environmental concerns revealed during a Phase I ESA prepared by GCI in May 2001. The objective of this Phase II was to determine discharge points of various site building receptors, conduct a geophysical investigation to locate undocumented and possible underground storage tank (UST), and collect soil and groundwater samples throughout the site.

The investigation revealed that numerous magnetic anomalies were observed throughout the northern parking lot area. One soil sample (B-12) had arsenic detected that exceeded the CT DEP's Remediation Standard Regulations (RSR). Groundwater samples collected showed no impact.

Report on Subsurface Investigations at General Data Communications, 6 Rubber Avenue, Naugatuck, Connecticut. Prepared for JPMorgan Chase by HRP Associates, dated September 23, 2002.

The purpose of this subsurface investigation was to determine the general environmental condition in areas with potential for historical contamination. Twenty one test borings and five monitoring wells were installed as part of the investigation. Results from soils testing indicated that areas of the site have been impacted by concentrations of Extractable Total Petroleum Hydrocarbons

(ETPH), Polynuclear Aromatic Hydrocarbons (PAHs), and lead that exceeded certain CT DEP Remediation Standard Regulation (RSR) criteria. The exceedances were predominantly of the CT DEP's Direct Exposure Criteria (DEC), both the Residential and the Industrial/Commercial DEC. Groundwater results indicated that there was minimal impact from either current or historical activities. One of the wells contained a substance (1,1 Dichloroethylene or "1,1 DCE") that exceeded the current residential volatilization criteria (RVC) of 1 ppb. However, the concentration of 1,1 DCE (5 ppb) did not exceed the proposed RVC of 190 ppb.

HRP also conducted a Ground Penetrating Radar (GPR) survey at the site, including in the areas of the anomalies reported by GCI. An anomaly indicative of a possible buried steel tank was located close to a chain link fence along the western property boundary.

The report concludes that the subsurface materials of the site consist of fill up to approximately 10 to 15 feet below grade. Sporadic contamination likely resulting from historical operations was detected in several areas.

8.0 SITE FEATURES

8.1 Site Operations

Current site operations being conducted by GDC include the packaging of electronic components and product testing. There is no manufacturing currently conducted on-site. A majority of the site building is either unoccupied office space or used for storage of electronic components. Historically, GDC manufactured PCB (printed circuit boards) for communications electronics. The manufacturing included cutting, etching/washing using a wayflow machine, and soldering of circuit boards. The circuit boards were manufactured on the second and third floors. Product testing was conducted on the first floor. The fourth floor has never been utilized by GDC for any purpose other than storage.

Historically, the entire site was utilized for industrial purposes, specifically the manufacturing and testing of rubber related products, primarily by previous site occupants Goodyear and Uniroyal. Maps identified for the site indicate that numerous buildings formerly on-site were used for manufacturing, chemical storage (acids), coal storage, naphtha storage, and research.

8.2 Raw Material Storage & Handling

The current raw materials used on-site are related to packaging of finished electronic products, which are manufactured and assembled off-site. Other raw materials are stored in the basement and are predominantly maintenance-related, including paint and paint-related products, machine lubricants, oil and gasoline, fluorescent light bulbs, and boiler treatment chemicals.

Historically, GDC used materials associated with the creation of circuit boards including electronic components, washing solutions, solder, and packaging materials which included epoxy bonding chemicals. This manufacturing ended around the year 2000. According to the site contact, the chemicals used were either directly taken to the appropriate floor for immediate use or were stored within the hazardous chemical storage shed located on the southern edge of the site.

The storage and handling of raw materials prior to GDC's occupation of the site building is uncertain. Historical maps indicate areas where materials may have been stored or used by Goodyear, U.S. Rubber, or Uniroyal; however these buildings no longer exist on-site.

8.3 Waste Generation & Handling

Currently, only office and electronic waste is generated at the site. According to the site contact, hazardous waste has not been generated at the site since around 2000. Chemical wastes generated were stored in a hazardous waste storage shed located on the south end of the site building. This shed is currently empty. Types of wastes generated listed on a Hazardous Waste Generator Summary report include D001 (flammable), D002 (corrosive), D008 (lead), D009 (mercury) and F001 (spent halogenated solvents). The quantities of waste

generated ranged from 1 gallon up to 275 gallons and 30 pounds to 912 pounds. Manifests and generator waste tables identified for the subject site list the main types of waste as solid waste wipes, flux, copier waste, Solutek Uni-Flux, Proclean, State regulated oil, Solutek Batch Developer, corrosive liquids, corrosive etch solution, trichloroethylene, iron chloride, isopropyl alcohol, hydrogen peroxide, and lamps (mercury). After August 2000, only mercury lamps are listed as having been removed from the site. This corresponds with hazardous waste manifests identified at the site from 2000 to May 2005. Licensed waste haulers are listed as Laidlaw, Global, and Safety-Kleen.

The historical generation and handling of waste during the site's use by Uniroyal, U.S. Rubber, or Goodyear is unknown. As discussed in Section 6.1.1 the P-5 industry surveys indicate that rubber-related wastes were being generated on-site.

8.4 Storage Tank Summary

HRP personnel did not observe any storage tanks on the site at the time of the site reconnaissance. No former above-ground or underground storage tanks were reported to have been used by GDC. Historical documentation indicates that USTs were formerly located on the Uniroyal property. However, it has been determined that these USTs were located outside of the current site boundaries (Section 6.1.3). According to the subsurface investigation completed by HRP, a UST may exist along the western boundary of the site. Documentation of this UST was not identified in CT DEP files.

8.5 Other Site Features

A. Heating/Cooling Source

An HV/AC system was identified on-site. Heat is supplied to the building by gas fired steam boilers.

B. Water Supply

According to available information, there are no water supply wells on the site. Water is supplied to the site through municipal sources.

According to the 1982 Atlas of Public Water Supply Sources and Drainage Basins of Connecticut, Bulletin Number 4, there are no public water supply wells located within one mile of the site.

C. Sewerage

According to the User, the site is connected to a sanitary sewer system. There is no record of former or existing septic systems on the site. It is noted that in a P-5 industrial survey for a known historic tenant of the property a septic system is noted. However, no address was listed on the survey.

D. Site Utilities Summary

One pad-mounted transformer is located on-site.

E. Site Drainage Features

Numerous catch basins and man holes are located throughout the site. Dye testing conducted by GCI on various drainage features throughout the site were inconclusive as to the drainage point of the catch basins.

F. PCBs

This Phase I ESA is not an inventory of polychlorinated biphenyl containing equipment and is not designed or intended for such use. However, HRP personnel did observe any equipment on the site that they thought might potentially contain PCBs including a pad-mounted transformer, above ground hydraulic dock levelers, and fluorescent lighting fixtures.

G. Pits, Ponds, or Lagoons

No evidence of pits, ponds, or lagoons was observed or reported on the site.

9.0 SITE RECONNAISSANCE

9.1 Methodology and Limiting Conditions

Michael A. Varni of HRP Associates, Inc. conducted a reconnaissance of the site on June 25, 2006. Bill Henry (GDC) and Steve Fermin (GDC maintenance) were interviewed as part of the site walkover. Conditions that limited the reconnaissance are listed below. Photographs taken during the site visit are included in Appendix B. Figure 2 depicts pertinent site features.

- Portions of the site building flooring were covered by storage materials and therefore not observed.

9.2 Interior Observations

HRP did not observe evidence of staining or potential releases on the first, second, third, or fourth floor. A set of what may be drum rings were identified on the third floor. These rings are located in what was reportedly part of an area that was used as an on-site store for parts used during circuit board manufacturing. It is noted that reinforced cardboard cylindrical containers were observed throughout the site containing miscellaneous non-hazardous items associated with communication electronics.

Minor staining associated with maintenance areas was observed in the basement. The staining appears to be oil or chemicals used to treat water in the boilers. The heaviest staining was around a floor drain associated with a water tank reportedly used during the winter. The staining appeared to be primarily rust. A few 55-gallon drums were observed throughout the basement. Many of the drums did not have labels and according to the site contact may have been left from the time Uniroyal occupied the site.

9.3 Exterior observations

A. Stained soil

HRP personnel did not observe any soil staining on the site.

B. Surface water

HRP personnel did not observe surface water or wetlands-type soils on the site.

C. Seeps or leachate

No evidence of seeps or leachate was observed during inspection of the site.

D. Odors

No unusual odors were observed at the time of the site inspection.

E. Stressed vegetation

No stressed vegetation was observed on the site. It is noted that the majority of the site is developed with the site building or is paved.

F. Unusual topographic features or soil disturbances

No unusual topographic features or soil disturbances were observed.

G. Evidence of Waste Deposits

No evidence of waste deposits was identified during the site walkover.

H. Other

HRP observed an area near the northern end of the parking lot that is currently being used for leased storage. At the time of the inspection, four steel boxcar storage containers were located adjacent to the pump house. The contents of the boxcars are unknown. On the southern end of the box cars two plastic cube containers with an unknown liquid were observed. The liquid appeared to be a petroleum based substance. The ground around the plastic containers appeared to have minor staining. The containers were both resting on wooden pallets. Along the eastern side of the metal storage containers one 55-gallon drum of an unknown substance was observed. The drum appeared to be in good condition with no associated surface staining observed.

9.4 Hazardous Substances and Petroleum Products Located On-Site

HRP did not observe any hazardous substance or petroleum products stored on the site beyond those used for general maintenance. As noted above, two plastic containers with unknown contents were observed at the north end of the parking lot discussed above.

9.5 Evidence of Releases

Evidence of a possible minor release around two plastic containers at the north end of the site was observed. Minor staining was observed throughout the basement of the site building. However, the flooring was in good condition and is likely at least twelve inches thick (according to the site contact).

9.6 Unidentified Substance Containers

HRP noted unidentified containers in the basement of the site building and near an area of the north parking lot used for leased storage. The site contact noted that the unknown containers within the basement were likely left over from when Uniroyal occupied the site building.

10.0 INTERVIEWS

HRP interviewed the following individuals during this Phase I ESA:

Mr. Bill Henry – CFO General DataComm

Mr. Steve Firmin – Maintenance Manager at General DataComm

Research was conducted or attempted at the following:

Town of Naugatuck Assessors Office

Town of Naugatuck Building Department

Naugatuck Valley Health District

Town of Naugatuck Fire Marshal

11.0 FINDINGS AND OPINIONS

11.1 On-Site Environmental Conditions

This assessment has revealed the following recognized environmental condition (REC) in connection with the site:

- Historically, the site has been used for the manufacturing of rubber products and electronic components. It was determined during the 2001-2002 subsurface investigations that the site is underlain by about 10 to 15 feet of fill. This fill has been characterized as containing man-made materials including brick, concrete, and metal. The 2002 subsurface investigation performed by HRP determined concluded that shallow soils in certain areas of the site contained certain substances (petroleum, lead, semi-volatile organic compounds) above regulatory criteria from historical activities and/or placement fill.

HRP also notes the following:

- Historically, the site was heavily developed from at least the late 1800's. The site was used for the manufacturing of rubber related products by Uniroyal, U.S. Rubber, and Goodyear. Maps obtained for the subject site indicate that the former buildings served a multitude of purposes including chemical storage and coal/naphtha storage. All of the buildings located on-site were demolished in the 1980's, except for the current site building.
- Current operations conducted by GDC include the testing and shipping of electronic components. Prior to 2000, GDC manufactured circuit boards and associated electronic components at the site.
- The current occupant of the site, GDC, is listed as a Small Quantity Generator (SQG) of hazardous waste. Hazardous waste manifests indicate that waste types formerly generated included D001, D002, D008, D009, and F001 waste types.
- An Order (HM-815) and Notice of Violation (NOV-736) were issued against the site resulting from CT DEP inspections. The Order and NOV were issued based on hazardous waste practices and inadequate employee training. Both the Order and NOV were closed in September 1997 according to files on record at the CT DEP.
- GDC submitted a Form III Transfer Act filing in 1993 for a "conveyance of real property and financing".
- A UST may exist along the eastern boundary of the site. This potential UST was identified during a ground penetrating radar survey conducted in 2002. No record of this UST was identified in CT DEP files.
- Based on the available information, it appears that the property would be considered an "establishment" pursuant to Connecticut's "Transfer Act"

(CGS 22a-134) due to the past generation of hazardous waste. HRP recommends obtaining an opinion of legal counsel regarding the applicability of Connecticut's Transfer Act in the event of a transfer of ownership of the property.

11.2 Off-Site Environmental Conditions

There were no nearby off-site environmental conditions identified relative to the subject property.

11.3 Previously Resolved Environmental Conditions

There have been no previously resolved environmental conditions or concerns related to the site except for the CT DEP Orders and a Notice of Violation that have been resolved.

11.4 De Minimis Environmental Conditions

HRP did not identify any *de minimis* environmental conditions in connection with the property during the course of this assessment except for minor staining on concrete flooring in the basement and minor staining adjacent to two plastic containers stored on the northern end of the parking lot.

12.0 DATA GAPS

HRP did not identify any significant data gaps or limitations in connection with this Phase I ESA that may have limited the completeness of the assessment as in accordance with the ASTM E1527-05 standard, except for the lack of detailed information regarding historical site operations in former buildings.

13.0 CONCLUSIONS

HRP has performed a Phase I Environmental Site Assessment in conformance with the scope and limitations of ASTM Practice E1527 of 6 Rubber Avenue, Naugatuck, Connecticut. Any exceptions to, or deletions from, this practice are described in Sections 2.0 and 12.0 of this report.

This assessment has revealed evidence of recognized environmental conditions in connection with the site's historical use and the presence of fill on the site. A subsurface investigation completed in 2002 indicated that shallow soils at the site contain sporadic occurrences of petroleum, lead, and semi-volatile organic compounds above applicable RSR criteria.

It is HRP's opinion that the site would be considered an "establishment" pursuant to Connecticut's "Transfer Act" (CGS 22a-134). This conclusion should be confirmed by legal counsel. If the site is determined to be an establishment, a transfer of ownership would require a filing under the Transfer Act. This would result in the requirement to demonstrate that the site has been adequately investigated and is in compliance with the Remediation Standard Regulation (RCSA 22a-133k).

14.0 DEVIATIONS

There were no deviations from the American Society for Testing and Materials (ASTM) E1527-05 *Standard Practice for Site Assessments: Phase I Environmental Site Assessment Process* or 40 CFR 312 *Standards and Practices for All Appropriate Inquiry*.

15.0 ADDITIONAL SERVICES

No additional services were requested by or provided to the User for the purpose of this Phase I Environmental Site Assessment.

16.0 REFERENCES

Published Sources

- American Society for Testing and Materials. 2005. Standard Practice for Environmental Site Assessments: Phase I Environmental Site Assessment Process (approved November 1, 2005): ASTM, Philadelphia, PA, 60 pp.
- CT Department of Environmental Protection. 1987. An Inventory of Hazardous Waste Sites in Connecticut and Recommendations for Continuing Action (as amended through 5/25/95).
- CT Department of Environmental Protection. 1982. Atlas of Public Water Supply Sources and Drainage Basins of Connecticut: Bulletin No. 26.
- CT Department of Environmental Protection. 1989. Transfer Act Site Assessment Guidance Document. Hartford, Connecticut. 21 pp.
- CT Department of Environmental Protection, Water Management Bureau, Adopted Water Quality Classifications for the Lower Housatonic River Basin.
- CT Department of Environmental Protection, Water Management Bureau. 1992. Water Quality Standards (Adopted January, 1992; effective date May 15, 1992). 68 pp.
- Rodgers, John. 1985. Bedrock Geological Map of Connecticut. Connecticut Geological and Natural History Survey. Scale 1:125,000.
- Materials Map of Connecticut. Connecticut Geological and Natural History Survey. Scale 1:125,000.
- United States Department of Agriculture, Soil conservation Service. 1987. Hydric Soil Map Units - Connecticut. 11 pp.
- United States Geological Survey. 1968. Photorevised 1984. Southington, Connecticut Quadrangle #65, 7.5 minute Series.
- United States Geological Survey. 1964. Revised 1984. Naugatuck, Connecticut Quadrangle #65, 7.5 minute Series.
- United States Department of Agriculture (USDA) Soil Survey of New Haven County, Connecticut. July 1979.

Database Listings and Other Information Sources

FirstSearch Technology Corporation

- Environmental FirstSearch Database Report

CT Department of Environmental Protection File Search

- A. Bureau of Water Management
 - 1. Engineering and Enforcement Division
- B. Bureau of Waste Management
 - 1. Waste Engineering and Enforcement Division
 - a. Hazardous Waste Program
 - b. Manifests
 - c. Solid Waste Program
 - d. Oil and Chemical Spill Response Division
 - 2. Underground Storage Tank Program

Connecticut State Library and Archives

- Historical Aerial Photographs, 1934 -1995
- City directories for Naugatuck, CT (1936 - 2005)

Town of Naugatuck File Search


- Assessor
- Naugatuck Valley Health District
- Fire Department
- Building Department

18.0 QUALIFICATIONS OF ENVIRONMENTAL PROFESSIONALS

Mr. Michael A. Varni and Mr. Michael R. Ainsworth of HRP Associates, Inc completed this Phase I Environmental Site Assessment. Copies of their professional resumes are included in Appendix G.

17.0 SIGNATURES OF ENVIRONMENTAL PROFESSIONALS

I declare that, to the best of our professional knowledge and belief, I meet the definition of *Environmental Professional* as defined in 312.10 of 40 CFR 312; and, I have the specific qualifications based on education, training, and experience to assess a property of the nature, history, and setting of the subject Property. I have developed and performed the all appropriate inquires in conformance with the standards and practices set forth in 40 CFR Part 312.



Michael R. Ainsworth, LEP
Senior Project Manager